

Price
List
2025

 **Fabbian**

Price List 2025

General info

Note sulle finiture *Information on the goods' finishing*

Il vetro soffiato è la risultante di una lavorazione artigianale e non industriale e seriale. Ogni oggetto, per quanta attenzione possa mettere il maestro vetraio, sarà diverso l'uno dall'altro, sia in termini di dimensione che di forma e finitura. Questa diversità rende ogni oggetto creato dai mastri vetrai, unico ed esclusivo. Ogni imperfezione, quindi, sia essa in termini di forma, dimensione o finitura, non costituisce certo difetto, ma una caratteristica tipica del lavoro manuale.

Blown glass is the result of an artisanal process. It is a hand-made product that does not involve any industrial or mass production process. Despite the abilities of the artisan, every glass will be different from the other in terms of size, shape and finish. Every glass blown by the "Mastro vetraio" (master of glass) is unique and special. No imperfection, in terms of size, shape and finish, is a defect, but rather the distinguishing feature of a hand-made product.

Note sul B2B *B2B notes*

Il BtoB di Fabbian <http://b2b.fabbian.com:8080/login.jsf> vi permette di connettervi alla rete aziendale per:

- creare quotazioni per i vostri progetti
 - inserire ordini in modo immediato, monitorandone lo stato
 - verificare le date di consegna
 - visualizzare e scaricare le comunicazioni ufficiali dell'azienda
 - consultare e scaricare tutti i propri dati commerciali e amministrativi, nei formati più utilizzati
- il tutto in tempo reale, e ovunque vi troviate.

Fabbian's B2B platform <http://b2b.fabbian.com:8080/login.jsf> allows you to connect with the company and:

- make quotations for your projects*
- efficiently make orders and follow their status*
- view the delivery dates*
- view and download official communications from Fabbian*
- browse and download all administrative information and documents (in the most common formats) at any time, wherever you are.*

Note sulle certificazioni *Information on certification*

















Tutti gli articoli a listino sono certificati CE e Gost REAC: attestano che il prodotto risulta conforme ai requisiti degli standard europei e russi.

All items included in the price list are CE and Gost REAC certified: the product is in conformity with the requirements laid down by the european and russian standards.



Il presente listino non può essere copiato, scansionato o riprodotto con qualsiasi mezzo. Tutti i diritti riservati. Immagini, descrizioni, dimensioni e dati tecnici sono da considerarsi puramente indicativi. Pur mantenendo le caratteristiche di base del prodotto, il produttore si riserva il diritto di apportare modifiche in qualsiasi momento, con il solo scopo di miglioramento.

*This price list cannot be copied, scanned or reproduced by any means. All rights reserved.
Pictures, descriptions, dimensions and technical data have to be considered as purely indicative. While maintaining the basic characteristics of the product, the manufacturer reserves the right to make modifications at any time with the sole aim of improvement.*


Nome della collezione Collection name		Codice della collezione Collection code		Designer della collezione Collection designer																																																																							
Acustica		F58		MinettiFossati design studio																																																																							
		<table><tr><td>LED 100-277V - 1x20W 3000K or 2700K 1004 lm, CRI 90+ Dimm. 1-10V</td><td>F58 A11 06</td><td>Ocean</td><td>3000K</td><td>1191,00 €</td></tr><tr><td></td><td>F58 A11 32</td><td>Coral</td><td>3000K</td><td>1191,00 €</td></tr><tr><td></td><td>F58 A11 37</td><td>Concrete</td><td>3000K</td><td>1191,00 €</td></tr><tr><td></td><td>F58 A11 43</td><td>Lawn green</td><td>3000K</td><td>1191,00 €</td></tr><tr><td>IP40 Net weight: 4,00 kg</td><td>F58 A11 47</td><td>Honey</td><td>3000K</td><td>1191,00 €</td></tr><tr><td>Incluso LED, Alimentatore elettronico dimmerabile / Included LED, Dimmable electronic driver</td><td>F58 A12 06</td><td>Ocean</td><td>2700K</td><td>1191,00 €</td></tr><tr><td></td><td>F58 A12 32</td><td>Coral</td><td>2700K</td><td>1191,00 €</td></tr><tr><td></td><td>F58 A12 37</td><td>Concrete</td><td>2700K</td><td>1191,00 €</td></tr><tr><td>Note: 4000K su richiesta. Più di 50 finiture disponibili su richiesta / Note: 4000K by request. More than 50 finishes available upon request</td><td>F58 A12 43</td><td>Lawn green</td><td>2700K</td><td>1191,00 €</td></tr><tr><td></td><td>F58 A12 47</td><td>Honey</td><td>2700K</td><td>1191,00 €</td></tr></table>						LED 100-277V - 1x20W 3000K or 2700K 1004 lm, CRI 90+ Dimm. 1-10V	F58 A11 06	Ocean	3000K	1191,00 €		F58 A11 32	Coral	3000K	1191,00 €		F58 A11 37	Concrete	3000K	1191,00 €		F58 A11 43	Lawn green	3000K	1191,00 €	IP40 Net weight: 4,00 kg	F58 A11 47	Honey	3000K	1191,00 €	Incluso LED, Alimentatore elettronico dimmerabile / Included LED, Dimmable electronic driver	F58 A12 06	Ocean	2700K	1191,00 €		F58 A12 32	Coral	2700K	1191,00 €		F58 A12 37	Concrete	2700K	1191,00 €	Note: 4000K su richiesta. Più di 50 finiture disponibili su richiesta / Note: 4000K by request. More than 50 finishes available upon request	F58 A12 43	Lawn green	2700K	1191,00 €		F58 A12 47	Honey	2700K	1191,00 €																		
LED 100-277V - 1x20W 3000K or 2700K 1004 lm, CRI 90+ Dimm. 1-10V	F58 A11 06	Ocean	3000K	1191,00 €																																																																							
	F58 A11 32	Coral	3000K	1191,00 €																																																																							
	F58 A11 37	Concrete	3000K	1191,00 €																																																																							
	F58 A11 43	Lawn green	3000K	1191,00 €																																																																							
IP40 Net weight: 4,00 kg	F58 A11 47	Honey	3000K	1191,00 €																																																																							
Incluso LED, Alimentatore elettronico dimmerabile / Included LED, Dimmable electronic driver	F58 A12 06	Ocean	2700K	1191,00 €																																																																							
	F58 A12 32	Coral	2700K	1191,00 €																																																																							
	F58 A12 37	Concrete	2700K	1191,00 €																																																																							
Note: 4000K su richiesta. Più di 50 finiture disponibili su richiesta / Note: 4000K by request. More than 50 finishes available upon request	F58 A12 43	Lawn green	2700K	1191,00 €																																																																							
	F58 A12 47	Honey	2700K	1191,00 €																																																																							
Tipologia Typology		Prezzo (IVA non inclusa) Price (IVA not included)																																																																									
Disegno tecnico quotato Quoted technical drawing		Dettagli tecnici Technical details																																																																									
<table><tr><th>It</th><th>Pack</th><th>L / L</th><th>L / W</th><th>H / H</th><th>Peso / Weight</th></tr><tr><td>1</td><td>Structure</td><td>0,40</td><td>0,40</td><td>0,22</td><td>2,000 kg</td></tr><tr><td>1</td><td>Diffuser</td><td>0,96</td><td>0,96</td><td>0,10</td><td>4,600 kg</td></tr></table>		It	Pack	L / L	L / W	H / H	Peso / Weight	1	Structure	0,40	0,40	0,22	2,000 kg	1	Diffuser	0,96	0,96	0,10	4,600 kg	<table><tr><td>LED 220-240V - 1x20W 3000K or 2700K 1004 lm, CRI 90+ Dimm. DALI - PUSH</td><td>F58 A21 06</td><td>Ocean</td><td>3000K</td><td>1191,00 €</td></tr><tr><td></td><td>F58 A21 32</td><td>Coral</td><td>3000K</td><td>1191,00 €</td></tr><tr><td></td><td>F58 A21 37</td><td>Concrete</td><td>3000K</td><td>1191,00 €</td></tr><tr><td></td><td>F58 A21 43</td><td>Lawn green</td><td>3000K</td><td>1191,00 €</td></tr><tr><td>IP40 Net weight: 4,00 kg</td><td>F58 A21 47</td><td>Honey</td><td>3000K</td><td>1191,00 €</td></tr><tr><td>Incluso LED, Alimentatore elettronico dimmerabile / Included LED, Dimmable electronic driver</td><td>F58 A22 06</td><td>Ocean</td><td>2700K</td><td>1191,00 €</td></tr><tr><td></td><td>F58 A22 32</td><td>Coral</td><td>2700K</td><td>1191,00 €</td></tr><tr><td></td><td>F58 A22 37</td><td>Concrete</td><td>2700K</td><td>1191,00 €</td></tr><tr><td>Note: 4000K su richiesta. Più di 50 finiture disponibili su richiesta / Note: 4000K by request. More than 50 finishes available upon request</td><td>F58 A22 43</td><td>Lawn green</td><td>2700K</td><td>1191,00 €</td></tr><tr><td></td><td>F58 A22 47</td><td>Honey</td><td>2700K</td><td>1191,00 €</td></tr></table>						LED 220-240V - 1x20W 3000K or 2700K 1004 lm, CRI 90+ Dimm. DALI - PUSH	F58 A21 06	Ocean	3000K	1191,00 €		F58 A21 32	Coral	3000K	1191,00 €		F58 A21 37	Concrete	3000K	1191,00 €		F58 A21 43	Lawn green	3000K	1191,00 €	IP40 Net weight: 4,00 kg	F58 A21 47	Honey	3000K	1191,00 €	Incluso LED, Alimentatore elettronico dimmerabile / Included LED, Dimmable electronic driver	F58 A22 06	Ocean	2700K	1191,00 €		F58 A22 32	Coral	2700K	1191,00 €		F58 A22 37	Concrete	2700K	1191,00 €	Note: 4000K su richiesta. Più di 50 finiture disponibili su richiesta / Note: 4000K by request. More than 50 finishes available upon request	F58 A22 43	Lawn green	2700K	1191,00 €		F58 A22 47	Honey	2700K	1191,00 €
It	Pack	L / L	L / W	H / H	Peso / Weight																																																																						
1	Structure	0,40	0,40	0,22	2,000 kg																																																																						
1	Diffuser	0,96	0,96	0,10	4,600 kg																																																																						
LED 220-240V - 1x20W 3000K or 2700K 1004 lm, CRI 90+ Dimm. DALI - PUSH	F58 A21 06	Ocean	3000K	1191,00 €																																																																							
	F58 A21 32	Coral	3000K	1191,00 €																																																																							
	F58 A21 37	Concrete	3000K	1191,00 €																																																																							
	F58 A21 43	Lawn green	3000K	1191,00 €																																																																							
IP40 Net weight: 4,00 kg	F58 A21 47	Honey	3000K	1191,00 €																																																																							
Incluso LED, Alimentatore elettronico dimmerabile / Included LED, Dimmable electronic driver	F58 A22 06	Ocean	2700K	1191,00 €																																																																							
	F58 A22 32	Coral	2700K	1191,00 €																																																																							
	F58 A22 37	Concrete	2700K	1191,00 €																																																																							
Note: 4000K su richiesta. Più di 50 finiture disponibili su richiesta / Note: 4000K by request. More than 50 finishes available upon request	F58 A22 43	Lawn green	2700K	1191,00 €																																																																							
	F58 A22 47	Honey	2700K	1191,00 €																																																																							
Packing Imballo		Colori o finiture Colour or finishing																																																																									
Scheda tecnica di elettrificazione con info tecniche e accessori Electrification technical form with technical info and accessories																																																																											
Codice del prodotto Product code		Catalogue																																																																									
		Upon request																																																																									
Finiture disponibili Finishes available		<table><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>06 Ocean</td><td>32 Coral</td><td>37 Concrete</td><td>43 Lawn green</td><td>47 Honey</td></tr></table>											06 Ocean	32 Coral	37 Concrete	43 Lawn green	47 Honey																																																										
																																																																											
06 Ocean	32 Coral	37 Concrete	43 Lawn green	47 Honey																																																																							
		More than 50 finishes available upon request.																																																																									
		Fabbian Price List 2025																																																																									
		11																																																																									
		Finiture disponibili su richiesta Finishes available upon request																																																																									

Index

Acustica F58

Pendant / Wall-ceiling


pag. 10



Aérostat F27

Pendant / Table / Floor

pag. 14



Akoya F61

Pendant / Wall

pag. 16



Amulette Art F56

Pendant / Wall

pag. 18



Armilla F50

Pendant / Table

pag. 19



Beluga D57

Pendant / Table / Floor / Wall /
Wall-ceiling / Track

pag. 20



Beluga Royal D57

Pendant

pag. 25



Bijou D75

Pendant / Floor / Wall

pag. 26



Bungee F64

Floor

pag. 28



Claque F43

Pendant / Ceiling / Track /
Recessed

pag. 29



Cloudy F21

Pendant / Ceiling

pag. 32



Comet F67

Wall


pag. 34



Crio D81

Pendant

pag. 35



Cubetto D28

Pendant / Table / Wall / Ceiling /
Wall-ceiling


pag. 36



Dome F65

Pendant

pag. 39



Etnia F68

Pendant

pag. 41



Faretti D27

Recessed

pag. 45



Freeline F44

Pendant / Ceiling


pag. 50



Giro F30

Pendant

pag. 58



Giunco F14

Floor

pag. 59



Jazz D52

Wall

pag. 61



Laminis F33

System

pag. 62



Làmpara F69

Table

pag. 85



Lancetta F70


Wall

pag. 86



Lens F46

Pendant / Wall-ceiling



pag. 87

Light Glide F57


Pendant



pag. 90

Loop F35

Pendant / Wall-ceiling



pag. 92

Lumi F07

Pendant / Table / Floor /
Ceiling / Wall-ceiling



pag. 93

Metro F49


Wall-ceiling



pag. 108

Multispot F32

Pendant



pag. 111

Olympic F45


Pendant / Wall-ceiling



pag. 134

Oru F25


Pendant



pag. 139

Pivot F39

Pendant / Floor / Wall-ceiling



pag. 140

Polair F36


Pendant



pag. 143

Plana F71


Table



pag. 144

Quarter F38

Pendant / Wall-ceiling



pag. 145

Rìo F72

Floor


pag. 148



Roofer F12

Pendant

pag. 149



Saya F47

Pendant

pag. 151



Stick F23

Pendant / Table / Floor / Wall

pag. 152



Tile D95

System

pag. 156



Tools F19

Recessed

pag. 175



Tripla F41

Pendant / Table / Wall / Ceiling /
Wall-ceiling / Recessed

pag. 182



XY&Z F63

Pendant

pag. 190







Utility

pag. 192

Accessori

F00

<div>Canopy</div> <div>For the collections: Bijou, Claque, Lumi Mochi, Lumi Sfera</div> <div></div>	<div>IP20</div> <div>Incluso: 3 kit per decentramento / <i>Included: 3 off-center cable fastener</i></div> <div>Nota: Rosone per 3 punti luce con cavo unico / <i>Note: Canopy for 3 spots with single cable</i></div>	<div>F00 M01 01</div> <div>F00 M01 02</div> <div>F00 M01 34</div>	<div>White</div> <div>Black</div> <div>Titanium</div>	<div>152,00 €</div> <div>152,00 €</div> <div>171,00 €</div>
<div>Canopy</div> <div>For the collections: Bijou, Claque, Lumi Mochi, Lumi Sfera</div> <div></div>	<div>IP20</div> <div>Incluso: 2 kit per decentramento / <i>Included: 2 off-center cable fastener</i></div> <div>Nota: Rosone per spostamento di 2 punti luce con cavo unico / <i>Note: Canopy for moving 2 spots with single cable</i></div>	<div>F00 M11 01</div> <div>F00 M11 02</div> <div>F00 M11 34</div>	<div>White</div> <div>Black</div> <div>Titanium</div>	<div>128,00 €</div> <div>128,00 €</div> <div>137,00 €</div>
<div>Canopy</div> <div>For the collections: Aérostat, Armilla, Beluga Royal, Cloudy, Loop, Lumi Baka, Lumi Mochi, Lumi Poga, Lumi Sfera, Lumi White</div> <div></div>	<div>IP20</div> <div>Incluso: 3 kit per decentramento / <i>Included: 3 off-center cable fastener</i></div> <div>Nota: Rosone per 3 punti luce con cavo doppio / <i>Note: Canopy for 3 spots with double cable</i></div>	<div>F00 M02 01</div> <div>F00 M02 02</div> <div>F00 M02 34</div>	<div>White</div> <div>Black</div> <div>Titanium</div>	<div>176,00 €</div> <div>176,00 €</div> <div>194,00 €</div>
<div>Canopy</div> <div>For the collections: Aérostat, Armilla, Beluga Royal, Cloudy, Loop, Lumi Baka, Lumi Mochi, Lumi Poga, Lumi Sfera, Lumi White</div> <div></div>	<div>IP20</div> <div>Incluso: 2 kit per decentramento / <i>Included: 2 off-center cable fastener</i></div> <div>Nota: Rosone per spostamento di 2 punti luce con cavo doppio / <i>Note: Canopy for moving 2 spots with double cable</i></div>	<div>F00 M12 01</div> <div>F00 M12 02</div> <div>F00 M12 34</div>	<div>White</div> <div>Black</div> <div>Titanium</div>	<div>152,00 €</div> <div>152,00 €</div> <div>161,00 €</div>

Pendant


LED 100-277V - 1x20W		F58 A71 06	Ocean	3000K	1.082,00 €
3000K or 2700K		F58 A71 32	Coral	3000K	1.082,00 €
1604 lm, CRI 90+		F58 A71 37	Concrete	3000K	1.082,00 €
Dimm. 1..10V		F58 A71 43	Lawn green	3000K	1.082,00 €
IP40		F58 A71 47	Honey	3000K	1.082,00 €
Net weight: 3,00 kg		F58 A72 06	Ocean	2700K	1.082,00 €
Incluso: LED, Alimentatore elettronico dimmerabile / Included: LED, Dimmable electronic driver		F58 A72 32	Coral	2700K	1.082,00 €
Nota: 4000K su richiesta. Più di 50 finiture disponibili su richiesta / Note: 4000K by request. More than 50 finishes available upon request		F58 A72 37	Concrete	2700K	1.082,00 €
		F58 A72 43	Lawn green	2700K	1.082,00 €
		F58 A72 47	Honey	2700K	1.082,00 €
LED 220-240V - 1x20W		F58 A81 06	Ocean	3000K	1.082,00 €
3000K or 2700K		F58 A81 32	Coral	3000K	1.082,00 €
1604 lm, CRI 90+		F58 A81 37	Concrete	3000K	1.082,00 €
Dimm. DALI - PUSH		F58 A81 43	Lawn green	3000K	1.082,00 €
IP40		F58 A81 47	Honey	3000K	1.082,00 €
Net weight: 3,00 kg		F58 A82 06	Ocean	2700K	1.082,00 €
Incluso: LED, Alimentatore elettronico dimmerabile / Included: LED, Dimmable electronic driver		F58 A82 32	Coral	2700K	1.082,00 €
Nota: 4000K su richiesta. Più di 50 finiture disponibili su richiesta / Note: 4000K by request. More than 50 finishes available upon request		F58 A82 37	Concrete	2700K	1.082,00 €
		F58 A82 43	Lawn green	2700K	1.082,00 €
		F58 A82 47	Honey	2700K	1.082,00 €
LED 220-240V - 1x20W		F58 A91 06	Ocean	3000K	1.082,00 €
3000K or 2700K		F58 A91 32	Coral	3000K	1.082,00 €
1604 lm, CRI 90+		F58 A91 37	Concrete	3000K	1.082,00 €
Dimm. PHASE CUT 30%-100%		F58 A91 43	Lawn green	3000K	1.082,00 €
IP40		F58 A91 47	Honey	3000K	1.082,00 €
Net weight: 3,00 kg		F58 A92 06	Ocean	2700K	1.082,00 €
Incluso: LED, Alimentatore elettronico dimmerabile / Included: LED, Dimmable electronic driver		F58 A92 32	Coral	2700K	1.082,00 €
Nota: 4000K su richiesta. Più di 50 finiture disponibili su richiesta / Note: 4000K by request. More than 50 finishes available upon request		F58 A92 37	Concrete	2700K	1.082,00 €
		F58 A92 43	Lawn green	2700K	1.082,00 €
		F58 A92 47	Honey	2700K	1.082,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,40	0,40	0,22	2,000 kg
1	Diffuser	0,79	0,79	0,10	2,715 kg


n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,40	0,40	0,22	2,000 kg
1	Diffuser	0,79	0,79	0,10	2,715 kg

Catalogue

Upon request



06 Ocean



32 Coral



37 Concrete




43 Lawn green



47 Honey

More than 50 finishes available upon request.

Pendant



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,40	0,40	0,22	2,000 kg
1	Diffuser	0,96	0,96	0,10	4,600 kg

LED 100-277V - 1x20W 3000K or 2700K 1604 lm, CRI 90+ Dimm. 1..10V	F58 A11 06	Ocean	3000K	1.191,00 €
	F58 A11 32	Coral	3000K	1.191,00 €
	F58 A11 37	Concrete	3000K	1.191,00 €
IP40 Net weight: 4,00 kg	F58 A11 43	Lawn green	3000K	1.191,00 €
	F58 A11 47	Honey	3000K	1.191,00 €
Incluso: LED, Alimentatore elettronico dimmerabile / Included: LED, Dimmable electronic driver	F58 A12 06	Ocean	2700K	1.191,00 €
	F58 A12 32	Coral	2700K	1.191,00 €
	F58 A12 37	Concrete	2700K	1.191,00 €
Nota: 4000K su richiesta. Più di 50 finiture disponibili su richiesta / Note: 4000K by request. More than 50 finishes available upon request	F58 A12 43	Lawn green	2700K	1.191,00 €
	F58 A12 47	Honey	2700K	1.191,00 €
LED 220-240V - 1x20W 3000K or 2700K 1604 lm, CRI 90+ Dimm. DALI - PUSH	F58 A21 06	Ocean	3000K	1.191,00 €
	F58 A21 32	Coral	3000K	1.191,00 €
	F58 A21 37	Concrete	3000K	1.191,00 €
IP40 Net weight: 4,00 kg	F58 A21 43	Lawn green	3000K	1.191,00 €
	F58 A21 47	Honey	3000K	1.191,00 €
Incluso: LED, Alimentatore elettronico dimmerabile / Included: LED, Dimmable electronic driver	F58 A22 06	Ocean	2700K	1.191,00 €
	F58 A22 32	Coral	2700K	1.191,00 €
	F58 A22 37	Concrete	2700K	1.191,00 €
Nota: 4000K su richiesta. Più di 50 finiture disponibili su richiesta / Note: 4000K by request. More than 50 finishes available upon request	F58 A22 43	Lawn green	2700K	1.191,00 €
	F58 A22 47	Honey	2700K	1.191,00 €
LED 220-240V - 1x20W 3000K or 2700K 1604 lm, CRI 90+ Dimm. PHASE CUT 30%-100%	F58 A51 06	Ocean	3000K	1.191,00 €
	F58 A51 32	Coral	3000K	1.191,00 €
	F58 A51 37	Concrete	3000K	1.191,00 €
IP40 Net weight: 4,00 kg	F58 A51 43	Lawn green	3000K	1.191,00 €
	F58 A51 47	Honey	3000K	1.191,00 €
Incluso: LED, Alimentatore elettronico dimmerabile / Included: LED, Dimmable electronic driver	F58 A52 06	Ocean	2700K	1.191,00 €
	F58 A52 32	Coral	2700K	1.191,00 €
	F58 A52 37	Concrete	2700K	1.191,00 €
Nota: 4000K su richiesta. Più di 50 finiture disponibili su richiesta / Note: 4000K by request. More than 50 finishes available upon request	F58 A52 43	Lawn green	2700K	1.191,00 €
	F58 A52 47	Honey	2700K	1.191,00 €

Catalogue

Upon request



06 Ocean



32 Coral



37 Concrete




43 Lawn green



47 Honey

More than 50 finishes available upon request.

Wall




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,70	0,70	0,14	5,800 kg
1	Diffuser	0,79	0,79	0,10	2,715 kg

LED 220-240V - 1x37W 3000K or 2700K 1725 lm, CRI 90+ Dimm. ON/OFF	F58 G01 06	Ocean	3000K	945,00 €
	F58 G01 32	Coral	3000K	945,00 €
	F58 G01 37	Concrete	3000K	945,00 €
	F58 G01 43	Lawn green	3000K	945,00 €
	F58 G01 47	Honey	3000K	945,00 €
	F58 G02 06	Ocean	2700K	945,00 €
	F58 G02 32	Coral	2700K	945,00 €
	F58 G02 37	Concrete	2700K	945,00 €
	F58 G02 43	Lawn green	2700K	945,00 €
	F58 G02 47	Honey	2700K	945,00 €

LED 220-240V - 1x37W 3000K or 2700K 1725 lm, CRI 90+ Dimm. DALI - PUSH - 1.10V	F58 G11 06	Ocean	3000K	1.080,00 €
	F58 G11 32	Coral	3000K	1.080,00 €
	F58 G11 37	Concrete	3000K	1.080,00 €
	F58 G11 43	Lawn green	3000K	1.080,00 €
	F58 G11 47	Honey	3000K	1.080,00 €
	F58 G12 06	Ocean	2700K	1.080,00 €
	F58 G12 32	Coral	2700K	1.080,00 €
	F58 G12 37	Concrete	2700K	1.080,00 €
	F58 G12 43	Lawn green	2700K	1.080,00 €
	F58 G12 47	Honey	2700K	1.080,00 €

Wall




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,96	0,96	0,10	10,690 kg
1	Diffuser	0,96	0,96	0,10	4,600 kg

LED 220-240V - 1x72W 3000K or 2700K 3295 lm, CRI 90+ Dimm. ON/OFF	F58 G21 06	Ocean	3000K	1.200,00 €
	F58 G21 32	Coral	3000K	1.200,00 €
	F58 G21 37	Concrete	3000K	1.200,00 €
	F58 G21 43	Lawn green	3000K	1.200,00 €
	F58 G21 47	Honey	3000K	1.200,00 €
	F58 G22 06	Ocean	2700K	1.200,00 €
	F58 G22 32	Coral	2700K	1.200,00 €
	F58 G22 37	Concrete	2700K	1.200,00 €
	F58 G22 43	Lawn green	2700K	1.200,00 €
	F58 G22 47	Honey	2700K	1.200,00 €


LED 220-240V - 1x72W 3000K or 2700K CRI 90+ Dimm. DALI - PUSH - 1.10V	F58 G31 06	Ocean	3000K	1.323,00 €
	F58 G31 32	Coral	3000K	1.323,00 €
	F58 G31 37	Concrete	3000K	1.323,00 €
	F58 G31 43	Lawn green	3000K	1.323,00 €
	F58 G31 47	Honey	3000K	1.323,00 €
	F58 G32 06	Ocean	2700K	1.323,00 €
	F58 G32 32	Coral	2700K	1.323,00 €
	F58 G32 37	Concrete	2700K	1.323,00 €
	F58 G32 43	Lawn green	2700K	1.323,00 €
	F58 G32 47	Honey	2700K	1.323,00 €

Catalogue

Upon request



06 Ocean




32 Coral



37 Concrete




43 Lawn green



47 Honey

More than 50 finishes available upon request.

Pendant




E27 220-240V - 1x15W LED
cod. A10234C01
Max Watt. 150W
Dimm. PHASE CUT 30%-100%
IP20
Net weight: 3,69 kg
Non incluso: Lampadina / *Not included: Bulb*

F27 A11 19	Brass-plated	659,00 €
F27 A11 24	Black chrome	659,00 €
F27 A11 41	Copper	686,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,48	0,48	0,46	5,375 kg

Pendant




E27 220-240V - 1x15W LED
cod. A10234C01
Max Watt. 150W
Dimm. PHASE CUT 30%-100%
IP20
Net weight: 5,01 kg
Non incluso: Lampadina / *Not included: Bulb*

F27 A13 19	Brass-plated	755,00 €
F27 A13 24	Black chrome	755,00 €
F27 A13 41	Copper	784,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,58	0,58	0,51	7,785 kg

Table





E14 220-240V - 1x5W LED
cod. A10111C01
Max Watt. 46W
IP20 
Net weight: 1,81 kg
Non incluso: Lampadina / *Not included: Bulb*

F27 B01 19	Brass-plated	348,00 €
F27 B01 24	Black chrome	348,00 €
F27 B01 41	Copper	386,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,32	0,32	0,29	2,270 kg

Table





E27 220-240V - 1x15W LED
cod. A10234C01
Max Watt. 150W
IP20 
Net weight: 4,38 kg
Non incluso: Lampadina / *Not included: Bulb*

F27 B03 19	Brass-plated	468,00 €
F27 B03 24	Black chrome	468,00 €
F27 B03 41	Copper	508,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,48	0,48	0,46	5,570 kg

Floor




E27 220-240V - 1x15W LED
cod. A10234C01
Max Watt. 150W
IP20 
Net weight: 6,29 kg
Non incluso: Lampadina / *Not included: Bulb*

F27 C03 19	Brass-plated	946,00 €
F27 C03 24	Black chrome	946,00 €
F27 C03 41	Copper	989,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,44	0,44	1,40	5,180 kg
1	Diffuser	0,58	0,58	0,51	6,260 kg


Pendant



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,40	0,40	0,22	4,335 kg

LED 220-240V - 1x7W 3000K or 2700K 622 lm, CRI 90 Dimm. 1.10V	F61 A11 01	White	3000K	350,00 €
	F61 A11 21	Anthracite	3000K	350,00 €
	F61 A11 25	Corten	3000K	350,00 €
IP40	F61 A11 76	Bronze	3000K	370,00 €
Incluso: LED, Alimentatore elettronico dimmerabile / Included: LED, Dimmable electronic driver	F61 A12 01	White	2700K	350,00 €
	F61 A12 21	Anthracite	2700K	350,00 €
	F61 A12 25	Corten	2700K	350,00 €
Nota: 4000K su richiesta / Note: 4000K by request	F61 A12 76	Bronze	2700K	370,00 €
LED 220-240V - 1x7W 3000K or 2700K 622 lm, CRI 90 Dimm. DALI	F61 A21 01	White	3000K	395,00 €
	F61 A21 21	Anthracite	3000K	395,00 €
	F61 A21 25	Corten	3000K	395,00 €
IP40	F61 A21 76	Bronze	3000K	415,00 €
Incluso: LED, Alimentatore elettronico dimmerabile / Included: LED, Dimmable electronic driver	F61 A22 01	White	2700K	395,00 €
	F61 A22 21	Anthracite	2700K	395,00 €
	F61 A22 25	Corten	2700K	395,00 €
Nota: 4000K su richiesta / Note: 4000K by request	F61 A22 76	Bronze	2700K	415,00 €
LED 220-240V - 1x7W 3000K or 2700K 622 lm, CRI 90 Dimm. ON/OFF	F61 A31 01	White	3000K	320,00 €
	F61 A31 21	Anthracite	3000K	320,00 €
	F61 A31 25	Corten	3000K	320,00 €
IP40	F61 A31 76	Bronze	3000K	340,00 €
Incluso: LED, Alimentatore / Included: LED, Driver	F61 A32 01	White	2700K	320,00 €
	F61 A32 21	Anthracite	2700K	320,00 €
Nota: 4000K su richiesta / Note: 4000K by request	F61 A32 25	Corten	2700K	320,00 €
	F61 A32 76	Bronze	2700K	340,00 €


Pendant



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,68	0,68	0,38	15,000 kg

LED 220-240V - 1x20W 3000K or 2700K 1200 lm, CRI 90 Dimm. 1.10V	F61 A61 01	White	3000K	497,00 €
	F61 A61 21	Anthracite	3000K	497,00 €
	F61 A61 25	Corten	3000K	497,00 €
IP40	F61 A61 76	Bronze	3000K	524,00 €
Incluso: LED, Alimentatore elettronico dimmerabile / Included: LED, Dimmable electronic driver	F61 A62 01	White	2700K	497,00 €
	F61 A62 21	Anthracite	2700K	497,00 €
	F61 A62 25	Corten	2700K	497,00 €
Nota: 4000K su richiesta / Note: 4000K by request	F61 A62 76	Bronze	2700K	524,00 €
LED 220-240V - 1x20W 3000K or 2700K 1200 lm, CRI 90 Dimm. DALI	F61 A71 01	White	3000K	505,00 €
	F61 A71 21	Anthracite	3000K	505,00 €
	F61 A71 25	Corten	3000K	505,00 €
IP40	F61 A71 76	Bronze	3000K	533,00 €
Incluso: LED, Alimentatore elettronico dimmerabile / Included: LED, Dimmable electronic driver	F61 A72 01	White	2700K	505,00 €
	F61 A72 21	Anthracite	2700K	505,00 €
	F61 A72 25	Corten	2700K	505,00 €
Nota: 4000K su richiesta / Note: 4000K by request	F61 A72 76	Bronze	2700K	533,00 €
LED 220-240V - 1x20W 3000K or 2700K 1200 lm, CRI 90 Dimm. ON/OFF	F61 A81 01	White	3000K	454,00 €
	F61 A81 21	Anthracite	3000K	454,00 €
	F61 A81 25	Corten	3000K	454,00 €
IP40	F61 A81 76	Bronze	3000K	482,00 €
Incluso: LED, Alimentatore / Included: LED, Driver	F61 A82 01	White	2700K	454,00 €
	F61 A82 21	Anthracite	2700K	454,00 €
Nota: 4000K su richiesta / Note: 4000K by request	F61 A82 25	Corten	2700K	454,00 €
	F61 A82 76	Bronze	2700K	482,00 €

Wall




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,40	0,40	0,22	3,700 kg
1		0,40	0,40	0,22	3,860 kg

LED 220-240V - 1x7W 3000K or 2700K or 4000K 622 lm, CRI 90+ Dimm. 1..10V IP40 Net weight: 3,20 kg Incluso: LED, Alimentatore elettronico dimmerabile / Included: LED, Dimmable electronic driver Nota: 4000K su richiesta / Note: 4000K by request	F61 D11 01	White	3000K	258,00 €
	F61 D11 21	Anthracite	3000K	258,00 €
	F61 D11 25	Corten	3000K	258,00 €
	F61 D11 76	Bronze	3000K	279,00 €
	F61 D12 01	White	2700K	258,00 €
	F61 D12 21	Anthracite	2700K	258,00 €
	F61 D12 25	Corten	2700K	258,00 €
	F61 D12 76	Bronze	2700K	279,00 €
	F61 D13 01	White	4000K	258,00 €
	F61 D13 21	Anthracite	4000K	258,00 €
	F61 D13 25	Corten	4000K	258,00 €
	F61 D13 76	Bronze	4000K	279,00 €
	F61 D21 01	White	3000K	304,00 €
	F61 D21 21	Anthracite	3000K	304,00 €
	F61 D21 25	Corten	3000K	304,00 €
LED 220-240V - 1x7W 3000K or 2700K or 4000K 622 lm, CRI 90+ Dimm. DALI IP40 Net weight: 3,20 kg Incluso: LED, Alimentatore elettronico dimmerabile / Included: LED, Dimmable electronic driver Nota: 4000K su richiesta / Note: 4000K by request	F61 D21 76	Bronze	3000K	328,00 €
	F61 D22 01	White	2700K	304,00 €
	F61 D22 21	Anthracite	2700K	304,00 €
	F61 D22 25	Corten	2700K	304,00 €
	F61 D22 76	Bronze	2700K	328,00 €
	F61 D23 01	White	4000K	304,00 €
	F61 D23 21	Anthracite	4000K	304,00 €
	F61 D23 25	Corten	4000K	304,00 €
	F61 D23 76	Bronze	4000K	328,00 €
	F61 D31 01	White	3000K	227,00 €
LED 220-240V - 1x7W 3000K or 2700K or 4000K 622 lm, CRI 90+ Dimm. ON/OFF IP40 Net weight: 3,20 kg Incluso: LED, Alimentatore / Included: LED, Driver Nota: 4000K su richiesta / Note: 4000K by request	F61 D31 21	Anthracite	3000K	227,00 €
	F61 D31 25	Corten	3000K	227,00 €
	F61 D31 76	Bronze	3000K	246,00 €
	F61 D32 01	White	2700K	227,00 €
	F61 D32 21	Anthracite	2700K	227,00 €
	F61 D32 25	Corten	2700K	227,00 €
	F61 D32 76	Bronze	2700K	246,00 €
	F61 D33 01	White	4000K	227,00 €
	F61 D33 21	Anthracite	4000K	227,00 €
	F61 D33 25	Corten	4000K	227,00 €
	F61 D33 76	Bronze	4000K	246,00 €

Catalogue


Upon request




01 White



21 Anthracite




25 Corten



76 Bronze


Other finishes available upon request.

Pendant	LED 220-240V - 1x5W	F56 A11 21	Anthracite	3000K	464,00 €
	3000K or 2700K	F56 A11 78	Satin rose gold	3000K	464,00 €
	CRI 80	F56 A11 79	Satin gold	3000K	464,00 €
	Dimm. PUSH 1..10V	F56 A12 21	Anthracite	2700K	464,00 €
	IP20	F56 A12 78	Satin rose gold	2700K	464,00 €
	Net weight: 3,10 kg	F56 A12 79	Satin gold	2700K	464,00 €
Incluso: LED, Alimentatore elettronico dimmerabile / Included: LED, Dimmable electronic driver					




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,64	0,32	0,22	3,835 kg

Wall	LED 220-240V - 1x5W	F56 D11 21	Anthracite	3000K	464,00 €
	3000K or 2700K	F56 D11 78	Satin rose gold	3000K	464,00 €
	CRI 80	F56 D11 79	Satin gold	3000K	464,00 €
	Dimm. PUSH 1..10V	F56 D12 21	Anthracite	2700K	464,00 €
	IP20	F56 D12 78	Satin rose gold	2700K	464,00 €
	Net weight: 3,10 kg	F56 D12 79	Satin gold	2700K	464,00 €
Incluso: LED, Alimentatore elettronico dimmerabile / Included: LED, Dimmable electronic driver					



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,64	0,32	0,22	3,860 kg

Pendant



E27 220-240V - 1x15W LED
cod. A10234C01
Max Watt. 150W
Dimm. PHASE CUT 30%-100%


IP40
Net weight: 3,38 kg

Non incluso: Lampadina / *Not included: Bulb*


F50 A01 01	White	White canopy and cap, burnished rings	675,00 €
F50 A01 14	Satin-finish burnished	Burnished canopy, cap and rings	675,00 €
F50 A03 01	White	White canopy and cap, chrome rings	996,00 €
F50 A03 15	Chrome	Chrome canopy, cap and rings	1.012,00 €
F50 A05 01	White	White canopy and cap, gold rings	1.059,00 €
F50 A05 12	Gold	Gold canopy, cap and rings	1.091,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,51	0,51	0,51	7,240 kg

Table



E27 220-240V - 1x15W LED
cod. A10234C01
Max Watt. 150W


IP40 
Net weight: 2,93 kg

Non incluso: Lampadina / *Not included: Bulb*



F50 B01 01	White	White base and cap, burnished rings	675,00 €
F50 B01 14	Satin-finish burnished	Burnished base, cap and rings	675,00 €
F50 B03 01	White	White base and cap, chrome rings	996,00 €
F50 B03 15	Chrome	Chrome base, cap and rings	1.012,00 €
F50 B05 01	White	White base and cap, gold rings	1.059,00 €
F50 B05 12	Gold	Gold base, cap and rings	1.091,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,52	0,52	0,45	8,560 kg

Pendant






GU10 220-240V - 1x7W LED
cod. A11105C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%

IP20  
Net weight: 1,10 kg (Colour)
Net weight: 0,57 kg (Chrome)

Non incluso: Lampadina / *Not included: Bulb*

D57 A11 00	Transparent	240,00 €
D57 A11 03	Red	256,00 €
D57 A11 04	Yellow	256,00 €
D57 A11 31	Blue	256,00 €
D57 A11 41	Copper	256,00 €
D57 A11 43	Green	256,00 €
D57 A05 15	Chrome	261,00 €

G9 220-240V - 1x4.5W LED
cod. A11010C01
Max Watt. 48W
Dimm. PHASE CUT 30%-100%


IP20   
Net weight: 0,82 kg

Non incluso: Lampadina / *Not included: Bulb*



D57 A17 01	White	256,00 €
------------	-------	----------

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Colour	1,19	0,15	0,11	1,995 kg
1	Chrome	1,19	0,15	0,11	2,570 kg
1	White	1,19	0,15	0,11	2,245 kg

Pendant






E27 220-240V - 1x10W LED
cod. A10228C01
Max Watt. 100W
Dimm. PHASE CUT 30%-100%

IP20  
Net weight: 0,77 kg

Non incluso: Lampadina / *Not included: Bulb*

D57 A07 15	Chrome	349,00 €
------------	--------	----------

G9 220-240V - 1x4.5W LED
cod. A11010C01
Max Watt. 60W
Dimm. PHASE CUT 30%-100%


IP20   
Net weight: 1,05 kg





Non incluso: Lampadina / *Not included: Bulb*

D57 A19 01	White	349,00 €
------------	-------	----------

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Chrome	1,22	0,17	0,17	1,790 kg
1	White	1,41	0,33	0,21	2,555 kg


Pendant








E27 220-240V - 1x15W LED cod. A10234C01 Max Watt. 150W Dimm. PHASE CUT 30%-100%	D57 A21 01	White	568,00 €
IP20   Net weight: 1,26 kg Non incluso: Lampadina / <i>Not included: Bulb</i>			
E27 220-240V - 1x15W LED cod. A10234C01 Max Watt. 205W Dimm. PHASE CUT 30%-100%	D57 A09 15	Chrome	568,00 €
IP20   Net weight: 1,49 kg Non incluso: Lampadina / <i>Not included: Bulb</i>			


n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Chrome	1,41	0,33	0,21	3,430 kg
1	White	1,41	0,33	0,21	3,110 kg





Table



GU10 220-240V - 1x7W LED cod. A11105C01 Max Watt. 50W	D57 B03 00	Transparent	161,00 €
	D57 B03 03	Red	178,00 €
	D57 B03 04	Yellow	178,00 €
IP20   Net weight: 0,92 kg (Colour) Net weight: 0,51 kg (Chrome)	D57 B03 31	Blue	178,00 €
	D57 B03 41	Copper	178,00 €
Non incluso: Lampadina / <i>Not included: Bulb</i>	D57 B03 43	Green	178,00 €
	D57 B05 15	Chrome	174,00 €
G9 220-240V - 1x4.5W LED cod. A11010C01 Max Watt. 48W	D57 B07 01	White	178,00 €
IP20    Net weight: 0,92 kg Non incluso: Lampadina / <i>Not included: Bulb</i>			


Floor



E27 220-240V - 1x15W LED cod. A10234C01 Max Watt. 205W	D57 C01 15	Chrome	986,00 €
IP20   Net weight: 7,61 kg Non incluso: Lampadina, Variatore di luce / <i>Not included: Bulb, Light dimmer</i>			
E27 220-240V - 1x15W LED cod. A10234C01 Max Watt. 150W	D57 C11 01	White	986,00 €
IP20   Net weight: 7,84 kg Non incluso: Lampadina, Variatore di luce / <i>Not included: Bulb, Light dimmer</i>			



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Chrome	2,12	0,34	0,34	12,010 kg
1	White	2,12	0,34	0,34	12,300 kg

Wall



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Colour	0,59	0,15	0,11	1,517 kg
1	Chrome	0,59	0,15	0,11	1,555 kg
1	White	0,59	0,15	0,11	2,000 kg

GU10 220-240V - 1x7W LED
cod. A11105C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%

IP20  
Net weight: 1,00 kg (Colour)
Net weight: 0,46 kg (Chrome)

Non incluso: Lampadina / *Not included: Bulb*

D57 D03 00	Transparent	238,00 €
D57 D03 03	Red	255,00 €
D57 D03 04	Yellow	255,00 €
D57 D03 31	Blue	255,00 €
D57 D03 41	Copper	255,00 €
D57 D03 43	Green	255,00 €
D57 D05 15	Chrome	256,00 €


G9 220-240V - 1x4.5W LED
cod. A11010C01
Max Watt. 48W
Dimm. PHASE CUT 30%-100%

IP20   
Net weight: 0,97 kg

Non incluso: Lampadina / *Not included: Bulb*

D57 D07 01	White	255,00 €
------------	-------	----------

Wall/ceiling



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Colour	0,16	0,16	0,16	1,054 kg
1	Chrome	0,16	0,16	0,16	0,532 kg
1	White	0,16	0,16	0,16	0,625 kg

GU10 220-240V - 1x7W LED
cod. A11105C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%

IP20



Net weight: 0,88 kg (Colour)
Net weight: 0,35 kg (Chrome)

Non incluso: Lampadina / *Not included: Bulb*

D57 G13 00	Transparent	166,00 €
D57 G13 03	Red	183,00 €
D57 G13 04	Yellow	183,00 €
D57 G13 31	Blue	183,00 €
D57 G13 41	Copper	183,00 €
D57 G13 43	Green	183,00 €
D57 G11 15	Chrome	178,00 €

G9 220-240V - 1x4.5W LED
cod. A11010C01
Max Watt. 48W
Dimm. PHASE CUT 30%-100%

IP20




Net weight: 0,93 kg

Non incluso: Lampadina / *Not included: Bulb*

D57 G27 01	White	183,00 €
------------	-------	----------

Wall/ceiling



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Colour	0,36	0,18	0,18	2,278 kg
1	Chrome	0,36	0,18	0,18	1,250 kg
1	White	0,36	0,18	0,18	1,310 kg

GU10 220-240V - 2x7W LED
cod. A11105C01
Max Watt. 2x50W
Dimm. PHASE CUT 30%-100%

IP20



Net weight: 1,94 kg (Colour)
Net weight: 0,89 kg (Chrome)

Non incluso: Lampadina / *Not included: Bulb*

D57 G23 00	Transparent	415,00 €
D57 G23 03	Red	446,00 €
D57 G23 04	Yellow	446,00 €
D57 G23 31	Blue	446,00 €
D57 G23 41	Copper	446,00 €
D57 G23 43	Green	446,00 €
D57 G19 15	Chrome	438,00 €

G9 220-240V - 2x4.5W LED
cod. A11010C01
Max Watt. 2x48W
Dimm. PHASE CUT 30%-100%

IP20




Net weight: 0,99 kg

Non incluso: Lampadina / *Not included: Bulb*

D57 G29 01	White	453,00 €
------------	-------	----------

Wall/ceiling



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Colour	0,52	0,18	0,18	3,452 kg
1	Chrome	0,50	0,30	0,15	1,879 kg
1	White	0,52	0,18	0,18	2,115 kg

GU10 220-240V - 3x7W LED
cod. A11105C01
Max Watt. 3x50W
Dimm. PHASE CUT 30%-100%

IP20



Net weight: 2,95 kg (Colour)
Net weight: 1,39 kg (Chrome)

Non incluso: Lampadina / *Not included: Bulb*

D57 G25 00	Transparent	618,00 €
D57 G25 03	Red	666,00 €
D57 G25 04	Yellow	666,00 €
D57 G25 31	Blue	666,00 €
D57 G25 41	Copper	666,00 €
D57 G25 43	Green	666,00 €
D57 G21 15	Chrome	659,00 €

G9 220-240V - 3x4.5W LED
cod. A11010C01
Max Watt. 3x48W
Dimm. PHASE CUT 30%-100%

IP20




Net weight: 1,50 kg



Non incluso: Lampadina / *Not included: Bulb*

D57 G31 01	White	680,00 €
------------	-------	----------

Track



GU10 220-240V - 1x7W LED
cod. A11105C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%

IP20  

Net weight: 1,02 kg (Colour)
Net weight: 0,50 kg (Chrome)



Non incluso: Lampadina, Binario /
Not included: Bulb, Track

D57 J05 00
D57 J05 03
D57 J05 04
D57 J05 31
D57 J05 41
D57 J05 43
D57 J01 15

Transparent
Red
Yellow
Blue
Copper
Green
Chrome

243,00 €
260,00 €
260,00 €
260,00 €
260,00 €
260,00 €
264,00 €

G9 220-240V - 1x4.5W LED
cod. A11010C01
Max Watt. 48W
Dimm. PHASE CUT 30%-100%

IP20  

Net weight: 1,10 kg

Non incluso: Lampadina, Binario /
Not included: Bulb, Track


D57 J13 01

White



260,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Colour	1,19	0,15	0,11	2,055 kg
1	Chrome	1,22	0,17	0,17	1,430 kg
1	White	1,22	0,17	0,17	2,145 kg

Track



GU10 220-240V - 1x7W LED
cod. A11105C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%

IP20  

Net weight: 0,86 kg (Colour)
Net weight: 0,32 kg (Chrome)



Non incluso: Lampadina, Binario /
Not included: Bulb, Track

D57 J07 00
D57 J07 03
D57 J07 04
D57 J07 31
D57 J07 41
D57 J07 43
D57 J03 15

Transparent
Red
Yellow
Blue
Copper
Green
Chrome

178,00 €
193,00 €
193,00 €
193,00 €
193,00 €
193,00 €
183,00 €

G9 220-240V - 1x4.5W LED
cod. A11010C01
Max Watt. 48W
Dimm. PHASE CUT 30%-100%

IP20  

Net weight: 0,76 kg

Non incluso: Lampadina, Binario /
Not included: Bulb, Track

D57 J15 01

White


193,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Colour	0,16	0,16	0,16	1,025 kg
1	Chrome	0,16	0,16	0,16	0,412 kg
1	White	0,16	0,16	0,16	1,100 kg

24

Fabbian Price List 2025


Pendant



E14 220-240V - 1x5W LED cod. A10111C01	D57 A57 12	Gold	453,00 €
Max Watt. 46W	D57 A57 34	Titanium	453,00 €
Dimm. PHASE CUT 30%-100%	D57 A57 41	Copper	453,00 €
IP20 Net weight: 1,22 kg			
Incluso: Kit per decentramento / Included: Off-center cable fastener			
Non incluso: Lampadina / Not included: Bulb			

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,20	0,20	0,13	0,800 kg
1	Diffuser	0,35	0,32	0,29	1,495 kg


Pendant



E27 220-240V - 1x22W LED cod. A10231C01	D57 A59 12	Gold	622,00 €
Max Watt. 150W	D57 A59 34	Titanium	622,00 €
Dimm. PHASE CUT 30%-100%	D57 A59 41	Copper	622,00 €
IP20 Net weight: 2,46 kg			
Incluso: Kit per decentramento / Included: Off-center cable fastener			
Non incluso: Lampadina / Not included: Bulb			

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,36	0,18	0,18	0,890 kg
1	Diffuser	0,45	0,44	0,36	3,040 kg


Pendant



E27 220-240V - 1x22W LED cod. A10231C01	D57 A61 12	Gold	817,00 €
Max Watt. 150W	D57 A61 34	Titanium	817,00 €
Dimm. PHASE CUT 30%-100%	D57 A61 41	Copper	817,00 €
IP20 Net weight: 4,64 kg			
Incluso: Kit per decentramento / Included: Off-center cable fastener			
Non incluso: Lampadina / Not included: Bulb			

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,36	0,18	0,18	0,900 kg
1	Diffuser	0,52	0,52	0,45	5,510 kg

Pendant	GU10 220-240V - 1x7W LED	D75 A01 01	White	251,00 €
	cod. A11105C01	D75 A01 02	Black	251,00 €
	Max Watt. 50W	D75 A01 15	Chrome	269,00 €




Dimm. PHASE CUT 30%-100%

IP20
Net weight: 0,63 kg

Non incluso: Lampadina / *Not included: Bulb*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,26	0,15	0,18	0,775 kg

Pendant	E27 220-240V - 1x15W LED	D75 A05 01	White	456,00 €
	cod. A10234C01	D75 A05 02	Black	456,00 €
	Max Watt. 205W	D75 A05 15	Chrome	489,00 €




Dimm. PHASE CUT 30%-100%


IP20
Net weight: 1,42 kg

Non incluso: Lampadina / *Not included: Bulb*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,36	0,20	1,885 kg


Floor	E27 220-240V - 1x15W LED	D75 C01 01	White	909,00 €
	cod. A10234C01	D75 C01 02	Black	909,00 €
	Max Watt. 205W	D75 C01 15	Chrome	1.020,00 €



IP20 
Net weight: 8,20 kg
Non incluso: Lampadina, Variatore di luce / Not included: Bulb, Light dimmer

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Base	0,36	0,36	0,15	6,280 kg
1	Stem	1,94	0,23	0,23	5,100 kg


Wall	LED 220-240V - 1x8.7W	D75 D15 01	White	3000K	165,00 €
	3000K	D75 D15 02	Black	3000K	165,00 €
	CRI 80+	D75 D15 15	Chrome	3000K	165,00 €




Dimm. PHASE CUT 30%-100%
IP44
Net weight: 0,48 kg
Incluso: LED / Included: LED
Nota: 2 fasci luminosi larghi / Note: 2 wide light beams

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,17	0,17	0,09	0,560 kg


Floor to ceiling



LED 110-240V - 1x6W 3000K or 2700K 920 lm, CRI 90 Dimm. PUSH	F64 C11 S02 02	Black cord	3000K 24°	527,00 €
	F64 C11 L02 02	Black cord	3000K 60°	527,00 €
	F64 C11 S02 03	Red cord	3000K 24°	527,00 €
	F64 C11 L02 03	Red cord	3000K 60°	527,00 €
IP20  Net weight: 2,80 kg	F64 C11 S02 99	Patterned cord	3000K 24°	527,00 €
	F64 C11 L02 99	Patterned cord	3000K 60°	527,00 €
Incluso: 1 punto luce con cavo elettrico da 2,5m, LED, Alimentatore elettronico dimmerabile / <i>Included: 1 spot with 2,5m of electric cable, LED, Dimmable electronic driver</i>	F64 C12 S02 02	Black cord	2700K 24°	527,00 €
	F64 C12 L02 02	Black cord	2700K 60°	527,00 €
	F64 C12 S02 03	Red cord	2700K 24°	527,00 €
	F64 C12 L02 03	Red cord	2700K 60°	527,00 €
Nota: Max 3 punti luce, base in cemento. 4000K su richiesta / <i>Note: Max 3 spots, Concrete base. 4000K by request</i>	F64 C12 S02 99	Patterned cord	2700K 24°	527,00 €
	F64 C12 L02 99	Patterned cord	2700K 60°	527,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Base	0,36	0,18	0,18	3,335 kg
1	Spot light	0,20	0,20	0,13	0,430 kg

Spot light



LED 24Vdc - 1x6W 3000K or 2700K 920 lm, CRI 90	F64 KX1 S 02	Black	3000K 24°	159,00 €
	F64 KX1 L 02	Black	3000K 60°	159,00 €
IP20 Net weight: 0,30 kg	F64 KX2 S 02	Black	2700K 24°	159,00 €
	F64 KX2 L 02	Black	2700K 60°	159,00 €
Incluso: 1 punto luce con cavo elettrico da 2,5m, LED / <i>Included: 1 spot with 2,5m of electric cable, LED</i>				
Nota: 4000K su richiesta / <i>Note: 4000K by request</i>				

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,20	0,20	0,13	0,430 kg

LED 24Vdc - 1x6W 3000K or 2700K 920 lm, CRI 90	F64 KX3 S 02	Black	3000K 24°	159,00 €
	F64 KX3 L 02	Black	3000K 60°	159,00 €
IP20 Net weight: 0,30 kg	F64 KX4 S 02	Black	2700K 24°	159,00 €
	F64 KX4 L 02	Black	2700K 60°	159,00 €
Incluso: 1 punto luce con cavo elettrico da 1,5m, LED / <i>Included: 1 spot with 1,5m of electric cable, LED</i>				
Nota: 4000K su richiesta / <i>Note: 4000K by request</i>				

Catalogue



02 Black cord




03 Red cord



99 Patterned cord

Pendant




LED 220-240V - 1x20W
3000K or 2700K
1700 lm, CRI 90+
Dimm. PHASE CUT 30%-100%
IP40
Net weight: 1,05 kg
Incluso: LED / Included: LED

F43 A01 01	White	3000K 34°	317,00 €
F43 A01 76	Bronze	3000K 34°	362,00 €
F43 A02 01	White	2700K 34°	317,00 €
F43 A02 76	Bronze	2700K 34°	362,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,26	0,15	0,18	1,115 kg

Pendant




LED 220-240V - 1x20W
3000K or 2700K
1700 lm, CRI 90+
Dimm. PHASE CUT 30%-100%
IP40
Net weight: 1,45 kg
Incluso: LED / Included: LED

F43 A03 01	White	3000K 34°	361,00 €
F43 A03 76	Bronze	3000K 34°	412,00 €
F43 A04 01	White	2700K 34°	361,00 €
F43 A04 76	Bronze	2700K 34°	412,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,18	0,18	1,785 kg


Pendant




LED 220-240V - 1x20W
3000K or 2700K
1700 lm, CRI 90+
Dimm. PHASE CUT 30%-100%
IP40
Net weight: 1,82 kg
Incluso: LED / Included: LED

F43 A05 01	White	3000K 34°	401,00 €
F43 A05 76	Bronze	3000K 34°	456,00 €
F43 A06 01	White	2700K 34°	401,00 €
F43 A05 76	Bronze	2700K 34°	456,00 €


n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,52	0,18	0,18	2,300 kg

<div>Ceiling</div> 	LED 220-240V - 1x20W	F43 E01 01	White	3000K 34°	294,00 €
	3000K or 2700K	F43 E01 76	Bronze	3000K 34°	333,00 €
	1700 lm, CRI 90+	F43 E02 01	White	2700K 34°	294,00 €
	Dimm. PHASE CUT 30%-100%	F43 E02 76	Bronze	2700K 34°	333,00 €
	IP40				
	Net weight: 0,84 kg				
	Incluso: LED / Included: LED				


n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,26	0,15	0,18	0,940 kg

<div>Ceiling</div> 	LED 220-240V - 1x20W	F43 E03 01	White	3000K 34°	338,00 €
	3000K or 2700K	F43 E03 76	Bronze	3000K 34°	385,00 €
	1700 lm, CRI 90+	F43 E04 01	White	2700K 34°	338,00 €
	Dimm. PHASE CUT 30%-100%	F43 E04 76	Bronze	2700K 34°	385,00 €
	IP40				
	Net weight: 1,25 kg				
	Incluso: LED / Included: LED				

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,18	0,18	1,550 kg


<div>Ceiling</div> 	LED 220-240V - 1x20W	F43 E05 01	White	3000K 34°	379,00 €
	3000K or 2700K	F43 E05 76	Bronze	3000K 34°	431,00 €
	1700 lm, CRI 90+	F43 E06 01	White	2700K 34°	379,00 €
	Dimm. PHASE CUT 30%-100%	F43 E06 76	Bronze	2700K 34°	431,00 €
	IP40				
	Net weight: 1,61 kg				
	Incluso: LED / Included: LED				

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,52	0,18	0,18	2,020 kg

<div>Ceiling</div> 	LED 220-240V - 1x20W	F43 E07 01	White	3000K 34°	323,00 €
	3000K or 2700K	F43 E07 76	Bronze	3000K 34°	365,00 €
	1700 lm, CRI 90+	F43 E08 01	White	2700K 34°	323,00 €
	Dimm. PHASE CUT 30%-100%	F43 E08 76	Bronze	2700K 34°	365,00 €
	IP40				
	Net weight: 0,93 kg				
	Incluso: LED / Included: LED				

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,26	0,15	0,18	1,020 kg

Recessed





LED 220-240V - 1x20W
3000K or 2700K
1700 lm, CRI 90+
Dimm. PHASE CUT 30%-100%
IP40
Net weight: 0,50 kg
Incluso: LED / Included: LED

F43 F01 01	White	3000K 34°	258,00 €
F43 F01 76	Bronze	3000K 34°	295,00 €
F43 F02 01	White	2700K 34°	258,00 €
F43 F02 76	Bronze	2700K 34°	295,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,16	0,16	0,16	0,590 kg

Track




LED 220-240V - 1x20W
3000K or 2700K
1700 lm, CRI 90+
Dimm. PHASE CUT 30%-100%
IP40 
Net weight: 0,84 kg
Incluso: LED / Included: LED

F43 J01 01	White	3000K 34°	323,00 €
F43 J02 01	White	2700K 34°	323,00 €
F43 J01 76	Bronze	3000K 34°	365,00 €
F43 J02 76	Bronze	2700K 34°	365,00 €

Non incluso: Binario / Not included:
Track

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,26	0,15	0,18	0,945 kg

Pendant



E27 220-240V - 1x16W LED

cod. A10225C01

Max Watt. 100W

Dimm. PHASE CUT 30%-100%

IP20

Net weight: 2,02 kg

Incluso: Kit per decentramento /

Included: Off-center cable fastener

Non incluso: Lampadina / Not

included: Bulb

F21 A03 71

Translucent white

458,00 €

LED 220-240V - 1x8.7W

3000K

CRI 80+

Dimm. PHASE CUT 30%-100%

IP20

Net weight: 1,95 kg

Incluso: LED, Kit per decentramento

/ Included: LED, Off-center cable

fastener

F21 A01 71


Translucent white

3000K

579,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,32	0,32	0,29	2,480 kg
1		0,32	0,32	0,29	2,410 kg

Pendant



E27 220-240V - 1x16W LED

cod. A10225C01

Max Watt. 150W

Dimm. PHASE CUT 30%-100%

IP20

Net weight: 4,01 kg

Incluso: Kit per decentramento /

Included: Off-center cable fastener

Non incluso: Lampadina / Not

included: Bulb

F21 A05 71

Translucent white

652,00 €

LED 220-240V - 1x17W

3000K

CRI 80+

Dimm. PHASE CUT 30%-100%

IP20

Net weight: 3,66 kg

Incluso: LED, Kit per decentramento

/ Included: LED, Off-center cable

fastener

F21 A02 71


Translucent white

3000K

871,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,45	0,45	0,37	5,200 kg
1		0,45	0,45	0,37	4,760 kg

Ceiling



E27 220-240V - 1x16W LED
cod. A10225C01
Max Watt. 100W
Dimm. PHASE CUT 30%-100%

F21 E03 71

Translucent white

380,00 €

IP40
Net weight: 1,57 kg

Non incluso: Lampadina / *Not included: Bulb*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight	LED 220-240V - 1x8.7W 3000K CRI 80+ Dimm. PHASE CUT 30%-100%	F21 E01 71	Translucent white	3000K	624,00 €
1		0,32	0,32	0,29	2,030 kg					
1		0,32	0,32	0,29	2,130 kg					

IP40
Net weight: 1,67 kg

Incluso: LED / *Included: LED*

Ceiling

E27 220-240V - 1x16W LED

cod. A10225C01

Max Watt. 150W

Dimm. PHASE CUT 30%-100%

IP40

Net weight: 3,05 kg

Non incluso: Lampadina / *Not included: Bulb*

E27 220-240V - 1x17W

3000K

CRI 80+

Dimm. PHASE CUT 30%-100%

IP40

Net weight: 4,31kg

Incluso: LED / *Included: LED*

F21 E05 71

F21 E02 71

Translucent white

Translucent white


575,00 €

3000K

928,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,45	0,45	0,37	5,150 kg
1		0,45	0,45	0,37	5,540 kg

Pendant



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,68	0,68	0,38	11,860 kg

E27 220-240V - 5x16W LED
cod. A10225C01
Max Watt. 5x18W
Dimm. PHASE CUT 30%-100%

D81 A01 01
D81 A01 48

White
Dark wood colour

1.642,00 €
2.195,00 €

IP20
Net weight: 6,23 kg
Non incluso: Lampadina / Not
included: Bulb

LED 220-240V - 3x17.5W
3000K
CRI 90+
Dimm. DALI - PUSH

D81 A09 01
D81 A09 48


White
Dark wood colour

3000K
3000K

2.109,00 €
2.375,00 €

IP20
Net weight: 6,38 kg
Incluso: LED, Alimentatore
elettronico dimmerabile / Included:
LED, Dimmable electronic driver

Pendant



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,26	1,26	0,64	38,400 kg

E27 220-240V - 10x16W LED
cod. A10225C01
Max Watt. 10x22W
Dimm. PHASE CUT 30%-100%

D81 A03 01
D81 A03 48

White
Dark wood colour

4.426,00 €
5.438,00 €

IP20
Net weight: 21,37 kg
Non incluso: Lampadina / Not
included: Bulb

LED 220-240V - 5x27.8W
3000K
CRI 90+
Dimm. DALI - PUSH

D81 A13 01
D81 A13 48


White
Dark wood colour

3000K
3000K

5.169,00 €
5.864,00 €

IP20
Net weight: 21,36 kg
Incluso: LED, Alimentatore
elettronico dimmerabile / Included:
LED, Dimmable electronic driver

Pendant



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,92	1,92	1,00	210,000 kg

LED 220-240V - 6x27.8W
3000K
CRI 90+
Dimm. DALI - PUSH

D81 A17 01
D81 A17 48

White
Dark wood colour

3000K
3000K

12.854,00 €
13.118,00 €


IP20
Incluso: LED, Alimentatore
elettronico dimmerabile / Included:
LED, Dimmable electronic driver

Pendant



GU10 220-240V - 1x7W LED
cod. A11105C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%

D28 A01 00	Transparent	312,00 €
D28 A01 01	White	380,00 €
D28 A01 02	Black	380,00 €


IP20 
Net weight: 1,63 kg

Non incluso: Lampadina / *Not included: Bulb*

Nota: Struttura in cromo lucido /
Note: Polished chrome structure


n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,22	0,17	0,17	2,859 kg

Pendant



G9 220-240V - 5x4.5W LED
cod. A11010C01
Max Watt. 5x48W
Dimm. PHASE CUT 30%-100%

D28 A05 00	Transparent	1.056,00 €
------------	-------------	------------


IP20 
Net weight: 7,29 kg

Non incluso: Lampadina / *Not included: Bulb*

Nota: Struttura in cromo lucido /
Note: Polished chrome structure

GU10 220-240V - 5x7W LED
cod. A11105C01
Max Watt. 5x50W
Dimm. PHASE CUT 30%-100%

D28 A06 00	Transparent	1.056,00 €
D28 A06 01	White	1.384,00 €
D28 A06 02	Black	1.384,00 €

IP20 
Net weight: 7,29 kg

Non incluso: Lampadina / *Not included: Bulb*

Nota: Struttura in cromo lucido /
Note: Polished chrome structure


n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,13	0,27	0,18	8,985 kg

Table



E14 220-240V - 1x5W LED
cod. A10111C01
Max Watt. 50W

D28 B01 00	Transparent	175,00 €
------------	-------------	----------


IP20 
Net weight: 1,30 kg

Non incluso: Lampadina / *Not included: Bulb*

Nota: Struttura in cromo lucido /
Note: Polished chrome structure

GU10 220-240V - 1x7W LED
cod. A11105C01
Max Watt. 50W

D28 B03 00	Transparent	175,00 €
D28 B03 01	White	240,00 €
D28 B03 02	Black	240,00 €


IP20 
Net weight: 1,30 kg

Non incluso: Lampadina / *Not included: Bulb*

Nota: Struttura in cromo lucido /
Note: Polished chrome structure

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,16	0,16	0,16	1,450 kg

Wall



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,26	0,15	0,18	3,000 kg

GU10 220-240V - 2x7W LED
cod. A11105C01
Max Watt. 2x50W
Dimm. PHASE CUT 30%-100%

D28 D01 00
D28 D01 01
D28 D01 02

Transparent
White
Black

369,00 €
501,00 €
501,00 €

IP20

Net weight: 2,52 kg

Incluso: Doppia accensione /
Included: Double switch

Non incluso: Lampadina / *Not included: Bulb*

Nota: Struttura in cromo lucido /
Note: Polished chrome structure

G9 220-240V - 2x4.5W LED
cod. A11010C01
Max Watt. 2x48W
Dimm. PHASE CUT 30%-100%

D28 D02 00

Transparent

369,00 €

IP20

Net weight: 2,52 kg

Incluso: Doppia accensione /
Included: Double switch

Non incluso: Lampadina / *Not included: Bulb*

Nota: Struttura in cromo lucido /
Note: Polished chrome structure

Ceiling



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,16	0,16	0,16	1,475 kg

GU10 220-240V - 1x7W LED
cod. A11105C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%

D28 E01 00
D28 E01 01
D28 E01 02

Transparent
White
Black

161,00 €
225,00 €
225,00 €


IP20

Net weight: 1,27 kg

Non incluso: Lampadina / *Not included: Bulb*

Nota: Struttura in cromo lucido /
Note: Polished chrome structure

Ceiling



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,56	0,36	0,18	4,185 kg

GU10 220-240V - 3x7W LED
cod. A11105C01
Max Watt. 3x50W
Dimm. PHASE CUT 30%-100%

D28 E03 00
D28 E03 01
D28 E03 02

Transparent
White
Black

538,00 €
734,00 €
734,00 €

IP20

Net weight: 3,41 kg

Non incluso: Lampadina / *Not included: Bulb*

Nota: Struttura in cromo lucido /
Note: Polished chrome structure

G9 220-240V - 3x4.5W LED
cod. A11010C01
Max Watt. 3x48W
Dimm. PHASE CUT 30%-100%

D28 E04 00

Transparent

538,00 €

IP20

Net weight: 3,41 kg


Non incluso: Lampadina / *Not included: Bulb*

Nota: Struttura in cromo lucido /
Note: Polished chrome structure


Wall/ceiling	E14 220-240V - 1x5W LED cod. A10111C01 Max Watt. 46W Dimm. PHASE CUT 30%-100%	D28 G01 00	Transparent	161,00 €
--------------	--	------------	-------------	----------




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,16	0,16	0,16	1,380 kg

IP20 
Net weight: 1,28 kg
Non incluso: Lampadina / *Not included: Bulb*
Nota: Struttura in cromo lucido / *Note: Polished chrome structure*



G9 220-240V - 1x4.5W LED cod. A11010C01 Max Watt. 48W Dimm. PHASE CUT 30%-100%	D28 G02 00	Transparent	161,00 €
---	------------	-------------	----------

IP20 
Net weight: 1,28 kg
Non incluso: Lampadina / *Not included: Bulb*
Nota: Struttura in cromo lucido / *Note: Polished chrome structure*



Wall/ceiling	GU10 220-240V - 1x7W LED cod. A11105C01 Max Watt. 50W Dimm. PHASE CUT 30%-100%	D28 G03 00 D28 G03 01 D28 G03 02	Transparent White Black	216,00 € 279,00 € 279,00 €
--------------	---	--	-------------------------------	----------------------------------



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,16	0,16	0,16	1,438 kg

IP20  
Net weight: 1,25 kg
Non incluso: Lampadina / *Not included: Bulb*
Nota: Struttura in cromo lucido / *Note: Polished chrome structure*



G9 220-240V - 1x4.5W LED cod. A11010C01 Max Watt. 48W Dimm. PHASE CUT 30%-100%	D28 G04 00	Transparent	216,00 €
---	------------	-------------	----------

IP20  
Net weight: 1,25 kg
Non incluso: Lampadina / *Not included: Bulb*
Nota: Struttura in cromo lucido / *Note: Polished chrome structure*

GU10 220-240V - 1x7W LED cod. A11105C01 Max Watt. 50W Dimm. PHASE CUT 30%-100%	D28 G89 00	Transparent	227,00 €
---	------------	-------------	----------

IP20  
Net weight: 1,50 kg
Non incluso: Lampadina / *Not included: Bulb*
Nota: Struttura in metallo ramato / *Note: Copper metal structure*



Pendant



LED 230Vac - 3x7W
3000K or 2700K
3x920 lm, CRI 90
Dimm. DALI PUSH 1.10V
IP20
Net weight: 3,45 kg
Incluso: 3 punti luce con LED integrato, 3 archi, rosone con alimentatore elettronico dimmerabile
/ Included: 3 spots with integrated LED, 3 arcs, canopy with dimmable electronic driver
Nota: 4000K su richiesta / Note: 4000K by request

F65 A11 ST 02	Black	3000K 15°	886,00 €
F65 A11 LT 02	Black	3000K 45°	886,00 €
F65 A11 ST 12	Gold	3000K 15°	969,00 €
F65 A11 LT 12	Gold	3000K 45°	969,00 €
F65 A12 ST 02	Black	2700K 15°	886,00 €
F65 A12 LT 02	Black	2700K 45°	886,00 €
F65 A12 ST 12	Gold	2700K 15°	969,00 €
F65 A12 LT 12	Gold	2700K 45°	969,00 €



Pendant



LED 230Vac - 4x7W
3000K or 2700K
4x920 lm, CRI 90
Dimm. DALI PUSH 1.10V
IP20
Net weight: 4,30 kg
Incluso: 4 punti luce con LED integrato, 4 archi, rosone con alimentatore elettronico dimmerabile
/ Included: 4 spots with integrated LED, 4 arcs, canopy with dimmable electronic driver
Nota: 4000K su richiesta / Note: 4000K by request

F65 A11 SQ 02	Black	3000K 15°	1.080,00 €
F65 A11 LQ 02	Black	3000K 45°	1.080,00 €
F65 A11 SQ 12	Gold	3000K 15°	1.182,00 €
F65 A11 LQ 12	Gold	3000K 45°	1.182,00 €
F65 A12 SQ 02	Black	2700K 15°	1.080,00 €
F65 A12 LQ 02	Black	2700K 45°	1.080,00 €
F65 A12 SQ 12	Gold	2700K 15°	1.182,00 €
F65 A12 LQ 12	Gold	2700K 45°	1.182,00 €

Pendant



LED 230Vac - 6x7W
3000K or 2700K
6x920 lm, CRI 90
Dimm. DALI PUSH 1.10V
IP20
Net weight: 6,60 kg
Incluso: 6 punti luce con LED integrato, 6 archi, rosone con alimentatore elettronico dimmerabile
/ Included: 6 spots with integrated LED, 6 arcs, canopy with dimmable electronic driver
Nota: 4000K su richiesta / Note: 4000K by request


F65 A11 SR 02	Black	3000K 15°	1.680,00 €
F65 A11 LR 02	Black	3000K 45°	1.680,00 €
F65 A11 SR 12	Gold	3000K 15°	1.826,00 €
F65 A11 LR 12	Gold	3000K 45°	1.826,00 €
F65 A12 SR 02	Black	2700K 15°	1.680,00 €
F65 A12 LR 02	Black	2700K 45°	1.680,00 €
F65 A12 SR 12	Gold	2700K 15°	1.826,00 €
F65 A12 LR 12	Gold	2700K 45°	1.826,00 €

Catalogue

Upon request





02 Black







12 Gold

Other finishes available upon request.

<div>Spot light</div> 	LED 24Vdc - 1x7W 3000K or 2700K 920 lm, CRI 90 Dimm. Dimmable IP20 Net weight: 0,70 kg Incluso: LED / Included: LED Nota: 4000K su richiesta / Note: 4000K by request	F65 L11 S 02	Black	3000K 15°	175,00 €
		F65 L11 L 02	Black	3000K 45°	175,00 €
		F65 L11 S 12	Gold	3000K 15°	189,00 €
		F65 L11 L 12	Gold	3000K 45°	189,00 €
		F65 L12 S 02	Black	2700K 15°	175,00 €
		F65 L12 L 02	Black	2700K 45°	175,00 €
		F65 L12 S 12	Gold	2700K 15°	189,00 €
		F65 L12 L 12	Gold	2700K 45°	189,00 €


<div>Arc</div> 	Net weight: 0,15 kg	F65 K00 02	Black		20,00 €
	Non incluso: Punti luce / Not included: Spots	F65 K00 12	Gold		25,00 €

<div>Canopy</div>  	LED 230Vac - Dimm. DALI - PUSH - 1.10V IP20 Net weight: 0,90 kg Incluso: Alimentatore elettronico dimmerabile / Included: Dimmable electronic driver Non incluso: Punti luce / Not included: Spots Nota: Max 4 punti luci / Note: Max 4 spots	F65 M01 02	Black		304,00 €
		F65 M01 12	Gold		330,00 €

<div>Canopy</div>  	LED 230Vac - Dimm. DALI - PUSH - 1.10V IP20 Net weight: 1,50 kg Incluso: Alimentatore elettronico dimmerabile / Included: Dimmable electronic driver Non incluso: Punti luce / Not included: Spots Nota: Max 6 punti luce / Note: Max 6 spots	F65 M02 02	Black		497,00 €
		F65 M02 12	Gold		523,00 €


Catalogue

Upon request



Other finishes available upon request.


Pendant



LED 110-230V - 2x38W 3000K or 2700K or 4000K 3690 (UP) + 4480 (DOWN) lm, CRI 90+ Dimm. ON/OFF	F68 A01 03	Strawberry red	3000K	886,00 €
	F68 A01 16	Sand beige	3000K	886,00 €
	F68 A01 31	Blue jeans	3000K	886,00 €
IP40 Net weight: 4,50 kg	F68 A01 36	Mustard	3000K	886,00 €
	F68 A01 43	Reseda green	3000K	886,00 €
Incluso: LED / Included: LED	F68 A01 75	Light grey	3000K	886,00 €
Nota: Più di 30 finiture disponibili su richiesta / Note: More than 30 finishes available upon request	F68 A02 03	Strawberry red	2700K	886,00 €
	F68 A02 16	Sand beige	2700K	886,00 €
	F68 A02 31	Blue jeans	2700K	886,00 €
	F68 A02 36	Mustard	2700K	886,00 €
	F68 A02 43	Reseda green	2700K	886,00 €
	F68 A02 75	Light grey	2700K	886,00 €
	F68 A03 03	Strawberry red	4000K	886,00 €
	F68 A03 16	Sand beige	4000K	886,00 €
	F68 A03 31	Blue jeans	4000K	886,00 €
	F68 A03 36	Mustard	4000K	886,00 €
	F68 A03 43	Reseda green	4000K	886,00 €
	F68 A03 75	Light grey	4000K	886,00 €
LED 110-230V - 2x38W 3000K or 2700K or 4000K 3690 (UP) + 4480 (DOWN) lm, CRI 90+ Dimm. PUSH 1.10V	F68 A11 03	Strawberry red	3000K	1.034,00 €
	F68 A11 16	Sand beige	3000K	1.034,00 €
	F68 A11 31	Blue jeans	3000K	1.034,00 €
IP40 Net weight: 4,50 kg	F68 A11 36	Mustard	3000K	1.034,00 €
	F68 A11 43	Reseda green	3000K	1.034,00 €
Incluso: LED, Alimentatore elettronico dimmerabile / Included: LED, Dimmable electronic driver	F68 A11 75	Light grey	3000K	1.034,00 €
Nota: Più di 30 finiture disponibili su richiesta / Note: More than 30 finishes available upon request	F68 A12 03	Strawberry red	2700K	1.034,00 €
	F68 A12 16	Sand beige	2700K	1.034,00 €
	F68 A12 31	Blue jeans	2700K	1.034,00 €
	F68 A12 36	Mustard	2700K	1.034,00 €
	F68 A12 43	Reseda green	2700K	1.034,00 €
	F68 A12 75	Light grey	2700K	1.034,00 €
	F68 A13 03	Strawberry red	4000K	1.034,00 €
	F68 A13 16	Sand beige	4000K	1.034,00 €
	F68 A13 31	Blue jeans	4000K	1.034,00 €
	F68 A13 36	Mustard	4000K	1.034,00 €
	F68 A13 43	Reseda green	4000K	1.034,00 €
	F68 A13 75	Light grey	4000K	1.034,00 €


Catalogue

Upon request



More than 30 finishes available upon request.


Pendant



LED 110-230V - 2x38W 3000K or 2700K or 4000K 3690 (UP) + 4480 (DOWN) lm, CRI 90+ Dimm. PUSH 1..10V DALI	F68 A21 03	Strawberry red	3000K	1.034,00 €
	F68 A21 16	Sand beige	3000K	1.034,00 €
	F68 A21 31	Blue jeans	3000K	1.034,00 €
IP40 Net weight: 4,50 kg	F68 A21 36	Mustard	3000K	1.034,00 €
	F68 A21 43	Reseda green	3000K	1.034,00 €
Incluso: LED, Alimentatore elettronico dimmerabile / Included: LED, Dimmable electronic driver	F68 A21 75	Light grey	3000K	1.034,00 €
	F68 A22 03	Strawberry red	2700K	1.034,00 €
Nota: Più di 30 finiture disponibili su richiesta / Note: More than 30 finishes available upon request	F68 A22 16	Sand beige	2700K	1.034,00 €
	F68 A22 31	Blue jeans	2700K	1.034,00 €
	F68 A22 36	Mustard	2700K	1.034,00 €
	F68 A22 43	Reseda green	2700K	1.034,00 €
	F68 A22 75	Light grey	2700K	1.034,00 €
	F68 A23 03	Strawberry red	4000K	1.034,00 €
	F68 A23 16	Sand beige	4000K	1.034,00 €
	F68 A23 31	Blue jeans	4000K	1.034,00 €
	F68 A23 36	Mustard	4000K	1.034,00 €
	F68 A23 43	Reseda green	4000K	1.034,00 €
	F68 A23 75	Light grey	4000K	1.034,00 €
LED 110-230V - 2x38W 3000K or 2700K or 4000K 3690 (UP) + 4480 (DOWN) lm, CRI 90+ Dimm. PHASE CUT 30%-100%	F68 A31 03	Strawberry red	3000K	1.034,00 €
	F68 A31 16	Sand beige	3000K	1.034,00 €
	F68 A31 31	Blue jeans	3000K	1.034,00 €
IP40 Net weight: 4,50 kg	F68 A31 36	Mustard	3000K	1.034,00 €
	F68 A31 43	Reseda green	3000K	1.034,00 €
Incluso: LED, Alimentatore elettronico dimmerabile / Included: LED, Dimmable electronic driver	F68 A31 75	Light grey	3000K	1.034,00 €
	F68 A32 03	Strawberry red	2700K	1.034,00 €
	F68 A32 16	Sand beige	2700K	1.034,00 €
Nota: Più di 30 finiture disponibili su richiesta / Note: More than 30 finishes available upon request	F68 A32 31	Blue jeans	2700K	1.034,00 €
	F68 A32 36	Mustard	2700K	1.034,00 €
	F68 A32 43	Reseda green	2700K	1.034,00 €
	F68 A32 75	Light grey	2700K	1.034,00 €
	F68 A33 03	Strawberry red	4000K	1.034,00 €
	F68 A33 16	Sand beige	4000K	1.034,00 €
	F68 A33 31	Blue jeans	4000K	1.034,00 €
	F68 A33 36	Mustard	4000K	1.034,00 €
	F68 A33 43	Reseda green	4000K	1.034,00 €
	F68 A33 75	Light grey	4000K	1.034,00 €


Catalogue

Upon request



More than 30 finishes available upon request.


Pendant



LED 110-230V - 2x64W 3000K or 2700K or 4000K 6150 (UP) + 7460 (DOWN) lm, CRI 90+ Dimm. ON/OFF	F68 A51 03	Strawberry red	3000K	1.209,00 €
	F68 A51 16	Sand beige	3000K	1.209,00 €
	F68 A51 31	Blue jeans	3000K	1.209,00 €
	F68 A51 36	Mustard	3000K	1.209,00 €
	F68 A51 43	Reseda green	3000K	1.209,00 €
	F68 A51 75	Light grey	3000K	1.209,00 €
IP40 Net weight: 6,50 kg	F68 A52 03	Strawberry red	2700K	1.209,00 €
	F68 A52 16	Sand beige	2700K	1.209,00 €
	F68 A52 31	Blue jeans	2700K	1.209,00 €
	F68 A52 36	Mustard	2700K	1.209,00 €
	F68 A52 43	Reseda green	2700K	1.209,00 €
	F68 A52 75	Light grey	2700K	1.209,00 €
Incluso: LED / Included: LED	F68 A53 03	Strawberry red	4000K	1.209,00 €
	F68 A53 16	Sand beige	4000K	1.209,00 €
	F68 A53 31	Blue jeans	4000K	1.209,00 €
	F68 A53 36	Mustard	4000K	1.209,00 €
	F68 A53 43	Reseda green	4000K	1.209,00 €
	F68 A53 75	Light grey	4000K	1.209,00 €
LED 110-230V - 2x64W 3000K or 2700K or 4000K 6150 (UP) + 7460 (DOWN) lm, CRI 90+ Dimm. PUSH 1..10V	F68 A61 03	Strawberry red	3000K	1.357,00 €
	F68 A61 16	Sand beige	3000K	1.357,00 €
	F68 A61 31	Blue jeans	3000K	1.357,00 €
	F68 A61 36	Mustard	3000K	1.357,00 €
	F68 A61 43	Reseda green	3000K	1.357,00 €
	F68 A61 75	Light grey	3000K	1.357,00 €
Incluso: LED, Alimentatore elettronico dimmerabile / Included: LED, Dimmable electronic driver	F68 A62 03	Strawberry red	2700K	1.357,00 €
	F68 A62 16	Sand beige	2700K	1.357,00 €
	F68 A62 31	Blue jeans	2700K	1.357,00 €
	F68 A62 36	Mustard	2700K	1.357,00 €
	F68 A62 43	Reseda green	2700K	1.357,00 €
	F68 A62 75	Light grey	2700K	1.357,00 €
	F68 A63 03	Strawberry red	4000K	1.357,00 €
	F68 A63 16	Sand beige	4000K	1.357,00 €
	F68 A63 31	Blue jeans	4000K	1.357,00 €
	F68 A63 36	Mustard	4000K	1.357,00 €
	F68 A63 43	Reseda green	4000K	1.357,00 €
	F68 A63 75	Light grey	4000K	1.357,00 €


Catalogue

Upon request



More than 30 finishes available upon request.

Pendant




LED 110-230V - 2x64W 3000K or 2700K or 4000K 6150 (UP) + 7460 (DOWN) lm, CRI 90+ Dimm. PUSH 1.10V DALI	F68 A71 03	Strawberry red	3000K	1.357,00 €
	F68 A71 16	Sand beige	3000K	1.357,00 €
	F68 A71 31	Blue jeans	3000K	1.357,00 €
IP40 Net weight: 6,50 kg	F68 A71 36	Mustard	3000K	1.357,00 €
	F68 A71 43	Reseda green	3000K	1.357,00 €
Incluso: LED, Alimentatore elettronico dimmerabile / <i>Included: LED, Dimmable electronic driver</i>	F68 A71 75	Light grey	3000K	1.357,00 €
	F68 A72 03	Strawberry red	2700K	1.357,00 €
Nota: Più di 30 finiture disponibili su richiesta / <i>Note: More than 30 finishes available upon request</i>	F68 A72 16	Sand beige	2700K	1.357,00 €
	F68 A72 31	Blue jeans	2700K	1.357,00 €
	F68 A72 36	Mustard	2700K	1.357,00 €
	F68 A72 43	Reseda green	2700K	1.357,00 €
	F68 A72 75	Light grey	2700K	1.357,00 €
	F68 A73 03	Strawberry red	4000K	1.357,00 €
	F68 A73 16	Sand beige	4000K	1.357,00 €
	F68 A73 31	Blue jeans	4000K	1.357,00 €
	F68 A73 36	Mustard	4000K	1.357,00 €
	F68 A73 43	Reseda green	4000K	1.357,00 €
	F68 A73 75	Light grey	4000K	1.357,00 €

LED 110-230V - 2x64W 3000K or 2700K or 4000K 6150 (UP) + 7460 (DOWN) lm, CRI 90+ Dimm. PHASE CUT 30%-100%	F68 A81 03	Strawberry red	3000K	1.357,00 €
	F68 A81 16	Sand beige	3000K	1.357,00 €
	F68 A81 31	Blue jeans	3000K	1.357,00 €
IP40 Net weight: 6,50 kg	F68 A81 36	Mustard	3000K	1.357,00 €
	F68 A81 43	Reseda green	3000K	1.357,00 €
Incluso: LED, Alimentatore elettronico dimmerabile / <i>Included: LED, Dimmable electronic driver</i>	F68 A81 75	Light grey	3000K	1.357,00 €
	F68 A82 03	Strawberry red	2700K	1.357,00 €
Nota: Più di 30 finiture disponibili su richiesta / <i>Note: More than 30 finishes available upon request</i>	F68 A82 16	Sand beige	2700K	1.357,00 €
	F68 A82 31	Blue jeans	2700K	1.357,00 €
	F68 A82 36	Mustard	2700K	1.357,00 €
	F68 A82 43	Reseda green	2700K	1.357,00 €
	F68 A82 75	Light grey	2700K	1.357,00 €
	F68 A83 03	Strawberry red	4000K	1.357,00 €
	F68 A83 16	Sand beige	4000K	1.357,00 €
	F68 A83 31	Blue jeans	4000K	1.357,00 €
	F68 A83 36	Mustard	4000K	1.357,00 €
	F68 A83 43	Reseda green	4000K	1.357,00 €
	F68 A83 75	Light grey	4000K	1.357,00 €


Catalogue

Upon request



More than 30 finishes available upon request.

Recessed
Blow



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,19	0,19	0,21	0,800 kg

GU10 220-240V - 1x7W LED
cod. A11105C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%

D27 F17 00 Transparent 90,00 €

IP20-44
Net weight: 0,55 kg
Non incluso: Lampadina / Not included: Bulb

GU5,3 12V - 1x7W LED
cod. A10705C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%


D27 F18 00 Transparent 90,00 €

IP20-44
Net weight: 0,55 kg
Non incluso: Lampadina,
Trasformatore / Not included: Bulb,
Transformer

LED 500mA - 1x10W
3000K
CRI 80+ D27 F47 00 Transparent 3000K 166,00 €

IP20-44
Net weight: 0,44 kg
Non incluso: Alimentatore / Not included: Driver

Recessed
Cheope



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,19	0,19	0,21	1,300 kg

GU10 220-240V - 1x7W LED
cod. A11105C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%

D27 F07 00 Transparent 145,00 €

D27 F07 01 White 145,00 €

IP20-44
Net weight: 1,06 kg
Non incluso: Lampadina / Not included: Bulb

GU5,3 12V - 1x7W LED
cod. A10705C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%

D27 F08 00 Transparent 145,00 €

D27 F08 01 White 145,00 €


IP20-44
Net weight: 1,11 kg
Non incluso: Lampadina,
Trasformatore / Not included: Bulb,
Transformer

LED 500mA - 1x10W
3000K
CRI 80+ D27 F37 00 Transparent 3000K 225,00 €


D27 F37 01 White 3000K 225,00 €

IP20-44
Net weight: 1,00 kg
Incluso: LED / Included: LED
Non incluso: Alimentatore / Not included: Driver

Recessed
Cindy



GU10 220-240V - 1x7W LED
cod. A11105C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%


IP20-44 

Net weight: 1,15 kg

Non incluso: Lampadina / *Not included: Bulb*

D27 F28 00	Transparent	145,00 €
D27 F28 01	White	145,00 €

GU5,3 12V - 1x7W LED
cod. A10705C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%

IP20-44 


Net weight: 1,13 kg

Non incluso: Lampadina,
Trasformatore / *Not included: Bulb,
Transformer*

D27 F29 00	Transparent	145,00 €
D27 F29 01	White	145,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,19	0,19	0,21	1,420 kg

LED 500mA - 1x10W
3000K
CRI 80+

IP20-44 


Net weight: 1,00 kg

Incluso: LED / *Included: LED*


Non incluso: Alimentatore / *Not included: Driver*

D27 F49 00	Transparent	3000K	225,00 €
D27 F49 01	White	3000K	225,00 €

Recessed
Eli



GU10 220-240V - 1x7W LED
cod. A11105C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%


IP20 

Net weight: 0,90 kg

Non incluso: Lampadina / *Not included: Bulb*

D27 F51 00	Transparent	145,00 €
D27 F51 01	White	145,00 €

GU5,3 12V - 1x7W LED
cod. A10705C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%

IP20 


Net weight: 0,86 kg

Non incluso: Lampadina,
Trasformatore / *Not included: Bulb,
Transformer*

D27 F52 00	Transparent	145,00 €
D27 F52 01	White	145,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,19	0,19	0,21	1,100 kg

LED 500mA - 1x10W
3000K
CRI 80+

IP20 


Net weight: 0,86 kg

Incluso: LED / *Included: LED*

Non incluso: Alimentatore / *Not included: Driver*

D27 F54 00	Transparent	3000K	225,00 €
D27 F54 01	White	3000K	225,00 €

Recessed
Jnat



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,19	0,19	0,21	1,000 kg

GU10 220-240V - 1x7W LED
cod. A11105C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%

D27 F03 00	Transparent	145,00 €
D27 F03 01	White	145,00 €

IP20-44
Net weight: 0,76 kg
Non incluso: Lampadina / Not included: Bulb

GU5,3 12V - 1x7W LED
cod. A10705C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%


D27 F04 00	Transparent	145,00 €
D27 F04 01	White	145,00 €

IP20-44
Net weight: 0,70 kg
Non incluso: Lampadina,
Trasformatore / Not included: Bulb,
Transformer

LED 500mA - 1x10W 3000K CRI 80+	D27 F33 00	Transparent	3000K	225,00 €
	D27 F33 01	White	3000K	225,00 €

IP20-44
Net weight: 0,85 kg
Incluso: LED / Included: LED
Non incluso: Alimentatore / Not included: Driver

Recessed
Lei



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,19	0,19	0,21	1,200 kg

GU10 220-240V - 1x7W LED
cod. A11105C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%

D27 F13 00	Transparent	145,00 €
D27 F15 35	Polished stainless steel	176,00 €

IP20
Net weight: 0,90 kg
Non incluso: Lampadina / Not included: Bulb

GU5,3 12V - 1x7W LED
cod. A10705C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%


D27 F14 00	Transparent	145,00 €
D27 F16 35	Polished stainless steel	176,00 €


IP20
Net weight: 0,90 kg
Non incluso: Lampadina,
Trasformatore / Not included: Bulb,
Transformer

LED 500mA - 1x10W 3000K CRI 80+	D27 F43 00	Transparent	3000K	225,00 €
	D27 F44 35	Polished stainless steel	3000K	264,00 €



IP20
Net weight: 1,02 kg
Incluso: LED / Included: LED
Non incluso: Alimentatore / Not included: Driver

Recessed Lui	GU10 220-240V - 1x7W LED cod. A11105C01 Max Watt. 50W Dimm. PHASE CUT 30%-100%	D27 F09 00	Transparent	145,00 €
		D27 F11 35	Polished stainless steel	176,00 €




IP20 
Net weight: 1,10 kg
Non incluso: Lampadina / *Not included: Bulb*

GU5,3 12V - 1x7W LED cod. A10705C01 Max Watt. 50W Dimm. PHASE CUT 30%-100%	D27 F10 00	Transparent	145,00 €
	D27 F12 35	Polished stainless steel	176,00 €


IP20  
Net weight: 1,10 kg
Non incluso: Lampadina,
Trasformatore / *Not included: Bulb,*
Transformer


n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,19	0,19	0,21	1,300 kg

LED 500mA - 1x10W 3000K CRI 80+	D27 F39 00	Transparent	3000K	225,00 €
	D27 F40 35	Polished stainless steel	3000K	264,00 €



IP20 
Net weight: 1,10 kg
Incluso: LED / *Included: LED*
Non incluso: Alimentatore / *Not included: Driver*

Recessed Rombo	GU10 220-240V - 1x7W LED cod. A11105C01 Max Watt. 50W Dimm. PHASE CUT 30%-100%	D27 F56 00	Transparent	145,00 €
		D27 F56 01	White	145,00 €




IP20 
Net weight: 0,93 kg
Non incluso: Lampadina / *Not included: Bulb*

GU5,3 12V - 1x7W LED cod. A10705C01 Max Watt. 50W Dimm. PHASE CUT 30%-100%	D27 F57 00	Transparent	145,00 €
	D27 F57 01	White	145,00 €


IP20  
Net weight: 0,93 kg
Non incluso: Lampadina,
Trasformatore / *Not included: Bulb,*
Transformer

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,19	0,19	0,21	1,100 kg

LED 500mA - 1x10W 3000K CRI 80+	D27 F59 00	Transparent	3000K	225,00 €
	D27 F59 01	White	3000K	225,00 €

IP20 
Net weight: 0,93 kg
Incluso: LED / *Included: LED*
Non incluso: Alimentatore / *Not included: Driver*


Recessed
Tondo



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,19	0,19	0,21	1,300 kg


GU10 220-240V - 1x7W LED
cod. A11105C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%

D27 F61 00	Transparent	145,00 €
D27 F61 01	White	145,00 €


IP20 
Net weight: 1,20 kg
Non incluso: Lampadina / Not included: Bulb

GU5,3 12V - 1x7W LED
cod. A10705C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%


D27 F62 00	Transparent	145,00 €
D27 F62 01	White	145,00 €

IP20 
Net weight: 1,03 kg
Non incluso: Lampadina,
Trasformatore / Not included: Bulb,
Transformer


LED 500mA - 1x10W 3000K CRI 80+	D27 F64 00	Transparent	3000K	225,00 €
	D27 F64 01	White	3000K	225,00 €

IP20 
Net weight: 0,90 kg
Incluso: LED / Included: LED
Non incluso: Alimentatore / Not included: Driver

Pendant



LED 220-240V - 1x8W
3000K or 2700K
828 lm, CRI 90+
Dimm. PUSH 1..10V


IP40 
Net weight: 0,70 kg

Incluso: LED, Alimentatore
elettronico dimmerabile / *Included:*
LED, Dimmable electronic driver


F44 A01 02	Black	3000K	493,00 €
F44 A01 76	Bronze	3000K	493,00 €
F44 A02 02	Black	2700K	493,00 €
F44 A02 76	Bronze	2700K	493,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,36	0,18	0,18	1,000 kg
1	Bar	0,07	0,07	1,10	1,130 kg

Pendant



LED 220-240 - 1x12W
3000K
1242 lm, CRI 90+
Dimm. PUSH 1..10V


IP40 
Net weight: 0,85 kg

Incluso: LED, Alimentatore
elettronico dimmerabile / *Included:*
LED, Dimmable electronic driver


F44 A99 02	Black	3000K	532,00 €
F44 A99 76	Bronze	3000K	532,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,36	0,18	0,18	1,000 kg
1	Bar	0,07	0,07	2,10	2,000 kg

Pendant



LED 220-240V - 1x16W
3000K or 2700K
1656 lm, CRI 90+
Dimm. PUSH 1..10V


IP40 
Net weight: 1,00 kg

Incluso: LED, Alimentatore
elettronico dimmerabile / *Included:*
LED, Dimmable electronic driver

F44 A03 02	Black	3000K	570,00 €
F44 A03 76	Bronze	3000K	570,00 €
F44 A04 02	Black	2700K	570,00 €
F44 A04 76	Bronze	2700K	570,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,36	0,18	0,18	1,000 kg
1	Bar	0,07	0,07	2,10	2,000 kg

Pendant



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,36	0,18	0,18	1,000 kg
1	Bar	0,07	0,07	3,10	2,850 kg


LED 220-240V - 1x24W
3000K or 2700K
2480 lm, CRI 90+
Dimm. PUSH 1.10V

IP40 $C_{0-100\%}$
Net weight: 1,40 kg

Incluso: LED, Alimentatore
elettronico dimmerabile / *Included:*
LED, Dimmable electronic driver

F44 A05 02	Black	3000K	648,00 €
F44 A05 76	Bronze	3000K	648,00 €
F44 A06 02	Black	2700K	648,00 €
F44 A06 76	Bronze	2700K	648,00 €

Ceiling



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,36	0,18	0,18	1,700 kg
1	Bar	0,07	0,07	1,10	1,130 kg
1	Bar	0,07	0,07	2,10	2,000 kg
1	Bar	0,07	0,07	3,10	2,850 kg

LED 220-240V - 1x48W
3000K or 2700K
4968 lm, CRI 90+
Dimm. PUSH 1.10V

IP40 $C_{0-100\%}$
Net weight: 4,00 kg


Incluso: LED, Alimentatore
elettronico dimmerabile / *Included:*
LED, Dimmable electronic driver

F44 E01 02	Black	3000K	1.083,00 €
F44 E01 76	Bronze	3000K	1.083,00 €
F44 E02 02	Black	2700K	1.083,00 €
F44 E02 76	Bronze	2700K	1.083,00 €




Catalogue






02 Black






76 Bronze

<div>Spot light</div> 	LED 24Vdc - 1x8W 3000K or 2700K 542 lm,	F44 L01 02	Black	3000K 10	Cable 4m	258,00 €
	IP40  	F44 L02 02	Black	3000K 10	Cable 10m	291,00 €
	Net weight: 0,53 kg	F44 L03 02	Black	2700K 10	Cable 4m	258,00 €
	Incluso: LED / Included: LED	F44 L04 02	Black	2700K 10	Cable 10m	291,00 €
	Nota: Luce puntuale / Note: Spot light					


n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,20	0,20	0,13	0,640 kg

<div>Spot light</div> 	LED 24Vdc - 1x8W 3000K or 2700K 550 lm,	F44 L11 02	Black	3000K 10	Cable 4m	253,00 €
	IP40  	F44 L12 02	Black	3000K 10	Cable 10m	286,00 €
	Net weight: 0,43 kg	F44 L13 02	Black	2700K 10	Cable 4m	253,00 €
	Incluso: LED / Included: LED	F44 L14 02	Black	2700K 10	Cable 10m	286,00 €
	Nota: Luce diretta / Note: Direct light					


n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,20	0,20	0,13	0,590 kg

<div>Spot light</div> 	LED 24Vdc - 1x8W 3000K or 2700K 702 lm,	F44 L21 02	Black	3000K 10	Cable 4m	247,00 €
	IP40  	F44 L22 02	Black	3000K 10	Cable 10m	272,00 €
	Net weight: 0,60 kg	F44 L23 02	Black	2700K 10	Cable 4m	247,00 €
	Incluso: LED / Included: LED	F44 L24 02	Black	2700K 10	Cable 10m	272,00 €
	Nota: Luce diffusa / Note: Diffused light					


n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,19	0,19	0,21	0,730 kg

<div>Canopy</div> 	PUSH 1.10V IP40 Net weight: 0,845 kg	F44 M01 02	Black			250,00 €
	Incluso: Alimentatore dimmerabile 60W, 2 ganasce / Included: 60W dimmable driver, 2 fastening joints					
	Nota: Rosone / Note: Canopy					


<div>Canopy</div> 	PUSH 1.10V IP40 Net weight: 0,845 kg	F44 M03 02	Black			265,00 €
	Incluso: Alimentatore dimmerabile 100W, 2 ganasce / Included: 100W dimmable driver, 2 fastening joints					
	Nota: Rosone / Note: Canopy					

<div>Canopy</div> 	IP40 Net weight: 0,205 kg	F44 M02 02	Black			109,00 €
	Incluso: 1 ganascia / Included: 1 fastening joint					
	Nota: Sia rosone che scatola di derivazione / Note: Canopy and terminal box at the same time					

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,17	0,17	0,09	0,3 kg

<div>Bar</div> <div></div>	Net weight: 0,57 kg				
	F44 M11 02		Black	69,00 €	
	Incluso: 2 attacchi a soffitto filettati, 4 tappi di chiusura / <i>Included: 2 ceiling fastening kits, 4 closure caps</i>		F44 M11 76	Bronze	69,00 €
	Nota: Barra 1m / <i>Note: Bar 1m</i>				
	Net weight: 1,03 kg				
	F44 M12 02		Black	137,00 €	
	Incluso: 2 attacchi a soffitto filettati, 4 tappi di chiusura / <i>Included: 2 ceiling fastening kits, 4 closure caps</i>		F44 M12 76	Bronze	137,00 €
	Nota: Barra 2m / <i>Note: Bar 2m</i>				
	Net weight: 1,5 kg				
	F44 M13 02		Black	204,00 €	
Incluso: 2 attacchi a soffitto filettati, 4 tappi di chiusura / <i>Included: 2 ceiling fastening kits, 4 closure caps</i>		F44 M13 76	Bronze	204,00 €	
Nota: Barra 3m / <i>Note: Bar 3m</i>					
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	(Bar 1m)	0,07	0,07	1,1	1,12 kg
1	(Bar 2m)	0,07	0,07	2,1	1,905 kg
1	(Bar 3m)	0,07	0,07	3,1	2,75 kg

Bar



LED 24Vdc - 1x8W 3000K or 2700K 828 lm, CRI 90+		F44 M14 02	Black	3000K	155,00 €
		F44 M14 76	Bronze	3000K	155,00 €
Net weight: 0,57 kg		F44 M17 02	Black	2700K	155,00 €
		F44 M17 76	Bronze	2700K	155,00 €
Incluso: Strip LED, diffusore, cavo di alimentazione, 2 tappi di chiusura / Included: LED strip, diffuser, power cable, 2 closure caps					
Nota: Barra 1m / Note: Bar 1m					
LED 24Vdc - 1x16W 3000K or 2700K 1656 lm, CRI 90+		F44 M15 02	Black	3000K	247,00 €
		F44 M15 76	Bronze	3000K	247,00 €
		F44 M18 02	Black	2700K	247,00 €
Net weight: 1,03 kg		F44 M18 76	Bronze	2700K	247,00 €
Incluso: Strip LED, diffusore, cavo di alimentazione, 2 tappi di chiusura / Included: LED strip, diffuser, power cable, 2 closure caps					
Nota: Barra 2m / Note: Bar 2m					
LED 24Vdc - 1x24W 3000K or 2700K 2480 lm, CRI 90+		F44 M16 02	Black	3000K	322,00 €
		F44 M16 76	Bronze	3000K	322,00 €
		F44 M19 02	Black	2700K	322,00 €
Net weight: 1,50 kg		F44 M19 76	Bronze	2700K	322,00 €
Incluso: Strip LED, diffusore, cavo di alimentazione, 2 tappi di chiusura / Included: LED strip, diffuser, power cable, 2 closure caps					
Nota: Barra 3m / Note: Bar 3m					

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	(Bar 1m)	0,07	0,07	1,10	1,120 kg
1	(Bar 2m)	0,07	0,07	2,10	1,905 kg
1	(Bar 3m)	0,07	0,07	3,10	2,750 kg

Accessory

Net weight: 0,072 kg

F44 Z01 02

Black

2 fastening joints

322,00 €



Nota: 2 ganasce di fissaggio per ogni confezione / *Note: 2 fastening joints in each package*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,15	0,15	0,07	0,14 kg

Accessory


Nota: Kit attacco a soffitto filettato (2 pz) / *Note: Ceiling fastening kit (2 pcs)*

F44 Z02 02

Black

Ceiling fastening kit

56,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,15	0,15	0,07	0,125 kg

Accessory

Net weight: 0,28 kg


F44 Z03 02

Black

Power plug with switch

30,00 €

Nota: Spezzafilo con interruttore. Se necessario, da utilizzare in abbinamento a F44M01 / *Note: Power plug with switch. If required, use it in combination with F44M01*



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,56	0,56	0,22	0,355 kg

Accessory

Net weight: 0,06 kg


F44 Z05 02

Black

Floor lamp kit

43,00 €

Nota: Kit piantana. Comprende gli accessori necessari per fermare a pavimento le barre già fissate a soffitto e che si desidera bloccare in posizione verticale / *Note: Floor lamp kit. Includes the accessories needed to adjust the fixed bars to the ceiling, enabling you to lock into a vertical position*



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,56	0,56	0,22	0,13 kg

Accessory


Nota: Kit sospensione. Comprende gli accessori necessari per fissare a sospensione una barra e include 2 cavi d'acciaio (2m) e il regolatore a soffitto per ogni cavo d'acciaio / *Note: Pendant kit. Includes the accessories needed to fix a pendant bar and includes 2 steel cables (2m) and the ceiling regulator for each steel cable*

F44 Z07 02

Black


Pendant lamp kit with ceiling regulator

43,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,56	0,56	0,22	0,18 kg

Accessory




Nota: Kit sospensione. Comprende gli accessori necessari per fissare a sospensione una barra e include 2 cavi d'acciaio (2m), il regolatore a soffitto e 1 ganascia per ogni cavo d'acciaio / *Note: Pendant kit. Includes the accessories needed to fix a pendant bar and includes 2 steel cables (2m) and 2 fastening joint for each steel cable*

F44 Z09 02 Black Pendant lamp kit with ceiling regulator and 1 fastening joint 51,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,56	0,56	0,22	0,25 kg

Accessory



Nota: Kit sospensione. Comprende gli accessori necessari per fissare a sospensione una barra e include 2 cavi d'acciaio (2m) e 2 ganasce per ogni cavo / *Note: Pendant kit. Includes the accessories needed to fix a pendant bar and includes 2 steel cables (2m) and 2 fastening joints for each steel cable*

F44 Z11 02 Black Pendant lamp kit with 2 fastening joint 81,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,56	0,56	0,22	0,2 kg


Compose and customize
your Freeline lamp

1. Spot options

LED 24Vdc – 1x8W
600lm CRI 90+


Ø6cm x 13cm		
F44 L01 02	3000K	400cm cable
F44 L03 02	2700K	400cm cable
F44 L02 02	3000K	1000cm cable
F44 L04 02	2700K	1000cm cable

IP40




Ø15cm x 8cm		
F44 L11 02	3000K	400cm cable
F44 L13 02	2700K	400cm cable
F44 L12 02	3000K	1000cm cable
F44 L14 02	2700K	1000cm cable

IP40



Ø14cm x 19cm		
F44 L21 02	3000K	400cm cable
F44 L23 02	2700K	400cm cable
F44 L22 02	3000K	1000cm cable
F44 L24 02	2700K	1000cm cable

IP40




2. Canopies options

Dimmable electronic driver included
32,5cm x 6,5cm x 4,6 cm

F44 M01 02	Black	60W
F44 M03 02	Black	100W


IP40



Without driver
8cm x 6,5cm x 3,6 cm

F44 M02 02	Black
------------	-------


IP40



3. Bar options


Each code includes 2 ceiling fastening kits and 4 closure caps

F44 M11 02	Black	1m bar
F44 M11 76	Bronze	1m bar
F44 M12 02	Black	2m bar
F44 M12 76	Bronze	2m bar
F44 M13 02	Black	3m bar
F44 M13 76	Bronze	3m bar



Each code includes LED strip, diffuser, electrical cable and 2 closure caps

F44 M14 02	Black	1m LED bar	3000K
F44 M14 76	Bronze	1m LED bar	3000K
F44 M17 02	Black	1m LED bar	2700K
F44 M17 76	Bronze	1m LED bar	2700K
F44 M15 02	Black	2m LED bar	3000K
F44 M15 76	Bronze	2m LED bar	3000K
F44 M18 02	Black	2m LED bar	2700K
F44 M18 76	Bronze	2m LED bar	2700K
F44 M16 02	Black	3m LED bar	3000K
F44 M16 76	Bronze	3m LED bar	3000K
F44 M19 02	Black	3m LED bar	2700K
F44 M19 76	Bronze	3m LED bar	2700K




4. Available accessories


F44 Z05 02	Floor lamp kit
F44 Z07 02	Pendant lamp kit. It includes steel cable (2m) and the ceiling regulator for steel cable
F44 Z09 02	Pendant lamp kit. It includes steel cable (2m), the ceiling regulator for steel cable and 1 fastening joint
F44 Z11 02	Pendant lamp kit. It includes steel cable (2m) and 2 fastening joints

5. The system

Customize bars and spots position




Pendant	LED 220-240V - 1x17W	F30 A01 01	White	3000K	906,00 €
	3000K CRI 80+ Dimm. PHASE CUT 30%-100%	F30 A01 21	Anthracite	3000K	983,00 €
IP20 Net weight: 2,26 kg Incluso: LED / Included: LED					




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,25	0,18	0,27	2,960 kg

Pendant	LED 220-240V - 1x17W	F30 A03 01	White	3000K	1.014,00 €
	3000K CRI 80+ Dimm. PHASE CUT 30%-100%	F30 A03 21	Anthracite	3000K	1.137,00 €
IP20 Net weight: 2,59 kg Incluso: LED / Included: LED					



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,36	0,15	3,060 kg

Accessory	LED 220-240V - 1x17W	F30 Z01 01	White	3000K	345,00 €
	3000K CRI 80+ Dimm. PHASE CUT 30%-100%	F30 Z01 21	Anthracite	3000K	345,00 €
IP20 Net weight: 0,51 kg Incluso: LED / Included: LED					



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,36	0,15	0,980 kg

Nota: Blocco luce aggiuntivo / Note:
Additional light source

Floor		LED 220-240V - 7x3.5W 3000K CRI 85+		F14 C01 01	White	3000K	IP20	1.482,00 €
		IP20 Net weight: 4,60 kg						
		Incluso: LED, Doppia accensione, Alimentatore elettronico / <i>Included: LED, Double switch, Electronic driver</i>						
		Nota: Diffusori fissi / <i>Note: Fixed diffusers</i>						
		LED 220-240V - 7x3.5W 3000K CRI 85+		F14 C03 01	White	3000K	IP65	1.482,00 €
		IP65 Net weight: 4,83 kg						
		Incluso: LED, Alimentatore elettronico / <i>Included: LED, Electronic driver</i>						
		Nota: Diffusori fissi / <i>Note: Fixed diffusers</i>						
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight			
1		0,40	0,25	1,90	7,800 kg			

Floor		LED 24Vdc - 1x3.5W 3000K CRI 85+		F14 C11 01	White	3000K		375,00 €
		IP65						
		Net weight: 0,50 kg						
		Incluso: LED / <i>Included: LED</i>						
		Non incluso: Alimentatore / <i>Not included: Driver</i>						
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight			
1		0,40	0,25	1,90	0,910 kg			


Floor		LED 24Vdc - 1x3.5W 3000K CRI 85+		F14 C13 01	White	3000K		386,00 €
		IP65						
		Net weight: 0,53 kg						
		Incluso: LED / <i>Included: LED</i>						
		Non incluso: Alimentatore / <i>Not included: Driver</i>						
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight			
1		0,40	0,25	1,90	1,045 kg			

Accessory

IP65
Net weight: 0,93 kg



F14 Z10



96,00 €





Nota: Box di alimentazione 24Vdc da esterno. Max 3 lampada, non dimmerabile. Per F14C1114 e F14C1314 / *Note: Outdoor power supply box for 24Vdc lights. Max 3 lamps, not dimmable. For F14C1114 and F14C1314*


n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,29	0,25	0,13	1,215 kg


Wall/ceiling		G9 220-240V - 1x4.5W LED cod. A11010C01 Max Watt. 60W Dimm. PHASE CUT 30%-100%			D52 G07 00	Transparent		214,00 €
		IP20  Net weight: 1,63 kg Non incluso: Lampadina / <i>Not included: Bulb</i> Nota: 4 tagli luce stretti / <i>Note: 4 narrow light beams</i>						
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight			
1		0,19	0,19	0,21	1,825 kg			


Wall/ceiling		LED 220-240V - 1x8.7W 3000K CRI 80+ Dimm. PHASE CUT 30%-100%			D52 G08 00	Transparent	3000K	287,00 €
		IP20  Net weight: 1,48 kg Incluso: LED / <i>Included: LED</i> Nota: Luce diffusa / <i>Note: Diffused light</i>						
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight			
1		0,19	0,19	0,21	1,655 kg			

Ceiling L2 (GU10)		GU10 220-240V - 2x7W LED cod. A11105C01 Max Watt. 2x50W Dimm. PHASE CUT 30%-100%				F33 M11 63	Painted grey	Linear starter	137,00 €
		IP20 Net weight: 1,21 kg Non incluso: Lampadina / <i>Not included: Bulb</i> Nota: Starter / <i>Note: Starter</i>							
		GU10 220-240V - 2x7W LED cod. A11105C01 Max Watt. 2x50W Dimm. PHASE CUT 30%-100%				F33 M12 63	Painted grey	Module	94,00 €
		IP20 Net weight: 0,89 kg Non incluso: Lampadina / <i>Not included: Bulb</i> Nota: Modulo / <i>Note: Module</i>							


Ceiling L2 (GU10)		GU10 220-240V - 4x7W LED cod. A11105C01 Max Watt. 4x50W Dimm. PHASE CUT 30%-100%				F33 M13 63	Painted grey	Module	175,00 €
		IP20 Net weight: 1,77 kg Non incluso: Lampadina / <i>Not included: Bulb</i> Nota: Modulo / <i>Note: Module</i>							

Ceiling L2 (GU10)		GU10 220-240V - 6x7W LED cod. A11105C01 Max Watt. 6x50W Dimm. PHASE CUT 30%-100%				F33 M14 63	Painted grey	Module	252,00 €
		IP20 Net weight: 2,83 kg Non incluso: Lampadina / <i>Not included: Bulb</i> Nota: Modulo / <i>Note: Module</i>							

Ceiling L2 (GU10)		GU10 220-240V - 8x7W LED cod. A11105C01 Max Watt. 8x50W Dimm. PHASE CUT 30%-100%				F33 M15 63	Painted grey	Module	306,00 €
		IP20 Net weight: 3,78 kg Non incluso: Lampadina / <i>Not included: Bulb</i> Nota: Modulo / <i>Note: Module</i>							


Ceiling L2 (GU10)	GU10 220-240V - 3x7W LED cod. A11105C01 Max Watt. 3x50W Dimm. PHASE CUT 30%-100%	F33 M16 63	Painted grey	Angular starter	272,00 €
					
IP20 Net weight: 1,53 kg					
Non incluso: Lampadina / <i>Not included: Bulb</i>					
Nota: Starter / <i>Note: Starter</i>					

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,36	0,15	2,002 kg

Ceiling L2 (GU10)	GU10 220-240V - 4x7W LED cod. A11105C01 Max Watt. 4x50W Dimm. PHASE CUT 30%-100%	F33 M17 63	Painted grey	Square starter	346,00 €
					
IP20 Net weight: 2,86 kg					
Non incluso: Lampadina / <i>Not included: Bulb</i>					
Nota: Starter / <i>Note: Starter</i>					


n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,36	0,15	3,330 kg

Ceiling L2 (LED bar)	IP20 Net weight: 1,035 kg	F33 M01 63	Painted grey	Starter without driver	220,00 €
Nota: Starter senza alimentatore / <i>Note: Starter without driver</i>					




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	(no driver)	0,34	0,16	0,11	1,165 kg
1	(1 driver)	0,34	0,16	0,11	1,645 kg
1	(2 drivers)	0,34	0,16	0,11	1,44 kg

1.10V IP20 Net weight: 1,515 kg	F33 M02 63	Painted grey	Starter with 1 driver	368,00 €
Incluso: 1 Alimentatore / <i>Included: 1 Driver</i>				
Non incluso: Barrette LED / <i>Not included: LED bars</i>				
Nota: Starter. Altre dimensioni su richiesta / <i>Note: Starter. Other dimensions by request</i>				
1.10V IP20 Net weight: 1,31 kg	F33 M03 63	Painted grey	Starter with 2 drivers	519,00 €
Incluso: 2 Alimentatore / <i>Included: 2 Drivers</i>				
Non incluso: Barrette LED / <i>Not included: LED bars</i>				
Nota: Starter. Altre dimensioni su richiesta / <i>Note: Starter. Other dimensions by request</i>				

Ceiling L2 (LED bar)	1.10V IP20 Net weight: 2,94 kg	F33 M06 63	Painted grey	Angular starter	673,00 €
					
Incluso: 2 Alimentatore / <i>Included: 2 Drivers</i>					
Non incluso: Barrette LED / <i>Not included: LED bars</i>					
Nota: Starter. Altre dimensioni su richiesta / <i>Note: Starter. Other dimensions by request</i>					

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,36	0,15	3,07 kg

Ceiling
L2 (LED bar)




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,36	0,15	3,12 kg

1.10V
IP20
Net weight: 2,99 kg
*Incluso: 4 Alimentatore / Included:
4 Drivers*
*Non incluso: Barrette LED / Not
included: LED bars*
*Nota: Starter. Altre dimensioni
su richiesta / Note: Starter. Other
dimensions by request*

F33 M07 63 Painted grey Square starter 1.083,00 €

Ceiling
L2 (Strip LED)




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,34	0,16	0,11	0,72 kg

1.10V
IP20
Net weight: 0,59 kg
Not included: LED strip, Driver
Nota: Starter / Note: Starter

F33 M22 63 Painted grey Linear starter 94,00 €

Ceiling
L2 (Strip LED)




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,64	0,16	0,11	1,98 kg

1.10V
IP20
Net weight: 1,73 kg
Not included: LED strip, Driver
Nota: Modulo / Note: Module

F33 M23 63 Painted grey Module 175,00 €

Ceiling
L2 (Strip LED)




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,24	0,16	0,11	3,065 kg

1.10V
IP20
Net weight: 2,755 kg
Not included: LED strip, Driver
Nota: Modulo / Note: Module

F33 M24 63 Painted grey Module 252,00 €

Ceiling
L2 (Strip LED)




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,24	0,16	0,11	2,88 kg

1.10V
IP20
Net weight: 2,43 kg
Not included: LED strip, Driver
Nota: Modulo / Note: Module


F33 M25 63 Painted grey Module 306,00 €

Ceiling L2 (Strip LED)	1.10V IP20 Net weight: 1,97 kg <i>Not included: LED strip, Driver</i> <i>Nota: Modulo / Note: Module</i>	F33 M26 63	Painted grey	Angular starter	272,00 €
---------------------------	--	------------	--------------	-----------------	----------




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,36	0,15	2,1kg

Ceiling L2 (Strip LED)	1.10V IP20 Net weight: 2,87 kg <i>Incluso: Alimentatore / Included: Driver</i> <i>Not included: LED strip</i> <i>Nota: Modulo / Note: Module</i>	F33 M27 63	Painted grey	Square starter	346,00 €
---------------------------	---	------------	--------------	----------------	----------




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,36	0,15	3 kg

Accessory	Net weight: 1,17 kg <i>Nota: Accessorio parete per GU10 (L1/2), LED bar (L1/2), LED strip (L1/2) / Note: Wall accessory for GU10 (L1/2), LED bar (L1/2), LED strip (L1/2)</i>	F33 Z02 63	Painted grey		47,00 €
-----------	--	------------	--------------	--	---------




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,34	0,16	0,11	1,3 kg

Accessory	Net weight: 2,905 kg <i>Nota: Accessorio parete per GU10 (L1/2), LED bar (L1/2), LED strip (L1/2) / Note: Wall accessory for GU10 (L1/2), LED bar (L1/2), LED strip (L1/2)</i>	F33 Z03 63	Painted grey		69,00 €
-----------	---	------------	--------------	--	---------




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,64	0,16	0,11	3,155 kg

Accessory	Net weight: 3,55 kg <i>Nota: Accessorio parete per GU10 (L1/2), LED bar (L1/2), LED strip (L1/2) / Note: Wall accessory for GU10 (L1/2), LED bar (L1/2), LED strip (L1/2)</i>	F33 Z04 63	Painted grey		119,00 €
-----------	--	------------	--------------	--	----------



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,24	0,16	0,11	3,86 kg


Accessory	Net weight: 4,195 kg	F33 Z05 63	Painted grey	163,00 €
-----------	----------------------	------------	--------------	----------



Nota: Accessorio parete per GU10 (L1/2), LED bar (L1/2), LED strip (L1/2) / *Note: Wall accessory for GU10 (L1/2), LED bar (L1/2), LED strip (L1/2)*


n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,24	0,16	0,11	4,645 kg

Ceiling	Net weight: 0,2 kg	F33 M32 63	Painted grey	47,00 €
L1 (No light source)	Nota: Barra non elettrificata / <i>Note: Bar without electrification</i>	F33 M32 74	Gold-plated aluminium	55,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,34	0,16	0,11	0,33 kg

Ceiling	Net weight: 0,43 kg	F33 M33 63	Painted grey	81,00 €
L1 (No light source)	Nota: Barra non elettrificata / <i>Note: Bar without electrification</i>	F33 M33 74	Gold-plated aluminium	93,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,64	0,16	0,11	0,68 kg

Ceiling	Net weight: 0,63 kg	F33 M34 63	Painted grey	120,00 €
L1 (No light source)	Nota: Barra non elettrificata / <i>Note: Bar without electrification</i>	F33 M34 74	Gold-plated aluminium	138,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,24	0,16	0,11	0,94 kg

Ceiling	Net weight: 0,91 kg	F33 M35 63	Painted grey	157,00 €
L1 (No light source)	Nota: Barra non elettrificata / <i>Note: Bar without electrification</i>	F33 M35 74	Gold-plated aluminium	180,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,24	0,16	0,11	1,35 kg


Ceiling
L1 (Strip LED)

1.10V
IP20
Net weight: 0,78 kg
Not included: LED strip, Driver
Nota: Modulo / Note: Module

F33 M42 63

Painted grey

53,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,34	0,16	0,11	0,91 kg


Ceiling
L1 (Strip LED)

1.10V
IP20
Net weight: 1,05 kg
Not included: LED strip, Driver
Nota: Modulo / Note: Module

F33 M43 63

Painted grey

90,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,64	0,16	0,11	1,3 kg


Ceiling
L1 (Strip LED)

1.10V
IP20
Net weight: 1,68 kg
Not included: LED strip, Driver
Nota: Modulo / Note: Module

F33 M44 63

Painted grey

133,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,24	0,16	0,11	1,99 kg


Ceiling
L1 (Strip LED)

1.10V
IP20
Net weight: 2,13 kg
Not included: LED strip, Driver
Nota: Modulo / Note: Module

F33 M45 63


Painted grey

174,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,24	0,16	0,11	2,58 kg

Accessory	Net weight: 0,23 kg	F33 Z10 27	Anodized	35,00 €
	Nota: Fascia di rivestimento / Note: Cover	F33 Z10 74	Gold-plated aluminium	40,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,34	0,16	0,11	0,36 kg

Accessory	Net weight: 0,45 kg	F33 Z11 27	Anodized	63,00 €
	Nota: Fascia di rivestimento / Note: Cover	F33 Z11 74	Gold-plated aluminium	70,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,64	0,16	0,11	0,7 kg

Accessory	Net weight: 0,69 kg	F33 Z12 27	Anodized	90,00 €
	Nota: Fascia di rivestimento / Note: Cover	F33 Z12 74	Gold-plated aluminium	103,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,24	0,16	0,11	1 kg

Accessory	Net weight: 0,91 kg	F33 Z13 27	Anodized	118,00 €
	Nota: Fascia di rivestimento / Note: Cover	F33 Z13 74	Gold-plated aluminium	133,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,24	0,16	0,11	1,36 kg

Accessory	Net weight: 1,135 kg	F33 Z14 27	Anodized	146,00 €
	Nota: Fascia di rivestimento / Note: Cover	F33 Z14 74	Gold-plated aluminium	165,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,9	0,08	0,08	1,425 kg

Accessory	Net weight: 1,425 kg	F33 Z15 27	Anodized	168,00 €
	Nota: Fascia di rivestimento / Note: Cover	F33 Z15 74	Gold-plated aluminium	194,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,9	0,08	0,08	1,625 kg


Accessory



Net weight: 0,135 kg	F33 Z16 27	Anodized	28,00 €
Nota: Fascia di rivestimento / Note: Cover	F33 Z16 74	Gold-plated aluminium	34,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,23	0,16	0,08	0,215 kg


Accessory



Net weight: 0,15 kg	F33 Z20 12	Gold	2 caps	66,00 €
Nota: 2 tappi per ogni confezione / Note: 2 caps for each package	F33 Z20 15	Chrome	2 caps	56,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,17	0,17	0,09	0,22 kg


Accessory



Net weight: 0,025 kg	F33 Z21 12	Gold	Right cap	34,00 €
Nota: Tappo destro / Note: Right cap	F33 Z21 15	Chrome	Right cap	28,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,17	0,17	0,09	0,095 kg


Accessory



Net weight: 0,0025 kg	F33 Z22 12	Gold	Left cap	34,00 €
Nota: Tappo sinistro / Note: Left cap	F33 Z22 15	Chrome	Left cap	28,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,17	0,17	0,09	0,095 kg


Accessory



Net weight: 0,02 kg	F33 Z23 12	Gold	External cap	45,00 €
Nota: Tappo esterno per angolo / Note: External cap	F33 Z23 15	Chrome	External cap	39,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,17	0,17	0,09	0,09 kg


Accessory



Net weight: 0,03 kg	F33 Z24 12	Gold	External cap for closure of angle	45,00 €
Nota: Tappo esterno di chiusura per angolo / Note: External cap for closure of angle	F33 Z24 15	Chrome	External cap for closure of angle	39,00 €


n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,17	0,17	0,09	0,09 kg

Glass	Net weight: 3,795 kg	F33 V01 C2 00	Transparent	Cerchio	163,00 €
Cerchio	Nota: 2 vetri e 5 ferma vetro per ogni confezione. Altri colori su richiesta (+20%) / Note: 2 glass and 5 glass fastener in each package. Other colours by request (+20%)	F33 V01 C2 47	Amber	Cerchio	196,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,18	0,18	3,8 kg

Glass	Net weight: 3,005 kg	F33 V02 C4 00	Transparent	Riga	179,00 €
Riga	Nota: 4 vetri e 9 ferma vetro per ogni confezione. Altri colori su richiesta (+20%) / Note: 4 glass and 9 glass fastener in each package. Other colours by request (+20%)	F33 V02 C4 47	Amber	Riga	214,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,18	0,18	3,2 kg

Glass	Net weight: 1,58 kg	F33 V07 C4 00	Transparent	Riga	196,00 €
Riga	Nota: 4 vetri e 9 ferma vetro per ogni confezione. Altri colori su richiesta (+20%) / Note: 4 glass and 9 glass fastener in each package. Other colours by request (+20%)	F33 V07 C4 47	Amber	Riga	238,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,18	0,18	1,9 kg

Glass	Net weight: 3,345 kg	F33 V03 C4 00	Transparent	Onda	179,00 €
Onda	Nota: 9 ferma vetro per ogni confezione. Altri colori su richiesta (+20%) / Note: 9 glass fastener in each package. Other colours by request (+20%)				



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,18	0,18	3,63 kg

Glass	Net weight: 3,04 kg	F33 V04 C4 00	Transparent	Rombo	179,00 €
Rombo	Nota: 9 ferma vetro per ogni confezione. Altri colori su richiesta (+20%) / Note: 9 glass fastener in each package. Other colours by request (+20%)				



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,18	0,18	3,27 kg

Glass
Quadro


Net weight: 5,51 kg

F33 V05 C2 00

Transparent

Quadro

225,00 €



Nota: 2 vetri e 5 ferma vetro per ogni confezione. Altri colori su richiesta (+20%) / Note: 2 glass and 5 glass fastener in each package. Other colours by request (+20%)

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,18	0,18	5,96 kg

Glass
Ponte


Net weight: 2,045 kg

F33 V06 C4 00

Transparent

Ponte


179,00 €



Nota: 4 vetri e 9 ferma vetro per ogni confezione. Altri colori su richiesta (+20%) / Note: 4 glass and 9 glass fastener in each package. Other colours by request (+20%)

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,18	0,18	2,33 kg

Accessory	LED 24Vdc - 1x5W 3000K CRI 80+	F33 Z51	3000K	LED bar	68,00 €
-----------	--------------------------------------	---------	-------	---------	---------



Incluso: LED / *Included: LED*

Nota: Barra LED completa di supporto in alluminio e diffusore / *Note: LED bar inclusive of aluminium support and diffuser*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,19	0,19	0,21	0,120 kg

Accessory	LED 24Vdc - 23W 3000K CRI 90+	F33 Z53 65	White 3000K	3000K	LED strip	53,00 €
-----------	-------------------------------------	------------	-------------	-------	-----------	---------



Net weight: 0,12 kg

Incluso: LED / *Included: LED*

Non incluso: Alimentatore / *Not included: Driver*

Nota: Strip LED, prezzo al metro. Al momento dell'ordine comunicare all'azienda le misure del progetto / *Note: LED strip, price by meter. When ordering, communicate to the company the dimensions of the project*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,19	0,19	0,21	0,120 kg


Accessory	Net weight: 0,12 kg	F33 Z55		Lens	9,00 €
-----------	---------------------	---------	--	------	--------



Nota: Lente, prezzo al metro. Al momento dell'ordine comunicare all'azienda le misure del progetto / *Note: Lens, price by meter. When ordering, communicate to the company the dimensions of the project*


n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,19	0,19	0,21	0,12 kg

Accessory	Net weight: 0,12 kg	F33 Z49	Support cable	29,00 €
Nota: Cavo di sostegno. Prezzo al metro / Note: Support cable. Price by meter				




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,19	0,19	0,21	0,3 kg

Accessory	Net weight: 0,12 kg	F33 Z48 C08	Cable fastener	12,00 €
Nota: Ferma cavo di sicurezza / Note: Cable fastener				



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,19	0,19	0,21	0,095 kg

Accessory	Net weight: 0,12 kg	F33 Z50 C09	Glass fastener	19,00 €
Nota: Ferma vetro / Note: Glass fastener				



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,19	0,19	0,21	0,095 kg


Light source: GU10
Layout: 1 or 2 glass walls

1. Metal bar and angle option

1A. Linear bars


- Minimum length: 30cm
- Modularity: 30cm
- Electrification: every 30cm (GU10 2x7W LED)
Different electrification are available on request.
- Each system has to use a 30cm starter module.
The starter modules are electrified.

F33 M11 63	30cm	Starter
F33 M12 63	30cm	Module
F33 M13 63	60cm	Module
F33 M14 63	90cm	Module
F33 M15 63	120cm	Module



1B. Couple of caps


F33 Z20 15	Polished aluminium
F33 Z20 12	Gold-plated aluminium



1C. Wall kit


- Minimum length: 30cm
 - Modularity: 30cm
- For the wall version, it must be added to the linear bars indicated at right (F33 M1...) one of the following kits according to the desired length.

F33 Z02 63	30cm
F33 Z03 63	60cm
F33 Z04 63	90cm
F33 Z05 63	120cm




1D. Angle bar

F33 M16 63	30cm x 30cm	Starter
-------------------	-------------	---------



1E. Square bar

F33 M17 63	30cm x 30cm	Starter
-------------------	-------------	---------




2. Cover options

Polished aluminium

F33 Z10 27	30cm
F33 Z11 27	60cm
F33 Z12 27	90cm
F33 Z13 27	120cm
F33 Z14 27	150cm
F33 Z15 27	180cm
F33 Z16 27	19,1cm











Gold-plated aluminium

F33 Z10 74	30cm
F33 Z11 74	60cm
F33 Z12 74	90cm
F33 Z13 74	120cm
F33 Z14 74	150cm
F33 Z15 74	180cm
F33 Z16 74	19,1cm




3. Glass options

Other colours and drawings by request.

F33 V01 C2 00 Cerchio	Transparent 29cm x 23cm	
F33 V01 C2 47 Cerchio	Amber 29cm x 23cm	
F33 V02 C4 00 Riga	Transparent 29cm x 11cm	
F33 V02 C4 47 Riga	Amber 29cm x 11cm	
F33 V03 C4 00 Onda	Transparent 29cm x 11cm	
F33 V04 C4 00 Rombo	Transparent 29cm x 11cm	
F33 V05 C2 00 Quadro	Transparent 29cm x 35cm	
F33 V06 C4 00 Ponte	Transparent 29cm x 11cm	
F33 V07 C4 00 Riga	Transparent 19cm x 11cm	
F33 V07 C4 47 Riga	Amber 19cm x 11cm	

4. Support cable and security cable fastener

The support cables (F33 Z49) delivery is based on the building option preferred, of which the number of glasses and interior empty spaces has to be specified.



In case the composition length is higher than 200cm one security cable fastener (F33 Z48 C08) for each stainless steel cable has to be ordered.




Light source: LED bar
Layout: 1 or 2 glass walls

1. Metal bar and angle option

1A. Linear bars


- Minimum length: 30cm
- Modularity: 30cm
- 4 security cable fasteners are included in each bar
- Each driver is dimmable and supports max 12 LED bars

F33 M01 63	30cm	Starter, driver not included
F33 M02 63	30cm	Starter, 1 dimm. driver incl.
F33 M03 63	30cm	Starter, 2 dimm. drivers incl.



1B. Couple of caps


F33 Z20 15	Polished aluminium
F33 Z20 12	Gold-plated aluminium



1C. Wall kit

- Minimum length: 30cm
 - Modularity: 30cm
- For the wall version, it must be added to the linear bars indicated at right (F33 M0...) one of the following kits according to the desired length.


F33 Z02 63	30cm
F33 Z03 63	60cm
F33 Z04 63	90cm
F33 Z05 63	120cm



1D. Angle bar

Each driver is dimmable and supports max 12 LED bars


F33 M06 63	30cm x 30cm	Starter, 2 dimm. drivers incl.
-------------------	-------------	--------------------------------



1E. Square bar

Each driver is dimmable and supports max 12 LED bars

F33 M07 63	30cm x 30cm	Starter, 4 dimm. drivers incl.
-------------------	-------------	--------------------------------




2. Cover options

Polished aluminium

F33 Z10 27	30cm
F33 Z11 27	60cm
F33 Z12 27	90cm
F33 Z13 27	120cm
F33 Z14 27	150cm
F33 Z15 27	180cm
F33 Z16 27	19,1cm











Gold-plated aluminium

F33 Z10 74	30cm
F33 Z11 74	60cm
F33 Z12 74	90cm
F33 Z13 74	120cm
F33 Z14 74	150cm
F33 Z15 74	180cm
F33 Z16 74	19,1cm




3. Glass options

Other colours and drawings by request.

F33 V01 C2 00 Cerchio	Transparent 29cm x 23cm	
F33 V01 C2 47 Cerchio	Amber 29cm x 23cm	
F33 V02 C4 00 Riga	Transparent 29cm x 11cm	
F33 V02 C4 47 Riga	Amber 29cm x 11cm	
F33 V03 C4 00 Onda	Transparent 29cm x 11cm	
F33 V04 C4 00 Rombo	Transparent 29cm x 11cm	
F33 V05 C2 00 Quadro	Transparent 29cm x 35cm	
F33 V06 C4 00 Ponte	Transparent 29cm x 11cm	
F33 V07 C4 00 Riga	Transparent 19cm x 11cm	
F33 V07 C4 47 Riga	Amber 19cm x 11cm	

4. Support cable


The support cables (F33 Z49) delivery is based on the building option preferred, of which the number of glasses and interior empty spaces has to be specified.



5. LED light source

Each driver is dimmable 1..10V and supports max 12 LED bars. Other kind of dimming by request.

F33 Z51 LED 24Vdc - 1x5W
3000K
400lm CRI 80+




Light source: LED strip
Layout: 1 or 2 glass walls

1. Metal bar and angle option

1A. Linear bars


- Minimum length: 30cm
- Modularity: 30cm
- LED and driver not included

F33 M22 63	30cm
F33 M23 63	60cm
F33 M24 63	90cm
F33 M25 63	120cm



1B. Couple of caps


F33 Z20 15	Polished aluminium
F33 Z20 12	Gold-plated aluminium



1C. Wall kit


- Minimum length: 30cm
 - Modularity: 30cm
- For the wall version, it must be added to the linear bars indicated at right (F33 M2...) one of the following kits according to the desired length.

F33 Z02 63	30cm
F33 Z03 63	60cm
F33 Z04 63	90cm
F33 Z05 63	120cm



1D. Angle bar


F33 M26 63	30cm x 30cm	Starter
------------	-------------	---------



1E. Square bar

LED and driver not included

F33 M27 63	30cm x 30cm
------------	-------------




2. Cover options

Polished aluminium

F33 Z10 27	30cm
F33 Z11 27	60cm
F33 Z12 27	90cm
F33 Z13 27	120cm
F33 Z14 27	150cm
F33 Z15 27	180cm
F33 Z16 27	19,1cm











Gold-plated aluminium

F33 Z10 74	30cm
F33 Z11 74	60cm
F33 Z12 74	90cm
F33 Z13 74	120cm
F33 Z14 74	150cm
F33 Z15 74	180cm
F33 Z16 74	19,1cm




3. Glass options

Other colours and drawings by request.

F33 V01 C2 00 Cerchio	Transparent 29cm x 23cm	
F33 V01 C2 47 Cerchio	Amber 29cm x 23cm	
F33 V02 C4 00 Riga	Transparent 29cm x 11cm	
F33 V02 C4 47 Riga	Amber 29cm x 11cm	
F33 V03 C4 00 Onda	Transparent 29cm x 11cm	
F33 V04 C4 00 Rombo	Transparent 29cm x 11cm	
F33 V05 C2 00 Quadro	Transparent 29cm x 35cm	
F33 V06 C4 00 Ponte	Transparent 29cm x 11cm	
F33 V07 C4 00 Riga	Transparent 19cm x 11cm	
F33 V07 C4 47 Riga	Amber 19cm x 11cm	

4. Support cable and security cable fastener

The support cables (F33 Z49) delivery is based on the building option preferred, of which the number of glasses and interior empty spaces has to be specified.



In case the composition length is higher than 200cm one security cable fastener (F33 Z48 C08) for each stainless steel cable has to be ordered.




5. LED and lens light source

Sold by meter. Specify the lengths of the single linear section.

F33 Z53 Strip LED 24Vdc – 19.2W
3000K
2600lm by meter CRI 90+

F33 Z55 LED lens 30°



6. Power supply

Choose the suitable LED power supply constant voltage according to the length of the structure:

A50202	20W 24Vdc, dimmable 1.10V (max 60cm)
A50203	25W 24Vdc, dimmable 1.10V (max 90cm)
A50204	40W 24Vdc, dimmable 1.10V (max 150cm)
A50205	60W 24Vdc, dimmable 1.10V (max 240cm)
A50206	90W 24Vdc, dimmable 1.10V (max 360cm)
A50308	DALI (4 output channel), PUSH and 1.10V kit control (max 360cm)

Laminis

No light source
Layout: 1 glass wall

F33

Technical Design

1. Metal bar and angle option

1A. Linear bars



- Minimum length: 30cm
- Modularity: 30cm

Polished aluminium

F33 M32 27	30cm
F33 M33 27	60cm
F33 M34 27	90cm
F33 M35 27	120cm

Gold-plated aluminium

F33 M32 74	30cm
F33 M33 74	60cm
F33 M34 74	90cm
F33 M35 74	120cm



1B. Caps

Polished aluminium

F33 Z21 15	Right cap
F33 Z22 15	Left cap



Gold-plated aluminium

F33 Z21 12	Right cap
F33 Z22 12	Left cap


2. Cover options

Polished aluminium

F33 Z10 27	30cm
F33 Z11 27	60cm
F33 Z12 27	90cm
F33 Z13 27	120cm
F33 Z14 27	150cm
F33 Z15 27	180cm
F33 Z16 27	19,1cm

Gold-plated aluminium

F33 Z10 74	30cm
F33 Z11 74	60cm
F33 Z12 74	90cm
F33 Z13 74	120cm
F33 Z14 74	150cm
F33 Z15 74	180cm
F33 Z16 74	19,1cm



3. Glass options

Other colours and drawings by request.

F33 V01 C2 00 Transparent
Cerchio 29cm x 23cm



F33 V01 C2 47 Amber
Cerchio 29cm x 23cm



F33 V02 C4 00 Transparent
Riga 29cm x 11cm



F33 V02 C4 47 Amber
Riga 29cm x 11cm




F33 V03 C4 00 Transparent
Onda 29cm x 11cm



F33 V04 C4 00 Transparent
Rombo 29cm x 11cm



F33 V05 C2 00 Transparent
Quadro 29cm x 35cm



F33 V06 C4 00 Transparent
Ponte 29cm x 11cm



F33 V07 C4 00 Transparent
Riga 19cm x 11cm




F33 V07 C4 47 Amber
Riga 19cm x 11cm



4. Support cable and security cable fastener

The support cables (F33 Z49) delivery is based on the building option preferred, of which the number of glasses and interior empty spaces has to be specified.



In case the composition length is higher than 200cm one security cable fastener (F33 Z48 C08) for each stainless steel cable has to be ordered.



Laminis



Light source: LED strip
Layout: 1 glass wall

1. Metal bar and angle option

1A. Linear bars

- Minimum length: 30cm
- Modularity: 30cm
- LED and driver not included

F33 M42 63	30cm
F33 M43 63	60cm
F33 M44 63	90cm
F33 M45 63	120cm



1B. Caps

Polished aluminium

F33 Z21 15	Right cap
F33 Z22 15	Left cap



Gold-plated aluminium

F33 Z21 12	Right cap
F33 Z22 12	Left cap



2. Cover options

Polished aluminium

F33 Z10 27	30cm
F33 Z11 27	60cm
F33 Z12 27	90cm
F33 Z13 27	120cm
F33 Z14 27	150cm
F33 Z15 27	180cm
F33 Z16 27	19,1cm

Gold-plated aluminium

F33 Z10 74	30cm
F33 Z11 74	60cm
F33 Z12 74	90cm
F33 Z13 74	120cm
F33 Z14 74	150cm
F33 Z15 74	180cm
F33 Z16 74	19,1cm



F33

3. Glass options

Other colours and drawings by request.

F33 V01 C2 00	Transparent
Cerchio	29cm x 23cm



F33 V01 C2 47	Amber
Cerchio	29cm x 23cm



F33 V02 C4 00	Transparent
Riga	29cm x 11cm



F33 V02 C4 47	Amber
Riga	29cm x 11cm




F33 V03 C4 00	Transparent
Onda	29cm x 11cm



F33 V04 C4 00	Transparent
Rombo	29cm x 11cm



F33 V05 C2 00	Transparent
Quadro	29cm x 35cm



F33 V06 C4 00	Transparent
Ponte	29cm x 11cm



F33 V07 C4 00	Transparent
Riga	19cm x 11cm




F33 V07 C4 47	Amber
Riga	19cm x 11cm



Technical Design

4. Support cable and security cable fastener

The support cables (F33 Z49) delivery is based on the building option preferred, of which the number of glasses and interior empty spaces has to be specified.



In case the composition length is higher than 200cm one security cable fastener (F33 Z48 C08) for each stainless steel cable has to be ordered.




5. LED and lens light source

Sold by meter. Specify the lengths of the single linear section.

F33 Z53	Strip LED 24Vdc - 19,2W 3000K 2600lm by meter CRI 90+
----------------	---

F33 Z55	LED lens 30°
----------------	--------------



6. Power supply

Choose the suitable LED power supply constant voltage according to the length of the structure:

A50202	20W 24Vdc, dimmable 1.10V (max 60cm)
A50203	25W 24Vdc, dimmable 1.10V (max 90cm)
A50204	40W 24Vdc, dimmable 1.10V (max 150cm)
A50205	60W 24Vdc, dimmable 1.10V (max 240cm)
A50206	90W 24Vdc, dimmable 1.10V (max 360cm)
A50308	DALI (4 output channel), PUSH and 1.10V kit control (max 360cm)

1. The customization path starts with the choise of Laminis glasses which will form the glass wall

Other colour by request.

F33 V01 C2 00 Transparent
Cerchio 29cm x 23cm



F33 V01 C2 47 Amber
Cerchio 29cm x 23cm



F33 V02 C4 00 Transparent
Riga 29cm x 11cm



F33 V02 C4 47 Amber
Riga 29cm x 11cm




F33 V03 C4 00 Transparent
Onda 29cm x 11cm



F33 V04 C4 00 Transparent
Rombo 29cm x 11cm



F33 V05 C2 00 Transparent
Quadro 29cm x 35cm



F33 V06 C4 00 Transparent
Ponte 29cm x 11cm



F33 V07 C4 00 Transparent
Riga 19cm x 11cm




F33 V07 C4 47 Amber
Riga 19cm x 11cm




1. Combining them you can get endless customization possibilities


Example: Regular pattern



Example: Mix of different glasses



Example: Custom combination of the glasses




Laminis

My glass
Custom base


Glasses dimension

The various glasses must have a width of 30cm or multiple, although they have differt sizes.



Design it yourself

You can choose one of our glass patterns or you can create your own design and we'll produce it for you.




Feasibility of the designs to be verified according to the glass production process.

F33

Colour

Possibility to choose the colour finishing of the single glasses among those described here.





The same colours, handmade, could change.


Technical Design

Arrangement


Possibility to choose the arrangement of the single glasses.




1. Electrical connection and bar fastening.




2. Light bulbs installation.




3. Stainless steel cables insertion and cut.




4. Cable insertion detail.




5. Cover assembly.




6. Locking caps assembly.





7. Glass fastener assembly.





8. Glass tiles insertion.



<div>Table</div> <div></div>	<div>LED 220-240V - 1x12W 3000K or 2700K 1200 lm, CRI 80+ Dimm. PUSH</div> <div>IP40 </div> <div>Net weight: 4,70 kg</div> <div>Incluso: LED / Included: LED</div>	F69 B01 00	Transparent	3000K	860,00 €
		F69 B01 43	Green	3000K	924,00 €
		F69 B01 47	Amber	3000K	924,00 €
		F69 B01 58	Smoked	3000K	924,00 €
		F69 B02 00	Transparent	2700K	860,00 €
		F69 B02 43	Green	2700K	924,00 €
		F69 B02 47	Amber	2700K	924,00 €
		F69 B02 58	Smoked	2700K	924,00 €

Catalogue




Wall		LED 220-240V - 1x7W 3000K or 2700K 690 lm, CRI 80+ Dimm. ON/OFF IP40 Net weight: 0,30 kg Incluso: LED / Included: LED	F70 D01 01	White	3000K	244,00 €
			F70 D01 12	Royal gold	3000K	260,00 €
			F70 D01 21	Anthracite	3000K	244,00 €
			F70 D01 76	Bronze	3000K	260,00 €
			F70 D02 01	White	2700K	244,00 €
			F70 D02 12	Royal gold	2700K	260,00 €
			F70 D02 21	Anthracite	2700K	244,00 €
			F70 D02 76	Bronze	2700K	260,00 €


n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,22	0,13	0,14	0,540 kg

Catalogue

Upon request




01 White



12 Royal gold




21 Anthracite



76 Bronze

Other finishes available upon request.


Pendant



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,40	0,40	0,22	4,260 kg
1	Diffuser	0,64	0,64	0,07	4,060 kg

LED 220-240V - 1x24W 3000K CRI 92+ Dimm. PHASE CUT 30%-100%	F46 A01 14	Satin-finish burnished	3000K	1.641,00 €
	F46 A01 56	Rust	3000K	1.641,00 €
	F46 A01 76	Bronze	3000K	1.641,00 €
IP40 Net weight: 6,08 kg Incluso: LED, Alimentatore elettronico dimmerabile / Included: LED, Dimmable electronic driver				

Pendant




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,40	0,40	0,22	4,260 kg
1	Diffuser	0,94	0,94	0,09	9,315 kg

LED 220-240V - 1x24W 3000K CRI 92+ Dimm. PHASE CUT 30%-100%	F46 A03 14	Satin-finish burnished	3000K	1.941,00 €
	F46 A03 56	Rust	3000K	1.941,00 €
	F46 A03 76	Bronze	3000K	1.941,00 €
IP40 Net weight: 9,34 kg Incluso: LED, Alimentatore elettronico dimmerabile / Included: LED, Dimmable electronic driver				


Catalogue



14 Satin-finish burnished




56 Rust



76 Bronze

Pendant




LED 220-240V - 3x24W
3000K
CRI 92+
Dimm. 1.10V
IP40
Net weight: 16,77 kg

Incluso: LED, Alimentatore
elettronico dimmerabile / *Included:*
LED, Dimmable electronic driver

F46 A05 14	Satin-finish burnished	3000K	3.877,00 €
F46 A05 56	Rust	3000K	3.877,00 €
F46 A05 76	Bronze	3000K	3.877,00 €
F46 A05 99	Multicolour	3000K	3.877,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,45	0,44	0,36	9,815 kg
1	Diffuser	0,64	0,64	0,07	4,060 kg

Pendant





LED 220-240V - 3x24W
3000K
CRI 92+
Dimm. 1.10V
IP40
Net weight: 26,55 kg

Incluso: LED, Alimentatore
elettronico dimmerabile / *Included:*
LED, Dimmable electronic driver

F46 A07 14	Satin-finish burnished	3000K	4.511,00 €
F46 A07 56	Rust	3000K	4.511,00 €
F46 A07 76	Bronze	3000K	4.511,00 €
F46 A07 99	Multicolour	3000K	4.511,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,45	0,44	0,36	9,815 kg
1	Diffuser	0,94	0,94	0,09	9,315 kg

Wall/ceiling		LED 220-240V - 1x45W 3000K 1725 lm, CRI 90+	F46 G01 14	Satin-finish burnished	3000K	1,108,00 €
		IP20 Net weight: 6,08 kg	F46 G01 56	Rust	3000K	1,108,00 €
		Incluso: LED, Alimentatore elettronico / Included: LED, Electronic driver	F46 G01 76	Bronze	3000K	1,108,00 €
						
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight	
1	Structure	0,70	0,70	0,14	6,950 kg	
1	Diffuser	0,64	0,64	0,07	4,060 kg	

Wall/ceiling		LED 220-240V - 1x86W 3000K CRI 90+	F46 G03 14	Satin-finish burnished	3000K	1,812,00 €
		IP20 Net weight: 9,34 kg	F46 G03 56	Rust	3000K	1,812,00 €
		Incluso: LED, Alimentatore elettronico / Included: LED, Electronic driver	F46 G03 76	Bronze	3000K	1,812,00 €
						
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight	
1	Structure	0,94	0,94	0,09	15,900 kg	
1	Diffuser	0,94	0,94	0,09	9,315 kg	


Catalogue



14 Satin-finish
burnished




56 Rust



76 Bronze

Pendant




LED 110-230V - 1x53W 3000K or 4000K 1336 (UP) + 1969 (DOWN) lm, CRI 90+ URG<19	F57 A51 01	White	3000K	561,00 €
	F57 A51 02	Black	3000K	561,00 €
	F57 A53 01	White	4000K	561,00 €
	F57 A53 02	Black	4000K	561,00 €
IP40 Net weight: 2,80 kg Incluso: LED, Alimentatore / Included: LED, Driver				

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,52	0,18	0,18	1,915 kg
1	Diffuser	1,27	0,23	0,18	3,500 kg

Catalogue

Upon request




01 White



02 Black

Other finishes available upon request.

Pendant



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,52	0,18	0,18	1,915 kg
1	Diffuser	1,27	0,23	0,18	3,500 kg

LED 110-230V - 1x149W 3000K or 4000K	F57 A01 01	White	3000K	1.107,00 €
4100 (UP) + 5909 (DOWN) lm, CRI 90+	F57 A01 02	Black	3000K	1.107,00 €
Dimm. ON/OFF URG<19	F57 A03 01	White	4000K	1.107,00 €

IP40
Net weight: 7,70 kg
Incluso: LED, Alimentatore /
Included: LED, Driver

LED 110-230V - 1x149W 3000K or 4000K	F57 A03 02	Black	4000K	1.107,00 €
4100 (UP) + 5909 (DOWN) lm, CRI 90+				
Dimm. ON/OFF URG<19				

IP40
Net weight: 7,70 kg
Incluso: LED, Alimentatore /
Included: LED, Driver

LED 110-230V - 1x149W 3000K or 4000K	F57 A11 01	White	3000K	1.335,00 €
5909 (UP) + 5909 (DOWN) lm, CRI 90+	F57 A11 02	Black	3000K	1.335,00 €
Dimm. PUSH 1.10V (up/down independent)	F57 A13 01	White	4000K	1.335,00 €
URG<19	F57 A13 02	Black	4000K	1.335,00 €

IP40
Net weight: 7,70 kg
Incluso: LED, Alimentatore
elettronico dimmerabile / Included:
LED, Dimmable electronic driver

LED 220-240V - 1x149W 3000K or 4000K	F57 A21 01	White	3000K	1.478,00 €
5909 (UP) + 5909 (DOWN) lm, CRI 90+	F57 A21 02	Black	3000K	1.478,00 €
Dimm. PUSH 1.10V DALI (up/down independent)	F57 A23 01	White	4000K	1.478,00 €
URG<19	F57 A23 02	Black	4000K	1.478,00 €


IP40
Net weight: 7,70 kg
Incluso: LED, Alimentatore
elettronico dimmerabile / Included:
LED, Dimmable electronic driver

LED 220-240V - 1x149W 3000K or 4000K	F57 A31 01	White	3000K	1.478,00 €
5909 (UP) + 5909 (DOWN) lm, CRI 90+	F57 A31 02	Black	3000K	1.478,00 €
Dimm. PHASE CUT 30%-100% (up/ down independent)	F57 A33 01	White	4000K	1.478,00 €
URG<19	F57 A33 02	Black	4000K	1.478,00 €

IP40
Net weight: 7,70 kg
Incluso: LED, Alimentatore
elettronico dimmerabile / Included:
LED, Dimmable electronic driver

Catalogue

Upon request




01 White




02 Black

Other finishes available upon request.

Pendant		LED 220-240V - 1x17W 3000K CRI 80+ Dimm. PHASE CUT 30%-100%	F35 A01 00	Transparent	3000K	857,00 €
		IP20 Net weight: 4,27 kg Incluso: LED, Kit per decentramento / Included: LED, Off-center cable fastener Nota: Struttura verniciata nera opaca / Note: Black painted matt structure				

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight	
1		0,60	0,60	0,30	6,000 kg	

R7s (78 mm) 220-240V - 1x6W LED cod. A11509C01 Max Watt. 120W Dimm. PHASE CUT 30%-100%	F35 A03 00	Transparent		713,00 €
IP20 Net weight: 4,27 kg Incluso: Kit per decentramento / Included: Off-center cable fastener Non incluso: Lampadina / Not included: Bulb Nota: Struttura verniciata nera opaca / Note: Black painted matt structure				

Wall/ceiling		LED 220-240V - 1x17W 3000K CRI 80+ Dimm. PHASE CUT 30%-100%	F35 G01 00	Transparent	3000K	683,00 €
		IP40 Net weight: 3,71 kg Incluso: 2 kit per decentramento / Included: 2 off-center cable fastener Nota: Struttura verniciata bianca opaca / Note: Opaque white painted structure				

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight	
1		0,60	0,60	0,30	5,525 kg	

R7s (78 mm) 220-240V - 1x6W LED cod. A11509C01 Max Watt. 120W Dimm. PHASE CUT 30%-100%	F35 G03 00	Transparent		540,00 €
IP40 Net weight: 3,71 kg Incluso: 2 kit per decentramento / Included: 2 off-center cable fastener Non incluso: Lampadina / Not included: Bulb Nota: Struttura verniciata bianca opaca / Note: Opaque white painted structure				


Pendant
Baka

E27 220-240V - 1x22W LED
cod. A10231C01
Max Watt. 150W
Dimm. PHASE CUT 30%-100%

F07 A15 01

White

405,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,51	0,51	0,51	4,580 kg

IP20
Net weight: 3,20 kg

Incluso: 2 kit per decentramento /
Included: 2 off-center cable fastener

Non incluso: Lampadina / *Not included: Bulb*

LED 220-240V - 1x17W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%

F07 A35 01

White

3000K

554,00 €

IP20
Net weight: 3,20 kg

Incluso: 2 kit per decentramento /
Included: 2 off-center cable fastener


Table
Baka

E27 220-240V - 1x22W LED
cod. A10231C01
Max Watt. 150W


F07 B21 01

White

334,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,51	0,51	0,51	4,070 kg

IP40 
Net weight: 2,71 kg

Non incluso: Lampadina / *Not included: Bulb*


LED 220-240V - 1x17W
3000K
CRI 80+

F07 B41 01

White

3000K

412,00 €

IP40 
Net weight: 2,71 kg

Incluso: LED / *Included: LED*


Floor
Baka

E27 220-240V - 1x22W LED
cod. A10231C01
Max Watt. 150W


F07 C07 01

White


792,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Base	0,36	0,36	0,15	5,730 kg
1	Stem	0,40	0,25	1,90	3,405 kg
1	Diffuser	0,51	0,51	0,51	3,260 kg

IP40 
Net weight: 9,38 kg


Non incluso: Lampadina / *Not included: Bulb*

Ceiling Baka	E27 220-240V - 1x22W LED cod. A10231C01 Max Watt. 150W Dimm. PHASE CUT 30%-100%	F07 E07 01	White		327,00 €
	IP40 Net weight: 3,27 kg Non incluso: Lampadina / <i>Not included: Bulb</i>				

	LED 220-240V - 1x17W 3000K CRI 80+ Dimm. PHASE CUT 30%-100%	F07 E11 01	White	3000K	400,00 €
	IP40 Net weight: 3,27 kg Incluso: LED / <i>Included: LED</i>				

Pendant Mochi	G9 220-240V - 1x4.5W LED cod. A11010C01 Max Watt. 60W Dimm. PHASE CUT 30%-100%	F07 A05 01	White		220,00 €
	IP40 Net weight: 0,96 kg Incluso: Kit per decentramento / <i>Included: Off-center cable fastener</i> Non incluso: Lampadina / <i>Not included: Bulb</i>				

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,27	0,27	0,27	1,180 kg

Pendant Mochi	E27 220-240V - 1x22W LED cod. A10231C01 Max Watt. 150W Dimm. PHASE CUT 30%-100%	F07 A07 01	White		346,00 €
	IP20 Net weight: 2,27 kg Incluso: 2 kit per decentramento / <i>Included: 2 off-center cable fastener</i> Non incluso: Lampadina / <i>Not included: Bulb</i>				

	LED 220-240V - 1x17W 3000K CRI 80+ Dimm. PHASE CUT 30%-100%	F07 A41 01	White	3000K	493,00 €
	IP20 Net weight: 3,00 kg Incluso: 2 kit per decentramento / <i>Included: 2 off-center cable fastener</i>				

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,45	0,44	0,36	3,820 kg


Pendant
Mochi

E27 220-240V - 1x22W LED
cod. A10231C01
Max Watt. 150W
Dimm. PHASE CUT 30%-100%

F07 A01 01

White

415,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,48	0,48	0,46	4,570 kg

IP20
Net weight: 3,38 kg

Incluso: 2 kit per decentramento /
Included: 2 off-center cable fastener

Non incluso: Lampadina / *Not included: Bulb*

LED 220-240V - 1x17W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%

F07 A37 01

White

3000K

560,00 €

IP20
Net weight: 3,12 kg

Incluso: 2 kit per decentramento /
Included: 2 off-center cable fastener


Pendant
Mochi

E27 220-240V - 1x22W LED
cod. A10231C01
Max Watt. 205W
Dimm. PHASE CUT 30%-100%

F07 A03 01

White

470,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,51	0,51	0,51	5,390 kg

IP20
Net weight: 4,54 kg

Incluso: 2 kit per decentramento /
Included: 2 off-center cable fastener

Non incluso: Lampadina / *Not included: Bulb*

LED 220-240V - 1x17W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%

F07 A39 01

White

3000K

617,00 €

IP20
Net weight: 3,99 kg

Incluso: 2 kit per decentramento /
Included: 2 off-center cable fastener


Table
Mochi

G9 220-240V - 1x4.5W LED
cod. A11010C01
Max Watt. 20W


F07 B01 01

White

147,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,16	0,16	0,16	0,730 kg

IP40 
Net weight: 0,46 kg

Non incluso: Lampadina / *Not included: Bulb*


Table
Mochi

G9 220-240V - 1x4.5W LED
cod. A11010C01
Max Watt. 48W


F07 B07 01

White

165,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,27	0,27	0,27	0,730 kg

IP40 
Net weight: 0,53 kg

Non incluso: Lampadina / *Not included: Bulb*


Floor Mochi


E27 220-240V - 1x22W LED
cod. A10231C01
Max Watt. 150W

F07 C01 01

White

799,00 €



IP40 
Net weight: 8,97 kg
Non incluso: Lampadina / *Not included: Bulb*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Base	0,36	0,36	0,15	3,260 kg
1	Stem	0,40	0,25	1,90	3,405 kg
1	Diffuser	0,52	0,52	0,45	4,200 kg


Ceiling Mochi

E27 220-240V - 1x22W LED
cod. A10231C01
Max Watt. 205W
Dimm. PHASE CUT 30%-100%

F07 E05 01

White

390,00 €



IP40
Net weight: 3,61 kg
Non incluso: Lampadina / *Not included: Bulb*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,58	0,58	0,51	6,100 kg

LED 220-240V - 1x17W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%

F07 E13 01


White

3000K

464,00 €

IP40
Net weight: 4,70 kg
Incluso: LED / *Included: LED*

Wall/ceiling
Mycena



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,40	0,40	0,22	2,970 kg

E27 220-240V - 1x15W LED
cod. A10234C01
Max Watt. 100W
Dimm. PHASE CUT 30%-100%

F07 G15 01

White

247,00 €

IP40

Net weight: 2,32 kg

Non incluso: Lampadina, Base per
composizione F07 Z01 01 / *Not
included: Bulb, Base for cluster F07
Z01 01*

LED 220-240V - 1x17W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%

F07 G39 01

White

3000K

318,00 €


IP40

Net weight: 2,32 kg

Incluso: LED / *Included: LED*

Non incluso: Base per composizione
F07 Z01 01 / *Not included: Base for
cluster F07 Z01 01*

Wall/ceiling
Mycena



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,43	0,43	0,27	4,260 kg

E27 220-240V - 1x15W LED
cod. A10234C01
Max Watt. 100W
Dimm. PHASE CUT 30%-100%

F07 G17 01

White

312,00 €

IP40

Net weight: 3,29 kg

Non incluso: Lampadina, Base per
composizione F07 Z01 01 / *Not
included: Bulb, Base for cluster F07
Z01 01*

LED 220-240V - 1x17W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%

F07 G41 01

White

3000K

385,00 €


IP40

Net weight: 3,46 kg

Incluso: LED / *Included: LED*

Non incluso: Base per composizione
F07 Z01 01 / *Not included: Base for
cluster F07 Z01 01*

Wall/ceiling
Mycena



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,51	0,51	0,27	5,680 kg

E27 220-240V - 1x15W LED
cod. A10234C01
Max Watt. 150W
Dimm. PHASE CUT 30%-100%

F07 G19 01

White

450,00 €

IP40

Net weight: 4,38 kg

Non incluso: Lampadina, Base per
composizione F07 Z01 01 / *Not
included: Bulb, Base for cluster F07
Z01 01*

LED 220-240V - 1x17W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%

F07 G43 01

White

3000K

524,00 €


IP40


Net weight: 4,75 kg

Incluso: LED / *Included: LED*

Non incluso: Base per composizione
F07 Z01 01 / *Not included: Base for
cluster F07 Z01 01*

Accessory Mycena		Net weight: 1,825 kg		F07 Z01 01	White	148,00 €
		Non incluso: Lampadina / <i>Not included: Bulb</i>		Nota: Accessorio per composizioni Mycena a parete e soffitto. Per 3 luci: min 1 piccola, max 1 grande / <i>Note: Accessory for wall and ceiling Mycena compositions. For 3 lights: min 1 small, max 1 big</i>		
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight	
1		0,56	0,56	0,22	3,48 kg	

Pendant Poga		E27 220-240V - 1x15W LED cod. A10234C01 Max Watt. 150W Dimm. PHASE CUT 30%-100%		F07 A13 01	White	428,00 €
		IP20 Net weight: 3,25 kg		Incluso: Kit per decentramento / <i>Included: Off-center cable fastener</i>		
		Non incluso: Lampadina / <i>Not included: Bulb</i>				
		LED 220-240V - 1x17W 3000K CRI 80+ Dimm. PHASE CUT 30%-100%		F07 A43 01	White	575,00 €
		IP20 Net weight: 3,21 kg		Incluso: LED, Kit per decentramento / <i>Included: LED, Off-center cable fastener</i>		

Wall/ceiling Poga		E27 220-240V - 1x15W LED cod. A10234C01 Max Watt. 150W Dimm. PHASE CUT 30%-100%		F07 G21 01	White	348,00 €
		IP40 Net weight: 2,76 kg		Non incluso: Lampadina / <i>Not included: Bulb</i>		
		LED 220-240V - 1x17W 3000K CRI 80+ Dimm. PHASE CUT 30%-100%		F07 G45 01	White	422,00 €
		IP40 Net weight: 2,83 kg		Incluso: LED / <i>Included: LED</i>		


Pendant
Sfera

G9 220-240V - 1x4.5W LED
cod. A11010C01
Max Watt. 33W
Dimm. PHASE CUT 30%-100%

F07 A17 01

White

202,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,19	0,19	0,21	0,350 kg


Pendant
Sfera

G9 220-240V - 1x4.5W LED
cod. A11010C01
Max Watt. 60W
Dimm. PHASE CUT 30%-100%

F07 A19 01

White

217,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,27	0,27	0,27	1,240 kg


Pendant
Sfera

E27 220-240V - 1x22W LED
cod. A10231C01
Max Watt. 150W
Dimm. PHASE CUT 30%-100%

F07 A21 01

White

369,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,48	0,48	0,46	3,980 kg

IP20
Net weight: 2,80 kg

Incluso: 2 kit per decentramento /
Included: 2 off-center cable fastener

Non incluso: Lampadina / *Not included: Bulb*

LED 220-240V - 1x17W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%

F07 A45 01

White


3000K

519,00 €

IP20
Net weight: 2,45 kg

Incluso: 2 kit per decentramento /
Included: 2 off-center cable fastener

Pendant
Sfera



E27 220-240V - 1x22W LED
cod. A10231C01
Max Watt. 205W
Dimm. PHASE CUT 30%-100%

F07 A23 01

White

421,00 €

IP20
Net weight: 3,32 kg

Incluso: 2 kit per decentramento /
Included: 2 off-center cable fastener

Non incluso: Lampadina / *Not included: Bulb*

LED 220-240V - 1x17W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%

F07 A47 01

White

3000K


569,00 €

IP20
Net weight: 2,88 kg

Incluso: 2 kit per decentramento /
Included: 2 off-center cable fastener

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,53	0,53	0,68	5,600 kg

Pendant
Sfera



E27 220-240V - 1x22W LED
cod. A10231C01
Max Watt. 205W
Dimm. PHASE CUT 30%-100%

F07 A25 01

White

621,00 €

IP20
Net weight: 3,63 kg

Incluso: 2 kit per decentramento /
Included: 2 off-center cable fastener

Non incluso: Lampadina / *Not included: Bulb*

LED 220-240V - 1x17W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%

F07 A49 01

White

3000K


767,00 €

IP20
Net weight: 4,95 kg

Incluso: 2 kit per decentramento /
Included: 2 off-center cable fastener

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,64	0,64	0,63	5,890 kg

Pendant
Sfera



E27 220-240V - 1x22W LED
cod. A10231C01
Max Watt. 205W
Dimm. PHASE CUT 30%-100%

F07 A27 01

White

905,00 €

IP20
Net weight: 5,76 kg

Incluso: 2 kit per decentramento /
Included: 2 off-center cable fastener

Non incluso: Lampadina / *Not included: Bulb*

LED 220-240V - 1x17W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%

F07 A51 01

White

3000K


1.053,00 €

IP20
Net weight: 6,25 kg

Incluso: 2 kit per decentramento /
Included: 2 off-center cable fastener

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,75	0,75	0,72	8,570 kg


Table
Sfera



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,48	0,48	0,46	3,830 kg

E27 220-240V - 1x22W LED
cod. A10231C01
Max Watt. 150W


F07 B35 01 White 349,00 €

IP40 
Net weight: 2,64 kg

Non incluso: Lampadina / *Not included: Bulb*


LED 220-240V - 1x17W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%

F07 B59 01 White 3000K 423,00 €

IP40 
Net weight: 2,64 kg

Incluso: LED / *Included: LED*


Floor
Sfera



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Base	0,36	0,36	0,15	5,730 kg
1	Stem	0,40	0,25	1,90	3,405 kg
1	Diffuser	0,48	0,48	0,46	2,820 kg

E27 220-240V - 1x22W LED
cod. A10231C01
Max Watt. 150W

F07 C09 01 White 755,00 €

IP40 
Net weight: 7,80 kg

Non incluso: Lampadina / *Not included: Bulb*


Floor
Sfera


E27 220-240V - 1x22W LED
cod. A10231C01
Max Watt. 150W

F07 C11 01

White

804,00 €



IP40 
Net weight: 8,81 kg

Non incluso: Lampadina / *Not included: Bulb*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Base	0,36	0,36	0,15	5,730 kg
1	Stem	0,40	0,25	1,90	3,405 kg
1	Diffuser	0,48	0,48	0,46	4,000 kg


Wall/ceiling
Sfera


G9 220-240V - 1x4.5W LED
cod. A11010C01
Max Watt. 20W
Dimm. PHASE CUT 30%-100%

F07 G23 01

White

126,00 €



IP44 
Net weight: 0,25 kg

Non incluso: Lampadina / *Not included: Bulb*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,16	0,16	0,16	0,320 kg


Wall/ceiling
Sfera

G9 220-240V - 1x4.5W LED
cod. A11010C01
Max Watt. 33W
Dimm. PHASE CUT 30%-100%

F07 G25 01

White

140,00 €



IP44
Net weight: 0,53 kg

Non incluso: Lampadina / *Not included: Bulb*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,19	0,19	0,21	0,650 kg


Wall/ceiling
Sfera

G9 220-240V - 1x4.5W LED
cod. A11010C01
Max Watt. 60W
Dimm. PHASE CUT 30%-100%

F07 G27 01

White

153,00 €



IP44
Net weight: 0,74 kg

Non incluso: Lampadina / *Not included: Bulb*


n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,27	0,27	0,27	0,940 kg

Lumi

F07

Alberto Saggia & Valerio Sommella

Wall/ceiling
Sfera



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,48	0,48	0,46	3,420 kg

E27 220-240V - 1x22W LED
cod. A10231C01
Max Watt. 150W
Dimm. PHASE CUT 30%-100%

IP40
Net weight: 2,69 kg

Non incluso: Lampadina / *Not included: Bulb*

E27 220-240V - 1x17W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%

IP40
Net weight: 2,23 kg

Incluso: LED / *Included: LED*


F07 G29 01

White

3000K

292,00 €

Wall/ceiling
Sfera



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,48	0,48	0,46	3,830 kg

E27 220-240V - 1x22W LED
cod. A10231C01
Max Watt. 150W
Dimm. PHASE CUT 30%-100%

IP40
Net weight: 2,72 kg

Non incluso: Lampadina / *Not included: Bulb*

E27 220-240V - 1x17W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%

IP40
Net weight: 2,64 kg

Incluso: LED / *Included: LED*


F07 G31 01

White

3000K

341,00 €

Pendant
White



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,60	0,60	0,30	6,110 kg

E27 220-240V - 1x15W LED
cod. A10234C01
Max Watt. 150W
Dimm. PHASE CUT 30%-100%

IP20
Net weight: 3,20 kg

Incluso: Kit per decentramento / *Included: Off-center cable fastener*

Non incluso: Lampadina / *Not included: Bulb*

E27 220-240V - 1x17W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%

IP20
Net weight: 4,54 kg

Incluso: LED, Kit per decentramento / *Included: LED, Off-center cable fastener*

F07 A09 01

White

3000K


474,00 €

F07 A53 01

White

3000K

622,00 €

Wall/ceiling
White

E27 220-240V - 1x15W LED
cod. A10234C01
Max Watt. 100W
Dimm. PHASE CUT 30%-100%

F07 G09 01

White

179,00 €

IP40
Net weight: 1,63 kg

Non incluso: Lampadina / *Not included: Bulb*

LED 220-240V - 1x17W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%

F07 G53 01

White


3000K

253,00 €

IP40
Net weight: 1,57 kg

Incluso: LED / *Included: LED*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,40	0,40	0,22	2,280 kg

Wall/ceiling
White

E27 220-240V - 1x15W LED
cod. A10234C01
Max Watt. 150W
Dimm. PHASE CUT 30%-100%

F07 G11 01

White

210,00 €

IP40
Net weight: 2,79 kg

Non incluso: Lampadina / *Not included: Bulb*

LED 220-240V - 1x17W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%

F07 G55 01

White


3000K

285,00 €

IP40
Net weight: 2,89 kg

Incluso: LED / *Included: LED*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,43	0,43	0,27	3,690 kg

Wall/ceiling
White

E27 220-240V - 2x15W LED
cod. A10234C01
Max Watt. 2x100W
Dimm. PHASE CUT 30%-100%

F07 G13 01

White

327,00 €

IP40
Net weight: 4,18 kg

Non incluso: Lampadina / *Not included: Bulb*

LED 220-240V - 1x17W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%

F07 G57 01

White

3000K


400,00 €

IP40
Net weight: 4,18 kg


Incluso: LED / *Included: LED*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,56	0,56	0,22	5,410 kg

Wall/ceiling	LED 24Vdc - 1x116W 3000K or 2700K 1632 lm, CRI 90	F49 G01 35	Polished stainless steel	3000K	Metal strip	738,00 €
		F49 G02 35	Polished stainless steel	2700K	Metal strip	738,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,36	0,15	2,570 kg

IP20 
Net weight: 1,50 kg

Incluso: Strip LED IP65, 2 attacchi a parete, nastro metallico da 6m
/ Included: LED strip IP65, 2 wall attachments, 6m metal strip

Nota: Possibilità di tagliare il nastro a misura / Note: The strip can be cut to measure

Wall/ceiling	LED 24Vdc - 1x116W 3000K or 2700K 1632 lm, CRI 90+	F49 G21 35	Polished stainless steel	3000K	Metal strip with silicone cover	908,00 €
		F49 G22 35	Polished stainless steel	2700K	Metal strip with silicone cover	908,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,40	0,40	0,22	2,600 kg

IP20
Net weight: 1,50 kg


Incluso: Strip LED, 2 attacchi a parete, nastro metallico da 6m, copertura siliconica / Included: LED strip, 2 wall attachments, 6m metal strip, silicone cover

Nota: Possibilità di tagliare il nastro a misura / Note: The strip can be cut to measure

Wall/ceiling	LED 24Vdc - 1x232W 3000K or 2700K CRI 90+	F49 G03 35	Polished stainless steel	3000K		1.029,00 €
		F49 G04 35	Polished stainless steel	2700K		1.029,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,36	0,15	2,570 kg

IP20 
Net weight: 2,50 kg

Incluso: Strip LED IP65, 2 attacchi a parete, nastro metallico da 12m
/ Included: LED strip IP65, 2 wall attachments, 12m metal strip

Nota: Possibilità di tagliare il nastro a misura / Note: The strip can be cut to measure


Accessory	Net weight: 2,5 kg	F49 Z08 35	Polished stainless steel			305,00 €
	Incluso: 2 attacchi a parete / Included: 2 wall attachments					



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,2	0,2	0,13	1,4 kg

Nota: Per G21 e G22 / Note: For G21 and G22


Accessory	Net weight: 1,2 kg	F49 Z07 35	Polished stainless steel			285,00 €
	Incluso: 2 attacchi a parete / Included: 2 wall attachments					



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,2	0,2	0,13	1,4 kg

Nota: Per G01, G02, G03 e G04 / Note: For G01, G02, G03 and G04


Accessory Net weight: 0,4 kg F49 Z01 119,00 €



Nota: Staffa di supporto per la curvatura del nastro / *Note: Support bracket for curving the strip*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,17	0,17	0,09	0,355 kg


Accessory Net weight: 0,6 kg F49 Z05 67,00 €



Nota: Staffa di supporto per l'ancoraggio a soffitto / *Note: Support bracket for anchoring to the ceiling*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,38	0,3	0,03	0,94 kg

Canopy 1..10V IP20 Net weight: 2 kg F49 M01 35 Polished stainless steel 391,00 €



Incluso: Alimentatore dimmerabile fino a 12m, rosone / *Included: Dimmable driver until 12m, canopy*

Nota: Rosone con alimentatore 240W 24Vdc, dimmerabile 1..10V / *Note: Canopy with 1..10V dimmable driver 240W 24Vdc*


n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,52	0,18	0,18	2,58 kg
1		0,52	0,18	0,18	2,58 kg

IP20 Net weight: 2 kg F49 M02 35 Polished stainless steel 351,00 €

Incluso: Alimentatore non dimmerabile fino a 6m, rosone / *Included: No dimmable driver until 6m, canopy*

Nota: Rosone con alimentatore 150W 24Vdc, non dimmerabile / *Note: Canopy with no dimmable driver 150W 24Vdc*

Catalogue




35 Polished stainless steel

Driver

1.10V
Net weight: 1,3 kg

F49 Z03

190,00 €



Nota: Alimentatore 240W 24Vdc,
dimmerabile 1.10V / Note: 1.10
dimmmable driver 240W 24Vdc


n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,18	0,18	1,62 kg

Driver

Net weight: 0,9 kg

F49 Z02

144,00 €



Nota: Alimentatore 150W 24Vdc, non
dimmerabile / Note: No dimmmable
driver 150W 24Vdc

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,18	0,18	1,62 kg

Pendant Beluga	LED 220-240V - 1x2W 3000K CRI 80+ Dimm. PUSH 1.10V	F32 A21 00	Transparent	3000K Round canopy	360,00 €
-------------------	---	------------	-------------	-----------------------	----------




IP40-55
Net weight: 0,97 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 1 luce. Rosone verniciato bianco. Lampadario già cablato / *Note: 1 spot chandelier. White painted canopy. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,18	0,18	1,575 kg

Pendant Beluga	LED 220-240V - 5x2W 3000K CRI 80+ Dimm. PUSH 1.10V	F32 A22 00	Transparent	3000K Round canopy	1.317,00 €
-------------------	---	------------	-------------	-----------------------	------------



IP40-55
Net weight: 4,73 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 5 luci. Rosone verniciato bianco. Lampadario già cablato / *Note: 5 spots chandelier. White painted canopy. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,36	0,36	0,20	2,590 kg
1	Diffusers	0,36	0,24	0,12	3,265 kg

Pendant
Beluga


LED 220-240V - 10x2W
3000K
CRI 80+
Dimm. PUSH 1.10V DALI

F32 A23 00

Transparent

3000K
Round canopy

2.534,00 €



IP40-55
Net weight: 8,93 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 10 luci. Rosone verniciato bianco. Lampadario già cablato / *Note: 10 spots chandelier. White painted canopy. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,40	0,40	0,22	3,930 kg
2	Diffusers	0,36	0,24	0,12	3,265 kg

Pendant
Beluga


LED 220-240V - 20x2W
3000K
CRI 80+
Dimm. PUSH 1.10V DALI

F32 A24 00

Transparent

3000K
Round canopy

4.928,00 €



IP40-55
Net weight: 17,20 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 20 luci. Rosone verniciato bianco. Lampadario già cablato / *Note: 20 spots chandelier. White painted canopy. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,51	0,51	0,27	6,985 kg
4	Diffusers	0,36	0,24	0,12	3,265 kg

Pendant
Beluga


LED 220-240V - 30x2W
3000K
CRI 80+
Dimm. PUSH 1.10V DALI

F32 A25 00

Transparent

3000K
Round canopy

7.747,00 €



IP40-55
Net weight: 27,54 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 30 luci. Rosone verniciato bianco. Lampadario già cablato / *Note: 30 spots chandelier. White painted canopy. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,60	0,60	0,30	11,840 kg
6	Diffusers	0,36	0,24	0,12	3,265 kg

Pendant
Beluga


LED 220-240V - 1x2W
3000K
CRI 80+
Dimm. PUSH 1.10V

F32 A26 00

Transparent

3000K
Square canopy

399,00 €




IP40-55
Net weight: 1,24 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 1 luce. Rosone verniciato bianco. Lampadario già cablato / *Note: 1 spot chandelier. White painted canopy. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,18	0,18	1,700 kg

Pendant Beluga	LED 220-240V - 5x2W 3000K CRI 80+ Dimm. PUSH 1.10V	F32 A27 00	Transparent	3000K Rectangular canopy	1.355,00 €
-------------------	---	------------	-------------	-----------------------------	------------




IP40-55
Net weight: 4,69 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 5 luci. Rosone verniciato bianco. Lampadario già cablato / *Note: 5 spots chandelier. White painted canopy. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,36	0,36	0,20	2,595 kg
1	Diffusers	0,36	0,24	0,12	3,265 kg

Pendant Beluga	LED 220-240V - 10x2W 3000K CRI 80+ Dimm. PUSH 1.10V DALI	F32 A28 00	Transparent	3000K Rectangular canopy	2.601,00 €
-------------------	---	------------	-------------	-----------------------------	------------



IP40-55
Net weight: 9,33 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 10 luci. Rosone verniciato bianco. Lampadario già cablato / *Note: 10 spots chandelier. White painted canopy. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,64	0,32	0,22	4,570 kg
2	Diffusers	0,36	0,24	0,12	3,265 kg

Pendant
Beluga


LED 220-240V - 20x2W
3000K
CRI 80+
Dimm. PUSH 1.10V DALI

F32 A29 00

Transparent

3000K
Rectangular canopy

4.958,00 €



IP40-55
Net weight: 18,18 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 20 luci. Rosone verniciato bianco. Lampadario già cablato / *Note: 20 spots chandelier. White painted canopy. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	1,07	0,35	0,18	8,160 kg
4	Diffusers	0,36	0,24	0,12	3,265 kg

Pendant
Beluga


LED 220-240V - 30x2W
3000K
CRI 80+
Dimm. PUSH 1.10V DALI

F32 A30 00

Transparent

3000K
Rectangular canopy

7.699,00 €




IP40-55
Net weight: 26,66 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 30 luci. Rosone verniciato bianco. Lampadario già cablato / *Note: 30 spots chandelier. White painted canopy. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	1,10	0,35	0,20	10,530 kg
6	Diffusers	0,36	0,24	0,12	3,265 kg

Pendant Tooby	LED 220-240V - 1x2.1W 2700K CRI 80+ Dimm. PUSH 1.10V	F32 A01 00	Transparent	2700K Round canopy	370,00 €
------------------	---	------------	-------------	-----------------------	----------




IP40-55
Net weight: 0,84 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 1 luce. Rosone verniciato bianco, montatura in alluminio anodizzato. Lampadario già cablato / *Note: Single spot chandelier. White painted canopy, anodized aluminium structure. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,52	0,18	0,18	1,340 kg

Pendant Tooby	LED 220-240V - 5x2.1W 2700K CRI 80+ Dimm. PUSH 1.10V	F32 A02 00	Transparent	2700K Round canopy	1.373,00 €
------------------	---	------------	-------------	-----------------------	------------



IP40-55
Net weight: 2,79 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 5 luci. Rosone verniciato bianco, montatura in alluminio anodizzato. Lampadario già cablato / *Note: 5 spots chandelier. White painted canopy, anodized aluminium structure. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,36	0,36	0,20	2,590 kg
1	Diffusers	0,47	0,30	0,09	1,285 kg

Pendant
Tooby


LED 220-240V - 10x2.1W
2700K
CRI 80+
Dimm. PUSH 1.10V DALI

F32 A03 00

Transparent

2700K
Round canopy

2.645,00 €



IP40-55
Net weight: 5,05 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 10 luci. Rosone verniciato bianco, montatura in alluminio anodizzato. Lampadario già cablato / *Note: 10 spots chandelier. White painted canopy, anodized aluminium structure. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,40	0,40	0,22	3,930 kg
2	Diffusers	0,47	0,30	0,09	1,285 kg

Pendant
Tooby


LED 220-240V - 20x2.1W
2700K
CRI 80+
Dimm. PUSH 1.10V DALI

F32 A04 00

Transparent

2700K
Round canopy

5.134,00 €




IP40-55
Net weight: 9,44 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 20 luci. Rosone verniciato bianco, montatura in alluminio anodizzato. Lampadario già cablato / *Note: 20 spots chandelier. White painted canopy, anodized aluminium structure. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,51	0,51	0,27	6,985 kg
4	Diffusers	0,47	0,30	0,09	1,285 kg

Pendant
Tooby



LED 220-240V - 30x2.1W
2700K
CRI 80+
Dimm. PUSH 1.10V DALI

F32 A05 00

Transparent

2700K
Round canopy

8.067,00 €


IP40-55
Net weight: 15,90 kg

Incluso: LED, Alimentatore elettronico dimmerabile / Included: LED, Dimmable electronic driver

Nota: Lampadario a 30 luci. Rosone verniciato bianco, montatura in alluminio anodizzato. Lampadario già cablato / Note: 30 spots chandelier. White painted canopy, anodized aluminium structure. Already wired

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,60	0,60	0,30	11,840 kg
6	Diffusers	0,47	0,30	0,09	1,285 kg

Pendant
Tooby



LED 220-240V - 1x2.1W
2700K
CRI 80+
Dimm. PUSH 1.10V

F32 A06 00

Transparent

2700K
Square canopy

409,00 €

IP40-55
Net weight: 0,97 kg

Incluso: LED, Alimentatore elettronico dimmerabile / Included: LED, Dimmable electronic driver

Nota: Lampadario a 1 luce. Rosone verniciato bianco, montatura in alluminio anodizzato. Lampadario già cablato / Note: Single spot chandelier. White painted canopy, anodized aluminium structure. Already wired

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,52	0,18	0,18	1,465 kg

Pendant
Tooby


LED 220-240V - 5x2.1W
2700K
CRI 80+
Dimm. PUSH 1.10V

F32 A07 00

Transparent

2700K
Rectangular canopy

1,410,00 €



IP40-55
Net weight: 2,75 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 5 luci. Rosone verniciato bianco, montatura in alluminio anodizzato. Lampadario già cablato / *Note: 5 spots chandelier. White painted canopy, anodized aluminium structure. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,36	0,36	0,20	2,575 kg
1	Diffusers	0,47	0,30	0,09	1,285 kg

Pendant
Tooby


LED 220-240V - 10x2.1W
2700K
CRI 80+
Dimm. PUSH 1.10V DALI

F32 A08 00

Transparent

2700K
Rectangular canopy

2,711,00 €



IP40-55
Net weight: 5,45 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 10 luci. Rosone verniciato bianco, montatura in alluminio anodizzato. Lampadario già cablato / *Note: 10 spots chandelier. White painted canopy, anodized aluminium structure. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,64	0,32	0,22	4,570 kg
2	Diffusers	0,47	0,30	0,09	1,285 kg

Pendant
Tooby


LED 220-240V - 20x2.1W
2700K
CRI 80+
Dimm. PUSH 1.10V DALI

F32 A09 00

Transparent

2700K
Rectangular canopy

5.164,00 €



IP40-55
Net weight: 10,42 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 20 luci. Rosone verniciato bianco, montatura in alluminio anodizzato. Lampadario già cablato / *Note: 20 spots chandelier. White painted canopy, anodized aluminium structure. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	1,07	0,35	0,18	8,160 kg
4	Diffusers	0,47	0,30	0,09	1,285 kg

Pendant
Tooby


LED 220-240V - 30x2.1W
2700K
CRI 80+
Dimm. PUSH 1.10V DALI

F32 A10 00

Transparent

2700K
Rectangular canopy

8.020,00 €



IP40-55
Net weight: 15,02 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 30 luci. Rosone verniciato bianco, montatura in alluminio anodizzato. Lampadario già cablato / *Note: 30 spots chandelier. White painted canopy, anodized aluminium structure. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	1,10	0,35	0,20	10,530 kg
6	Diffusers	0,47	0,30	0,09	1,285 kg

Pendant
Polair

LED 220-240V - 1x2.1W
2700K
CRI 80+
Dimm. PUSH 1.10V

F32 A41 00

Transparent

2700K
Round canopy

385,00 €



IP40-55
Net weight: 0,77 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 1 luce. Rosone verniciato bianco, montatura in alluminio anodizzato nero. Lampadario già cablato / *Note: Single spot chandelier. White painted canopy, black anodized aluminium structure. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,18	0,18	1,100 kg

Pendant
Polair


LED 220-240V - 5x2.1W
2700K
CRI 80+
Dimm. PUSH 1.10V

F32 A42 00

Transparent

2700K
Round canopy

1.469,00 €



IP40-55
Net weight: 2,40 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 5 luci. Rosone verniciato bianco, montatura in alluminio anodizzato nero. Lampadario già cablato / *Note: 5 spots chandelier. White painted canopy, black anodized aluminium structure. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,36	0,36	0,20	2,590 kg
1	Diffusers	0,41	0,25	0,14	0,972 kg

Pendant
Polair


LED 220-240V - 10x2.1W
2700K
CRI 80+
Dimm. PUSH 1.10V DALI

F32 A43 00

Transparent

2700K
Round canopy

2.825,00 €



IP40-55
Net weight: 4,27 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 10 luci. Rosone verniciato bianco, montatura in alluminio anodizzato nero. Lampadario già cablato / *Note: 10 spots chandelier. White painted canopy, black anodized aluminium structure. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,40	0,40	0,22	3,930 kg
2	Diffusers	0,41	0,25	0,14	0,972 kg

Pendant
Polair


LED 220-240V - 20x2.1W
2700K
CRI 80+
Dimm. PUSH 1.10V DALI

F32 A44 00

Transparent

2700K
Round canopy

5.454,00 €



IP40-55
Net weight: 7,88 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 20 luci. Rosone verniciato bianco, montatura in alluminio anodizzato nero. Lampadario già cablato / *Note: 20 spots chandelier. White painted canopy, black anodized aluminium structure. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,51	0,51	0,27	6,985 kg
4	Diffusers	0,41	0,25	0,14	0,972 kg

Pendant
Polair


LED 220-240V - 30x2.1W
2700K
CRI 80+
Dimm. PUSH 1.10V DALI

F32 A45 00

Transparent

2700K
Round canopy

8.540,00 €



IP40-55
Net weight: 13,57 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 30 luci. Rosone verniciato bianco, montatura in alluminio anodizzato nero. Lampadario già cablato / *Note: 30 spots chandelier. White painted canopy, black anodized aluminium structure. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,60	0,60	0,30	11,840 kg
6	Diffusers	0,41	0,25	0,14	0,972 kg

Pendant
Polair

LED 220-240V - 1x2.1W
2700K
CRI 80+
Dimm. PUSH 1.10V

F32 A46 00

Transparent

2700K
Square canopy

423,00 €




IP40-55
Net weight: 0,87 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 1 luce. Rosone verniciato bianco, montatura in alluminio anodizzato nero. Lampadario già cablato / *Note: Single spot chandelier. White painted canopy, black anodized aluminium structure. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,18	0,18	1,310 kg

Pendant Polair	LED 220-240V - 5x2.1W 2700K CRI 80+ Dimm. PUSH 1.10V	F32 A47 00	Transparent	2700K Rectangular canopy	1.507,00 €
-------------------	---	------------	-------------	-----------------------------	------------




IP40-55
Net weight: 2,36 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 5 luci. Rosone verniciato bianco, montatura in alluminio anodizzato nero. Lampadario già cablato / *Note: 5 spots chandelier. White painted canopy, black anodized aluminium structure. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,36	0,36	0,20	2,575 kg
1	Diffusers	0,41	0,25	0,14	0,972 kg

Pendant Polair	LED 220-240V - 10x2.1W 2700K CRI 80+ Dimm. PUSH 1.10V DALI	F32 A48 00	Transparent	2700K Rectangular canopy	2.891,00 €
-------------------	---	------------	-------------	-----------------------------	------------



IP40-55
Net weight: 4,67 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 10 luci. Rosone verniciato bianco, montatura in alluminio anodizzato nero. Lampadario già cablato / *Note: 10 spots chandelier. White painted canopy, black anodized aluminium structure. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,64	0,32	0,22	4,570 kg
2	Diffusers	0,41	0,25	0,14	0,972 kg

Pendant
Polair


LED 220-240V - 20x2.1W
2700K
CRI 80+
Dimm. PUSH 1.10V DALI

F32 A49 00

Transparent

2700K
Rectangular canopy

5.484,00 €



IP40-55
Net weight: 8,86 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 20 luci. Rosone verniciato bianco, montatura in alluminio anodizzato nero. Lampadario già cablato / *Note: 20 spots chandelier. White painted canopy, black anodized aluminium structure. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	1,07	0,35	0,18	8,160 kg
4	Diffusers	0,41	0,25	0,14	0,972 kg

Pendant
Polair


LED 220-240V - 30x2.1W
2700K
CRI 80+
Dimm. PUSH 1.10V DALI

F32 A50 00

Transparent

2700K
Rectangular canopy

8.492,00 €




IP40-55
Net weight: 12,69 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*

Nota: Lampadario a 30 luci. Rosone verniciato bianco, montatura in alluminio anodizzato nero. Lampadario già cablato / *Note: 30 spots chandelier. White painted canopy, black anodized aluminium structure. Already wired*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	1,10	0,35	0,20	10,530 kg
6	Diffusers	0,41	0,25	0,14	0,972 kg

Spot light
Beluga



LED 500mA - 1x2W
3000K
CRI 80+

IP55

Net weight: 0,55 kg


Incluso: LED / Included: LED

Nota: Montatura in alluminio
anodizzato / Note: Anodized
aluminium structure

F32 L06 00	Transparent	3000K	Cable 1,5m	183,00 €
F32 L07 00	Transparent	3000K	Cable 2,5m	191,00 €
F32 L08 00	Transparent	3000K	Cable 4m	209,00 €
F32 L09 00	Transparent	3000K	Cable 10m	231,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,15	0,14	0,13	0,650 kg

Spot light
Tooby



LED 700mA - 1x2.1W
2700K
CRI 80+

IP55

Net weight: 0,15 kg

Incluso: LED / Included: LED

Nota: Montatura in alluminio
anodizzato / Note: Anodized
aluminium structure

F32 L01 00	Transparent	2700K	Cable 1,5m	196,00 €
F32 L02 00	Transparent	2700K	Cable 2,5m	208,00 €
F32 L03 00	Transparent	2700K	Cable 4m	220,00 €
F32 L04 00	Transparent	2700K	Cable 10m	241,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,48	0,09	0,09	0,250 kg

Spot light
Polair



LED 700mA - 1x2.1W
2700K
CRI 80+

IP55


Net weight: 0,17 kg

Incluso: LED / Included: LED

Nota: Montatura in alluminio
anodizzato nero / Note: Black
anodized aluminium structure


F32 L11 00	Transparent	2700K	Cable 1,5m	210,00 €
F32 L12 00	Transparent	2700K	Cable 2,5m	221,00 €
F32 L13 00	Transparent	2700K	Cable 4m	235,00 €
F32 L14 00	Transparent	2700K	Cable 10m	256,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,20	0,13	0,15	0,200 kg


Canopy		PUSH 1..10V IP40 Net weight: 0,58 kg	F32 M01 01	White	Round canopy	178,00 €														
		Incluso: Alimentatore elettronico dimmerabile / <i>Included: Dimmable electronic driver</i>																		
		Non incluso: Punti luce / <i>Not included: Spots</i>																		
		Nota: Rosone per 1 luce. Personalizzazione fori e dimensioni su richiesta / <i>Note: Canopy for 1 spot. Holes and dimensions customization on request</i>																		
<table><tr><th>n°</th><th>Pack</th><th>L. / L.</th><th>L. / W.</th><th>H. / H.</th><th>Peso / Weight</th><th></th></tr><tr><td>1</td><td></td><td>0,2</td><td>0,2</td><td>0,13</td><td>0,7 kg</td><td></td></tr></table>							n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight		1		0,2	0,2	0,13	0,7 kg	
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight															
1		0,2	0,2	0,13	0,7 kg															


Canopy		PUSH 1..10V IP40 Net weight: 1,08 kg	F32 M03 01	White	Round canopy	383,00 €														
		Incluso: Alimentatore elettronico dimmerabile / <i>Included: Dimmable electronic driver</i>																		
		Non incluso: Punti luce / <i>Not included: Spots</i>																		
		Nota: Rosone per max 5 luci. Personalizzazione fori e dimensioni su richiesta / <i>Note: Canopy for max 5 spots. Holes and dimensions customization on request</i>																		
<table><tr><th>n°</th><th>Pack</th><th>L. / L.</th><th>L. / W.</th><th>H. / H.</th><th>Peso / Weight</th><th></th></tr><tr><td>1</td><td></td><td>0,29</td><td>0,25</td><td>0,13</td><td>1,45 kg</td><td></td></tr></table>							n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight		1		0,29	0,25	0,13	1,45 kg	
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight															
1		0,29	0,25	0,13	1,45 kg															


Canopy		PUSH 1..10V DALI IP40 Net weight: 2,255 kg	F32 M05 01	White	Round canopy	579,00 €														
		Incluso: Alimentatore elettronico dimmerabile / <i>Included: Dimmable electronic driver</i>																		
		Non incluso: Punti luce / <i>Not included: Spots</i>																		
		Nota: Rosone per max 10 luci. Personalizzazione fori e dimensioni su richiesta / <i>Note: Canopy for max 10 spots. Holes and dimensions customization on request</i>																		
<table><tr><th>n°</th><th>Pack</th><th>L. / L.</th><th>L. / W.</th><th>H. / H.</th><th>Peso / Weight</th><th></th></tr><tr><td>1</td><td></td><td>0,36</td><td>0,36</td><td>0,15</td><td>2,73 kg</td><td></td></tr></table>							n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight		1		0,36	0,36	0,15	2,73 kg	
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight															
1		0,36	0,36	0,15	2,73 kg															


Canopy		PUSH 1..10V DALI IP40 Net weight: 3,585 kg	F32 M07 01	White	Round canopy	691,00 €														
		Incluso: Alimentatore elettronico dimmerabile / <i>Included: Dimmable electronic driver</i>																		
		Non incluso: Punti luce / <i>Not included: Spots</i>																		
		Nota: Rosone per max 20 luci. Personalizzazione fori e dimensioni su richiesta / <i>Note: Canopy for max 20 spots. Holes and dimensions customization on request</i>																		
<table><tr><th>n°</th><th>Pack</th><th>L. / L.</th><th>L. / W.</th><th>H. / H.</th><th>Peso / Weight</th><th></th></tr><tr><td>1</td><td></td><td>0,43</td><td>0,45</td><td>0,19</td><td>4,44 kg</td><td></td></tr></table>							n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight		1		0,43	0,45	0,19	4,44 kg	
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight															
1		0,43	0,45	0,19	4,44 kg															


Canopy	PUSH 1.10V DALI IP40 Net weight: 5,075 kg	F32 M09 01	White	Round canopy	971,00 €												
	Incluso: Alimentatore elettronico dimmerabile / <i>Included: Dimmable electronic driver</i> Non incluso: Punti luce / <i>Not included: Spots</i> Nota: Rosone per max 30 luci. Personalizzazione fori e dimensioni su richiesta / <i>Note: Canopy for max 30 spots. Holes and dimensions customization on request</i>																
<table><tr><th>n°</th><th>Pack</th><th>L. / L.</th><th>L. / W.</th><th>H. / H.</th><th>Peso / Weight</th></tr><tr><td>1</td><td></td><td>0,51</td><td>0,51</td><td>0,27</td><td>6,11 kg</td></tr></table>	n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight	1		0,51	0,51	0,27	6,11 kg					
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight												
1		0,51	0,51	0,27	6,11 kg												


Canopy	PUSH 1.10V IP40 Net weight: 0,695 kg	F32 M21 01	White	Rectangular canopy	217,00 €												
	Incluso: Alimentatore elettronico dimmerabile / <i>Included: Dimmable electronic driver</i> Non incluso: Punti luce / <i>Not included: Spots</i> Nota: Rosone per 1 luce. Personalizzazione fori e dimensioni su richiesta / <i>Note: Canopy for 1 spot. Holes and dimensions customization on request</i>																
<table><tr><th>n°</th><th>Pack</th><th>L. / L.</th><th>L. / W.</th><th>H. / H.</th><th>Peso / Weight</th></tr><tr><td>1</td><td></td><td>0,2</td><td>0,2</td><td>0,13</td><td>0,81 kg</td></tr></table>	n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight	1		0,2	0,2	0,13	0,81 kg					
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight												
1		0,2	0,2	0,13	0,81 kg												

Canopy	PUSH 1.10V IP40 Net weight: 1,455 kg	F32 M23 01	White	Rectangular canopy	420,00 €												
	Incluso: Alimentatore elettronico dimmerabile / <i>Included: Dimmable electronic driver</i> Non incluso: Punti luce / <i>Not included: Spots</i> Nota: Rosone per max 5 luci. Personalizzazione fori e dimensioni su richiesta / <i>Note: Canopy for max 5 spots. Holes and dimensions customization on request</i>																
<table><tr><th>n°</th><th>Pack</th><th>L. / L.</th><th>L. / W.</th><th>H. / H.</th><th>Peso / Weight</th></tr><tr><td>1</td><td></td><td>0,36</td><td>0,18</td><td>0,18</td><td>1,72 kg</td></tr></table>	n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight	1		0,36	0,18	0,18	1,72 kg					
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight												
1		0,36	0,18	0,18	1,72 kg												

Canopy	PUSH 1.10V DALI IP40 Net weight: 2,745 kg	F32 M25 01	White	Rectangular canopy	645,00 €												
	Incluso: Alimentatore elettronico dimmerabile / <i>Included: Dimmable electronic driver</i> Non incluso: Punti luce / <i>Not included: Spots</i> Nota: Rosone per max 10 luci. Personalizzazione fori e dimensioni su richiesta / <i>Note: Canopy for max 10 spots. Holes and dimensions customization on request</i>																
<table><tr><th>n°</th><th>Pack</th><th>L. / L.</th><th>L. / W.</th><th>H. / H.</th><th>Peso / Weight</th></tr><tr><td>1</td><td></td><td>0,85</td><td>0,3</td><td>0,15</td><td>3,46 kg</td></tr></table>	n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight	1		0,85	0,3	0,15	3,46 kg					
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight												
1		0,85	0,3	0,15	3,46 kg												

Canopy	PUSH 1..10V DALI IP40 Net weight: 4,15 kg	F32 M27 01	White	Rectangular canopy	720,00 €												
	Incluso: Alimentatore elettronico dimmerabile / <i>Included: Dimmable electronic driver</i> Non incluso: Punti luce / <i>Not included: Spots</i> Nota: Rosone per max 20 luci. Personalizzazione fori e dimensioni su richiesta / <i>Note: Canopy for max 20 spots. Holes and dimensions customization on request</i>																
<table><tr><th>n°</th><th>Pack</th><th>L. / L.</th><th>L. / W.</th><th>H. / H.</th><th>Peso / Weight</th></tr><tr><td>1</td><td></td><td>1,1</td><td>0,35</td><td>0,2</td><td>5,16 kg</td></tr></table>	n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight	1		1,1	0,35	0,2	5,16 kg					
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight												
1		1,1	0,35	0,2	5,16 kg												

Canopy	PUSH 1..10V DALI IP40 Net weight: 4,15 kg	F32 M29 01	White	Rectangular canopy	924,00 €												
	Incluso: Alimentatore elettronico dimmerabile / <i>Included: Dimmable electronic driver</i> Non incluso: Punti luce / <i>Not included: Spots</i> Nota: Rosone per max 30 luci. Personalizzazione fori e dimensioni su richiesta / <i>Note: Canopy for max 30 spots. Holes and dimensions customization on request</i>																
<table><tr><th>n°</th><th>Pack</th><th>L. / L.</th><th>L. / W.</th><th>H. / H.</th><th>Peso / Weight</th></tr><tr><td>1</td><td></td><td>1,1</td><td>0,35</td><td>0,2</td><td>5,16 kg</td></tr></table>	n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight	1		1,1	0,35	0,2	5,16 kg					
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight												
1		1,1	0,35	0,2	5,16 kg												

Canopy	PUSH 1..10V DALI IP40 Net weight: 9,17 kg	F32 M41 01	White	Square canopy	1.044,00 €												
	Incluso: Alimentatore elettronico dimmerabile / <i>Included: Dimmable electronic driver</i> Non incluso: Punti luce / <i>Not included: Spots</i> Nota: Rosone per max 30 luci. Personalizzazione fori e dimensioni su richiesta / <i>Note: Canopy for max 30 spots. Holes and dimensions customization on request</i>																
<table><tr><th>n°</th><th>Pack</th><th>L. / L.</th><th>L. / W.</th><th>H. / H.</th><th>Peso / Weight</th></tr><tr><td>1</td><td></td><td>0,7</td><td>0,7</td><td>0,14</td><td>10,85 kg</td></tr></table>	n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight	1		0,7	0,7	0,14	10,85 kg					
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight												
1		0,7	0,7	0,14	10,85 kg												


Canopy

IP40
Net weight: 0,085 kg

F32 Z10 01

White

67,00 €



Not included: Spots, Remote driver

Nota: Rosone a incasso Twist & Lock
/ Note: Twist & Lock recessed canopy


n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,15	0,15	0,07	0,3 kg

Accessory

IP55
Net weight: 1,07 kg

F32 Z11

183,00 €




Incluso: Alimentatore / Included:
Driver

Non incluso: Punti luce / Not
included: Spots


Nota: Box di alimentazione
da esterno. Max 10 luci, non
dimmerabile / Note: Outdoor box
for power supply. Max 10 spots, not
dimnable

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,29	0,25	0,13	1,365 kg


1. Make a hole in the plasterboard with a diameter of 30mm




2. After inserting the accessory into the hole in the plasterboard, plaster the edges.




3. Paint the plastered area so that the ceiling finish is homogeneous.




4. Connect the wires.




5. Adjust the length of the cable and screw the plastic thread insert.



6. Insert the cylinder into the drywall and rotate.



Compose and customize
your Multispot lamp




1. Glass options

Beluga
LED 500mA 2W 3000K 190lm CRI 80+
Dimmable

- F32 L06 00** 150cm cable
- F32 L07 00** 250cm cable
- F32 L08 00** 400cm cable
- F32 L09 00** 1000cm cable

IP55




Polair
LED 700mA 2.1W 2700K 200lm CRI 80+
Dimmable

Black anodized aluminium structure

- F32 L11 00** 150cm cable
- F32 L12 00** 250cm cable
- F32 L13 00** 400cm cable
- F32 L14 00** 1000cm cable

IP55



Tooby
LED 700mA 2.1W 2700K 200lm CRI 80+
Dimmable

Anodized aluminium structure

- F32 L01 00** 150cm cable
- F32 L02 00** 250cm cable
- F32 L03 00** 400cm cable
- F32 L04 00** 1000cm cable

IP55

2. Canopies options

Round canopies
Dimmable driver included

- F32 M01 01** Ø 13cm x 6,6cm (1 spot)
Dimm. PUSH 1.10V
- F32 M03 01** Ø 24cm x 6,6cm (5 spots)
Dimm. PUSH 1.10V
- F32 M05 01** Ø 31cm x 6,6cm (10 spots)
Dimm. PUSH 1.10V DALI
- F32 M07 01** Ø 39cm x 6,6cm (20 spots)
Dimm. PUSH 1.10V DALI
- F32 M09 01** Ø 49cm x 6,6cm (30 spots)
Dimm. PUSH 1.10V DALI

IP40

Rectangular and square canopies
Dimmable driver included

- F32 M21 01** 13x13x6,6cm (1 spot)
Dimm. PUSH 1.10V
- F32 M23 01** 30x15x6,6cm (5 spots)
Dimm. PUSH 1.10V
- F32 M25 01** 60x15x6,6cm (10 spots)
Dimm. PUSH 1.10V DALI
- F32 M27 01** 90x15x6,6cm (20 spots)
Dimm. PUSH 1.10V DALI
- F32 M29 01** 90x15x6,6cm (30 spots)
Dimm. PUSH 1.10V DALI
- F32 M41 01** 59,5x59,5x6,6cm (30 spots)
Dimm. PUSH 1.10V DALI

IP40

Recessed canopies
Remote power supply not included

- F32 Z10 01** Ø 3cm - (1 spot)

IP40

Outdoor box
Driver included


- F32 Z11** 24x19x9cm - (max 10 spots)

IP55


Canopy dimensions and
holes available

Other kind of dimming by request.
Possibility to customize the holes.


1 spot
F32 M01 01




Max 5 spots
F32 M03 01




Max 10 spots
F32 M05 01




Max 20 spots
F32 M07 01




Max 30 spots
F32 M09 01




1 spot
F32 M21 01




Max 5 spots
F32 M23 01




Max 10 spots
F32 M25 01




Max 20 spots
F32 M27 01




Max 30 spots
F32 M29 01




Max 30 spots
F32 M41 01



1 spot
F32 Z10 01




Max 10 spots
F32 Z11 01



Pendant	LED 220-240V - 1x36W	F45 A27 01	White	3000K	845,00 €
	3000K or 2700K	F45 A27 76	Bronze	3000K	964,00 €
	3260 lm, CRI 90+	F45 A28 01	White	2700K	845,00 €
	Dimm. PUSH 1.10V DALI	F45 A28 76	Bronze	2700K	964,00 €
	IP40				

Net weight: 2,00 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,29	0,25	0,13	1,695 kg
1	Diffuser	0,79	0,79	0,10	3,535 kg

Pendant	LED 220-240V - 1x48W	F45 A21 01	White	3000K	916,00 €
	3000K or 2700K	F45 A21 76	Bronze	3000K	1.045,00 €
	4475 lm, CRI 90+	F45 A22 01	White	2700K	916,00 €
	Dimm. PUSH 1.10V DALI	F45 A22 76	Bronze	2700K	1.045,00 €
	IP40				

Net weight: 2,55 kg

Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,29	0,25	0,13	1,695 kg
1	Diffuser	0,96	0,96	0,10	4,955 kg

Pendant	LED 220-240V - 1x65W	F45 A23 01	White	3000K	1.117,00 €
	3000K or 2700K	F45 A23 76	Bronze	3000K	1.271,00 €
	6120 lm, CRI 90+	F45 A24 01	White	2700K	1.117,00 €
	Dimm. PUSH 1.10V DALI	F45 A24 76	Bronze	2700K	1.271,00 €
	IP40				

Net weight: 3,20 kg


Incluso: LED, Alimentatore elettronico dimmerabile / *Included: LED, Dimmable electronic driver*



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,29	0,25	0,13	1,990 kg
1	Diffuser	1,25	1,25	0,10	7,000 kg


Catalogue

Upon request



Other finishes available upon request.

Pendant




LED 220-240V - 1x83W
3000K or 2700K
7900 lm, CRI 90+
Dimm. PUSH 1.10V DALI
IP40
Net weight: 3,84 kg

Incluso: LED, Alimentatore
elettronico dimmerabile / Included:
LED, Dimmable electronic driver

F45 A25 01	White	3000K	1.244,00 €
F45 A25 76	Bronze	3000K	1.420,00 €
F45 A26 01	White	2700K	1.244,00 €
F45 A26 76	Bronze	2700K	1.420,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,29	0,25	0,13	1,990 kg
1	Diffuser	1,55	1,55	0,10	10,200 kg

Pendant



LED 220-240V - 1x196W
3000K or 2700K
4475+6120+7900 lm, CRI 90+
Dimm. PUSH 1.10V DALI
IP40
Net weight: 8,27 kg


Incluso: LED, Alimentatore
elettronico dimmerabile / Included:
LED, Dimmable electronic driver

F45 A31 01	White	3000K	3.059,00 €
F45 A31 76	Bronze	3000K	3.487,00 €
F45 A32 01	White	2700K	3.059,00 €
F45 A32 76	Bronze	2700K	3.487,00 €

Nota: Composizione con le tre
sospensioni / Note: Combination of
three pendants

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,36	0,36	0,15	3,965 kg
1	Diffuser	0,96	0,96	0,10	4,955 kg
1	Diffuser	1,25	1,25	0,10	7,000 kg
1	Diffuser	1,55	1,55	0,10	10,200 kg

Table




LED 220-240V - 1x45W
3000K or 2700K
3260 lm, CRI 90+
Dimm. PUSH
IP40
Net weight: 4,42 kg

Incluso: LED, Alimentatore
elettronico dimmerabile / Included:
LED, Dimmable electronic driver

F45 B01 01	White	3000K	779,00 €
F45 B01 76	Bronze	3000K	843,00 €
F45 B02 01	White	2700K	779,00 €
F45 B02 76	Bronze	2700K	843,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Base	0,16	0,16	0,16	2,135 kg
1	Diffuser	0,79	0,79	0,10	2,460 kg

Wall/ceiling



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,25	1,25	0,10	8,000 kg
1		1,25	1,25	0,10	9,800 kg


LED 220-240V - 1x65W
3000K or 2700K
6120 lm, CRI 90+
Dimm. PUSH 1.10V DALI
IP40
Net weight: 3,20 kg

Incluso: LED, Alimentatore
elettronico dimmerabile / Included:
LED, Dimmable electronic driver

Nota: Possibilità di personalizzazione
il disco frontale con simboli grafici
o loghi / Note: The front disc can be
customized with graphic symbols
or logos

F45 G25 01	White	3000K	1.117,00 €
F45 G25 76	Bronze	3000K	1.296,00 €
F45 G26 01	White	2700K	1.117,00 €
F45 G26 76	Bronze	2700K	1.296,00 €

Wall/ceiling



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,55	1,55	0,10	13,000 kg

LED 220-240V - 1x83W
3000K or 2700K
7900 lm, CRI 90+
Dimm. PUSH 1.10V DALI
IP40
Net weight: 3,84 kg


Incluso: LED, Alimentatore
elettronico dimmerabile / Included:
LED, Dimmable electronic driver

Nota: Possibilità di personalizzazione
il disco frontale con simboli grafici
o loghi / Note: The front disc can be
customized with graphic symbols
or logos


F45 G27 01	White	3000K	1.244,00 €
F45 G27 76	Bronze	3000K	1.444,00 €
F45 G28 01	White	2700K	1.244,00 €
F45 G28 76	Bronze	2700K	1.444,00 €

Catalogue

Upon request



01 White



76 Bronze

Other finishes available upon request.

Compose and customize
your Olympic lamp

1. Choosing the diffusers (only rings)

2. Canopies options (driver included)

PUSH 1.10V DALI dimmable driver included

White structure

3000K				
F45 A27 V 01	Ø 60cm	36W	561,00 €	
F45 A21 V 01	Ø 80cm	48W	632,00 €	
F45 A23 V 01	Ø 108cm	65W	757,00 €	
F45 A25 V 01	Ø 138cm	83W	884,00 €	
2700K				
F45 A28 V 01	Ø 60cm	36W	561,00 €	
F45 A22 V 01	Ø 80cm	48W	632,00 €	
F45 A24 V 01	Ø 108cm	65W	757,00 €	
F45 A26 V 01	Ø 138cm	83W	884,00 €	

Bronze structure

3000K				
F45 A27 V 76	Ø 60cm	36W	639,00 €	
F45 A21 V 76	Ø 80cm	48W	720,00 €	
F45 A23 V 76	Ø 108cm	65W	863,00 €	
F45 A25 V 76	Ø 138cm	83W	1.011,00 €	
2700K				
F45 A28 V 76	Ø 60cm	36W	639,00 €	
F45 A22 V 76	Ø 80cm	48W	720,00 €	
F45 A24 V 76	Ø 108cm	65W	863,00 €	
F45 A26 V 76	Ø 138cm	83W	1.011,00 €	

IP40

White canopy

F45 A21 S 01	Ø 23,5cm	Max usable power <u>51W</u> (60W)	284,00 €
F45 A23 S 01	Ø 23,5cm	Max usable power <u>85W</u> (100W)	359,00 €
F45 A99 S 01	Ø 23,5cm	Max usable power <u>128W</u> (150W)	424,00 €
F45 A31 S 01	Ø 30cm	Max usable power <u>272W</u> (320W)	785,00 €


Bronze canopy

F45 A21 S 76	Ø 23,5cm	Max usable power <u>51W</u> (60W)	324,00 €
F45 A23 S 76	Ø 23,5cm	Max usable power <u>85W</u> (100W)	408,00 €
F45 A99 S 76	Ø 23,5cm	Max usable power <u>128W</u> (150W)	475,00 €
F45 A31 S 76	Ø 30cm	Max usable power <u>272W</u> (320W)	893,00 €

IP40

It's recommended to maintain a 15% tolerance on the maximum power of the power supply to ensure correct functionality of the composition.


Pendant



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,84	0,84	0,49	16,000 kg
1		0,84	0,84	0,49	16,000 kg

E27 220-240V - 3x22W LED cod. A10231C01 Max Watt. 3x150W Dimm. PHASE CUT 30%-100%	F25 A07 41	Copper	IP20	4.420,00 €
IP20 Net weight: 11,10 kg Non incluso: Lampadina / <i>Not included: Bulb</i>				
LED 220-240V - 1x27.8W 3000K CRI 90+ Dimm. PUSH 1.10V	F25 A08 41	Copper	3000K IP40	4.598,00 €
IP40 Net weight: 11,10 kg Incluso: LED / <i>Included: LED</i>				

Pendant




LED 220-240V - 1x70W
3000K or 2700K
3900 lm, CRI 90+
IP40
Net weight: 2,58 kg
Incluso: LED, Alimentatore elettronico / Included: LED, Electronic driver

F39 A01 01	White	3000K	653,00 €
F39 A01 21	Anthracite	3000K	653,00 €
F39 A01 75	Light grey	3000K	653,00 €
F39 A01 76	Bronze	3000K	745,00 €
F39 A02 01	White	2700K	653,00 €
F39 A02 21	Anthracite	2700K	653,00 €
F39 A02 75	Light grey	2700K	653,00 €
F39 A02 76	Bronze	2700K	745,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,71	0,33	0,21	4,755 kg

Pendant




LED 220-240V - 1x52W
3000K or 2700K
4071 lm, CRI 90+
Dimm. PHASE CUT 30%-100%
IP40
Net weight: 2,58 kg
Incluso: LED / Included: LED
Nota: Alimentatore non richiesto / Note: Driver not requested

F39 A21 01	White	3000K	641,00 €
F39 A21 21	Anthracite	3000K	641,00 €
F39 A21 75	Light grey	3000K	641,00 €
F39 A21 76	Bronze	3000K	729,00 €
F39 A22 01	White	2700K	641,00 €
F39 A22 21	Anthracite	2700K	641,00 €
F39 A22 75	Light grey	2700K	641,00 €
F39 A22 76	Bronze	2700K	729,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,71	0,33	0,21	2,500 kg

Accessory




Net weight: 0,02 kg
Nota: Giunto mobile non elettrificato per collegare 2 sospensioni / Note: Mobile joint to connect 2 pendant lamps without electrification

F39 Z01 27	Anodized	37,00 €
F39 Z01 76	Bronze	42,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,15	0,15	0,07	0,11 kg
1		0,15	0,15	0,07	0,11 kg

Accessory




Net weight: 0,05 kg
Nota: Giunto mobile non elettrificato per collegare 3 sospensioni / Note: Mobile joint to connect 3 pendant lamps without electrification

F39 Z03 27	Anodized	57,00 €
F39 Z03 76	Bronze	66,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,15	0,15	0,07	0,135 kg
1		0,15	0,15	0,07	0,135 kg


Catalogue




01 White



21 Anthracite





75 Light grey



76 Bronze


Floor



LED 220-240V - 1x90W 3000K or 2700K CRI 90+ Dimm. PUSH	F39 C01 01	White	3000K	914,00 €
	F39 C01 21	Anthracite	3000K	914,00 €
	F39 C01 75	Light grey	3000K	914,00 €
IP40  Net weight: 7,29 kg	F39 C01 76	Bronze	3000K	996,00 €
	F39 C02 01	White	2700K	914,00 €
Incluso: LED, Alimentatore elettronico dimmerabile / <i>Included:</i> <i>LED, Dimmable electronic driver</i>	F39 C02 21	Anthracite	2700K	914,00 €
	F39 C02 75	Light grey	2700K	914,00 €
	F39 C02 76	Bronze	2700K	996,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Base	0,36	0,36	0,15	7,240 kg
1	Beam	0,07	0,07	2,10	1,910 kg


Wall/ceiling



LED 24Vdc - 1x23W 3000K or 2700K 750 lm, CRI 90+ IP40   Net weight: 0,45 kg	F39 G01 01	White	3000K	298,00 €
	F39 G01 21	Anthracite	3000K	298,00 €
	F39 G01 75	Light grey	3000K	298,00 €
	F39 G01 76	Bronze	3000K	339,00 €
Incluso: LED / <i>Included: LED</i>	F39 G02 01	White	2700K	298,00 €
Non incluso: Alimentatore / <i>Not included: Driver</i>	F39 G02 21	Anthracite	2700K	298,00 €
	F39 G02 75	Light grey	2700K	298,00 €
	F39 G02 76	Bronze	2700K	339,00 €

LED 220-240V - 1x18W 3000K or 2700K 1357 lm, CRI 90+ Dimm. PHASE CUT 30%-100% IP40   Net weight: 0,45 kg	F39 G21 01	White	3000K	360,00 €
	F39 G21 21	Anthracite	3000K	360,00 €
	F39 G21 75	Light grey	3000K	360,00 €
	F39 G21 76	Bronze	3000K	398,00 €
Incluso: LED / <i>Included: LED</i>	F39 G22 01	White	2700K	360,00 €
	F39 G22 21	Anthracite	2700K	360,00 €
	F39 G22 75	Light grey	2700K	360,00 €
	F39 G22 76	Bronze	2700K	398,00 €


Wall/ceiling



LED 24Vdc - 1x46W 3000K or 2700K 2300 lm, CRI 90+ IP40   Net weight: 0,70 kg	F39 G03 01	White	3000K	376,00 €
	F39 G03 21	Anthracite	3000K	376,00 €
	F39 G03 75	Light grey	3000K	376,00 €
	F39 G03 76	Bronze	3000K	428,00 €
Incluso: LED / <i>Included: LED</i>	F39 G04 01	White	2700K	376,00 €
Non incluso: Alimentatore / <i>Not included: Driver</i>	F39 G04 21	Anthracite	2700K	376,00 €
	F39 G04 75	Light grey	2700K	376,00 €
	F39 G04 76	Bronze	2700K	428,00 €

LED 220-240V - 1x35W 3000K or 2700K 2714 lm, CRI 90+ Dimm. PHASE CUT 30%-100% IP40   Net weight: 0,70 kg	F39 G23 01	White	3000K	438,00 €
	F39 G03 21	Anthracite	3000K	438,00 €
	F39 G23 75	Light grey	3000K	438,00 €
	F39 G23 76	Bronze	3000K	487,00 €
Incluso: LED / <i>Included: LED</i>	F39 G24 01	White	2700K	438,00 €
	F39 G24 21	Anthracite	2700K	438,00 €
	F39 G24 75	Light grey	2700K	438,00 €
	F39 G24 76	Bronze	2700K	487,00 €

Pendant



LED 220-240V - 1x10W
3000K
920 lm, CRI 80+
Dimm. PUSH 1.10V



IP40
Net weight: 2,42 kg

Incluso: LED, Alimentatore
elettronico dimmerabile / *Included:*
LED, Dimmable electronic driver



Nota: Struttura in alluminio nero /
Note: Black aluminium structure

F36 A01 00Transparent3000K713,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,45	0,45	0,37	3,520 kg


Table		LED 220-240V - 1x9W 3000K or 2700K 590 lm, CRI 80+ Dimm. PUSH	F71 B01 00	Transparent	3000K Circular shape	613,00 €
		IP40  Net weight: 7,60 kg Incluso: LED / Included: LED Nota: Base in cemento / Note: Concrete base	F71 B02 00	Transparent	2700K Circular shape	613,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,40	0,40	0,22	8,480 kg


Table		LED 220-240V - 1x9W 3000K or 2700K 590 lm, CRI 80+ Dimm. PUSH	F71 B11 00	Transparent	3000K Square shape	613,00 €
		IP40  Net weight: 7,40 kg Incluso: LED / Included: LED Nota: Base in cemento / Note: Concrete base	F71 B12 00	Transparent	2700K Square shape	613,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,40	0,40	0,22	8,480 kg

Catalogue




Pendant



LED 220-240V - 2x4.5W 2700K CRI 80+ Dimm. PHASE CUT 30%-100% (UP)	F38 A01 01	White	2700K	826,00 €
	F38 A01 02	Black	2700K	826,00 €
	F38 A01 14	Burnished	2700K	826,00 €
LED 220-240V - 5x4.5W 2700K 1600 lm, CRI 80+ Dimm. PHASE CUT 30%-100% (DOWN)				
IP40 Net weight: 4,33 kg Incluso: LED / Included: LED Nota: Luce diretta e indiretta / Note: Direct and indirect light				

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,85	0,30	0,15	5,385 kg


Pendant



LED 220-240V - 3x4.5W 2700K 960 lm, CRI 80+ Dimm. PHASE CUT 30%-100% (UP)	F38 A03 01	White	2700K	1137,00 €
	F38 A03 02	Black	2700K	1137,00 €
	F38 A03 14	Burnished	2700K	1137,00 €
LED 220-240V - 7x4.5W 2700K 2300 lm, CRI 80+ Dimm. PHASE CUT 30%-100% (DOWN)				
IP40 Net weight: 9,71 kg Incluso: LED / Included: LED Nota: Luce diretta e indiretta / Note: Direct and indirect light				

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,70	0,70	0,14	11,445 kg


Catalogue




01 White





02 Black




14 Burnished

Wall/ceiling		LED 220-240V - 2x4.5W 2700K CRI 80+ Dimm. PHASE CUT 30%-100%	F38 G01 01 F38 G01 02 F38 G01 14	White Black Burnished	2700K 2700K 2700K	229,00 € 229,00 € 229,00 €
		IP40 Net weight: 0,91 kg Incluso: LED / Included: LED				
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight	
1		0,16	0,10	0,30	1,110 kg	

Wall/ceiling		LED 220-240V - 3x4.5W 2700K 960 lm, CRI 80+ Dimm. PHASE CUT 30%-100%	F38 G03 01 F38 G03 02 F38 G03 14	White Black Burnished	2700K 2700K 2700K	307,00 € 307,00 € 307,00 €
		IP40 Net weight: 1,29 kg Incluso: LED / Included: LED				
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight	
1		0,36	0,18	0,18	1,550 kg	

Wall/ceiling		LED 220-240V - 1x4.5W 2700K 350 lm, CRI 80+ Dimm. PHASE CUT 30%-100%	F38 G07 01 F38 G07 02 F38 G07 14	White Black Burnished	2700K 2700K 2700K	196,00 € 196,00 € 196,00 €
		IP40 Net weight: 0,54 kg Incluso: LED / Included: LED				
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight	
1		0,17	0,17	0,09	0,610 kg	

Catalogue



01 White




02 Black



14 Burnished

Wall/ceiling




LED 220-240V - 3x4.5W
2700K
960 lm, CRI 80+
Dimm. PHASE CUT 30%-100%
IP40
Net weight: 1,71 kg
Incluso: LED / Included: LED

F38 G09 01	White	2700K	367,00 €
F38 G09 02	Black	2700K	367,00 €
F38 G09 14	Burnished	2700K	367,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,36	0,15	2,180 kg

Wall/ceiling




LED 220-240V - 5x4.5W
2700K
1600 lm, CRI 80+
Dimm. PHASE CUT 30%-100%
IP40
Net weight: 2,61 kg
Incluso: LED / Included: LED

F38 G11 01	White	2700K	543,00 €
F38 G11 02	Black	2700K	543,00 €
F38 G11 14	Burnished	2700K	543,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,85	0,30	0,15	3,480 kg

Wall/ceiling




LED 220-240V - 7x4.5W
2700K
2300 lm, CRI 80+
Dimm. PHASE CUT 30%-100%
IP40
Net weight: 6,29 kg
Incluso: LED / Included: LED

F38 G13 01	White	2700K	744,00 €
F38 G13 02	Black	2700K	744,00 €
F38 G13 14	Burnished	2700K	744,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,70	0,70	0,14	8,130 kg


Catalogue



01 White



02 Black




14 Burnished


Floor		LED 220-240V - 1x25W 3000K or 2700K 2248 lm, CRI 80+ Dimm. PUSH IP40 Net weight: 5,30 kg Incluso: LED / Included: LED	F72 C01 Y01 03	Red cord	3000K White structure	625,00 €
			F72 C01 Y21 31	Blue cord	3000K Anthracite structure	625,00 €
			F72 C01 Y25 04	Yellow/black cord	3000K Corten structure	625,00 €
			F72 C02 Y01 03	Red cord	2700K White structure	625,00 €
			F72 C02 Y21 31	Blue cord	2700K Anthracite structure	625,00 €
			F72 C02 Y25 04	Yellow/black cord	2700K Corten structure	625,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		2,12	0,34	0,34	3,540 kg

Catalogue



Pendant




E27 220-240V - 1x22W LED
cod. A10231C01
Max Watt. 205W
Dimm. PHASE CUT 30%-100%
IP20
Net weight: 4,36 kg

Non incluso: Lampadina / *Not included: Bulb*

F12 A01 01	White	723,00 €
F12 A01 21	Anthracite	723,00 €
F12 A01 32	Orange	723,00 €
F12 A01 43	Green	723,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,63	0,63	0,53	5,080 kg
6	Scales	0,38	0,30	0,03	2,100 kg

Pendant




E27 220-240V - 1x22W LED
cod. A10231C01
Max Watt. 205W
Dimm. PHASE CUT 30%-100%
IP20
Net weight: 3,55 kg

Non incluso: Lampadina / *Not included: Bulb*

F12 A03 01	White	783,00 €
F12 A03 21	Anthracite	783,00 €
F12 A03 32	Orange	783,00 €
F12 A03 43	Green	783,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,84	0,84	0,49	3,410 kg
6	Scales	0,38	0,30	0,03	2,100 kg

Pendant




E27 220-240V - 6x15W LED
cod. A10234C01
Max Watt. 6x22W
Dimm. PHASE CUT 30%-100%
IP20
Net weight: 6,14 kg

Non incluso: Lampadina / *Not included: Bulb*

F12 A05 01	White	712,00 €
F12 A05 21	Anthracite	712,00 €
F12 A05 32	Orange	712,00 €
F12 A05 43	Green	712,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,63	0,63	0,29	6,865 kg
3	Scales	0,38	0,30	0,03	2,100 kg


Catalogue



01 White



21 Anthracite




32 Orange



43 Green

Pendant




E27 220-240V - 6x15W LED
cod. A10234C01
Max Watt. 6x30W
Dimm. PHASE CUT 30%-100%
IP20
Net weight: 5,68 kg
Non incluso: Lampadina / *Not included: Bulb*

F12 A07 01	White	1.181,00 €
F12 A07 21	Anthracite	1.181,00 €
F12 A07 32	Orange	1.181,00 €
F12 A07 43	Green	1.181,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,83	0,83	0,35	4,545 kg
6	Scales	0,38	0,30	0,03	2,100 kg

Pendant




E27 220-240V - 12x15W LED
cod. A10234C01
Max Watt. 12x30W
Dimm. PHASE CUT 30%-100%
IP20
Net weight: 16,68 kg
Non incluso: Lampadina / *Not included: Bulb*

F12 A09 01	White	1.898,00 €
F12 A09 21	Anthracite	1.898,00 €
F12 A09 32	Orange	1.898,00 €
F12 A09 43	Green	1.898,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	1,22	1,22	0,63	21,570 kg
12	Scales	0,38	0,30	0,03	2,100 kg


Catalogue



01 White



21 Anthracite




32 Orange



43 Green

Pendant	E27 220-240V - 1x11W LED	F47 A09 00	Transparent / Burnished	IP20	1.204,00 €
	cod. A10230C01	F47 A10 00	Transparent / Burnished	IP54	1.535,00 €
	Max Watt. 150W	F47 A21 00	Transparent / Gold	IP20	1.742,00 €
	Dimm. PHASE CUT 30%-100%				


IP20 or IP54
Net weight: 8,85 kg
Non incluso: Lampadina / *Not included: Bulb*



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,20	0,20	0,13	0,920 kg
1	Diffuser	0,56	0,56	0,70	11,450 kg

Pendant	E27 220-240V - 1x11W LED	F47 A13 00	Transparent / Burnished	IP20	1.590,00 €
	cod. A10230C01	F47 A14 00	Transparent / Burnished	IP54	1.854,00 €
	Max Watt. 150W	F47 A23 00	Transparent / Gold	IP20	2.204,00 €
	Dimm. PHASE CUT 30%-100%				


IP20 or IP54
Net weight: 12,55 kg
Non incluso: Lampadina / *Not included: Bulb*



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,20	0,20	0,13	0,920 kg
1	Diffuser	0,57	0,57	0,67	16,740 kg


Pendant	E27 220-240V - 1x11W LED	F47 A17 00	Transparent / Burnished	IP20	1.324,00 €
	cod. A10230C01	F47 A18 00	Transparent / Burnished	IP54	1.657,00 €
	Max Watt. 150W	F47 A25 00	Transparent / Gold	IP20	1.985,00 €
	Dimm. PHASE CUT 30%-100%				

IP20 or IP54
Net weight: 13,11 kg
Non incluso: Lampadina / *Not included: Bulb*



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,20	0,20	0,13	0,920 kg
1	Diffuser	0,41	0,41	0,87	13,400 kg

Pendant



n°	Pack	L./L.	L./W.	H./H.	Peso / Weight
1	Structure	0,19	0,19	0,21	1,110 kg
1	Diffuser	0,41	0,41	0,87	1,930 kg

E27 220-240V - 1x22W LED
cod. A10231C01
Max Watt. 24W

F23 A01 69

Light wood colour

863,00 €

IP20
Net weight: 2,04 kg

Incluso: Lampadina / *Included: Bulb*

LED 220-240V - 1x8.7W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%
(UP)

F23 A06 69

Light wood colour

3000K


1.010,00 €

LED 220-240V - 1x13W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%
(DOWN)

IP20
Net weight: 2,93 kg

Incluso: LED / *Included: LED*

Pendant



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,19	0,19	0,21	1,110 kg
1	Diffuser	0,44	0,44	0,69	2,310 kg

E27 220-240V - 1x22W LED
cod. A10231C01
Max Watt. 24W

F23 A02 69

Light wood colour

1.040,00 €

IP20
Net weight: 2,33 kg

Incluso: Lampadina / *Included: Bulb*

LED 220-240V - 1x8.7W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%
(UP)

F23 A07 69

Light wood colour

3000K


1.183,00 €

LED 220-240V - 1x17W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%
(DOWN)

IP20
Net weight: 3,31 kg

Incluso: LED / *Included: LED*

Pendant



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,19	0,19	0,21	1,110 kg
1	Diffuser	0,56	0,56	0,70	4,750 kg

E27 220-240V - 1x22W LED
cod. A10231C01
Max Watt. 24W

F23 A03 69 Light wood colour 1.040,00 €

IP20
Net weight: 2,15 kg
Incluso: Lampadina / Included: Bulb


LED 220-240V - 1x8.7W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%
(UP)

F23 A08 69 Light wood colour 3000K 1.183,00 €

LED 220-240V - 1x17W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%
(DOWN)

IP20
Net weight: 3,13 kg
Incluso: LED / Included: LED


Table



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,41	0,41	0,87	3,334 kg

E27 220-240V - 1x22W LED
cod. A10231C01
Max Watt. 24W


F23 B01 69 Light wood colour 740,00 €


IP20 
Net weight: 1,01 kg
Incluso: Lampadina / Included: Bulb

LED 220-240V - 1x8.7W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%
(UP)

F23 B02 69 Light wood colour 3000K 886,00 €


LED 220-240V - 1x13W
3000K
CRI 80+
Dimm. PHASE CUT 30%-100%
(DOWN)

IP20 
Net weight: 2,17 kg
Incluso: LED, Alimentatore elettronico / Included: LED, Electronic driver




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,45	0,45	1,40	9,620 kg
1	Diffuser	0,44	0,44	0,69	2,310 kg

E27 220-240V - 1x22W LED
cod. A10231C01
Max Watt. 24W


IP20 
Net weight: 7,93 kg

Incluso: Lampadina / *Included: Bulb*

LED 220-240V - 1x8.7W 3000K CRI 80+ Dimm. PHASE CUT 30%-100% (UP)	F23 C01 69	Light wood colour		1.224,00 €
LED 220-240V - 1x17W 3000K CRI 80+ Dimm. PHASE CUT 30%-100% (DOWN)				


IP20 
Net weight: 8,93 kg

Incluso: LED, Alimentatore elettronico / *Included: LED, Electronic driver*




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Structure	0,45	0,45	1,40	9,620 kg
1	Diffuser	0,56	0,56	0,70	4,750 kg

E27 220-240V - 1x22W LED
cod. A10231C01
Max Watt. 24W

IP20 
Net weight: 7,75 kg


Incluso: Lampadina / *Included: Bulb*

LED 220-240V - 1x8.7W 3000K CRI 80+ Dimm. PHASE CUT 30%-100% (UP)	F23 C06 69	Light wood colour	3000K	1.369,00 €
LED 220-240V - 1x17W 3000K CRI 80+ Dimm. PHASE CUT 30%-100% (DOWN)				

IP20 
Net weight: 8,93 kg

Incluso: LED, Alimentatore elettronico / *Included: LED, Electronic driver*

Ceiling
L2 (GU10)



GU10 220-240V - 3x7W LED
cod. A11105C01
Max Watt. 3x50W
Dimm. PHASE CUT 30%-100%

D95 M16 63

Painted grey

Angular starter

272,00 €

IP20


Net weight: 1,53 kg

Non incluso: Lampadina / *Not included: Bulb*

Nota: Starter / *Note: Starter*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,36	0,15	2,002 kg

Ceiling
L2 (GU10)



GU10 220-240V - 4x7W LED
cod. A11105C01
Max Watt. 4x50W
Dimm. PHASE CUT 30%-100%

D95 M17 63

Painted grey

Square starter

346,00 €

IP20


Net weight: 2,86 kg

Non incluso: Lampadina / *Not included: Bulb*

Nota: Starter / *Note: Starter*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,36	0,15	3,330 kg

Ceiling
L2 (LED bar)



IP20

Net weight: 1,035 kg

D95 M01 63

Painted grey

Starter without driver

220,00 €

Nota: Starter senza alimentatore / *Note: Starter without driver*

1.10V

IP20

D95 M02 63

Painted grey

Starter with 1 driver

368,00 €

Net weight: 1,515 kg

Incluso: 1 Alimentatore / *Included: 1 Driver*

Non incluso: Barrette LED / *Not included: LED bars*

Nota: Starter. Altre dimensioni su richiesta / *Note: Starter. Other dimensions by request*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	(no driver)	0,34	0,16	0,11	1,165 kg
1	(1 driver)	0,34	0,16	0,11	1,645 kg
1	(2 drivers)	0,34	0,16	0,11	1,44 kg

1.10V

IP20

D95 M03 63

Painted grey

Starter with 2 drivers

519,00 €


Net weight: 1,31 kg

Incluso: 2 Alimentatore / *Included: 2 Drivers*

Non incluso: Barrette LED / *Not included: LED bars*

Nota: Starter. Altre dimensioni su richiesta / *Note: Starter. Other dimensions by request*

Ceiling
L2 (LED bar)



1.10V

IP20

D95 M06 63

Painted grey

Angular starter

673,00 €


Net weight: 2,94 kg

Incluso: 2 Alimentatore / *Included: 2 Drivers*


Non incluso: Barrette LED / *Not included: LED bars*

Nota: Starter. Altre dimensioni su richiesta / *Note: Starter. Other dimensions by request*


n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,36	0,15	3,07 kg

Ceiling L2 (LED bar)	1.10V IP20 Net weight: 2,99 kg	D95 M07 63	Painted grey	Square starter	1.083,00 €
					
Incluso: 4 Alimentatore / Included: 4 Drivers					
Non incluso: Barrette LED / Not included: LED bars					
Nota: Starter. Altre dimensioni su richiesta / Note: Starter. Other dimensions by request					


n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,36	0,15	3,12 kg

Ceiling L2 (Strip LED)	1.10V IP20 Net weight: 0,59 kg	D95 M22 63	Painted grey	Linear starter	94,00 €
					
Not included: LED strip, Driver					
Nota: Starter / Note: Starter					


n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,34	0,16	0,11	0,72 kg

Ceiling L2 (Strip LED)	1.10V IP20 Net weight: 1,73 kg	D95 M23 63	Painted grey	Module	175,00 €
					
Not included: LED strip, Driver					
Nota: Modulo / Note: Module					

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,64	0,16	0,11	1,98 kg

Ceiling L2 (Strip LED)	1.10V IP20 Net weight: 2,755 kg	D95 M24 63	Painted grey	Module	252,00 €
					
Not included: LED strip, Driver					
Nota: Modulo / Note: Module					

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,24	0,16	0,11	3,065 kg

Ceiling L2 (Strip LED)	1.10V IP20 Net weight: 2,43 kg	D95 M25 63	Painted grey	Module	306,00 €
					
Not included: LED strip, Driver					
Nota: Modulo / Note: Module					

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,24	0,16	0,11	2,88 kg

Ceiling
L2 (Strip LED)

1.10V
IP20
Net weight: 1,97 kg

Not included: LED strip, Driver


Nota: Modulo / Note: Module

D95 M26 63

Painted grey

Angular starter

272,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,36	0,15	2,1kg

Ceiling
L2 (Strip LED)

1.10V
IP20
Net weight: 2,87 kg

Incluso: Alimentatore / Included: Driver

Not included: LED strip


Nota: Modulo / Note: Module

D95 M27 63

Painted grey

Square starter

346,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,36	0,15	3 kg

Accessory


Net weight: 1,17 kg

Nota: Accessorio parete per GU10 (L1/2), LED bar (L1/2), LED strip (L1/2) / Note: Wall accessory for GU10 (L1/2), LED bar (L1/2), LED strip (L1/2)

D95 Z02 63

Painted grey

47,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,34	0,16	0,11	1,3 kg

Accessory


Net weight: 2,905 kg

Nota: Accessorio parete per GU10 (L1/2), LED bar (L1/2), LED strip (L1/2) / Note: Wall accessory for GU10 (L1/2), LED bar (L1/2), LED strip (L1/2)

D95 Z03 63

Painted grey

69,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,64	0,16	0,11	3,155 kg

Accessory


Net weight: 3,55 kg

Nota: Accessorio parete per GU10 (L1/2), LED bar (L1/2), LED strip (L1/2) / Note: Wall accessory for GU10 (L1/2), LED bar (L1/2), LED strip (L1/2)

D95 Z04 63

Painted grey

119,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,24	0,16	0,11	3,86 kg


Accessory

Net weight: 4,195 kg

D95 Z05 63

Painted grey

163,00 €



Nota: Accessorio parete per GU10 (L1/2), LED bar (L1/2), LED strip (L1/2) / *Note: Wall accessory for GU10 (L1/2), LED bar (L1/2), LED strip (L1/2)*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,24	0,16	0,11	4,645 kg

Ceiling
L1 (No light source)

Net weight: 0,2 kg

D95 M32 63

Painted grey


47,00 €

Nota: Barra non elettrificata / *Note: Bar without electrification*

D95 M32 74

Gold-plated aluminium

55,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,34	0,16	0,11	0,33 kg

Ceiling
L1 (No light source)

Net weight: 0,43 kg

D95 M33 63

Painted grey


81,00 €

Nota: Barra non elettrificata / *Note: Bar without electrification*

D95 M33 74

Gold-plated aluminium

93,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,64	0,16	0,11	0,68 kg

Ceiling
L1 (No light source)

Net weight: 0,63 kg

D95 M34 63

Painted grey


120,00 €

Nota: Barra non elettrificata / *Note: Bar without electrification*

D95 M34 74

Gold-plated aluminium

138,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,24	0,16	0,11	0,94 kg

Ceiling
L1 (No light source)

Net weight: 0,91 kg

D95 M35 63

Painted grey


157,00 €

Nota: Barra non elettrificata / *Note: Bar without electrification*

D95 M35 74

Gold-plated aluminium

180,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,24	0,16	0,11	1,35 kg


Ceiling
L1 (Strip LED)

1.10V
IP20
Net weight: 0,78 kg
Not included: LED strip, Driver
Nota: Modulo / Note: Module

D95 M42 63

Painted grey

53,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,34	0,16	0,11	0,91 kg


Ceiling
L1 (Strip LED)

1.10V
IP20
Net weight: 1,05 kg
Not included: LED strip, Driver
Nota: Modulo / Note: Module

D95 M43 63

Painted grey

91,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,64	0,16	0,11	1,3 kg


Ceiling
L1 (Strip LED)

1.10V
IP20
Net weight: 1,68 kg
Not included: LED strip, Driver
Nota: Modulo / Note: Module

D95 M44 63

Painted grey

133,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,24	0,16	0,11	1,99 kg


Ceiling
L1 (Strip LED)

1.10V
IP20
Net weight: 2,13 kg
Not included: LED strip, Driver
Nota: Modulo / Note: Module

D95 M45 63


Painted grey

174,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,24	0,16	0,11	2,58 kg

Accessory	Net weight: 0,23 kg	D95 Z10 27	Anodized	35,00 €
	Nota: Fascia di rivestimento / Note: Cover	D95 Z10 74	Gold-plated aluminium	40,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,34	0,16	0,11	0,36 kg

Accessory	Net weight: 0,45 kg	D95 Z11 27	Anodized	63,00 €
	Nota: Fascia di rivestimento / Note: Cover	D95 Z11 74	Gold-plated aluminium	70,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,64	0,16	0,11	0,7 kg

Accessory	Net weight: 0,69 kg	D95 Z12 27	Anodized	90,00 €
	Nota: Fascia di rivestimento / Note: Cover	D95 Z12 74	Gold-plated aluminium	103,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,24	0,16	0,11	1 kg

Accessory	Net weight: 0,91 kg	D95 Z13 27	Anodized	118,00 €
	Nota: Fascia di rivestimento / Note: Cover	D95 Z13 74	Gold-plated aluminium	133,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,24	0,16	0,11	1,36 kg

Accessory	Net weight: 1,135 kg	D95 Z14 27	Anodized	146,00 €
	Nota: Fascia di rivestimento / Note: Cover	D95 Z14 74	Gold-plated aluminium	166,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,9	0,08	0,08	1,425 kg

Accessory	Net weight: 1,425 kg	D95 Z15 27	Anodized	168,00 €
	Nota: Fascia di rivestimento / Note: Cover	D95 Z15 74	Gold-plated aluminium	194,00 €



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		1,9	0,08	0,08	1,625 kg

Accessory	Net weight: 0,135 kg	D95 Z16 27	Anodized	28,00 €
	Nota: Fascia di rivestimento / Note: Cover	D95 Z16 74	Gold-plated aluminium	34,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,23	0,16	0,08	0,215 kg

Accessory	Net weight: 0,15 kg	D95 Z20 12	Gold	2 caps	66,00 €
	Nota: 2 tappi per ogni confezione / Note: 2 caps for each package	D95 Z20 15	Chrome	2 caps	56,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,17	0,17	0,09	0,22 kg

Accessory	Net weight: 0,025 kg	D95 Z21 12	Gold	Right cap	34,00 €
	Nota: Tappo destro / Note: Right cap	D95 Z21 15	Chrome	Right cap	28,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,17	0,17	0,09	0,095 kg

Accessory	Net weight: 0,0025 kg	D95 Z22 12	Gold	Left cap	34,00 €
	Nota: Tappo sinistro / Note: Left cap	D95 Z22 15	Chrome	Left cap	28,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,17	0,17	0,09	0,095 kg

Accessory	Net weight: 0,02 kg	D95 Z23 12	Gold	External cap	45,00 €
	Nota: Tappo esterno per angolo / Note: External cap	D95 Z23 15	Chrome	External cap	39,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,17	0,17	0,09	0,09 kg

Accessory	Net weight: 0,03 kg	D95 Z24 12	Gold	External cap for closure of angle	45,00 €
	Nota: Tappo esterno di chiusura per angolo / <i>Note: External cap for closure of angle</i>	D95 Z24 15	Chrome	External cap for closure of angle	39,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,17	0,17	0,09	0,09 kg

Glass	Net weight: 3,4 kg	D95 E01 C4V 00	Transparent		324,00 €
	Nota: 4 vetri e 9 ferma vetro per ogni confezione. Altri colori su richiesta (+20%) / <i>Note: 4 glass and 9 glass fastener in each package. Other colours by request (+20%)</i>	D95 E01 C4V 05	Aquamarine		371,00 €
		D95 E01 C4V 40	Amethyst		371,00 €
		D95 E01 C4V 43	Green		371,00 €
		D95 E01 C4V 47	Amber		371,00 €




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,34	0,16	0,11	4,005 kg

Glass	Net weight: 2,92 kg	D95 E02 C4V 00	Transparent		359,00 €
	Nota: 4 vetri e 9 ferma vetro per ogni confezione. Altri colori su richiesta (+20%) / <i>Note: 4 glass and 9 glass fastener in each package. Other colours by request (+20%)</i>				



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,34	0,16	0,11	3,215 kg

Accessory	Incluso: LED / <i>Included: LED</i>	D95 Z51		LED bar	68,00 €
	Nota: Barra LED completa di supporto in alluminio e diffusore / <i>Note: LED bar inclusive of aluminium support and diffuser</i>				




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,19	0,19	0,21	0,12 kg

Accessory	Net weight: 0,12 kg	D95 Z53 65	White 3000K	LED strip	53,00 €
	Incluso: LED / <i>Included: LED</i>				
	Non incluso: Alimentatore / <i>Not included: Driver</i>				
	Nota: Strip LED, prezzo al metro. Al momento dell'ordine comunicare all'azienda le misure del progetto / <i>Note: LED strip, price by meter. When ordering, communicate to the company the dimensions of the project</i>				




n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,19	0,19	0,21	0,12 kg

Accessory	Net weight: 0,12 kg	D95 Z55		Lens	9,00 €
	Nota: Lente, prezzo al metro. Al momento dell'ordine comunicare all'azienda le misure del progetto / <i>Note: Lens, price by meter. When ordering, communicate to the company the dimensions of the project</i>				



n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,19	0,19	0,21	0,12 kg

Accessory



Net weight: 0,12 kg

D95 Z49



Support cable

29,00 €

Nota: Cavo di sostegno. Prezzo al metro / Note: Support cable. Price by meter

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,19	0,19	0,21	0,3 kg

Accessory



Net weight: 0,12 kg

D95 Z48 C08

Cable fastener

12,00 €

Nota: Ferma cavo di sicurezza / Note: Cable fastener

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,19	0,19	0,21	0,095 kg

Accessory



Net weight: 0,12 kg

D95 Z50 C09

Glass fastener

19,00 €

Nota: Ferma vetro / Note: Glass fastener

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,19	0,19	0,21	0,095 kg


Light source: GU10
Layout: 1 or 2 glass walls

1. Metal bar and angle option

1A. Linear bars


- Minimum length: 30cm
- Modularity: 30cm
- Electrification: every 30cm (GU10 2x7W LED)
Different electrification are available on request.
- Each system has to use a 30cm starter module.
The starter modules are electrified.

D95 M11 63	30cm	Starter
D95 M12 63	30cm	Module
D95 M13 63	60cm	Module
D95 M14 63	90cm	Module
D95 M15 63	120cm	Module



1B. Couple of caps


D95 Z20 15	Polished aluminium
D95 Z20 12	Gold-plated aluminium



1C. Wall kit


- Minimum length: 30cm
 - Modularity: 30cm
- For the wall version, it must be added to the linear bars indicated at right (F33 M1...) one of the following kits according to the desired length.

D95 Z02 63	30cm
D95 Z03 63	60cm
D95 Z04 63	90cm
D95 Z05 63	120cm




1D. Angle bar

D95 M16 63	30cm x 30cm	Starter
------------	-------------	---------



1E. Square bar

D95 M17 63	30cm x 30cm	Starter
------------	-------------	---------




2. Cover options

Polished aluminium

D95 Z10 27	30cm
D95 Z11 27	60cm
D95 Z12 27	90cm
D95 Z13 27	120cm
D95 Z14 27	150cm
D95 Z15 27	180cm
D95 Z16 27	19,1cm







Gold-plated aluminium

D95 Z10 74	30cm
D95 Z11 74	60cm
D95 Z12 74	90cm
D95 Z13 74	120cm
D95 Z14 74	150cm
D95 Z15 74	180cm
D95 Z16 74	19,1cm




3. Glass options

Other colours and drawings by request.

D95 E01 C4V 00	Transparent 29cm x 11cm	
D95 E01 C4V 05	Aquamarine 29cm x 11cm	
D95 E01 C4V 40	Amethyst 29cm x 11cm	
D95 E01 C4V 43	Green 29cm x 11cm	
D95 E01 C4V 47	Amber 29cm x 11cm	
D95 E02 C4V 00	Transparent 19cm x 11cm	

4. Support cable and security cable fastener

The support cables (F33 Z49) delivery is based on the building option preferred, of which the number of glasses and interior empty spaces has to be specified.



In case the composition length is higher than 200cm one security cable fastener (F33 Z48 C08) for each stainless steel cable has to be ordered.



Tile

D95

Pamio Design


Light source: LED bar
Layout: 1 or 2 glass walls

1. Metal bar and angle option

1A. Linear bars


- Minimum length: 30cm
- Modularity: 30cm
- 4 security cable fasteners are included in each bar
- Each driver is dimmable and supports max 12 LED bars

D95 M01 63	30cm	Starter, driver not included
D95 M02 63	30cm	Starter, 1 dimm. driver incl.
D95 M03 63	30cm	Starter, 2 dimm. drivers incl.



1B. Couple of caps


D95 Z20 15	Polished aluminium
D95 Z20 12	Gold-plated aluminium



1C. Wall kit

- Minimum length: 30cm
 - Modularity: 30cm
- For the wall version, it must be added to the linear bars indicated at right (F33 MO...) one of the following kits according to the desired length.


D95 Z02 63	30cm
D95 Z03 63	60cm
D95 Z04 63	90cm
D95 Z05 63	120cm



1D. Angle bar

Each driver is dimmable and supports max 12 LED bars


D95 M06 63	30cm x 30cm	Starter, 2 dimm. drivers incl.
-------------------	-------------	--------------------------------



1E. Square bar

Each driver is dimmable and supports max 12 LED bars

D95 M07 63	30cm x 30cm	Starter, 4 dimm. drivers incl.
-------------------	-------------	--------------------------------




2. Cover options

Polished aluminium

D95 Z10 27	30cm
D95 Z11 27	60cm
D95 Z12 27	90cm
D95 Z13 27	120cm
D95 Z14 27	150cm
D95 Z15 27	180cm
D95 Z16 27	19,1cm







Gold-plated aluminium

D95 Z10 74	30cm
D95 Z11 74	60cm
D95 Z12 74	90cm
D95 Z13 74	120cm
D95 Z14 74	150cm
D95 Z15 74	180cm
D95 Z16 74	19,1cm




3. Glass options

Other colours and drawings by request.

D95 E01 C4V 00	Transparent 29cm x 11cm	
D95 E01 C4V 05	Aquamarine 29cm x 11cm	
D95 E01 C4V 40	Amethyst 29cm x 11cm	
D95 E01 C4V 43	Green 29cm x 11cm	
D95 E01 C4V 47	Amber 29cm x 11cm	
D95 E02 C4V 00	Transparent 19cm x 11cm	

4. Support cable


The support cables (F33 Z49) delivery is based on the building option preferred, of which the number of glasses and interior empty spaces has to be specified.



5. LED light source

Each driver is dimmable 1..10V and supports max 12 LED bars. Other kind of dimming by request.

D95 Z51	LED 24Vdc - 1x5W 3000K 400lm CRI 80+
---------	--




Light source: LED strip
Layout: 1 or 2 glass walls

1. Metal bar and angle option

1A. Linear bars


- Minimum length: 30cm
- Modularity: 30cm
- 4 security cable fasteners are included in each bar
- Each driver is dimmable and supports max 12 LED bars

D95 M01 63	30cm	Starter, driver not included
D95 M02 63	30cm	Starter, 1 dimm. driver incl.
D95 M03 63	30cm	Starter, 2 dimm. drivers incl.



1B. Couple of caps


D95 Z20 15	Polished aluminium
D95 Z20 12	Gold-plated aluminium



1C. Wall kit

- Minimum length: 30cm
 - Modularity: 30cm
- For the wall version, it must be added to the linear bars indicated at right (F33 MO...) one of the following kits according to the desired length.


D95 Z02 63	30cm
D95 Z03 63	60cm
D95 Z04 63	90cm
D95 Z05 63	120cm



1D. Angle bar

Each driver is dimmable and supports max 12 LED bars


D95 M06 63	30cm x 30cm	Starter, 2 dimm. drivers incl.
------------	-------------	--------------------------------



1E. Square bar

Each driver is dimmable and supports max 12 LED bars

D95 M07 63	30cm x 30cm	Starter, 4 dimm. drivers incl.
------------	-------------	--------------------------------




2. Cover options

Polished aluminium

D95 Z10 27	30cm
D95 Z11 27	60cm
D95 Z12 27	90cm
D95 Z13 27	120cm
D95 Z14 27	150cm
D95 Z15 27	180cm
D95 Z16 27	19,1cm







Gold-plated aluminium

D95 Z10 74	30cm
D95 Z11 74	60cm
D95 Z12 74	90cm
D95 Z13 74	120cm
D95 Z14 74	150cm
D95 Z15 74	180cm
D95 Z16 74	19,1cm




3. Glass options

Other colours and drawings by request.

D95 E01 C4V 00	Transparent 29cm x 11cm	
D95 E01 C4V 05	Aquamarine 29cm x 11cm	
D95 E01 C4V 40	Amethyst 29cm x 11cm	
D95 E01 C4V 43	Green 29cm x 11cm	
D95 E01 C4V 47	Amber 29cm x 11cm	
D95 E02 C4V 00	Transparent 19cm x 11cm	

4. Support cable and security cable fastener

The support cables (F33 Z49) delivery is based on the building option preferred, of which the number of glasses and interior empty spaces has to be specified.




In case the composition length is higher than 200cm one security cable fastener (F33 Z48 C08) for each stainless steel cable has to be ordered.



5. LED and lens light source

Sold by meter. Specify the lengths of the single linear section.

D95 Z53	Strip LED 24Vdc – 19.2W 3000K 2600lm by meter CRI 90+
D95 Z55	LED lens 30°



6. Power supply

Choose the suitable LED power supply constant voltage according to the length of the structure:

A50202	20W 24Vdc, dimmable 1.10V (max 60cm)
A50203	25W 24Vdc, dimmable 1.10V (max 90cm)
A50204	40W 24Vdc, dimmable 1.10V (max 150cm)
A50205	60W 24Vdc, dimmable 1.10V (max 240cm)
A50206	90W 24Vdc, dimmable 1.10V (max 360cm)
A50308	DALI (4 output channel), PUSH and 1.10V kit control (max 360cm)

1. Metal bar and angle option

1A. Linear bars



- Minimum length: 30cm
- Modularity: 30cm

Polished aluminium

D95 M32 27	30cm
D95 M33 27	60cm
D95 M34 27	90cm
D95 M35 27	120cm

Gold-plated aluminium

D95 M32 74	30cm
D95 M33 74	60cm
D95 M34 74	90cm
D95 M35 74	120cm



1B. Caps

Polished aluminium

D95 Z21 15	Right cap
D95 Z22 15	Left cap



Gold-plated aluminium

D95 Z21 12	Right cap
D95 Z22 12	Left cap


2. Cover options

Polished aluminium

D95 Z10 27	30cm
D95 Z11 27	60cm
D95 Z12 27	90cm
D95 Z13 27	120cm
D95 Z14 27	150cm
D95 Z15 27	180cm
D95 Z16 27	19,1cm

Gold-plated aluminium

D95 Z10 74	30cm
D95 Z11 74	60cm
D95 Z12 74	90cm
D95 Z13 74	120cm
D95 Z14 74	150cm
D95 Z15 74	180cm
D95 Z16 74	19,1cm



3. Glass options

Other colours and drawings by request.

D95 E01 C4V 00 Transparent
29cm x 11cm



D95 E01 C4V 05 Aquamarine
29cm x 11cm



D95 E01 C4V 40 Amethyst
29cm x 11cm



D95 E01 C4V 43 Green
29cm x 11cm



D95 E01 C4V 47 Amber
29cm x 11cm




D95 E02 C4V 00 Transparent
19cm x 11cm



4. Support cable and security cable fastener

The support cables (F33 Z49) delivery is based on the building option preferred, of which the number of glasses and interior empty spaces has to be specified.



In case the composition length is higher than 200cm one security cable fastener (F33 Z48 C08) for each stainless steel cable has to be ordered.



Tile



Light source: LED strip
Layout: 1 glass wall

1. Metal bar and angle option

1A. Linear bars

- Minimum length: 30cm
- Modularity: 30cm
- LED and driver not included

D95 M42 63	30cm
D95 M43 63	60cm
D95 M44 63	90cm
D95 M45 63	120cm



1B. Caps

Polished aluminium

D95 Z21 15	Right cap
D95 Z22 15	Left cap



Gold-plated aluminium

D95 Z21 12	Right cap
D95 Z22 12	Left cap



2. Cover options

Polished aluminium

D95 Z10 27	30cm
D95 Z11 27	60cm
D95 Z12 27	90cm
D95 Z13 27	120cm
D95 Z14 27	150cm
D95 Z15 27	180cm
D95 Z16 27	19,1cm

Gold-plated aluminium

D95 Z10 74	30cm
D95 Z11 74	60cm
D95 Z12 74	90cm
D95 Z13 74	120cm
D95 Z14 74	150cm
D95 Z15 74	180cm
D95 Z16 74	19,1cm



D95

Pamio Design


3. Glass options

Other colours and drawings by request.

D95 E01 C4V 00	Transparent 29cm x 11cm	
D95 E01 C4V 05	Aquamarine 29cm x 11cm	
D95 E01 C4V 40	Amethyst 29cm x 11cm	
D95 E01 C4V 43	Green 29cm x 11cm	
D95 E01 C4V 47	Amber 29cm x 11cm	
D95 E02 C4V 00	Transparent 19cm x 11cm	

4. Support cable and security cable fastener

The support cables (F33 Z49) delivery is based on the building option preferred, of which the number of glasses and interior empty spaces has to be specified.




In case the composition length is higher than 200cm one security cable fastener (F33 Z48 C08) for each stainless steel cable has to be ordered.



5. LED and lens light source

Sold by meter. Specify the lengths of the single linear section.

D95 Z53	Strip LED 24Vdc – 19,2W 3000K 2600lm by meter CRI 90+
D95 Z55	LED lens 30°




6. Power supply


Choose the suitable LED power supply constant voltage according to the length of the structure:

A50202	20W 24Vdc, dimmable 1.10V (max 60cm)
A50203	25W 24Vdc, dimmable 1.10V (max 90cm)
A50204	40W 24Vdc, dimmable 1.10V (max 150cm)
A50205	60W 24Vdc, dimmable 1.10V (max 240cm)
A50206	90W 24Vdc, dimmable 1.10V (max 360cm)
A50308	DALI (4 output channel), PUSH and 1.10V kit control (max 360cm)


1. Electrical connection and bar fastening.




2. Light bulbs installation.




3. Stainless steel cables insertion and cut.




4. Cable insertion detail.




5. Cover assembly.




6. Locking caps assembly.




7. Glass fastener assembly.




8. Glass tiles insertion.




Recessed	GU10 220-240V - 1x7W LED cod. A11105C01 Max Watt. 50W Dimm. PHASE CUT 30%-100%	F19 F01 01	White	Basic	21,00 €
----------	---	------------	-------	-------	---------




IP20 
Net weight: 0,17 kg
Non incluso: Lampadina / *Not included: Bulb*
Nota: Fisso/Cassaforma+Blocco luce / *Note: Fixed/Housing+Spot light*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,17	0,40	0,17	0,500 kg


Recessed	GU10 220-240V - 1x7W LED cod. A11105C01 Max Watt. 50W Dimm. PHASE CUT 30%-100%	F19 F04 01	White	Fix	193,00 €
----------	---	------------	-------	-----	----------





IP44 
Net weight: 0,23 kg
Non incluso: Lampadina / *Not included: Bulb*
Nota: Fisso/Cassaforma+Blocco luce / *Note: Fixed/Housing+Spot light*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Spot light	0,17	0,40	0,17	0,130 kg
1	Housing	0,17	0,40	0,17	0,430 kg


Recessed	GU10 220-240V - 1x7W LED cod. A11105C01 Max Watt. 50W Dimm. PHASE CUT 30%-100%	F19 F10 01	White	Adjustable	132,00 €
----------	---	------------	-------	------------	----------



IP20  
Net weight: 0,18 kg
Non incluso: Lampadina / *Not included: Bulb*
Nota: Orientabile/
Cassaforma+Blocco luce / *Note: Adjustable/Housing+Spot light*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Spot light	0,17	0,40	0,17	0,410 kg
1	Housing	0,17	0,40	0,17	0,430 kg


Recessed	GU5,3 12V - 1x7W LED cod. A10705C01 Max Watt. 50W Dimm. PHASE CUT 30%-100%	F19 F02 01	White	Basic	43,00 €
----------	---	------------	-------	-------	---------




IP20  
Net weight: 0,19 kg
Non incluso: Lampadina,
Trasformatore Elettronico / *Not included: Bulb, Electronic transformer*
Nota: Fisso/Cassaforma+Blocco luce / *Note: Fixed/Housing+Spot light*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,17	0,40	0,17	0,520 kg

Recessed



GU5,3 12V - 1x7W LED
cod. A10705C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%

IP44 
Net weight: 0,25 kg

Non incluso: Lampadina,
Trasformatore Elettronico / *Not included: Bulb, Electronic transformer*

Nota: Fisso/Cassaforma+Blocco
luce / *Note: Fixed/Housing+Spot light*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Spot light	0,17	0,40	0,17	0,150 kg
1	Housing	0,17	0,40	0,17	0,430 kg


F19 F05 01

White


Fix

193,00 €

Recessed



GU5,3 12V - 1x7W LED
cod. A10705C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%

IP20 
Net weight: 0,20 kg

Non incluso: Lampadina,
Trasformatore Elettronico / *Not included: Bulb, Electronic transformer*

Nota: Orientabile/
Cassaforma+Blocco luce / *Note: Adjustable/Housing+Spot light*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Spot light	0,17	0,40	0,17	0,430 kg
1	Housing	0,17	0,40	0,17	0,430 kg


F19 F11 01

White


Adjustable

127,00 €

Recessed



LED 350mA - 1x12.5W
3000K
1000 lm, CRI 80+

IP20 
Net weight: 0,23 kg

Incluso: LED / *Included: LED*

Non incluso: Convertitore per LED /
Not included: LED converter

Nota: Fisso/Cassaforma+Blocco
luce / *Note: Fixed/Housing+Spot light*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,17	0,40	0,17	0,560 kg


F19 F03 01

White


3000K Basic

127,00 €

Recessed



LED 350mA - 1x12.5W
3000K
1000 lm, CRI 80+

IP44 
Net weight: 0,29 kg

Incluso: LED / *Included: LED*

Non incluso: Convertitore per LED /
Not included: LED converter

Nota: Fisso/Cassaforma+Blocco
luce / *Note: Fixed/Housing+Spot light*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Spot light	0,17	0,40	0,17	0,190 kg
1	Housing	0,17	0,40	0,17	0,430 kg


F19 F06 01

White

3000K Fix

261,00 €

Recessed



GU10 220-240V - 1x7W LED
cod. A11105C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%

IP20

Net weight: 0,15 kg


Non incluso: Lampadina / *Not included: Bulb*

Nota: Fisso/Cassaforma+Blocco luce / *Note: Fixed/Housing+Spot light*

F19 F20 01 White Basic 21,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,17	0,40	0,17	0,480 kg

Recessed



GU10 220-240V - 1x7W LED
cod. A11105C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%

IP44

Net weight: 0,19 kg


Non incluso: Lampadina / *Not included: Bulb*

Nota: Fisso/Cassaforma+Blocco luce / *Note: Fixed/Housing+Spot light*

F19 F23 01 White Fix 190,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Spot light	0,17	0,40	0,17	0,130 kg
1	Housing	0,17	0,40	0,17	0,390 kg

Recessed



GU10 220-240V - 1x7W LED
cod. A11105C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%

IP20

Net weight: 0,14 kg


Non incluso: Lampadina / *Not included: Bulb*

Nota: Orientabile/
Cassaforma+Blocco luce / *Note: Adjustable/Housing+Spot light*

F19 F30 01 White Adjustable 128,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Spot light	0,17	0,40	0,17	0,410 kg
1	Housing	0,17	0,40	0,17	0,390 kg

Recessed



GU5,3 12V - 1x7W LED
cod. A10705C01
Max Watt. 50W
Dimm. PHASE CUT 30%-100%

IP20

Net weight: 0,17 kg


Non incluso: Lampadina,
Trasformatore Elettronico / *Not included: Bulb, Electronic transformer*

Nota: Fisso/Cassaforma+Blocco luce / *Note: Fixed/Housing+Spot light*

F19 F21 01 White Basic 43,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,17	0,40	0,17	0,500 kg

Recessed	GU5,3 12V - 1x7W LED cod. A10705C01 Max Watt. 50W Dimm. PHASE CUT 30%-100%	F19 F24 01	White	Fix	190,00 €
----------	---	------------	-------	-----	----------




IP44 
Net weight: 0,21 kg

Non incluso: Lampadina,
Trasformatore Elettronico / *Not included: Bulb, Electronic transformer*

Nota: Fisso/Cassaforma+Blocco
luce / *Note: Fixed/Housing+Spot light*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Spot light	0,17	0,40	0,17	0,150 kg
1	Housing	0,17	0,40	0,17	0,390 kg

Recessed	GU5,3 12V - 1x7W LED cod. A10705C01 Max Watt. 50W Dimm. PHASE CUT 30%-100%	F19 F31 01	White	Adjustable	125,00 €
----------	---	------------	-------	------------	----------




IP20 
Net weight: 0,16 kg

Non incluso: Lampadina,
Trasformatore Elettronico / *Not included: Bulb, Electronic transformer*

Nota: Orientabile/
Cassaforma+Blocco luce / *Note: Adjustable/Housing+Spot light*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Spot light	0,17	0,40	0,17	0,430 kg
1	Housing	0,17	0,40	0,17	0,390 kg

Recessed	LED 350mA - 1x12.5W 3000K 1000 lm, CRI 80+	F19 F22 01	White	3000K Basic	127,00 €
----------	--	------------	-------	-------------	----------



IP20 
Net weight: 0,21 kg


Incluso: LED / *Included: LED*

Non incluso: Convertitore per LED /
Not included: LED converter

Nota: Fisso/Cassaforma+Blocco
luce / *Note: Fixed/Housing+Spot light*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,17	0,40	0,17	0,540 kg

Recessed	LED 350mA - 1x12.5W 3000K 1000 lm, CRI 80+	F19 F25 01	White	3000K Fix	259,00 €
----------	--	------------	-------	-----------	----------



IP44 
Net weight: 0,25 kg


Incluso: LED / *Included: LED*

Non incluso: Convertitore per LED /
Not included: LED converter

Nota: Fisso/Cassaforma+Blocco
luce / *Note: Fixed/Housing+Spot light*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Spot light	0,17	0,40	0,17	0,190 kg
1	Housing	0,17	0,40	0,17	0,390 kg

Recessed



G53 12V - 1x16W LED
cod. A10603C01
Max Watt. 100W
Dimm. PHASE CUT 30%-100%

F19 F50 01

White

Adjustable

138,00 €


IP20  C
Net weight: 0,28 kg

Non incluso: Lampadina,
Trasformatore Elettronico / *Not
included: Bulb, Electronic transformer*

Nota: Orientabile/
Cassaforma+Blocco luce / *Note:
Adjustable/Housing+Spot light*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Spot light	0,17	0,40	0,17	0,460 kg
1	Housing	0,17	0,40	0,17	0,480 kg

Recessed



LED 500mA - 1x20W
3000K
1600 lm, CRI 80+

F19 F53 01

White

3000K 34° Fix

281,00 €


IP20 
Net weight: 0,34 kg

Incluso: LED / *Included: LED*
Non incluso: Convertitore per LED /
Not included: LED converter

Nota: Fisso/Cassaforma+Blocco
luce / *Note: Fixed/Housing+Spot light*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Spot light	0,17	0,40	0,17	0,520 kg
1	Housing	0,17	0,40	0,17	0,480 kg

Recessed



LED 500mA - 1x20W
3000K
1600 lm, CRI 80+

F19 F54 01

White

3000K 22° Fix




306,00 €





IP20 
Net weight: 0,34 kg





Incluso: LED / *Included: LED*
Non incluso: Convertitore per LED /
Not included: LED converter




Nota: Fisso/Cassaforma+Blocco
luce / *Note: Fixed/Housing+Spot light*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Spot light	0,17	0,40	0,17	0,520 kg
1	Housing	0,17	0,40	0,17	0,480 kg

Recessed		GU10 220-240V - 1x7W LED cod. A11105C01 Max Watt. 50W Dimm. PHASE CUT 30%-100%		F19 F40 01	White	154,00 €
				F19 F40 02	Black	154,00 €
				F19 F40 15	Chrome	180,00 €
		IP20   Net weight: 0,16 kg		F19 F40 41	Copper	180,00 €
		Non incluso: Lampadina / <i>Not included: Bulb</i> Nota: Orientabile/ Cassaforma+Blocco luce / <i>Note: Adjustable/Housing+Spot light</i>				
						
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight	
1	Spot light	0,17	0,40	0,17	0,480 kg	
1	Housing	0,17	0,40	0,17	0,336 kg	


Recessed		GU5,3 12V - 1x7W LED cod. A10705C01 Max Watt. 50W Dimm. PHASE CUT 30%-100%		F19 F41 01	White	150,00 €
				F19 F41 02	Black	150,00 €
				F19 F41 15	Chrome	174,00 €
		IP20    Net weight: 0,25 kg		F19 F41 41	Copper	174,00 €
		Non incluso: Lampadina, Trasformatore Elettronico / <i>Not included: Bulb, Electronic transformer</i> Nota: Orientabile/ Cassaforma+Blocco luce / <i>Note: Adjustable/Housing+Spot light</i>				
						
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight	
1	Spot light	0,17	0,40	0,17	0,570 kg	
1	Housing	0,17	0,40	0,17	0,336 kg	

Recessed		G53 12V - 1x16W LED cod. A10603C01 Max Watt. 100W Dimm. PHASE CUT 30%-100%		F19 F60 01	White	168,00 €
				F19 F60 02	Black	168,00 €
				F19 F60 15	Chrome	207,00 €
		IP20    Net weight: 0,60 kg		F19 F60 41	Copper	207,00 €
		Non incluso: Lampadina, Trasformatore Elettronico / <i>Not included: Bulb, Electronic transformer</i> Nota: Orientabile/ Cassaforma+Blocco luce / <i>Note: Adjustable/Housing+Spot light</i>				
						
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight	
1	Spot light	0,17	0,40	0,17	0,750 kg	
1	Housing	0,17	0,40	0,17	0,510 kg	


Recessed		LED 500mA - 1x20W 3000K 1600 lm, CRI 80+		F19 F63 01	White	3000K	357,00 €
				F19 F63 02	Black	3000K	357,00 €
				F19 F63 15	Chrome	3000K	395,00 €
		IP20   Net weight: 0,61 kg		F19 F63 41	Copper	3000K	395,00 €
		Incluso: LED / <i>Included: LED</i> Non incluso: Convertitore per LED / <i>Not included: LED converter</i> Nota: Orientabile/ Cassaforma+Blocco luce / <i>Note: Adjustable/Housing+Spot light</i>					
							
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight		
1	Spot light	0,17	0,40	0,17	0,750 kg		
1	Housing	0,17	0,40	0,17	0,510 kg		

Recessed canopy


1. Determine the size of the hole to be made in the plasterboard, depending on the type of formwork.




2. The formwork is supplied ready for a plasterboard thickness of 12,5mm. For other thicknesses, move the tabs.




3. Fit the formwork inside the plasterboard and position it over the hole.




4. Where the tabs are, fasten the formwork to the plasterboard using the screws provided in the pack.




5. Perfectly plaster the edges of the formwork so the ceiling finish is uniform with the inside of the formwork.



6. In the basic version, fit the light bulb directly on the formwork using the round spring provided in the pack. In other cases, connect the lamp holder with light bulb to the power supply and fasten the whole to the formwork magnets.



Pendant




LED 220-240V - 1x4.3W
3000K or 2700K
350 lm, CRI 80+
Dimm. PUSH 1.10V
IP40
Net weight: 0,91 kg

Incluso: LED, Alimentatore
elettronico dimmerabile / *Included:*
LED, Dimmable electronic driver

F41 A01 11	Polished aluminium	3000K	371,00 €
F41 A01 21	Anthracite	3000K	344,00 €
F41 A01 76	Bronze	3000K	344,00 €
F41 A02 11	Polished aluminium	2700K	371,00 €
F41 A02 21	Anthracite	2700K	344,00 €
F41 A02 76	Bronze	2700K	344,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,16	0,16	0,16	1,500 kg

Table




LED 220-240V - 1x4.3W
3000K or 2700K
350 lm, CRI 80+
Dimm. PUSH
IP40
Net weight: 0,79 kg

Incluso: LED, Alimentatore
elettronico dimmerabile / *Included:*
LED, Dimmable electronic driver

F41 B01 11	Polished aluminium	3000K	395,00 €
F41 B01 21	Anthracite	3000K	381,00 €
F41 B01 76	Bronze	3000K	381,00 €
F41 B02 11	Polished aluminium	2700K	395,00 €
F41 B02 21	Anthracite	2700K	381,00 €
F41 B02 76	Bronze	2700K	381,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,16	0,16	0,16	0,982 kg

Wall




LED 220-240V - 1x4.3W
3000K or 2700K
350 lm, CRI 80+
Dimm. PUSH 1.10V
IP40
Net weight: 0,86 kg

Incluso: LED, Alimentatore
elettronico dimmerabile / *Included:*
LED, Dimmable electronic driver

F41 D01 11	Polished aluminium	3000K	320,00 €
F41 D01 21	Anthracite	3000K	298,00 €
F41 D01 76	Bronze	3000K	298,00 €
F41 D02 11	Polished aluminium	2700K	320,00 €
F41 D02 21	Anthracite	2700K	298,00 €
F41 D02 76	Bronze	2700K	298,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,16	0,16	0,16	1,074 kg


Catalogue




11 Polished
aluminium




21 Anthracite



76 Bronze


<div>Ceiling</div> 	LED 220-240V - 1x4.3W	F41 E01 11	Polished aluminium	3000K	312,00 €
	3000K or 2700K	F41 E01 21	Anthracite	3000K	291,00 €
	350 lm, CRI 80+	F41 E01 76	Bronze	3000K	291,00 €
	Dimm. PUSH 1..10V	F41 E02 11	Polished aluminium	2700K	312,00 €
	IP40	F41 E02 21	Anthracite	2700K	291,00 €
	Net weight: 0,80 kg	F41 E02 76	Bronze	2700K	291,00 €
	Incluso: LED, Alimentatore elettronico dimmerabile / <i>Included: LED, Dimmable electronic driver</i>				

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,16	0,16	0,16	1,500 kg

Recessed		LED 220-240V - 1x4.3W	F41 F01 11	Polished aluminium	3000K	331,00 €
		3000K or 2700K	F41 F01 21	Anthracite	3000K	315,00 €
		350 lm, CRI 80+	F41 F01 76	Bronze	3000K	315,00 €
		Dimm. PUSH 1..10V	F41 F02 11	Polished aluminium	2700K	331,00 €
		IP40-55	F41 F02 21	Anthracite	2700K	315,00 €
		Net weight: 0,80 kg	F41 F02 76	Bronze	2700K	315,00 €
	Incluso: LED, Alimentatore elettronico dimmerabile / Included: LED, Dimmable electronic driver					

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,16	0,16	0,16	1,073 kg


Catalogue



11 Polished aluminium




21 Anthracite



76 Bronze

Wall/ceiling



LED 220-240V - 3x4.3W
3000K or 2700K
CRI 80+
Dimm. PUSH 1.10V
IP40
Net weight: 3,10 kg


Incluso: LED, Alimentatore elettronico dimmerabile, 9 rocchetti per decentramento / *Included: LED, Dimmable electronic driver, 9 spoos for wire support*

Nota: Sistema parete/soffitto a 3 luci. Lunghezza cavo di ogni punto luce 3m / *Note: 3 spots wall/ceiling system. Cable lenght of each spot 3m*

F41 G01 11	Polished aluminium	3000K	1.002,00 €
F41 G01 21	Anthracite	3000K	939,00 €
F41 G01 76	Bronze	3000K	939,00 €
F41 G02 11	Polished aluminium	2700K	1.002,00 €
F41 G02 21	Anthracite	2700K	939,00 €
F41 G02 76	Bronze	2700K	939,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Canopy	0,36	0,36	0,15	1,560 kg
3	Spots	0,16	0,16	0,16	0,973 kg

Wall/ceiling



LED 220-240V - 6x4.3W
3000K or 2700K
CRI 80+
Dimm. PUSH 1.10V DALI
IP40
Net weight: 5,89 kg


Incluso: LED, Alimentatore elettronico dimmerabile, 18 rocchetti per decentramento / *Included: LED, Dimmable electronic driver, 18 spoos for wire support*

Nota: Sistema parete/soffitto a 6 luci. Lunghezza cavo di ogni punto luce 6m / *Note: 6 spots wall/ceiling system. Cable lenght of each spot 6m*

F41 G03 11	Polished aluminium	3000K	2.018,00 €
F41 G03 21	Anthracite	3000K	1.903,00 €
F41 G03 76	Bronze	3000K	1.903,00 €
F41 G04 11	Polished aluminium	2700K	2.018,00 €
F41 G04 21	Anthracite	2700K	1.903,00 €
F41 G04 76	Bronze	2700K	1.903,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Canopy	0,36	0,36	0,15	2,150 kg
6	Spots	0,16	0,16	0,16	1,036 kg

Wall/ceiling



LED 220-240V - 9x4.3W
3000K or 2700K
CRI 80+
Dimm. PUSH 1.10V DALI
IP40
Net weight: 8,08 kg

Incluso: LED, Alimentatore elettronico dimmerabile, 27 rocchetti per decentramento / *Included: LED, Dimmable electronic driver, 27 spoos for wire support*

Nota: Sistema parete/soffitto a 9 luci. Lunghezza cavo di ogni punto luce 9m / *Note: 9 spots wall/ceiling system. Cable lenght of each spot 9m*

F41 G05 11	Polished aluminium	3000K	2.956,00 €
F41 G05 21	Anthracite	3000K	2.796,00 €
F41 G05 76	Bronze	3000K	2.796,00 €
F41 G06 11	Polished aluminium	2700K	2.956,00 €
F41 G06 21	Anthracite	2700K	2.796,00 €
F41 G06 76	Bronze	2700K	2.796,00 €

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	Canopy	0,36	0,36	0,15	2,150 kg
9	Spots	0,16	0,16	0,16	1,087 kg

Spot light




LED 350mA - 1x4.3W 3000K or 2700K 350 lm, CRI 80+	F41 L01 11	Polished aluminium	3000K	227,00 €
	F41 L01 21	Anthracite	3000K	215,00 €
	F41 L01 76	Bronze	3000K	215,00 €
IP55 	F41 L04 11	Polished aluminium	2700K	227,00 €
Net weight: 0,73 kg	F41 L04 21	Anthracite	2700K	215,00 €
Incluso: LED / Included: LED	F41 L04 76	Bronze	2700K	215,00 €
Non incluso: Alimentatore / Not included: Driver				
Nota: Cavo 3m / Note: 3m cable				

LED 350mA - 1x4.3W 3000K or 2700K 350 lm, CRI 80+	F41 L02 11	Polished aluminium	3000K	252,00 €
	F41 L02 21	Anthracite	3000K	237,00 €
	F41 L02 76	Bronze	3000K	237,00 €
IP55 	F41 L05 11	Polished aluminium	2700K	252,00 €
Net weight: 0,79 kg	F41 L05 21	Anthracite	2700K	237,00 €
Incluso: LED / Included: LED	F41 L05 76	Bronze	2700K	237,00 €
Non incluso: Alimentatore / Not included: Driver				
Nota: Cavo 6m / Note: Cable 6m				

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1	(3m cable)	0,16	0,16	0,16	0,973 kg
1	(6m cable)	0,16	0,16	0,16	1,036 kg
1	(9m cable)	0,16	0,16	0,16	1,087 kg

LED 350mA - 1x4.3W 3000K or 2700K 350 lm, CRI 80+	F41 L03 11	Polished aluminium	3000K	272,00 €
	F41 L03 21	Anthracite	3000K	257,00 €
	F41 L03 76	Bronze	3000K	257,00 €
IP55 	F41 L06 11	Polished aluminium	2700K	272,00 €
Net weight: 0,84 kg	F41 L06 21	Anthracite	2700K	257,00 €
Incluso: LED / Included: LED	F41 L06 76	Bronze	2700K	257,00 €
Non incluso: Alimentatore / Not included: Driver				
Nota: Cavo 9m / Note: Cable 9m				


Canopy



PUSH 1.10V Net weight: 0,905 kg	F41 M01 11	Polished aluminium	328,00 €
	F41 M01 21	Anthracite	306,00 €
	F41 M01 76	Bronze	306,00 €
Incluso: Alimentatore elettronico dimmerabile / Included: Dimmable electronic driver			
Non incluso: Punti luce / Not included: Spots			
Nota: Rosone per 1-3 luci / Note: Canopy for 1-3 spots			

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,36	0,15	1,56 kg

Canopy



PUSH 1.10V DALI Net weight: 1,51 kg	F41 M03 11	Polished aluminium	537,00 €
	F41 M03 21	Anthracite	507,00 €
	F41 M03 76	Bronze	507,00 €
Incluso: Alimentatore elettronico dimmerabile / Included: Dimmable electronic driver			
Non incluso: Punti luce / Not included: Spots			
Nota: Rosone per 4-9 luci / Note: Canopy for 4-9 spots			

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,36	0,15	2,15 kg

Accessory


Net weight: 0,01 kg

F41 Z01 C1 00

Transparent

Spool for wire support

31,00 €



Nota: Rocchetto di decentramento, possibilità di avvolgere il cavo fino a 1m / *Note: Spool for wire support, possibility to wind the cable up to 1m*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,15	0,15	0,07	0,085 kg

Accessory


Net weight: 1,23 kg

F41 Z03 02

Black

Power plug with switch

31,00 €



Nota: Spezzafilo con interruttore / *Note: Power plug with switch*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0	0	0	0 kg

Accessory

IP40


Net weight: 0,085 kg

F41 Z10 01

White

Twist & Lock recessed canopy

70,00 €



Not included: Spots, Remote driver
Nota: Rosone a incasso Twist & Lock / *Note: Twist & Lock recessed canopy*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,15	0,15	0,07	0,3 kg

Accessory


IP55

Net weight: 1,095 kg

F41 Z11

Outdoor box for power supply


99,00 €




Incluso: Alimentatore / *Included: Driver*
Non incluso: Punti luce / *Not included: Spots*
Nota: Box di alimentazione da esterno. Max 6 luci, non dimmerabile / *Note: Outdoor box for power supply. Max 6 spots, not dimmable*

n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight
1		0,36	0,36	0,2	1,81 kg


1. Make a hole in the plasterboard with a diameter of 30mm




2. After inserting the accessory into the hole in the plasterboard, plaster the edges.




3. Paint the plastered area so that the ceiling finish is homogeneous.




4. Connect the wires.



5. Adjust the length of the cable and screw the plastic thread insert.



6. Insert the cylinder into the drywall and rotate.



Compose and customize
your Tripla lamp

1. Glass options

LED 350mA – 1x4.5W
3000K 350lm CRI 80+
Dimmable


Each code provides 3 spools for wire support.

Polished aluminium structure
F41 L01 11 300cm cable
F41 L02 11 600cm cable
F41 L03 11 900cm cable

Anthracite painted structure
F41 L01 21 300cm cable
F41 L02 21 600cm cable
F41 L03 21 900cm cable

Bronze painted structure
F41 L01 76 300cm cable
F41 L02 76 600cm cable
F41 L03 76 900cm cable

IP55



2. Canopies options


Round canopies
Dimmable driver included

Polished aluminium structure
F41 M01 11 Ø 23,5cm - 350mA (1-3 spots)
Dimm. PUSH 1.10V
F41 M03 11 Ø 30cm - 350mA (4-9 spots)
Dimm. PUSH 1.10V DALI

Anthracite painted structure
F41 M01 21 Ø 23,5cm - 350mA (1-3 spots)
Dimm. PUSH 1.10V
F41 M03 21 Ø 30cm - 350mA (4-9 spots)
Dimm. PUSH 1.10V DALI

Bronze painted structure
F41 M01 76 Ø 23,5cm - 350mA (1-3 spots)
Dimm. PUSH 1.10V
F41 M03 76 Ø 30cm - 350mA (4-9 spots)
Dimm. PUSH 1.10V DALI


IP40



Recessed canopies
Remote power supply not included

F41 Z10 01 Ø 3cm - (1 spot)


IP40



Outdoor box
Driver included


F32 Z11 24x19x9cm - (max 10 spots)

IP55



4. Available accessories


F41 Z01 C1 00	Spool for wire support Possibility to wind the cable up to 1m
----------------------	--





5. The system

Customize spots position.

F41 Z03 02	Power plug with switch
------------	------------------------



Glass		Net weight: 0,4 kg		F63 V01 02	Black	Slick internal glass	104,00 €
		Non incluso: Punti luce / Not included: Spots		F63 V01 43	Petroleum	Slick internal glass	104,00 €
				F63 V02 02	Black	Rigadin internal glass	138,00 €
				F63 V02 76	Bronze	Rigadin internal glass	138,00 €
				F63 V03 40	Plum	Balloton internal glass	138,00 €
				F63 V03 43	Petroleum	Balloton internal glass	138,00 €
				F63 V04 40	Plum	Aqua internal glass	138,00 €
				F63 V04 76	Bronze	Aqua internal glass	138,00 €
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight		
1		0,36	0,18	0,18	0,8 kg		







Spot light		E14 220-240V - 1x4.5W LED cod. A10233C01 Max Watt 1x10W LED		F63 L01 02	Black		280,00 €
		IP20 Net weight: 0,80 kg					
		Incluso: Cavo 3m / Included: 3m cable					
		Non incluso: Lampadina / Not included: Bulb					
		Nota: Vetro esterno liscio trasparente / Note: Transparent slick external glass					
				LED 24Vdc - 1x6W 2700K or 3000K CRI 90+ Dimm. Dimmable	F63 L02 02	Black	2700K 334,00 €
					F63 L02 02	Black	3000K 334,00 €
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight		
1		0,36	0,18	0,18	1,440 kg		
		IP20 Net weight: 0,80 kg					
		Incluso: LED, Cavo 3m / Included: LED, Cable 3m					
		Nota: Vetro esterno liscio trasparente / Note: Transparent slick external glass					

Canopy		IP20 Net weight: 0,1 kg		F63 M01 01	White		65,00 €
		Non incluso: Punti luce / Not included: Spots		F63 M01 02	Black		65,00 €
n°	Pack	L. / L.	L. / W.	H. / H.	Peso / Weight		
1		0,17	0,17	0,09	0,515 kg		

Catalogue



Utility






Tipology	Colour codes		Class of insulation	Certification	IP protection
A Pendant lamp	00 Transparent	35 Polished stainless steel	<p>Ai fini della protezione elettrica, gli apparecchi sono classificati in base ad indicazioni CEE.</p> <p><i>For electric production purposes the fixtures are classified in accordance with EEC guidelines.</i></p> <div></div>	<div> CE Attesta che il prodotto risulta conforme ai requisiti degli standard europei. <i>This certifies that the product is in conformity with the requirements laid down by the european standards.</i></div>	<p>Example: IP40</p> <p>Protected against entry of solid objects larger than 1 mm. No protection against the ingress of water.</p>
B Table lamp	01 White	36 Mustard			
C Floor lamp	02 Black	37 Concrete			
D Wall lamp	03 Red	40 Amethyst			
E Ceiling lamp	04 Yellow	41 Copper	Class I Isolamento funzionale in ogni parte, provvisto di messa a terra, o con morsetto se fisso o con conduttore e relativa spina con contatto di terra, se mobile. <i>Functional insulation in every part and ground terminal or clamp in the unit is fixed, or with conductor and relative plug with ground contact if the unit is mobile.</i>	<div> Gost R EAC Attesta che il prodotto risulta conforme ai requisiti degli standard russi. <i>This certifies that the product is in conformity with the requirements laid down by the russian standards.</i></div>	<p>Il grado di protezione degli apparecchi di illuminazione viene indicato con la sigla IP (International Protection) seguita da due cifre caratteristiche. La prima di queste due cifre descrive la protezione che questi possiede contro la penetrazione di corpi solidi. La seconda indica la protezione nei confronti dei liquidi.</p> <p>Gradi di protezione indicati dalla prima cifra:</p> <p>0. Non protetto</p> <p>1. Protetto contro la penetrazione di corpi solidi di dimensioni maggiori a 50 mm</p> <p>2. Protetto contro la penetrazione di corpi solidi di dimensioni maggiori a 12 mm</p> <p>3. Protetto contro la penetrazione di corpi solidi di dimensioni maggiori a 2,5 mm</p> <p>4. Protetto contro la penetrazione di corpi solidi di dimensioni maggiori a 1 mm</p> <p>5. Protetto contro la polvere</p> <p>6. Totalmente protetto contro la polvere</p> <p>Gradi di protezione indicati dalla seconda cifra:</p> <p>0. Non protetto</p> <p>1. Protetto contro lo stillicidio</p> <p>2. Protetto contro lo stillicidio, con un'inclinazione fino a 15°</p> <p>3. Protetto contro la pioggia</p> <p>4. Protetto contro gli spruzzi d'acqua</p> <p>5. Protetto contro i getti d'acqua</p> <p>6. Protetto contro le onde</p> <p>7. Stagno all'immersione</p> <p>8. Stagno alla sommersione</p> <p><i>The protection rating of lighting appliances is shown by the letters IP (International Protection) followed by two characteristic digits. The first of these two digits indicates the degree of protection that the appliances offer against the ingress of solid foreign objects. The second indicates the protection against the ingress of water.</i></p> <p>Protection ratings indicated by the first digit:</p> <p>0. No protection</p> <p>1. Protected against entry of solid objects larger than 50 mm</p> <p>2. Protected against entry of solid objects larger than 12 mm</p> <p>3. Protected against entry of solid objects larger than 2.5 mm</p> <p>4. Protected against entry of solid objects larger than 1 mm</p> <p>5. Protected against dust</p> <p>6. Completely protected against dust</p> <p>Protection ratings indicated by the second digit:</p> <p>0. No protection</p> <p>1. Protected against vertically falling drops of water</p> <p>2. Protected against vertically falling drops of water when appliance is tilted up to 15°</p> <p>3. Protected against rain</p> <p>4. Protected against water spray from all directions</p> <p>5. Protected against water jets</p> <p>6. Protected against heavy seas, flooding</p> <p>7. Sealed against immersion up to 1 metre</p> <p>8. Sealed against submersion over 1 metre</p>
F Recessed lamp	05 Aquamarine	43 Green			
G Wall-ceiling lamp	06 Ocean	47 Amber / Honey			
J Track lamp	07 Dusty pink	48 Dark wood colour			
	11 Polished aluminium	56 Rust	Class II Doppio isolamento e/o isolamento rinforzato in ogni parte e senza dispositivo di messa a terra. <i>Double insulation and/or reinforced insulation in every part and without ground devices.</i>	<div> CSQ Attesta che Fabbian S.R.L. attua un sistema qualità conforme alla normativa UNI EN ISO 9001:2015 per garantire la qualità nella progettazione, sviluppo, fabbricazione, commercializzazione, installazione del prodotto. <i>This certifies that Fabbian S.R.L. implements a quality system in conformity with the standard UNI EN ISO 9001:2015 to ensure quality in design, development, manufacture, selling/marketing and installation of the product.</i></div>	
	12 Gold	58 Smoked			
	14 Burnished	63 Painted grey			
	15 Chrome	65 White 3000K			
	16 Sand beige	69 Light wood colour	<div></div> Class III Apparecchio in cui la protezione contro la scossa elettrica si basa sull'alimentazione a bassissima tensione di sicurezza e in cui non si producono tensioni superiori alla stessa. <i>Appliance in which protection against electrical shock is guaranteed by the extremely low-voltage power supply and which does not produce higher voltages.</i>		
	19 Brass-plated	71 Translucent white			
	21 Anthracite	73 Teal blue / Amalfi blue			
	24 Black chrome	74 Gold-plated aluminium			
	25 Corten	75 Light grey		<div> Regolable system</div>	
	27 Anodized	76 Bronze			
	31 Blue	78 Satin rose gold			
	32 Orange / Coral	79 Satin gold			
	34 Titanium	99 Multicolour			

Dimmable electronic transformers for LED bulbs	Electronic transformer 70W 230/12V (min 1W-max 70W) Max 1 bulb Applications in D27 : F02, F04, F08, F10, F12, F14, F16, F18, F29, F52, F57, F62 Applications in F19 : F02, F05, F11, F21, F24, F31, F41, F50, F60	A22105	43,00 €
Electronic drivers	Dimmable electronic driver multivoltage/multicurrent 20W 24Vdc Max 1 bulb	A50307	79,00 €
	Dimmable electronic driver multivoltage/multicurrent 25W 700mA Max 10 bulbs Applications in F32 : L01, L02, L03, L04, L06, L07, L08, L09, L11, L12, L13, L14	A50307	79,00 €
Ballasts for LED strips	LED power supply constant voltage 35W 24Vdc Max 1 bulb Applications in F39 : G01, G02	A50207	42,00 €
	LED power supply constant voltage 75W 24Vdc Max 1 bulb Applications in F39 : G03, G04	A50208	45,00 €
	LED power supply constant voltage 100W 24Vdc Max 1 bulb Applications in F39 : G05, G06	A50209	70,00 €
	LED power supply constant voltage 150W 24Vdc Max 1 bulb	A50210	80,00 €
LED power	LED power supply constant voltage 20W 24 Vdc, dimm. 1.10V	A50202	65,00 €
	LED power supply constant voltage 25W 24 Vdc, dimm. 1.10V	A50203	86,00 €
	LED power supply constant voltage 40W 24 Vdc, dimm. 1.10V	A50204	100,00 €
	LED power supply constant voltage 60W 24 Vdc, dimm. 1.10V	A50205	105,00 €
	LED power supply constant voltage 90W 24 Vdc, dimm. 1.10V	A50206	145,00 €
	LED power supply 60W 24 Vdc, dimm. IGBT - Phase cut 30%-100%	A50211	116,00 €
	Dimmer in: 24Vdc out: 24Vdc, 10A, dimm. PUSH, 1.10V, DALI	A50308	97,00 €
	DALI - Phase cut 30%-100% interface, 115W 230V	A50309	189,00 €


Drivers for brightness LEDs

Converter for high brightness LEDs 350mA (max 15W) Max 1 bulb Applications in F19 : F03, F06, F22, F25	A50101	37,00 €
Converter for high brightness LEDs 500mA (max 20W) Max 1 bulb Applications in D27 : F31, F33, F37, F39, F40, F43, F44, F47, F49, F54, F59, F64 Applications in F19 : F53, F54, F63	A50106	51,00 €
Dimmable converter for high brightness LEDs 500mA (max 20W) PUSH 1.10V Max 1 bulb Applications in D27 : F31, F33, F37, F39, F40, F43, F44, F47, F49, F54, F59, F64	A50107	64,00 €
Converter for LEDs 500mA (max 12W) Max 1 bulb Applications in D27 : F31, F33, F37, F39, F40, F43, F44, F47, F49, F54, F59, F64	A50108	41,00 €
Convertitore per Multispot di potenza da 500mA/12V (6W) Max 1 bulb Applications in F32 : L01, L02, L03, L04, L06, L07, L08, L09, L11, L12, L13, L14	A50110	30,00 €
Dimm. converter for high brightness LEDs 350mA(6W) push 1.10V Max 1 bulb Applications in F32 : L01, L02, L03, L04, L06, L07, L08, L09, L11, L12, L13, L14 Applications in F41 : L01, L02, L03, L04, L06	A50111	55,00 €















Track accessories for Beluga D57 J and Claque F43 J

	Single phase 3 circuits tracks for ceiling 230V - 16A	A60201 01	White	100m	85,00 €
		A60201 02	Black	100m	85,00 €
		A60201 27	Grey	100m	85,00 €
		A60202 01	White	200m	145,00 €
		A60202 02	Black	200m	145,00 €
		A60202 27	Grey	200m	145,00 €
		A60203 01	White	300m	205,00 €
		A60203 02	Black	300m	205,00 €
		A60203 27	Grey	300m	205,00 €
	Single phase 3 circuits tracks for counter ceiling 230V - 16A	A60204 01	White	100m	96,00 €
		A60204 02	Black	100m	96,00 €
		A60204 27	Grey	100m	96,00 €
		A60205 01	White	200m	166,00 €
		A60205 02	Black	200m	166,00 €
		A60205 27	Grey	200m	166,00 €
		A60206 01	White	300m	234,00 €
		A60206 02	Black	300m	234,00 €
		A60206 27	Grey	300m	234,00 €
	Straight connector	A60207 01	White		21,00 €
		A60207 02	Black		22,00 €
		A60207 27	Grey		24,00 €
	Connector flexible for ceiling	A60208 01	White		119,00 €
		A60208 02	Black		119,00 €
		A60208 27	Grey		119,00 €
	Connector 90° for counter ceiling	A60209 01	White		75,00 €
		A60209 02	Black		75,00 €
		A60209 27	Grey		75,00 €
	Feeder R or L with head end	A60210 01	White	R	30,00 €
		A60210 02	Black	R	30,00 €
		A60210 27	Grey	R	30,00 €
		A60211 01	White	L	30,00 €
		A60211 02	Black	L	30,00 €
		A60211 27	Grey	L	30,00 €

LED strips, linear bars and lens

Bulbs	Description	Code	Qty	Power (W)	Volt (V)	Socket	Light beam	Light flux (lumen)	Lighting power (cd)	Light temp. (Kelvin)	Code ILCOS L	Type	Price (IVA not included) €
	LED strips (5 metres, IP20)	A50504	1	21,6/mt	24			2928/mt		3000			109,00 €
	LED strips (5 metres, IP65)	A50505	1	21,6/mt	24			2928/mt		3000			131,00 €
	Aluminium bar with lens 30°, clips and caps (2 meters)	A50602	1										49,00 €
	Aluminium bar with diffusor, clips and caps (2 meters)	A50603	1										47,00 €

LEDs

Bulbs	Description	Code	Qty	Power (W)	Volt (V)	Socket	Light beam	Light flux (lumen)	Lighting power (cd)	Light temp. (Kelvin)	Code ILCOS L	Type	Price (IVA not included) €
	LEDs	A10111C01	1	5	230	E14	240°	430		3000		G45	8,00 €
	Dimmable LEDs	A10225C01	1	16	230	E27	240°	1950		2700		A60	44,00 €
	Dimmable LEDs	A10228C01	1	10	230	E27	40°	820		3000		PRO-PAR30	53,00 €
	LEDs	A10705C01	1	7	12	GU5,3	60°	610	543	3000		MR16	28,00 €
	Dimmable LEDs	A10603C01	1	16	12	G53	25°	1190		3000		AR111	97,00 €
	Dimmable LEDs	A11105C01	1	7	230	GU10	60°	550	583,1	3000		PAR16	41,00 €
	LEDs	A11010C01	1	4,5	230	G9		430		3000			21,00 €
	LEDs filament bulb	A10230C01	1	11	230	E27	360°	1521		2700		G125	24,00 €
	Globe LEDs	A10231C01	1	22	230	E27	330°	2300		4000		G120	52,00 €
	LEDs filament bulb	A10232C01	1	10	230	E27	360°	1521		2700		A60	15,00 €
	Filament bulb	A10233C01	1	4,5	230	E14	360°	470		2700		G45	11,00 €
	Dimmable LEDs	A10234C01	1	15	230	E27	330°	2000		3000		T38	69,00 €
	LEDs (78 mm)	A11509C01	1	6	230	R7s	360°	700		3000			38,00 €
	Dimmable LEDs (118 mm)	A11510C01	1	14	230	R7s	180°	1700		3000			48,00 €

Garanzia 5 anni (per i rapporti BtoB)

Fabbian Srl garantisce tutti i prodotti presenti a catalogo per 5 anni dalla data della fattura.

CONDIZIONI DI GARANZIA

1. I prodotti installati devono essere sottoposti ad opportuna manutenzione e installati da personale qualificato rispettando le istruzioni di montaggio e le norme di installazione vigenti.
2. Per poter accedere alla garanzia il cliente deve aver ottemperato a tutte le condizioni contrattuali previste dal contratto di acquisto.
3. La garanzia decade nel momento in cui vengono superati i limiti di temperatura ambiente e di tensione. Il prodotto deve essere utilizzato in ambiente/applicazione idonee a seconda delle caratteristiche dichiarate da Fabbian Srl (ad esempio grado IP, watt, ecc.).
4. Per poter procedere al reso dei presunti prodotti difettosi è necessario ricevere autorizzazione scritta da parte di Fabbian Srl.
5. I presunti prodotti difettosi devono essere rispediti in Fabbian Srl integri, senza essere stati modificati o manomessi; Fabbian Srl eseguirà poi le verifiche del caso per individuare la natura e la causa del guasto.
6. La garanzia decade nel momento in cui il cliente decida, senza autorizzazione scritta di Fabbian Srl, di eseguire interventi di sostituzione/manutenzione/riparazione dei prodotti.
7. La garanzia prevede la riparazione/sostituzione e riconsegna del prodotto; qualsiasi costo aggiuntivo (costi di installazione, trasporti da rivenditore a consumatore finale e viceversa, smaltimento, rimborsi, trasferte, noleggio elevatori o ponteggi) non saranno addebitabili a Fabbian Srl.
8. La garanzia di 5 anni per i prodotti forniti con LED integrato, è valida solo se la perdita di flusso del LED fornito è superiore allo 0,6% ogni 1000 ore di funzionamento. La garanzia non copre le fonti luminose installate sul prodotto anche se fornite dalla Fabbian Srl.
9. Gli alimentatori utilizzati per collegare i prodotti devono essere forniti da Fabbian Srl e devono avere delle caratteristiche conformi ai prodotti che vengono collegati (ad esempio numero di led, tensioni).
10. Il difetto deve essere segnalato a Fabbian Srl entro 30 giorni dalla data di ricezione dei prodotti (per difetti apparenti) o dalla scoperta del guasto (per difetti occulti).
11. Nel caso in cui il difetto sia imputabile a Fabbian Srl, la stessa si riserva la possibilità di scegliere se riparare o sostituire il prodotto; in entrambi i casi potrebbero presentarsi diversità di prestazione dei prodotti, compatibilmente con l'evoluzione tecnica dei componenti utilizzati.
12. I prodotti riparati non godranno di prolungamento della garanzia che rimarrà di 5 anni dalla data della fattura di acquisto.
13. Per qualsiasi controversia il foro competente è esclusivamente quello di Treviso.

5 years warranty (for BtoB contact)

Fabbian srl guarantees all products in its catalogue for 5 years from the date of the invoice.

GENERAL CONDITIONS OF WARRANTY

1. Only qualified personnel can carry out maintenance on the products and install them observing the assembly instructions and current installation regulations.
2. To activate the warranty the customer must produce the fully paid invoice.
3. The warranty is no longer valid if the ambient temperature and voltage limits are exceeded. The product must be used in areas or for applications that comply with the characteristics declared by Fabbian srl (e.g. IP rating or traffic rating).
4. Products deemed faulty can only be returned if authorised in writing by Fabbian srl.
5. Products deemed faulty must be returned to Fabbian srl intact and without modifications; Fabbian srl will inspect the products to identify the nature and cause of the fault.
6. The warranty is no longer valid if the customer replaces parts or carries out maintenance or repairs on the products without written authorisation by Fabbian srl.
7. The warranty covers product repairs/replacements; any additional costs (for installation, transport, disposal, refunds, transfers or hire fees for fork lift trucks or scaffolding) cannot be charged to Fabbian srl.
8. The 5-year warranty is valid only if the LED flow loss exceeds 0.6% every 1000 hours of operation. The guarantee does not cover light bulbs installed on the product even if supplied by Fabbian Srl.
9. The power packs and accessories used to connect the products must be supplied or prescribed by Fabbian srl and have characteristics in line with the products to be connected (e.g. number of LEDs, voltage).
10. Faults must be notified to Fabbian srl within 30 days of receipt of the goods (in the case of apparent faults) or of discovering the fault (in the case of hidden faults).
11. If the fault is attributable to Fabbian srl, the company reserves the right to choose whether to repair or replace the product; in both cases the performance of the product may be affected, due to the technical evolution of the components involved.
12. Repaired or replaced products will not be entitled to extension of the warranty, which will remain valid for 5 years from the date of the original purchase invoice.
13. Competence for any controversy lies exclusively with the Court of Treviso.

Condizioni generali di vendita

1. GENERALITÀ
- 1.1

Il presente documento si rivolge ai clienti di Fabbian Srl (di seguito "Fabbian Srl").
- 1.2

Esso intende definire le disposizioni che disciplineranno tutti i contratti d'acquisto stipulati tra Fabbian Srl e ciascun cliente (di seguito "condizioni generali di vendita"). Sono esclusi interventi di installazione da parte di Fabbian Srl.
- 1.3

I contratti d'acquisto assoggettati alle condizioni generali di vendita hanno ad oggetto i prodotti con marchio Fabbian Srl (di seguito "prodotti").
- 1.4

In alcun caso le condizioni generali di vendita potranno costituire offerta diretta di Fabbian Srl a terzi acquirenti dei prodotti né potranno in alcun modo impegnare Fabbian Srl nei confronti dei clienti terzi ovvero degli acquirenti finali dei prodotti.
2. OFFERTE PREVENTIVI
- 2.1

Le offerte formulate da Fabbian Srl ai clienti conservano efficacia per il periodo massimo indicato nell'offerta stessa (data validità) e non vincolano Fabbian Srl alla fornitura dei prodotti offerti.
3. ORDINI
- 3.1

Ai sensi dell'art. 1329 c.c. gli ordini d'acquisto indirizzati a Fabbian Srl, costituiscono proposta ferma ed irrevocabile per un periodo di 30 (trenta) giorni dalla data della loro ricezione da parte di Fabbian Srl.
- 3.2

Il contratto d'acquisto si perfeziona con:
a) la conferma scritta dell'ordine d'acquisto da parte di Fabbian Srl; o
b) con l'esecuzione materiale dell'ordine d'acquisto da parte di Fabbian Srl.
- 3.3

Qualsiasi modifica o integrazione di singole disposizioni delle condizioni generali di vendita o dell'ordine d'acquisto sono prive di efficacia se non espressamente approvate per iscritto da Fabbian Srl. In caso di modifiche all'ordine di acquisto, Fabbian Srl si riserva il diritto di annullare sia le modifiche sia l'ordine d'acquisto originario.
- 3.4

La data di consegna dei prodotti indicata negli ordini d'acquisto ha sempre e comunque valore esclusivamente indicativo ed eventuali ritardi rispetto a tale termine non costituiranno titolo per richieste risarcitorie o per azione di risoluzione del contratto. In particolare Fabbian Srl si riserva la facoltà di prorogare i termini di consegna nonché di annullare l'ordine di acquisto per cause di forza maggiore o eventi non dipendenti dalla sua volontà; cambiamento della situazione giuridica del cliente; difficoltà di approvvigionamenti di materie prime e componenti.
4. CONSEGNA E SPEDIZIONE
- 4.1

I prodotti vengono spediti dal luogo di produzione ovvero dalla sede legale di Fabbian Srl.
- 4.2

Nel caso in cui i prodotti siano consegnati ex-works Castelminio di Resana (TV), il passaggio del rischio si realizza dal momento della consegna dei prodotti da parte di Fabbian Srl al cliente, il quale si assume inoltre i costi di trasporto.
- 4.3

Salvo diverso accordo, Fabbian Srl stabilisce, in nome e per conto del cliente, il tipo di spedizione, la via di trasporto ed il vettore.
- 4.4

Fabbian Srl si riserva la facoltà di effettuare esecuzioni o consegne parziali degli ordini d'acquisto. Tutte le consegne parziali verranno fatturate autonomamente ed i termini di pagamento decorreranno dalla data di ciascuna fattura. Il pagamento delle consegne parziali non potrà essere differito all'ultimazione delle consegne relative all'ordine d'acquisto originario. Anche in caso di consegne parziali, troverà applicazione quanto stabilito dall'articolo 4.1.
5. PREZZI E LISTINI
- 5.1

Il prezzo si intende quello indicato nell'ultimo listino Fabbian Srl, per i prodotti consegnati al cliente, imballaggio normale compreso, IVA e spese di spedizione escluse (di seguito "prezzo"). L'ultimo listino emesso da Fabbian Srl annulla tutti i listini precedenti. Qualora si verifichi un cambiamento di listino durante il periodo di 30 (trenta) giorni di cui all'articolo 3.1, all'ordine di acquisto si applicherà il listino in vigore al momento di ricezione dello stesso da parte di Fabbian Srl.
6. PAGAMENTO
- 6.1

Il pagamento del prezzo dovrà avvenire entro il termine pattuito. Fatto salvo maggior danno, il mancato pagamento del prezzo entro tale termine determinerà la decorrenza di interessi per il ritardo di pagamento nelle transazioni commerciali, nella misura prevista dal D.Lgs.n.231 del 9.10.2002 (come recepimento della Direttiva del parlamento Europeo e del Consiglio 2000/35/CE e della convenzione di Vienna del 11.04.1980, ratificata dallo Stato Italiano con L.n. 765/1985) e successive modifiche ed aggiornamenti. Tali interessi decorreranno dalla scadenza del termine di pagamento e saranno dovuti con il terzo sollecito di pagamento da parte di Fabbian Srl.
- 6.2

Il cliente non potrà proporre domande né formulare eccezioni nei confronti di Fabbian Srl se non dopo aver provveduto al pagamento del prezzo.
- 6.3

In caso di irregolarità nei pagamenti, Fabbian Srl si riserva il diritto di bloccare tutti gli ordini d'acquisto nonché tutte le consegne in corso, senza alcun preavviso né diritto di risarcimento di alcun danno.
7. RISERVA DI PROPRIETÀ
- 7.1

Per convenzione espressa, i prodotti rimangono di proprietà di Fabbian Srl fino al saldo integrale del prezzo da parte del cliente, indipendentemente da chi abbia la detenzione dei prodotti. Le spese di trasporto e le altre necessarie al recupero dei prodotti così come le spese straordinarie e quelle ripetibili, saranno a carico del cliente.
8. MARCHI E SEGNI DISTINTIVI
- 8.1

E' fatto espresso divieto al cliente di violare tali diritti di Fabbian Srl ed in ogni caso il cliente non potrà in alcun modo rimuovere, sopprimere o comunque alterare marchi ed altri segni distintivi o sigle di qualsiasi genere apposti ai prodotti, così come è fatto divieto di apporre di nuovi di qualsiasi natura. E' vietata inoltre qualsiasi forma di riproduzione od utilizzo del marchio Fabbian Srl e di ogni altro segno distintivo presente sui prodotti, salvo autorizzazione scritta da Fabbian Srl.
9. CLAUSOLA RISOLUTIVA ESPRESSA
- 9.1

Ai sensi e per gli effetti dell'articolo 1456 del Codice Civile, il mancato o il ritardato pagamento, anche parziale, del prezzo da parte del cliente, secondo le modalità di cui all'articolo 6 delle presenti condizioni generali di vendita, comporterà la risoluzione del contratto di acquisto, con diritto per Fabbian Srl di chiedere al cliente il risarcimento dei danni patiti, oltre alla restituzione dei prodotti rispetto ai quali il cliente non abbia pagato il prezzo.
10. ACCORDI TRA LE PARTI
- 10.1

In caso di accordi, preesistenti e sopravvenuti, tra Fabbian Srl ed il cliente, in relazione a resi e modalità di pagamento, tali accordi prevarranno su quanto a riguardo stabilito dalle condizioni generali di vendita.
11. LEGGE APPLICABILE E FORO COMPETENTE
- 11.1

I contratti di acquisto conclusi secondo le condizioni generali di vendita sono soggetti e devono essere interpretati secondo le norme di legge italiane, con esclusione di qualsiasi altro diritto.
- 11.2

Tutte le controversie che dovessero sorgere in merito ai suddetti contratti d'acquisto saranno assoggettate alla giurisdizione italiana e rimesse alla competenza esclusiva del Tribunale di Treviso (Italia).

Le foto contenute nel catalogo sono indicative del prodotto e non rappresentano vincolo contrattuale.
Tutti i dati sono stati redatti con la massima cura da Fabbian Srl che si riserva di apportare variazioni e aggiornamenti in qualsiasi momento.

General conditions of sale

1. GENERAL

- 1.1 This document is addressed to customers of Fabbian Srl (hereinafter "Fabbian Srl").
- 1.2 Its purpose is to establish the conditions regulating all purchase agreements between Fabbian Srl and individual customers (hereinafter "general conditions of sale"). Installation operations carried out by Fabbian Srl are not included.
- 1.3 Purchase agreements regulated by the general conditions of sale refer to products carrying the Fabbian Srl brand (hereinafter "products").
- 1.4 The general conditions of sale are not in any way a direct offer by Fabbian Srl to third parties purchasing the products, and can in no way commit Fabbian Srl towards third parties, that is to say the end purchaser of the products.

2. QUOTES

- 2.1 Quotes submitted to customers by Fabbian Srl are valid for a maximum period of 30 (thirty) days from the date of sending the quote and do not bind Fabbian Srl to supply the products in question.

3. ORDERS

- 3.1 Under the terms of art. 1329 of the Italian Civil Code purchase orders signed by customers and addressed to Fabbian Srl are a firm irrevocable commitment for a period of 30 (thirty) days from the date they are received by Fabbian Srl.
- 3.2 A purchase agreement becomes valid when:
 - a) Fabbian Srl has confirmed the purchase order in writing; or
 - b) Fabbian Srl has actually executed the purchase order.
- 3.3 Any amendments or integration to the individual dispositions in the general conditions of sale or purchase order are ineffectual if not expressly approved in writing by Fabbian Srl. In the event of amendments to the purchase order Fabbian Srl reserves the right to null both the amendments and the original purchase order.
- 3.4 The product delivery date indicated on the purchase order is always indicative and any delays shall not be the cause for claiming damages or terminating the agreement. In particular, Fabbian Srl reserves the right to extend the terms of delivery and also to cancel the purchase order due to force majeure or events outside its control; changes in the customer's legal standing; difficulties in finding supplies of raw materials and components.

4. DISPATCH AND DELIVERY

- 4.1 The products are dispatched from our production facility, i.e. the registered place of business of Fabbian Srl.
- 4.2 If the terms of delivery for the goods are Ex-works Castelminio di Resana (TV), risk is transferred from the moment the products are delivered by Fabbian Srl to the customer, who shall pay the transport costs.
- 4.3 Unless otherwise agreed, Fabbian Srl will establish the type of transport, route and carrier on the customer's behalf.
- 4.4 Fabbian Srl reserves the right to partially carry out the order or make partial delivery of the products on the purchase order. All partial deliveries will be invoiced separately and the conditions of payment will apply from the date of each invoice. Payment for partial deliveries cannot be deferred until all the deliveries relating to the purchase order have been made. Clause 4.1 hereof also applies in the event of partial deliveries.

5. PRICES AND PRICE LISTS

- 5.1 The price is the one indicated in the latest Fabbian Srl price list, for products delivered to the customer in normal packing, VAT and shipping fees not included (hereinafter "price"). The latest price list is sued by Fabbian Srl makes all previous ones null and void. If changes are made to the price list within the 30 (thirty) day period mentioned in clause 3.1 hereof, the price list valid when Fabbian Srl receives the purchase order will be applied.

6. PAYMENT

- 6.1 Payment shall be made in the terms agreed upon. Without prejudice to greater damages, failure to pay the price within such term shall cause the application of interest for delayed payment in commercial transactions, at the rate established by Italian Legislative Decree No. 231 of 9.10.2002 (implementing European Directive 2000/35/CE and the Vienna Convention of 11.04.1980, ratified by the Italian state through Law No. 765/1985) and later amendments and updates. Such interest shall be applied from expiry of the date on which payment was due and will fall collectible after the third reminder by Fabbian Srl.
- 6.2 The customer shall not question Fabbian Srl or formulate exceptions until the price has been paid.
- 6.3 In the event of irregular payments Fabbian Srl reserves the right to block all purchase orders and all deliveries in progress, without notice and without this being cause for claiming damages.

7. TITLE RETENTION CLAUSE

- 7.1 By convention, the products shall remain vested in Fabbian Srl and shall not pass to the customer until the purchase price has been paid in full, regardless of who detains the products. Transport costs and other charges relating to taking them back, as well as extraordinary and recurring costs, shall be paid by the customer.

8. TRADE MARKS AND DISTINGUISHING SIGNS

- 8.1 The customer is expressly forbidden to violate the rights of Fabbian Srl and in any case cannot remove, suppress or alter trade marks and other distinguishing signs or logos of any kind whatsoever attached to the products. In the same way new labels of any kind whatsoever cannot be attached to the products. Furthermore, the Fabbian Srl trade mark or any other distinguishing mark on the products cannot be used or reproduced in any way unless authorised in writing by Fabbian Srl.

9. EXPRESS TERMINATION CLAUSE

- 9.1 Under the terms of art. 1456 of the Italian Civil Code, if the customer fails to pay, or delays payment, even partially, of the price in the way laid down in clause 6 of these conditions of sale, the purchase agreement shall be terminated and Fabbian Srl shall have the right to claim damages as well as return of the products not paid for by the customer.

10. AGREEMENT BETWEEN THE PARTIES

- 10.1 In the event of pre-existing and intervening agreements between Fabbian Srl and the customer regarding returns and terms of payment, such agreements shall prevail over those established by the general conditions of sale.

11. APPLICABLE LAW AND COMPETENT COURT

- 11.1 Purchase agreements concluded according to the general conditions of sale are subject to Italian law, without exception, and shall be interpreted in the light of said law.
- 11.2 Any controversies arising with regard to the above-mentioned purchase agreements shall be subject to Italian jurisdiction and the competent court shall be that of Treviso, Italy.

The photographs in our catalogue are indicative of the product and are not contractually binding.

All data have been carefully drawn up by Fabbian Srl, which reserves the right to vary or update them at any time.

Italy

Fabbian Srl
Via Vicenza, 32
31050, Veduggio, Treviso
tel +39 0423 4848
fax +39 0423 484395
www.fabbian.com

Sales

italia@fabbian.com
export@fabbian.com

Mkt & Com

marketing@fabbian.com

Usa & Canada

Fabbian Usa Corp.
307 W 38th St Ste 1103
New York, NY 10018, Usa
ph. +1 646 518 4160
fax +1 646 518 4180
www.fabbian.us

Sales

usa@fabbian.com
canada@fabbian.com

Mkt & Com

marketing.usa@fabbian.com

This price list cannot be copied, scanned or reproduced by any means. All rights reserved.

Pictures, descriptions, dimensions and technical data have to be considered as purely indicative. While maintaining the basic characteristics of the product, the manufacturer reserves the right to make modifications at any time with the sole aim of improvement.

Two points,
the light comes on
fabbian.com