

















Suspensions, Ceiling lamps, Wall lamps,
Table lamps, Floor lamps, Systems, LED strip and supports,
Spotlights, Tracks, Recessed lights, Bollard, Light bulbs,
Accessories / Indoors, Outdoors / Minimal, Decorative,
Architectural / **Light and design to serve people.**

Light up your 2026.

ideal lux®











































ideal lux[®]

Index		Alphabetical index	004
		Typology index	008
		Company Presentation	032
<hr/>			
Indoors		Suspensions	050
		Ceiling lamps	228
		Wall lamps	344
		Table lamps	444
		Floor lamps	482
		Linear systems	532
		LED strip and supports	630
		Spotlights and Tracks	648
		Recessed lights	698
<hr/>			
Outdoors		Suspensions and ceiling	798
		Wall lamps	812
		Bollard and Table lamps	860
		Spotlights	912
		Downlights	928
<hr/>			
Light bulbs		Light bulbs and accessories	942
		Families' index	962
		Code index	978



Dorica




























































































Pag 80

Acqua	902	Birds	 469
Agos	882	Birds	 494
Ali	387	Bistro'	187
A-line	126	Bit	930
Alma	394	Blade	488
Amadeus	212	Blanche	208
Ampolla	119	Block	361
Andromeda	847	Bloom	 142
Angolo	 328	Bloom	 288
Angolo	 471	Bloom	 385
Angolo	 495	Bloom	 462
Apollo	830	Bloom	 499
Arcadia	880	Blues	796
Archimede	129	Boeing	896
Argo	844	Bon bon	223
Aria	147	Bonne nuit	408
Arizona	 152	Bow	396
Arizona	 283	Breeze	133
Armony	339	Brigitta	221
Atena	900	Bubble	 810
Atlas	 106	Bubble	 854
Atlas	 326	Caesar	205
Atlas	 422	Camerino	388
Atom	840	Candy	 154
Atrium	284	Candy	 285
Audi-10	188	Candy	 464
Audi-80	189	Cantina	 136
Axel	 473	Cantina	 424
Axel	 524	Carlton	 199
Balance	356	Carlton	 343
Barber	417	Carlton	 435
Base	831	Carta	 174
Basic	754	Carta	 287
Bean	402	Carta	 386
Bento	708	Carta	 464
Beyond	764	Casanova	219
Binomio	 330	Celine	274
Binomio	 426	Chalet	 226
Binomio	 466	Chalet	 440
Binomio	 496	Cima	 857
Birds	 107	Cima	 910
Birds	 324	Circus	77
Birds	 420	Citrus	121

Alphabetical index

Click	356	Diamond	105	Equinoxe	491	Gemini	276	Level	281
Clio	804	Diamond	460	Eris	135	Gim	416	Lika	306
Clio	856	Diesis	128	Essence	96	Ginger	508	Lika	778
Clio	908	Diesis	455	Essence	390	Gioconda	213	Linea	836
Clip	357	Diesis	511	Essence	451	Gioconda	439	Lingotto	102
Cloud	290	Display	680	Essence	502	Giove	848	Lingotto	329
Clown	178	Dodo	414	Etere	827	Glim	315	Lingotto	469
Cocktail	138	Dodo	509	Etere	904	Glory	151	Link	688
Coco	185	Dorica	80	Eva	498	Glory	280	Lite	405
Colossal	210	Dorica	371	Fade	144	Goose	400	Litio	819
Comet	518	Dorica	452	Febe	858	Gourmet	325	Litio	926
Cometa	852	Dorica	504	Felix	849	Groove	760	Lolita	870
Comfort	512	Doris	876	Fiesta	811	Gun	808	Lolly	381
Compo	335	Dorsale	520	Firenze	222	Gun	832	London	474
Cono	136	Down	858	Firenze	440	Halo	254	London	525
Copernico	116	Dream big	175	Firenze	478	Harem	225	Look	82
Corolla	291	Driftwood	227	Firenze	530	Harem	442	Look	296
Corte	209	Driftwood	478	Flam	94	Hermes	332	Look	372
Corte	437	Driftwood	524	Flash	370	Holly	127	Look	506
Cosmo	907	Dubai	204	Floor	933	Hotel	433	Look	679
Cosmopolitan	327	Dubai	342	Florian	214	Hub	891	Lucciola	99
Cotton	155	Dubai	435	Florian	438	Hulahoop	76	Lumiere	180
Cotton	286	Dynamic	714	Fluo	608	Iko	838	Lumiere	459
Cotton	384	Dynamite	100	Flut	137	Indio	931	Lumiere	490
Cover	352	Dynamite	310	Fly	244	Infinity	742	Luna	802
Craft	98	Dynamite	412	Focus	398	Inside	927	Luna	878
Craft	358	Dynamite	676	Folk	146	Io	399	Madame	190
Craft	515	Dynamo	401	Fox	658	Ipotesi	873	Magnolia	342
Crown	68	Easy	454	Frame	78	Jazz	794	Make-up	396
Cute	868	Easy	510	Frame	242	Jedi	894	Mapa	158
Cylinder	191	Eclipse	149	Frame	500	Kali	479	Mapa	287
Cylinder	528	Edison	122	Frida	122	Kalique	182	Mapa	382
Daddy	522	Edo	901	Frida	418	Keope	830	Mapa	465
Dafne	857	Ego	486	Funky	794	King	338	Martinez	200
Dafne	911	Ego	554	Futura	456	Koala	920	Martinez	343
Daisy	334	Elf	404	Futura	514	Komodo	410	Mercurio	902
Danieli	220	Elio	818	Galaxy	104	Konse	118	Mib	810
Dedra	859	Elio	926	Game	722	Kubiko	306	Milk	137
Deep	752	Empire	181	Gas	821	Kurt	889	Minor	103
Delta	362	Enya	872	Gas	891	Lana	148	Mint	186
Desk	98	Eos	666	Gea	432	Lawyer	458	Miracle	69
Desk	358	Equinoxe	112	Geko	294	Led panel	774	Mirror-10	397
Deva	534	Equinoxe	423	Gemini	60	Lena	148	Mix up	130

Alphabetical index

Mix up	 292	Oracle slim	 234	Prato	468	Snow	 855	Tronco	 826
Mix up	 507	Origami	140	Pretty	388	Soda	380	Tronco	 898
Moby	134	Ovalino	 153	Prive'	389	Soft	184	Tubix	95
Monet	203	Ovalino	 290	Profilo	318	Sole	 800	Twiggy	874
Mood	307	Ovalino	 380	Pulsar	903	Sole	 877	Twin	846
Moonlight	341	Oz	 64	Punto	834	Spike	 308	Ulex	922
Moris	355	Oz	 238	Pure	864	Spike	 678	Ulissee	152
Mr jack	123	Oz	 350	Quark	738	Squish	275	Umile	141
Nabucco	201	Oz	 448	Queen	 481	Starlight	918	Universal	270
Napoleon	216	O-zone	 816	Queen	 529	Steel	 359	Up	844
Negresco	 211	O-zone	 916	Radio	419	Steel	 616	Urano	809
Negresco	 438	Page	406	Ray	256	Stick	594	Vega	893
Nemo	176	Pagoda	523	Regol	525	Strauss	 218	Virus	736
Net	117	Pan	434	Retro'	397	Strauss	 439	V-line	97
Neve	340	Park	936	Rex	850	Style	 824	Walky	792
Newton	 424	Pasha'	 202	Riflesso	395	Style	 884	Wally	457
Newton	 516	Pasha'	 337	Rocket	940	Swing	794	Waves	58
Ninfea	 333	Pasha'	 434	Roma	336	Swipe	823	Way	938
Ninfea	 428	Pegaso	 206	Room-65	795	Tab	360	Winery	 314
Ninfea	 472	Pegaso	 436	Rudy	 316	Tag	734	Winery	 416
Nitro	302	Pegaso	 480	Rudy	 415	Taurus	934	Wire	930
Nodi	 110	Peggy	353	Samba	790	Techo	806	Xeno	822
Nodi	 321	Perlage	 108	Santa	443	Terra	 820	Yoko	 97
Nordik	 191	Perlage	 322	Sasso	879	Terra	 925	Yoko	 501
Nordik	 432	Perlage	 421	Set up	 192	Tesi	636	Yurta	132
Nordik	 475	Perlage	 470	Set up	 264	Tesla	890	Zephyr	788
Nordik	 528	Perlage	 492	Set up	 430	Tetris	845	Zeus	700
Norma	224	Perline	107	Set up	 476	Thor	 914	Zig zag	366
Nova	770	Peter	441	Set up	 526	Thor	 932	Ziggy	260
Oby	 312	Piano	411	Shell	295	Tick	429		
Oby	 417	Pipe	407	Shower	425	Tifone	892		
Odeon	156	Pivot	450	Simply	294	Titano	888		
Off	748	Planet	262	Sirio	 839	Toby	313		
Office	628	Play	 312	Sirio	 886	Toffee	 835	Led Strip and lightbulbs:	
Oil	124	Play	 674	Sirio	 924	Toffee	 866	Strip Led	632
Omega	817	Play	 762	Slot	640	Topico	 145	E14	944
Onion	120	Plisse'	147	Smarties	 150	Topico	 289	E27	946
Opera	 198	Polar	853	Smarties	 282	Torre	906	G4	952
Opera	 436	Polka	797	Smarties	 386	Totem	274	G9	952
Opera	 480	Polly	517	Smarties	 461	Triplo	387	GX53	953
Opera	 529	Post-it	842	Smile	650	Triumph	 102	R7s	953
Oracle	76	Pouche	354	Snif	828	Triumph	 320	GU10	954
Oracle slim	 70	Pov	672	Snow	 803	Triumph	 422		



Bloom

Pag 499

















































Tubix

Pag 95



























































Typology index

Suspensions Indoors

	 new	 new	 new		 new	
Waves 058	Gemini 060	Oz 064	Crown 068	Miracle 069	OracleSlim 070	Oracle 076
			 new	 new	 new	 new
Hulahoop 076	Circus 077	Frame 078	Dorica 080	Look 082	Flam 094	Tubix 095
 new						 new
Essence 096	Yoko 097	V-Line 097	Desk 098	Craft 098	Lucciola 099	Dynamite 100
					 new	
Triumph 102	Lingotto 102	Minor 103	Galaxy 104	Diamond 105	Atlas 106	Birds 107
	 new	 new	 new			
Perline 107	Perlage 108	Nodi 110	Equinox 112	Copernico 116	Net 117	Konse 118
						
Ampolla 119	Onion 120	Citrus 121	Frida 122	Edison 122	Mr Jack 123	Oil 124
						
A-Line 126	Holly 127	Diesis 128	Archimede 129	Mix Up 130	Yurta 132	Breeze 133

Suspensions

Indoors

						 new
Moby 134	Eris 135	Cantina 136	Cono 136	Milk 137	Flut 137	Cocktail 138
		 new				
Origami 140	Umile 141	Bloom 142	Fade 144	Topico 145	Folk 146	Aria 147
			 new			
Plissé 147	Lana 148	Lena 148	Eclipse 149	Smarties 150	Glory 151	Ulisse 152
				 new	 new	
Arizona 152	Ovalino 153	Candy 154	Cotton 155	Odeon 156	Mapa 158	Carta 174
		 new			 new	
Dream Big 175	Nemo 176	Clown 178	Lumiere 180	Empire 181	Kalique 182	Soft 184
						
Coco 185	Mint 186	Bistrò 187	Audi-10 188	Audi-80 189	Madame 190	Nordik 191
						
Cylinder 191	Set Up 192	Opera 198	Carlton 199	Martinez 200	Nabucco 201	Pashà 202
						
Monet 203	Dubai 204	Caesar 205	Pegaso 206	Blanche 208	Corte 209	Colossal 210



Odeon

Pag 156



Negresco

Pag 211

Suspensions

Indoors



Negresco 211



Amadeus 212



Gioconda 213



Florian 214



Napoleon 216



Strauss 218



Casanova 219



Danieli 220



Brigitta 221



Firenze 222



Bon Bon 223



Norma 224



Harem 225



























































Chalet 226



Driftwood 227

Ceiling lamps

Indoors

<small>new</small> 	<small>new</small> 					
Oracle Slim 234	Oz 238	Frame 242	Fly 244	Halo 254	Ray 256	Ziggy 260
<small>new</small> 						<small>new</small> 
Planet 262	Set Up 264	Universal 270	Celine 274	Totem 274	Squish 275	Gemini 276
						
Glory 280	Level 281	Smarties 282	Arizona 283	Atrium 284	Candy 285	Cotton 286
		<small>new</small> 				
Mapa 287	Carta 287	Bloom 288	Topico 289	Ovalino 290	Cloud 290	Corolla 291
				<small>new</small> 		
Mix Up 292	Geko 294	Simply 294	Shell 295	Look 296	Nitro 302	Kubiko 306
<small>new</small> 			<small>new</small> 			
Lika 306	Mood 307	Spike 308	Dynamite 310	Play 312	Oby 312	Toby 313
						
Winery 314	Glim 315	Rudy 316	Profilo 318	Triumph 320	Nodi 321	Perlage 322
						
Birds 324	Gourmet 325	Atlas 326	Cosmopolitan 327	Angolo 328	Lingotto 329	Binomio 330

A modern kitchen interior featuring a long, light-colored wooden countertop. Below the countertop, several wooden bar stools with metal frames are visible. The background consists of white, minimalist kitchen cabinets. Integrated into the cabinets are two black appliances, likely ovens or microwaves. Three gold-colored pendant lights hang from the ceiling, casting a warm glow. The overall aesthetic is clean and contemporary.

Look

Pag 296

Ninfea

Pag 333



Ceiling lamps

Indoors



Hermes [332](#)



Ninfea [333](#)



Daisy [334](#)



Compo [335](#)



Roma [336](#)



Pashà [337](#)



King [338](#)



Armony [339](#)



Neve [340](#)



Moonlight [341](#)



Magnolia [342](#)



Dubai [342](#)



























































Carlton [343](#)



Martinez [343](#)

Wall lamps

Indoors

						
Oz 350	Cover 352	Peggy 353	Pouche 354	Moris 355	Click 356	Balance 356
						
Clip 357	Desk 358	Craft 358	Steel 359	Tab 360	Block 361	Delta 362
						
Zig Zag 366	Flash 370	Dorica 371	Look 372	Soda 380	Ovalino 380	Lolly 381
						
Mapa 382	Cotton 384	Bloom 385	Smarties 386	Carta 386	Triplo 387	Ali 387
						
Camerino 388	Pretty 388	Privè 389	Essence 390	Alma 394	Riflesso 395	Make Up 396
						
Bow 396	Mirror-10 397	Retrò 397	Focus 398	Io 399	Goose 400	Dynamo 401
						
Bean 402	Elf 404	Lite 405	Page 406	Pipe 407	Bonne Nuit 408	Komodo 410
						
Piano 411	Dynamite 412	Dodo 414	Rudy 415	Gim 416	Winery 416	Oby 417



Bean

Pag 402



Atlas

Pag 422



Wall lamps

Indoors

new



Barber 417 Frida 418 Radio 419 Birds 420 Perlage 421 Triumph 422 Atlas 422




Equinox 423 Cantina 424 Newton 424 Shower 425 Binomio 426 Ninfea 428 Tick 429



Set Up 430 Nordik 432 Gea 432 Hotel 433 Pan 434 Pashà 434 Carlton 435








Dubai 435 Opera 436 Pegaso 436 Corte 437 Negresco 438 Florian 438 Gioconda 439



Strauss 439 Firenze 440 Chalet 440 Peter 441 Harem 442 Santa 443

Table lamps

Indoors

		 <div>new</div>	 <div>new</div>			
Oz 448	Pivot 450	Essence 451	Dorica 452	Easy 454	Diesis 455	Futura 456
					 <div>new</div>	
Wally 457	Lawyer 458	Lumiere 459	Diamond 460	Smarties 461	Bloom 462	Carta 464
		 <div>new</div>				
Candy 464	Mapa 465	Binomio 466	Prato 468	Birds 469	Lingotto 469	Perlage 470
						
Angolo 471	Ninfea 472	Axel 473	London 474	Nordik 475	Set Up 476	Driftwood 478
						
Firenze 478	Kali 479	Opera 480	Pegaso 480	Queen 481		



Essence

Pag 451

Floor lamps

Indoors

						
Ego 486	Blade 488	Lumiere 490	Equinoxe 491	Perlage 492	Birds 494	Angolo 495
						
Yoko 501	Essence 502	Dorica 504	Look 506	Mix Up 507	Ginger 508	Dodo 509
						
Craft 515	Newton 516	Polly 517	Comet 518	Dorsale 520		
						
Regol 525	London 525	Set Up 526	Cylinder 528	Nordik 528	Opera 529	Queen 529

new



Binomio 496



Eva 498

new



Bloom 499



Frame 500



Easy 510



Diesis 511



Comfort 512



Futura 514



Daddy 522



Pagoda 523



Axel 524



Driftwood 524



Firenze 530

Dodo

Pag 509




Systems


Indoors





























LED strip and supports



Spotlights and Tracks



Recessed lights

			
Zeus 700	Bento 708	Dynamic 714	Game 722
			
Tag 734	Virus 736	Quark 738	Infinity 742
			
Off 748	Deep 752	Basic 754	Groove 760
			
Play 762	Beyond 764	Nova 770	Led Panel 774
			
Lika 778	Zephyr 788	Samba 790	Walky 792
			
Jazz 794	Swing 794	Funky 794	Room-65 795
			
Blues 796	Polka 797		

Infinity

Pag 742

Suspensions and ceiling



Sole 800



Luna 802



Snow 803



Clio 804



Clio 804



Techo 806



Gun 808



Urano 809



Bubble 810



Mib 810



Fiesta 811

Fiesta

Pag 811

Wall lamps

Outdoors



O-zone 816



Omega 817



Elio 818



Litio 819



Terra 820



Gas 821



Xeno 822



Swipe 823



Style 824



Tronco 826



Etere 827



Snif 828



Keope 830



Apollo 830



Base 831



Gun 832



Punto 834



Toffee 835



Linea 836



Iko 838



Sirio 839

new



Atom 840

new



Post-it 842



Up 844



Argo 844



Tetris 845



Twin 846



Andromeda 847



Glove 848



Felix 849

new



Rex 850



Cometa 852



Polar 853



Bubble 854



Snow 855



Clio 856



Cima 857



Dafne 857



Down 858



Febe 858



Dedra 859

Bollard and Table lamps

Outdoors



Pure 864



Toffee 866



Cute 868



Lolita 870



Enya 872



Ipotesi 873



Twiggy 874



Doris 876



Sole 877



Luna 878



Sasso 879

new



Arcadia 880



Agos 882

new



Style 884

new



Sirio 886



Titano 888



Kurt 889



Tesla 890



Gas 891



Hub 891



Tifone 892

new



Vega 893



Jedi 894



Boeing 896

new



Tronco 898



Atena 900



Edo 901



Acqua 902



Mercurio 902



Pulsar 903



Etere 904



Torre 906



Cosmo 907



Clio 908



Cima 910



Dafne 911

Spotlights



Thor 914



O-zone 916



Starlight 918



Koala 920



Ulex 922



Sirio 924



Terra 925



Elio 926



Litio 926



Inside 927

Downlights



Bit 930



Wire 930



Indio 931



Thor 932



Floor 933



Taurus 934

new



Park 936

new



Way 938

new



Rocket 940

Sirio

Pag 886

"A daily gesture that each of us do when the darkness arises. A familiar ritual, which represents joy, safety, dedicated to the time spent together.

Turning on a light is a simple action, but full of meanings. This is where our story begins."





ideal

Light up your moments

Ideal lux **commits every day to becoming** the main point of reference when it comes to choose a lamp that expresses personality through a unique and current piece of furniture.

It all began in 1974, from the intuition of designing contemporary and accessible lighting accessories. Since then, ideal lux **has been committed to listening** to everyone's needs, proposing a wide variety of lighting styles and **meeting** every functional requirement. Whether it is a family, a business or a person at the beginning of his or her adventure

in a new home, ideal lux promises components **that live up to needs and dreams.**

The strong point, which is not renounceable when we talk about a company close to people, is a catalogue that meets any type of need: **more than 3,000 furnishing accessories** ranging from many product lines, from indoor and outdoor accessories, to the more technical ones.



Giving shape to light

When it comes to indoor solutions, the goal of ideal lux is to **create versatile sets** for all environments, letting **every moment live** with the right atmosphere and offering everyone the opportunity to experiment **with their own idea of home**. Even outside, the solutions offered for outdoor spaces do not sacrifice aesthetics and safety; they remain pleasant **design elements** even when you need some fresh air.

For professional spaces, which **require particular technical attention**, ideal lux has decided to work on many proposals that help distributing the light in the right direction, giving greater colour rendering, without ever losing sight of the design and **making the spaces**

where you create professional relations **unique** too.

However, if on one hand it is a very important commercial goal to guarantee a vast choice and an extensive catalogue, on the other hand Ideal Lux also cultivates with **meticulous care** its **relationship with customers**. How does it do so? By guaranteeing the possibility of purchasing a design product, one that is always updated to the latest trends and that is, above all, accessible to everybody. Whether the preferred style is industrial, minimal, classic, contemporary, modern or eclectic...anyone who so wishes, **can enter the Ideal Lux world**.





ideal lux







Studio Impero
Rome, RM
Planned out by ARCH.0



Studio Impero
Rome, RM
Planned out by ARCH.0

For Ideal Lux, a lamp is much more than an object. Illumination has the power to **influence our everyday life**, giving **unique character and personality to the environment**. For this reason, everyday Ideal Lux is committed to listening to people and their stories, with the aim of cultivating an **authentic and spontaneous relationship** with them, finding new points of view and new inspirations through their stories.

Customer Care constitutes an important branch of the Company, distinguishing itself for its attention and dedication to clients and

making reliability one of its main principles. **The attention to people is essential.**

With Ideal Lux, light becomes an element of our everyday life, able to **transform the ordinary into extraordinary**. In order to do so, it is important to select the lighting solution which best fits one's needs, because with the right light, every space can take on a **whole difference form, a completely different story**.

The ordinary is extraordinary

One brand, many people.

Believing in people is a choice we make every day. We put value on our collaborators, growing day after day together and we build lasting and transparent relations with customers and suppliers.

Know how to listen.

We are committed to understanding the needs and the dreams of the customers and transforming the difficulties into occasions with the aim of constantly ameliorate in this direction.

There is no quality without warranty.

We have extended the warranty of all our technical fittings to 5 years, to guarantee a high quality of both the product and the service.

**Making design
affordable for
everyone.**

We want to bring design into people's everyday lives with lighting solutions, aesthetically beautiful and functional, but at a contained price.



Customer



Your projects,

Projects — Private house

Turin, Italy

Planned out by
Nicoletta Carbotti

Products:
Mapa, Swing.



light up by

Projects — Bolero Estudio

Las Palmas de Gran Canaria, Spain

Products:
Ego.








our products.

Projects — La cassa rurale

Salò, Italy

Planned out by
ArchLight

Products:
Oracle Slim.





Suspensions

Indoors

Alphabetical index

A-line	126	Corte	209	Glory	151
Amadeus	212	Cotton	155	Harem	225
Ampolla	119	Craft	98	Holly	127
Archimede	129	Crown	68	Hulahoop	76
Aria	147	Cylinder	191	Kalique	182
Arizona	152	Danieli	220	Konse	118
Atlas	106	Desk	98	Lana	148
Audi-10	188	Diamond	105	Lena	148
Audi-80	189	Diesis	128	Lingotto	102
Birds	107	Dorica	80	Look	82
Bistro'	187	Dream big	175	Lucciola	99
Blanche	208	Driftwood	227	Lumiere	180
Bloom	142	Dubai	204	Madame	190
Bon bon	223	Dynamite	100	Mapa	158
Breeze	133	Eclipse	149	Martinez	200
Brigitta	221	Edison	122	Milk	137
Caesar	205	Empire	181	Minor	103
Candy	154	Equinoxe	112	Mint	186
Cantina	136	Eris	135	Miracle	69
Carlton	199	Essence	96	Mix up	130
Carta	174	Fade	144	Moby	134
Casanova	219	Firenze	222	Monet	203
Chalet	226	Flam	94	Mr jack	123
Circus	77	Florian	214	Nabucco	201
Citrus	121	Flut	137	Napoleon	216
Clown	178	Folk	146	Negresco	211
Cocktail	138	Frame	78	Nemo	176
Coco	185	Frida	122	Net	117
Colossal	210	Galaxy	104	Nodi	110
Cono	136	Gemini	60	Nordik	191
Copernico	116	Gioconda	213	Norma	224



Flam































Pag 94

Alphabetical index

Odeon	156
Oil	124
Onion	120
Opera	198
Oracle	76
Oracle slim	70
Origami	140
Ovalino	153
Oz	64
Pasha'	202
Pegaso	206
Perlage	108
Perline	107
Plisse'	147
Set up	192
Smarties	150
Soft	184
Strauss	218
Topico	145
Triumph	102
Tubix	95
Ulisse	152
Umile	141
V-line	97
Waves	58
Yoko	97
Yurta	132

























































Suspensions

Typology index

	 new	 new	 new		 new	
Waves 058	Gemini 060	Oz 064	Crown 068	Miracle 069	OracleSlim 070	Oracle 076
			 new	 new	 new	 new
Hulahoop 076	Circus 077	Frame 078	Dorica 080	Look 082	Flam 094	Tubix 095
 new						 new
Essence 096	Yoko 097	V-Line 097	Desk 098	Craft 098	Lucciola 099	Dynamite 100
					 new	
Triumph 102	Lingotto 102	Minor 103	Galaxy 104	Diamond 105	Atlas 106	Birds 107
	 new	 new	 new			
Perline 107	Perlage 108	Nodi 110	Equinoxe 112	Copernico 116	Net 117	Konse 118
						
Ampolla 119	Onion 120	Citrus 121	Frida 122	Edison 122	Mr Jack 123	Oil 124
						
A-Line 126	Holly 127	Diesis 128	Archimede 129	Mix Up 130	Yurta 132	Breeze 133
						 new
Moby 134	Eris 135	Cantina 136	Cono 136	Milk 137	Flut 137	Cocktail 138

Suspensions

Typology index

						
Origami 140	Umile 141	Bloom 142	Fade 144	Topico 145	Folk 146	Aria 147
						
Plissé 147	Lana 148	Lena 148	Eclipse 149	Smarties 150	Glory 151	Ulisse 152
						
Arizona 152	Ovalino 153	Candy 154	Cotton 155	Odeon 156	Mapa 158	Carta 174
						
Dream Big 175	Nemo 176	Clown 178	Lumiere 180	Empire 181	Kalique 182	Soft 184
						
Coco 185	Mint 186	Bistrò 187	Audi-10 188	Audi-80 189	Madame 190	Nordik 191
						
Cylinder 191	Set Up 192	Opera 198	Carlton 199	Martinez 200	Nabucco 201	Pashà 202
						
Monet 203	Dubai 204	Caesar 205	Pegaso 206	Blanche 208	Corte 209	Colossal 210
						
Negresco 211	Amadeus 212	Gioconda 213	Florian 214	Napoleon 216	Strauss 218	Casanova 219



Bloom

Pag 142



Bon Bon

Pag 223

Suspensions

Typology index



Danieli [220](#)



Brigitta [221](#)



Firenze [222](#)



Bon Bon [223](#)



Norma [224](#)



Harem [225](#)



Chalet [226](#)



Driftwood [227](#)



Waves

Matt varnished metal ceiling cap, frame and ceiling supports. Steel supporting cables. PVC electrical wire. Opal rubber diffuser. Colors: white, black or gold.

LED LED source 3000 K, 30.000 h life.




345239



345215




345222



4,300 Kg / 0,1623 m³
LED 54W / 5500 lm

€ 419


345291 White
345277 Black
345284 Gold



3,200 Kg / 0,0973 m³
LED 45W / 4800 lm

€ 333

345260 White
345246 Black
345253 Gold



2,700 Kg / 0,0566 m³
LED 37W / 4000 lm


€ 258

345239 White
345215 Black
345222 Gold

Gemini new


Powder coated or plated metal ceiling rose and body. Opal polycarbonate diffuser. Clear PVC cable. Available finishes: white, black or brushed brass. DALI/Push dimmable version available for the models with 810 mm and 610 mm diameter.

Source	LED SMD	CRI	≥90
Power	36W / 78W	LED life	50.000 h
Driver included	On/Off / DALI/Push	Insulation class	II
Drivers available	No	IP	20
Beam	130°	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K		



LED SMD Driver included - Cable length 2000 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
425x425	36 W	On-Off	4000 lm	2700 K	White		341521	215
					Black		341538	215
					Brass		341545	215
			4150 lm	3000 K	White		247229	215
					Black		247236	215
					Brass		247243	215
			4350 lm	4000 K	White		372129	215 new
					Black		372136	215 new
					Brass		372143	215 new



LED SMD Driver included - Cable length 2000 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
610x610	47 W	On-Off	4950 lm	2700 K	White		341552	300
					Black		341569	300
					Brass		341576	300
			5100 lm	3000 K	White		247250	300
					Black		247267	300
					Brass		269832	300
			5400 lm	4000 K	White		372150	300 new
					Black		372167	300 new
					Brass		372174	300 new
		DALI/Push	5100 lm	3000 K	White		304717	380
					Black		304694	380
					Brass		304700	380





247229




247236



247243


Gemini



On/Off 2,300 Kg / 0,0740 m³
DALI/Push 2,300 Kg/0,0757 m³

LED SMD Driver included - Cable length 2000 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
810x810	56 W	On-Off	6200 lm	2700 K	White		341583	380
					Black		341590	380
					Brass		341606	380
			6300 lm	3000 K	White		247274	380
					Black		247281	380
					Brass		269849	380
			6600 lm	4000 K	White		372181	380 new
					Black		372198	380 new
					Brass		372204	380 new
	55 W	DALI/Push	6300 lm	3000 K	White		304748	480
					Black		304724	480
					Brass		304731	480



4,000 Kg / 0,1283 m³

LED SMD Driver included - Cable length 2300 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
1050x995	78 W	On-Off	8600 lm	2700 K	White		341613	585
					Black		341620	585
					Brass		341637	585
			8700 lm	3000 K	White		303895	585
					Black		307695	585
					Brass		307701	585
			9100 lm	4000 K	White		372211	585 new
					Black		372228	585 new
					Brass		372235	585 new






Plated or powder coated metal base and frame. PVC wires. Opal rubber diffuser. Available finishes: white, black or brushed brass. DALI/Push dimmable version available.

LED LED source 2700 K / 3000 / 4000 K, 30.000 h life.


Source	LED SMD	LED life	30.000 h
Power	38W / 75W	Insulation class	II
Driver included	On/Off / DALI/Push	IP	20
Drivers available	No	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K		
CRI	≥90		



1,250 Kg / 0,0162 m³

LED SMD Driver included - Cable length 2000 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
ø 400	38 W	On-Off	4350 lm	3000 K	White		352435	145 new
					Black		364957	145 new
					Brass		364971	145 new



1,500 Kg / 0,0380 m³

LED SMD Driver included - Cable length 2000 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
ø 600	47 W	On-Off	5000 lm	2700 K	White		342344	225
					Black		342351	225
					Brass		342368	225
			5100 lm	3000 K	White		253671	225
					Black		269436	225
					Brass		269443	225
			5500 lm	4000 K	White		342375	225
					Black		342382	225
					Brass		342399	225
	48 W	DALI/Push	5100 lm	3000 K	White		304540	350
					Black		304557	350
					Brass		304564	350




P. 238



P. 350



P. 448




253671

269436


269443

065



LED SMD Driver included - Cable length 2000 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
ø 800	52 W	On-Off	5800 lm	2700 K	White		342405	265
					Black		342412	265
					Brass		342429	265
			6100 lm	3000 K	White		253664	265
					Black		269450	265
					Brass		269467	265
			6400 lm	4000 K	White		342436	265
					Black		342443	265
					Brass		342450	265
	55 W	DALI/Push	6100 lm	3000 K	White		304571	425
					Black		304588	425
					Brass		304595	425



LED SMD Driver included - Cable length 2000 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
ø 1000	75 W	On-Off	8700 lm	3000 K	White		352411	380 new
					Black		364896	380 new
					Brass		364926	380 new



P. 244



P. 362



P. 452





Crown new

Powder painted or plated metal ceiling cap and frame. PVC cable. Opal polycarbonate diffuser and clear acrylic decorative element with cut crystal effect. Available finishes: white, black or brass.

LED LED source 3000 K, 30.000 h life.




339146



365015



314921




IP20

3,420 Kg / 0,0833 m³
LED 43W / 5200 lm

€ 320

339146 White
365015 Black
314921 Brass




IP20

2,600 Kg / 0,0486 m³
LED 31W / 3450 lm

€ 260

364988 White
365008 Black
314938 Brass



IP20

1,580 Kg / 0,0212 m³
LED 21W / 2050 lm

€ 180

343402 White
339139 Black
364964 Brass




Miracle

Matt powder coated metal ceiling cap, frame and ceiling supports. Steel supporting cables. PVC electrical wire. Diffuser with transparent acrylic elements decorated in relief with a crystal effect. Color: white.



LED

LED source 3000 K, 30.000 h life.



IP20

1,800 Kg / 0,0847 m³
LED 45W / 6200 lm

€ 217

325835 White




IP20

1,550 Kg / 0,0476 m³
LED 37W / 4900 lm

€ 172

325828 White



IP20

1,200 Kg / 0,0194 m³
LED 25W / 3300 lm


€ 132

325804 White

Oracle Slim Round new

Suspended lamp consisting of a thin matt white, black or brass painted aluminum frame and opal polycarbonate diffuser. Available in four different sizes. Integrated LEDs; available in 2700 K, 3000 K and 4000 K color temperatures and ON-OFF or DALI/Push control; CRI ≥ 90 ; LED useful life 50.000 h; IP20 protection, insulation class II.


Source	LED SMD	CRI	≥ 90
Power	29W / 83W	LED life	50.000 h
Driver included	On/Off / DALI/Push	Insulation class	II
Drivers available	No	IP	20
Beam	115°	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K		



On/Off 1,400 Kg/0,0303 m³
DALI/Push 1,170 Kg/0,0303 m³

LED SMD Driver included - Cable length 2500 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
ø 500	29 W	On-Off	2900 lm	2700 K	White		342016	166
					Black		342009	166
				3000 K	White		229461	166
					Black		229492	166
			3550 lm	4000 K	Brass		370408	166 new
					White		269856	166
			3050 lm	3000 K	Black		304380	166
					White		304373	235
				4000 K	Black		304366	235
					White		342030	235
				4000 K	Black		342023	235



On/Off 1,660 Kg/0,0578 m³
DALI/Push 1,200 Kg/0,0570 m³

LED SMD Driver included - Cable length 2500 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
ø 700	37 W	On-Off	3800 lm	2700 K	White		342054	226
					Black		342047	226
				3000 K	White		229485	226
					Black		229515	226
			4500 lm	4000 K	Brass		370446	226 new
					White		269863	226
			4250 lm	3000 K	Black		304410	226
					White		304403	281
				4000 K	Black		304397	281
					White		342078	281
			4500 lm	4000 K	Black		342061	281

















342016


342009












370408

Oracle Slim Round



LED SMD Driver included – Cable length 2500 mm												
Measure	Power	Driver	Lumen	CCT	Finish		Code	€				
ø 900	53 W	On-Off	5150 lm	2700 K	White		342115	239				
					Black		342108	239				
			5650 lm	3000 K	White		229478	239				
					Black		229508	239				
			5850 lm	4000 K	Brass		370514	239 new				
					42 W	DALI/Push			White		269870	239
									Black		304441	239
	4900 lm	3000 K	White			304434	345					
			Black			304427	345					
		5200 lm	4000 K	White			342139	345				
				Black			342122	345				




LED SMD Driver included - Cable length 2500 mm										
Measure	Power	Driver	Lumen	CCT	Finish		Code	€		
ø1500	83 W	On-Off	7850 lm	2700 K	White		342177	490		
					Black		342160	490		
			9300 lm	3000 K	White		265957	490		
					Black		285061	490		
			9950 lm	4000 K	Brass		370569	490 new		
	77 W	DALI/Push			White		285078	490		
					Black		304472	490		
		7900 lm	3000 K	White		304465	625			
				Black		304458	625			
			8150 lm	4000 K	White		342191	625		
					Black		342184	625		



Oracle Slim Square new

Suspended lamp consisting of a thin matt white, black or brass painted aluminum frame and opal polycarbonate diffuser. Available in three different sizes. Integrated LEDs; available in 3000 K color temperatures and ON-OFF control; CRI ≥ 90; LED useful life 50.000 h; IP20 protection, insulation class II.


Source	LED SMD	LED life	50.000 h
Power	33W / 53W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
Beam	115°		
CCT	3000 K		
CRI	≥90		



LED SMD Driver included - Cable length 2500 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
500x500	33 W	On-Off	3050 lm	3000 K	White		259154	189
					Black		259161	189
					Brass		370415	189 new


1,730 Kg/0,0303 m³



LED SMD Driver included - Cable length 2500 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
700x700	44 W	On-Off	4350 lm	3000 K	White		259178	226
					Black		259185	226
					Brass		370484	226 new

2,000 Kg/0,0578 m³



LED SMD Driver included - Cable length 2500 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
900x900	53 W	On-Off	5200 lm	3000 K	White		259192	239
					Black		259208	239
					Brass		370538	239 new

2,100 Kg/0,0884 m³



259154

259161

370415

Oracle

White or black powder painted aluminum ceiling rose and body. Opal color plastic diffuser. Integrated LED source.

LED LED source 3000 K, 30.000 h life.



IP20	IP20	IP20
2,160 Kg / 0,0353 m³ LED 35W / 4100 lm	1,870 Kg / 0,0260 m³ LED 33W / 3800 lm	1,640 Kg / 0,0169 m³ LED 28W / 3200 lm
€ 480	€ 415	€ 350
211381 White 222110 Black	211398 White 222103 Black	211404 White 222097 Black

Hulahoop

Powder coated metal ceiling rose and frame in white finish. Opal rubber diffuser. Steel cables with ceiling supports. Clear PVC electrical cable.

LED LED source 3000 K, 17.500 h life.




IP20	IP20	IP20
2,700 Kg / 0,1124 m³ LED 46W / 3800 lm	1,800 Kg / 0,0757 m³ LED 39W / 3600 lm	1,400 Kg / 0,0442 m³ LED 28W / 3050 lm
€ 310	€ 280	€ 190
258751 White	258768 White	258775 White



Circus

Powder coated metal ceiling rose and frame with black finish. Opal polycarbonate external diffuser. PVC electrical cable.

LED LED source 3000 K, 20.000 h life.




IP20

1,130 Kg / 0,0593 m³
LED 36W / 4250 lm

€ 290

291406 ■ Black




IP20

1,060 Kg / 0,0384 m³
LED 33W / 3550 lm

€ 255

291376 ■ Black



IP20

0,970 Kg / 0,0226 m³
LED 29W / 3200 lm

€ 220




291345 ■ Black



Frame

Matt white or black varnished metal base and frame. Opal colour plastic diffusers. Adjustable in length cables. Direct light emission.


LED LED source 3000 K, 30.000 h life.



3,500 Kg / 0,0292 m³
LED 82W / 8950 lm

€ 400


269351 White
269337 Black



4,270 Kg / 0,0432 m³
LED 80W / 9150 lm

€ 580

253596 White
269375 Black



4,300 Kg / 0,0225 m³
LED 93W / 10900 lm

€ 600

253589 White
269382 Black



P. 242



P. 500



366388

366401

366425

366418



030

Dorica ^{new}

Powder painted or plated aluminum frame and ceiling cap. Opal polycarbonate diffuser. Black PVC cable. Colors: fluted surface: orange, white, blue or black; with smooth brushed surface: brass, copper, steel, grey.

LED LED source 3000 K, 50.000 h life.




366449

366432

354217

366463


366456



2,300 Kg / 0,0089 m³
LED 35W / 3900 lm

€ 275

366388	White	new	366463	Grey	new	366470	White	new
366401	Black	new	366456	Bronze	new	366487	Black	new
366449	Brass	new	366425	Blue	new	366494	Brass	new
366432	Copper	new	366418	Orange	new			
354217	Steel	new						



1,400 Kg / 0,0071 m³
LED 27W / 2950 lm

€ 275



P. 371



P. 452



P. 504

Look ^{new}

A family of suspensions thought for indoor environments, minimalist design, capable of adapting to any accent lighting requirement, available in a wide and elegant range of finishes (up to 11) for perfect integration with the furnishings of living spaces. Available in the cylindrical ROUND and square SQUARE models, with compact or filiform light bodies, in 4 diameters (from 15 mm to 60 mm) and 4 heights (from 250 mm to 1000 mm). Light source with replaceable GU10 bulb, or with integrated LED technology with a color temperature of 3000 K and high color rendering index (CRI \geq 90), also in DALI and PUSH dimmable versions. IP20 protection, insulation class I-II.

Source	LED / GU10
Insulation class	I-II
IP	20
Material	Aluminum
Warranty	5 years



P. 296 P. 372 P. 506 P. 679



Look Led Round ^{new}

Canopy and light body in powder-coated or plated metal. PVC cable. Available colours: White, Black, Brass.



Led source 3000 K, 50.000 h life.


Source	LED SMD / COB	LED life	50.000 h
Power	3,5W / 11,5W	Insulation class	II
Driver included	On/Off / DALI/Push	IP	20
Drivers available	No	Material	Aluminum
Beam	30° / 60°		
CCT	3000 K		
CRI	≥90		

LED SMD OSRAM Driver included



Length	Power	Driver	Lumen	CCT	Weight	Volume	Finish		Code	€
250mm	3,5W	On-Off	220 lm	3000 K	0,42 Kg	0,0034 m³	White		351629	70 ^{new}
							Black		370958	70 ^{new}
							Brass		371023	70 ^{new}
400 mm	3,5W	On-Off	220 lm	3000 K	0,53 Kg	0,0050 m³	White		371030	80 ^{new}
							Black		351636	80 ^{new}
							Brass		371054	80 ^{new}
700 mm	3,5W	On-Off	220 lm	3000 K	0,53 Kg	0,0077 m³	White		263687	76
							Black		263670	76
							Brass		263700	76
1000 mm	3,5W	On-Off	220 lm	3000 K	0,82 Kg	0,0119 m³	White		370910	100 ^{new}
							Black		370934	100 ^{new}
							Brass		351643	100 ^{new}

LED COB Driver included



Length	Power	Driver	Lumen	CCT	Weight	Volume	Finish		Code	€
250 mm	11,5W	On-Off	1200 lm	3000 K	057 Kg	0,0056 m³	White		352114	90 ^{new}
							Black		371078	90 ^{new}
							Brass		371108	90 ^{new}
400 mm	11,5W	On-Off	1200 lm	3000 K	0,46 Kg	0,0036 m³	White		156682	110
							Black		156699	110
							Brass		339726	110
700 mm	11,5W	DALI/Push	1200 lm	3000 K	0,76 Kg	0,0036 m³	Black		321813	180
		On-Off	1200 lm	3000 K	0,80 Kg	0,0139 m³	White		371115	115 ^{new}
							Black		371122	115 ^{new}
1000 mm	11,5W	On-Off	1200 lm	3000 K	0,67 Kg	0,0100 m³	White		142906	145
							Black		142913	145
							Brass		339733	145
		DALI/Push	1200 lm	3000 K	1,10 Kg	0,0084 m³	Black		321783	210



P. 296



P. 372



P. 506



P. 679



263687

263670

339733

085

Look Round new



P. 296 P. 372 P. 506 P. 679


Metal ceiling rose and diffuser with different finishes. PVC Power cable adjustable in length. It fits replaceable bulbs. Faded chrome version with glass diffuser.

Source GU10
Power max 28 W
Insulation class II
IP 20
Material Aluminum




Bulbs LED GU10 7W and GU10 4W
3000 K included.

GU10 Recommended bulb: 339771, 3000 K, 280 lm € 2,50




Length	Power	Weight	Volume	Finish	Code	€
250 mm	GU10 max 1x 28W	0,20 Kg	0,0015 m³	White	371566	50 new
				Black	371573	50 new
				Brass	371580	50 new
400 mm	GU10 max 1x 28W	0,30 Kg	0,0019 m³	White	346854	66
				Black	343310	66
				Brass	371597	66 new
700 mm	GU10 max 1x 28W	0,55 Kg	0,0028 m³	White	371603	70 new
				Black	371610	70 new
				Brass	366968	70 new
1000 mm	GU10 max 1x 28W	0,85 Kg	0,0038 m³	White	366975	100 new
				Black	371542	100 new
				Brass	371559	100 new

GU10 Recommended bulb: 123943, 3000 K, 540 lm € 2,50



Length	Power	Weight	Volume	Finish	Code	€
250 mm	GU10 max 1x 28W	0,30 Kg	0,0024 m³	White	371641	70 new
				Black	352237	70 new
				Brass	371658	70 new
400 mm	GU10 max 1x 28W	0,45 Kg	0,0031 m³	White	104935	60
				Clear	194806	80
				Alabaster	361192	80 new
				Chrome	104942	80
				Silver	141800	80
				Black	104928	60
				Brass	259239	60
				Gold	141817	80
				Ant.Brass	141794	80
				Copper	141855	80
700 mm	GU10 max 1x 28W	0,80 Kg	0,0046 m³	White	371672	95 new
				Black	352244	95 new
				Brass	371696	95 new
1000 mm	GU10 max 1x 28W	1,10 Kg	0,0061 m³	White	371627	120 new
				Black	352251	120 new
				Brass	371634	120 new



104935 194806 361192 104942 141800 104928 259239 141817 141794 141855 170589

Look Led Square new


Canopy and light body in powder-coated or plated metal. PVC cable. Available colours: White, Black, Brass.



Led source 3000 K, 50.000 h life.


Source	LED SMD / COB	LED life	50.000 h
Power	3,5W / 11,5W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
Beam	30° / 51°		
CCT	3000 K		
CRI	≥90		

LED SMD OSRAM Driver included



Length	Power	Driver	Lumen	CCT	Weight	Volume	Finish		Code	€
400mm	3,5W	On-Off	220 lm	3000 K	0,50 Kg	0,0046 m³	White		362496	95 new
							Black		351650	95 new
							Brass		371139	95 new

LED COB Driver included



Length	Power	Driver	Lumen	CCT	Weight	Volume	Finish		Code	€
400mm	11,5W	On-Off	1200 lm	3000 K	0,45 Kg	0,0045 m³	White		194189	173
							Black		194202	173
							Brass		339740	173 new



P. 296



P. 372



P. 506



P. 679



194189

194202

339740

089


Look Square new

Canopy and light body in powder-coated or plated metal. PVC cable. Available colours: White, Black, Brass.




Bulbs LED GU10 7W and GU10 4W
3000 K included.

Source	GU10
Power	max 28 W
Insulation class	II
IP	20
Material	Aluminum



GU10 Recommended bulb: 339771, 3000 K, 280 lm € 2,50

Length	Power	Weight	Volume	Finish	Code	€
400 mm	GU10 max 1x28W	0,55 Kg	0,0019 m ³	White	366999	70 new
				Black	352268	70 new
				Brass	366982	70 new



GU10 Recommended bulb: 123943, 3000 K, 540 lm € 3,50

Length	Power	Weight	Volume	Finish	Code	€
400 mm	GU10 max 1x28W	0,90 Kg	0,0031 m ³	White	126906	100
				Black	126913	100
				Brass	371702	100 new



P. 296



P. 372



P. 506



P. 679



126906



126913



371702




091

Look Drop ^{new}



Canopy and light body in powder-coated or plated metal. PVC cable.
Available colours: Black, Brass.


LED Led source 3000 K, 20.000 h life.

Source	LED SMD	LED life	20.000 h
Power	16W / 19W / 31W	Insulation class	I-II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
Beam	30° / 45°		
CCT	3000 K		
CRI	≥90		








LED SMD OSRAM Driver included

Length	Power	Driver	Lumen	CCT	Weight	Volume	Finish		Code	€
450/700mm	16W	On-Off	1550 lm	3000 K	6,80 Kg	0,0353 m³	Black		371177	370 ^{new}
							Brass		371184	370 ^{new}





LED SMD Driver included

Length	Power	Driver	Lumen	CCT	Weight	Volume	Finish		Code	€
450/700mm	19W	On-Off	1750 lm	2700 K	8,60 Kg	0,0598 m³	Black		341095	475
			1850 lm	3000 K	8,60 Kg	0,0598 m³	Black		263434	475
			1750 lm	2700 K	8,60 Kg	0,0598 m³	Brass		341101	475
			1850 lm	3000 K	8,60 Kg	0,0598 m³	Brass		263663	475



LED SMD OSRAM Driver included

Length	Power	Driver	Lumen	CCT	Weight	Volume	Finish		Code	€
450/700mm	31W	On-Off	3100 lm	3000 K	11,600 Kg	0,0545 m³	Black		371146	640 ^{new}
							Brass		371153	640 ^{new}



P. 296



P. 372



P. 506



P. 679



263434

263663



Flam new

Powder coated metal ceiling cap and frame. Borosilicate glass diffuser. Black PVC cable. Frame color: black. Diffuser colors: smoked, clear smoked shade, striped smoked, amber, striped amber.

LED

LED source 3000 K, 30.000 h life.




321042

345512

353883

353869

353890



IP20

1,050 Kg / 0,0061 m³
LED 10W / 900 lm

€ 115

321042 Smo. Grey
345512 Shaded
353883 Smok.str. new
353869 Amber new
353890 Amberstr. new




Tubix new

Canopy and frame in powder-coated metal. PVC cable. Central opal diffuser with outer element in clear pyrex glass, internally fluted. Colour: White

LED


LED source 3000 K, 30.000 h life.



0,600 Kg / 0,0128 m³
LED 15W / 1750 lm

€ 160


352688 White new



0,500 Kg / 0,0107 m³
LED 11W / 1300 lm

€ 140

352671 White new



0,400 Kg / 0,0076 m³
LED 8W / 900 lm

€ 120

352664 White new



Essence ^{new}

Canopy and light body in powder-coated or plated aluminum. Diffuser in satin opal polycarbonate. PVC cables. Available colours: White, Black, Brass.


LED LED source LED 2700 K / 3000 K / 4000 K, 30.000 h life.

<p>60x60 2135 1150 15 10</p> <p>IP20</p>	<p>60 2135 1150 15 15</p> <p>IP20</p>
<p>0,500 Kg / 0,0121 m³ LED 19W / 2250 lm</p>	<p>0,650 Kg / 0,0115 m³ LED 19W / 2150 / 2250 / 2350 lm</p>
<p>€ 220</p>	<p>€ 220</p>
<p>367064 White 371825 Black 371856 Brass</p>	<p>new 341033 Black 2700K new 285085 White 3000K new 285092 Black 3000K 341040 Black 4000K 371795 Brass 3000K^{new}</p>

Yoko

Matt varnished ceiling rose, frame and support for the metal cable. Opal polycarbonate diffuse. Clear PVC electrical cable. Colors: white or black.

LED LED source 3000 K, 30.000 h life.



0,700 Kg / 0,0383 m³
LED 17W / 1250 lm

€ 130

258898 ■ White
258928 ■ Black




P. 501



V-Line

Powder-coated aluminum body. Opal silicone diffuser. Steel cables with chromed supports. PVC electrical cable. Colors: white or black.

LED LED source 3000 K, 20.000 h life.



1,140 Kg / 0,0095 m³
LED 20W / 1700 lm

€ 215

275369 ■ White
275376 ■ Black




Desk

Powder-coated aluminum ceiling cap and body. PVC electric cable. Available with single diffused light emission, double light emission upward and downward, or double light emission: upward diffused emission and downward concentrated emission.

LED

LED source 3000 K, 30.000 h life.



1,860 Kg / 0,0156 m³
LED 32W / 3150 lm

€ 145

138237 ■ White
173245 ■ Black



[P. 358](#)




Craft

Matt black varnished metal ceiling cap. Natural wood body. Satin opal color polycarbonate diffuser. Clear PVC cable.

LED

LED source 3000 K, 20.000 h life.



3,400 Kg / 0,3050 m³
LED 32W / 2700 lm

€ 360

284460 ■ Wood



[P. 358](#)



[P. 515](#)






Lucciola

Metal ceiling cap and suspended body powder painted or plated. Spheric satin acrylic diffuser. PVC cables with aluminium ceiling supports. Colours: brass or black.

LED LED source 3000 K, 20.000 h life.





284002 **284019**



 IP20

2,500 Kg / 0,0135 m³
LED 16W / 1300 lm

€ 550

284002  **Black**
284019  **Brass**




Dynamite ^{new}

Powder coated or plated or brushed metal frame. Adjustable diffusers.
Power cable coated with fabric.
Suspension model includes also kit for ceiling installation.

LED

Bulbs LED GU10 7W 3000 K included.
Cod. **123943**

**367460****231396****244648**

2,700 Kg / 0,0283 m³
GU10 max 6 x 28W

€ 280


231433 White
231396 Black
244648 Brass



2,310 Kg / 0,0188 m³
GU10 max 4 x 28W

€ 220


231372 White
231341 Black
244624 Brass



2,320 Kg / 0,0271 m³
GU10 max 6 x 28W

€ 290

367460 White
371412 Black
371429 Brass



1,650 Kg / 0,0179 m³
GU10 max 4 x 28W

€ 225

367453 White
371382 Black
371399 Brass



P. 310



P. 412



P. 676



3000 K
540 lm
123943

€ 2,50

3000 K
540 lm
123943

€ 2,50

3000 K
540 lm
123943


€ 2,50

3000 K
540 lm
123943

€ 2,50

Triumph

Plated metal base, arm and bulb holder cover. Color: old brass.



3,640 Kg / 0,0470 m³

E27 max 8 x 42W

€ 550

160269  Brass



2200 K
370 lm



151687

€ 2,50


[P. 320](#)

[P. 422](#)



Lingotto

Varnished metal frame: matt black base and matt brass or total matt black structure. White overlay acid-etched blown glass diffuser.



4,530 Kg / 0,0638 m³

E14 max 3 x 28W

€ 290

304144  Black

198125  Brass



3000 K
420 lm



101217

€ 2,00

[P. 329](#)

[P. 469](#)





Minor


Powder coated metal frame. Pvc electrical wire. Replaceable LED sources.



Bulbs LED GX53 9W 3000 K included.
Cod. 123936

<p>90 40 765 2040 765</p>	<p>90 40 500 2040 500</p>	<p>90 40 1150 2040 85</p>	<p>90 40 755 2040 85</p>
IP20 <small>INCLUSA</small>	IP20 <small>INCLUSA</small>	IP20 <small>INCLUSA</small>	IP20 <small>INCLUSA</small>
3,440 Kg / 0,0722 m³ GX53 max 8 x 9W	2,250 Kg / 0,0363 m³ GX53 max 5 x 9W	2,210 Kg / 0,0218 m³ GX53 max 6 x 9W	1,650 Kg / 0,0148 m³ GX53 max 4 x 9W
€ 480	€ 325	€ 325	€ 247
235547 ■ Black	235516 ■ Black	235486 ■ Black	235455 ■ Black
3000 K 910 lm 123936 € 5,00	3000 K 910 lm 123936 € 5,00	3000 K 910 lm 123936 € 5,00	3000 K 910 lm 123936 € 5,00





Galaxy

Metal ceiling plate with shiny nickel black finish. Black PVC cables. Opal color and clear acrylic diffusers with central brushed metal insert in nickel, brass and copper color.

LED LED source 3000 K, 30.000 h life.




IP20

5,500 Kg / 0,0550 m³
LED 58W / 5700 lm

€ 650

321172 White



IP20

3,400 Kg / 0,0304 m³
LED 29W / 2800 lm

€ 476

342993 White



Diamond

Chromed metal ceiling cap. Clear Teflon cable. Clear acrylic diffusers with cut crystal processing effect.

LED LED source 3000 K, 20.000 h life.

IP20	IP20	IP20
5,100 Kg / 0,0427 m³ LED 23W / 2350 lm	3,200 Kg / 0,0256 m³ LED 15W / 1480 lm	1,100 Kg / 0,0084 m³ LED 5,5W / 470 lm
€ 480	€ 280	€ 110
343471 Clear	343464 Clear	343457 Clear






Atlas new

Matt varnished metal ceiling cap and frame with adjustable arms. White acid-etched blown glass diffusers. Steel supporting wires. PVC electrical cables. Colors: white, black, gold.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**




352046



365091




365107



2,320 Kg / 0,0425 m³
G9 max 6 x 4W

€ 345

352053 White
365114 Black
365121 Gold



1,660 Kg / 0,0322 m³
G9 max 4 x 4W

€ 265

352046 White new
365091 Black new
365107 Gold new

3000 K
510 lm
305486 **€ 6,10**

3000 K
510 lm
305486 **€ 6,10**



P. 326




P. 422

Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. PVC electrical cable. Color: matt black with satin brass detail.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**




2,750 Kg / 0,1053 m³

G9 max 5 x 15W

€ 285

273648 ■ Black



305486

€ 6,10



P. 324



P. 420



P. 469




P. 494



Perline

Metal ceiling cap and frame. White blown acid-etched glass diffusers. Clear Teflon electrical cable. Available finish: matt black or satin brass.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**




1,600 Kg / 0,0535 m³

G9 max 3 x 40W

€ 215

307008 ■ Black

282114 ■ Brass



305486

€ 6,10




1,200 Kg / 0,0391 m³

G9 max 2 x 40W

€ 155

306995 ■ Black

282107 ■ Brass



305486

€ 6,10





Perlage ^{new}

Metal frame with linear structure with round section or with circular structure with square section. Blown glass diffusers. PVC electrical cable. Colors: matt black frame with smoked glass, satin brass frame with etched white glass or satin brass frame with amber glass.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



283821



271422



317793

8,920 Kg / 0,2377 m³ G9 max 30 x 15W	9,100 Kg / 0,1715 m³ G9 max 25 x 15W	3,910 Kg / 0,1020 m³ G9 max 14 x 15W	3,100 Kg / 0,0800 m³ G9 max 11 x 15W	2,200 Kg / 0,0650 m³ G9 max 10 x 15W	1,300 Kg / 0,0359 m³ G9 max 6 x 15W
€ 1610	€ 1250	€ 713	€ 610	€ 448	€ 299
296746 White 296753 Smok.Gra. 322780 Amber	363370 White 363387 Smok.Gra. 370583 Amber	283814 White 271385 Smok.Gra. 322797 Amber	283807 White 271392 Smok.Gra. 322773 Amber	283791 White 271408 Smok.Gra. 322766 Amber	283821 White 271422 Smok.Gra. 317793 Amber
3000 K 510 lm	3000 K 510 lm	3000 K 510 lm	3000 K 510 lm	3000 K 510 lm	3000 K 510 lm
305486 € 6,10	305486 € 6,10	305486 € 6,10	305486 € 6,00	305486 € 6,10	305486 € 6,10



Nodi ^{new}

Chrome or satin brass metal frame. White acid-etched blown or transparent or chrome glass diffusers.




082073



241012




200491




8,000 Kg / 0,3162 m³
E14 max 15 x 28W

€ 685

082073 White
241012 Brass
200491 Chrome




101200 € 2,00



5,300 Kg / 0,1547 m³
E14 max 9 x 28W

€ 450

082059 White
241036 Brass
370002 Chrome ^{new}



101200 € 2,00




Equinoxe new

Plated metal structure. Clear borosilicate glass diffusers. Black PVC cable. Colors: chrome structure with clear or faded smoky glass, antique brass structure with clear glass or faded amber glass.

Source	G4
Power	max 2 W
Insulation class	I-II
IP	20
Material	Aluminum




Bulbs LED G4 2W 3000 K included.
Cod. **222257**



0,640 Kg / 0,0087 m³

G4 Recommended bulb: 222257, 3000 K, 200 lm € 4,00


Power	Finish	Code	€
G4 max 1x2W	Chrome	306537	132
	Brass	277370	132
	Smok.Gre.	326351	132
	Amber	345345	132



0,700 Kg / 0,0185 m³

G4 Recommended bulb: 222257, 3000 K, 200 lm € 4,00

Power	Finish	Code	€
G4 max 1x2W	Chrome	306544	154
	Brass	277387	154
	Smok.Gre.	345369	154
	Amber	345352	154



0,850 Kg / 0,0400 m³

G4 Recommended bulb: 222257, 3000 K, 200 lm € 4,00

Power	Finish	Code	€
G4 max 1x2W	Chrome	306551	165
	Brass	277394	165
	Smok.Gre.	345376	165
	Amber	326368	165



P. 423



P. 491



200118



200125




345390



345383


Equinoxe



2,620 Kg / 0,0618 m³

G4 Recommended bulb: 222257, 3000 K, 200 lm € 4,00


Power	Finish	Code	€
G4 max 3 x 2W	Chrome	339696	400 new
	Brass	339702	400 new
	Smok.Gre.	364834	400 new
	Amber	364827	400 new



5,700 Kg / 0,1134 m³

G4 Recommended bulb: 222257, 3000 K, 200 lm € 4,00


Power	Finish	Code	€
G4 max 6 x 2W	Chrome	317250	715
	Brass	317243	715
	Smok.Gre.	345413	715
	Amber	345406	715



5,200 Kg / 0,1133 m³

G4 Recommended bulb: 222257, 3000 K, 200 lm € 4,00

Power	Finish	Code	€
G4 max 8 x 2W	Chrome	275178	825
	Brass	275215	825
	Smok.Gre.	345437	825
	Amber	345420	825



5,540 Kg / 0,1562 m³

G4 Recommended bulb: 222257, 3000 K, 200 lm € 4,00

Power	Finish	Code	€
G4 max 12 x 2W	Chrome	200118	850
	Brass	200125	850
	Smok.Gre.	345390	850
	Amber	345383	850



P. 423



P. 491





Copernico


Matt varnished metal ceiling cap and structure with brass details. Pvc electric cable. Blown acid-etched overlay white glass diffuser. Color: black.



197319



Bulbs LED G9 3W 3000 K included.
Cod. **209043**




10,270 Kg / 0,1340 m³
G9 max 20 x 4W

€ 1050

197333 ■ Black

3000 K
510 lm
305486 € 6,10



6,870 Kg / 0,0746 m³
G9 max 12 x 4W

€ 650

197319 ■ Black

3000 K
510 lm
305486 € 6,10



Net

Matt varnished metal ceiling cap.
PVC cable. Matt varnished metal
net diffuser. Finishes: white, black,
gold.




328102



313788



313771



0,950 Kg / 0,0518 m³
E27 max 1x 42W

€ 70

328133 White
328126 Black
317281 Gold

3000 K
900 lm
123899 € 3,50




0,750 Kg / 0,0328 m³
E27 max 1x 42W

€ 60

328102 White
313788 Black
313771 Gold

3000 K
900 lm
123899 € 3,50



0,750 Kg / 0,0270 m³
E27 max 1x 42W

€ 60


317274 White
328119 Black
317267 Gold

3000 K
900 lm
123899 € 3,50



Konse

Totally metal frame and decorative elements. Satin dark gold varnish finish.



IP20

4,600 Kg / 0,7371 m³
E27 max 7 x 60W

€ 650


156033 Gold



3000 K
910 lm

119571

€ 3,50



IP20

3,510 Kg / 0,3235 m³
E27 max 6 x 60W

€ 450


156026 Gold



3000 K
910 lm

119571

€ 3,50



IP20

1,930 Kg / 0,1152 m³
E27 max 1 x 60W

€ 225

155968 Gold



3000 K
910 lm

119571

€ 3,50




Ampolla

Matt varnished ceiling cap, bulb holders and decorative structure.
Pvc cable. Color: black.



167497



IP20


0,950 Kg / 0,0709 m³
E27 max 1x 60W

€ 135

148502 ■ Black

2200 K
500 lm

151717 € 5,00



IP20


0,590 Kg / 0,0709 m³
E27 max 1x 60W

€ 124

148151 ■ Black

2200 K
370 lm

151687 € 2,50



IP20


0,720 Kg / 0,0709 m³
E27 max 1x 60W

€ 222

148175 ■ Black

2200 K
440 lm

151694 € 4,00



IP20

1,470 Kg / 0,0709 m³
E27 max 1x 60W

€ 240

167497 ■ Black


2200 K
440 lm

151694 € 4,00



Onion

Metal frame finished with brown varnish with metallic effect. Power cable coated with fabric.



IP20


5,050 Kg / 0,2402 m³
E27 max 1x60W

€ 300

205311 Coffee

2200 K
480 lm

151724 € 6,00



IP20

3,520 Kg / 0,1379 m³
E27 max 1x60W

€ 200

205304 Coffee

2200 K
480 lm

151724 € 6,00



IP20


2,380 Kg / 0,0740 m³
E27 max 1x60W

€ 150

205298 Coffee

2200 K
500 lm

151717 € 5,00



IP20

1,260 Kg / 0,0196 m³
E27 max 1x60W

€ 75

205281 Coffee

2200 K
500 lm

151717 € 5,00



Citrus

Body with painted multilevel wood elements. Power cable coated with black fabric.



0,660 Kg / 0,0173 m³
E27 max 1x60W

€ 160

159843 ■ Wood

3000 K
910 lm
119571 € 3,50




0,720 Kg / 0,0242 m³
E27 max 1x60W

€ 170

159850 ■ Wood

3000 K
910 lm
119571 € 3,50



0,510 Kg / 0,0148 m³
E27 max 1x60W


€ 140

159867 ■ Wood

3000 K
910 lm
119571 € 3,50

Frida

Metal ceiling cup and bulb socket cover with plated or matt varnish finish. Power cable coated with black fabric.



0,320 Kg / 0,0013 m³
E27 max 1x 60W

€ 40

139425 ■ Black
122106 ■ Copper
122083 ■ Ant. Brass



2200 K
500 lm



151717 € 5,00 [P. 419](#)




Edison

Metal ceiling cup and bulb holder with matt white or black varnish finish. Electrical cable coated with fabric.



Bulbs LED E27 8W Globo D125
trasparente 3000 K included.
Cod. **101347**



0,320 Kg / 0,0055 m³
E27 max 1x 42W

€ 60

113302 ■ White
113319 ■ Black



3000 K
1050 lm



101347 € 6,00 [P. 416](#)





Mr Jack


Metal frame and spherical diffuser with white, chrome or black finish. Electrical cable covered with fabric.

LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**

231228



231259




0,890 Kg / 0,0069 m³
GU10 max 1x28W

€ 80

231273 White
231297 Black

3000 K
540 lm
123943 € 2,50



0,520 Kg / 0,0037 m³
GU10 max 1x28W

€ 70


231228 White
231259 Black

3000 K
540 lm
123943 € 2,50



Oil


Metal frame with matt black finish. Concrete diffuser. Model 110462 supplied with 12 meters length electrical cable coated with fabric; 6 mounting hooks and Italian plug which can replace the ceiling cup.




1,780 Kg / 0,0119 m³
E27 max 1x15W

€ 116

110417 Concrete




101279 € 2,00




1,180 Kg / 0,0119 m³
E27 max 1x15W

€ 116

110424 Concrete




101279 € 2,00




1,810 Kg / 0,0125 m³
E27 max 1x15W

€ 116

110431 Concrete




101279 € 2,00



1,650 Kg / 0,0165 m³
E27 max 1x15W

€ 116

129082 Concrete




101279 € 2,00




1,760 Kg / 0,0205 m³
E27 max 1x15W

€ 116

129099 Concrete




101279 € 2,00



1,490 Kg / 0,0111 m³
GU10 max 1x15W

€ 138

110462 Concrete



108292 € 2,50



A-Line

Powder coated metal ceiling cup.
 Matt white or black varnished metal
 diffuser white inside. Power cable
 coated with fabric.

LED


Bulbs LED GU10 7W 3000 K included in
 models: **232690** and **232713**.
 Code **123943**



232690



232713




1,080 Kg / 0,0288 m³
E27 max 1x 60W

€ 85

232720 ■ White
232744 ■ Black


 **3000 K**
900 lm
123899 **€ 3,50**



0,330 Kg / 0,0063 m³
GU10 max 1x 28W

€ 60


232690 ■ White
232713 ■ Black

 **3000 K**
540 lm
123943 **€ 2,50**



Holly

Metal ceiling rose and diffusers with brushed brass finish or powder coated with white or black finish. Power cables coated with fabric.



IP20

0,780 Kg / 0,0077 m³
E27 max 1x60W

€ 75

231556 White
231563 Black
231570 Brass

3000 K
900 lm
123899 € 3,50



231556



231563



231570



Diesis

Powder coated or plated metal ceiling rose and diffuser. Black PVC cable. Color: black, satin nickel or satin brass.



LED source 3000 K, 20.000 h life.




285122



279770



279794



0,450 Kg / 0,0051 m³
LED 7W / 560 lm

€ 110

285122 ■ Nickel
279770 ■ Black
279794 ■ Brass



P. 455



P. 511



Archimede

Powder coated metal ceiling cap with magnetic closure without screws. PVC cable. Powder coated aluminum diffuser with acrylic optic. Finishes: white, black.

LED LED source 3000 K, 50.000 h life.




310589



310596




310602



0,150 Kg / 0,0019 m³
LED 4W / 250 lm

€ 65


310589 ■ White
328331 ■ Black



0,140 Kg / 0,0020 m³
LED 4W / 250 lm

€ 70

310596 ■ White
328348 ■ Black



0,160 Kg / 0,0019 m³
LED 4W / 250 lm


€ 75

310602 ■ White
328355 ■ Black



Mix Up


Powder-coated varnished metal ceiling cap and interchangeable shades. PVC cable. Finishes: white or black.



0,460 Kg / 0,0019 m³
E27 max 1x60W

€ 55


288406 ■ White
288390 ■ Black



2,000 Kg / 0,0708 m³

€ 85


288437 ■ White
288420 ■ Black



1,100 Kg / 0,0476 m³

€ 55


307404 ■ White
288475 ■ Black



0,800 Kg / 0,0156 m³

€ 40


307411 ■ White
288444 ■ Black



0,500 Kg / 0,0184 m³

€ 35

307428 ■ White
288451 ■ Black

 3000 K
900 lm
123899 € 3,50



Yurta

Powder coated metal ceiling rose and shade. Power cables coated with fabric. Colors: total white or black with white inside.



285146

281568



1,760 Kg / 0,0671 m³
E27 max 1x60W

€ 110


285160 ■ White
281582 ■ Black



3000 K
900 lm

123899

€ 3,50



1,000 Kg / 0,0236 m³
E27 max 1x60W

€ 80

285153 ■ White
285139 ■ Black



3000 K
340 lm

101286

€ 2,00



0,740 Kg / 0,0111 m³
E27 max 1x60W

€ 70

285146 ■ White
281568 ■ Black



3000 K
340 lm

101286

€ 2,00



Breeze

Metal body and diffuser. Enamelled white inside. Electrical cable adjustable in length.




3,490 Kg / 0,0760 m³
E27 max 1x60W

€ 195

232041 ■ Dark Grey

3000 K
950 lm

101354 € 6,00



0,790 Kg / 0,0206 m³
E27 max 1x60W

€ 65

137681 ■ Dark Grey

3000 K
950 lm

101330 € 4,50



Moby

Metal frame and diffuser white inside. Available finishes: white, black or copper.



093697



093659



1,200 Kg / 0,0360 m³
E27 max 1 x 42W

€ 127

093659 ■ Black
093697 ■ Copper

3000 K
950 lm
101330 € 4,50



Eris


Metal frame with matt white or black varnished ceiling rose and diffusers. Details with satin gold finish. Braided electrical wire coated with fabric.



238104



249056




0,630 Kg / 0,0102 m³
E27 max 1x 42W

€ 75

238104 White
249056 Black

3000 K
340 lm

101286 € 2,00




1,080 Kg / 0,0270 m³
E27 max 1x 42W

€ 86

238135 White
249063 Black

3000 K
950 lm

101330 € 4,50



0,740 Kg / 0,0145 m³
E27 max 1x 42W

€ 75

238173 White
249070 Black

3000 K
340 lm

101286 € 2,00



0,960 Kg / 0,0259 m³
E27 max 1x 42W

€ 86


238210 White
249087 Black

3000 K
340 lm

101286 € 2,00

Cantina

Metal frame, diffuser and bulb socket cover, available with antique brass or copper finish. Electrical cable covered with stranded fabric.



0,810 Kg / 0,0192 m³
E27 max 1x42W

€ 100

112732 ■ Copper
112701 ■ Ant. Brass

3000 K
910 lm

119571

€ 3,50



P. 424



112732




112701



Cono

Plated metal ceiling cap and frame. Clear blown glass diffuser. PVC cable. Colors: chrome with frosted diffuser, nickel or brass.

LED Bulbs LED GU10 7W 3000 K included.
Cod. 123943



1,000 Kg / 0,0168 m³
GU10 max 1x28W

€ 80

321462 ■ Chrome
321479 ■ Brass
322803 ■ Nickel

3000 K
540 lm

123943

€ 2,50



321462



321479




322803



Milk

White enameled elliptical metal frame. White blown and acid-etched glass diffuser. Power cables adjustable in length.



4,220 Kg / 0,0575 m³

E27 max 3x42W

€ 265


030326 White



3000 K
900 lm

123899

€ 3,50



1,270 Kg / 0,0211 m³

E27 max 1x42W

€ 105

026787 White



3000 K
900 lm


123899

€ 3,50



Flut

Blown overlay frosted glass diffuser: white inside and coloured outside. Cable adjustable in length.



1,570 Kg / 0,0296 m³

E27 max 1x60W

€ 140

035666 White


035680 Black



3000 K
900 lm

123899

€ 3,50



0,930 Kg / 0,0179 m³

E14 max 1x40W

€ 75

035697 White

035710 Black



3000 K
420 lm

101217

€ 2,00





Cocktail ^{new}

Powder-coated metal canopy.
Blown glass diffuser: acid-etched
white glass for bulb version, clear
glass with metal top for integrated
LED version. PVC cable. Available
colours: White; Black with clear,
amber or smoked glass.


LED LED source 3000 K, 30.000 h life. Cod.
353630, 353647, 353623

353647

353623

353630


074337



0,760 Kg / 0,0066 m³
LED 7W / 670 lm

€ 150


353630 Smo. Grey ^{new}
353647 Clear ^{new}
353623 Amber ^{new}



3,100 Kg / 0,0663 m³
E14 max 3 x 40W

€ 265


074245 White



1,800 Kg / 0,0906 m³
E27 max 1 x 60W

€ 305

074313 White



1,180 Kg / 0,0219 m³
E14 max 1 x 40W

€ 105

074337 White

3000 K
420 lm
101217 € 2,00


3000 K
900 lm
123899 € 3,50

3000 K
420 lm
101217 € 2,00



Origami

Matt varnished metal frame. White acid-etched blown glass diffusers with folds reliefs.



⏏ ⚡ IP20


3,740 Kg / 0,0436 m³
E27 max 3x 60W

€ 280

198095 White

💡 3000 K
900 lm


123899 € 3,50



Umile

Metal ceiling cap and decorative elements with satin gold finish. Etched white blown glass diffusers. Black PVC cable.

LED LED source 3000 K, 30.000 h life.




IP20

9,000 Kg / 0,2122 m³
LED 56W / 5400 lm

€ 415

224541 White




IP20

2,300 Kg / 0,0691 m³
LED 20W / 2050 lm

€ 170

314945 White




IP20

2,500 Kg / 0,0516 m³
LED 20W / 2050 lm

€ 160

314952 White



IP20

1,900 Kg / 0,0531 m³
LED 20W / 1950 lm

€ 140

314969 White




Bloom new

Powder painted or plated metal ceiling cap and frame. White acid-etched blown glass diffuser. Black PVC cable. Colors: fluted surface: orange, white, blue or black; with smooth brushed surface: brass, copper, steel, grey.

LED


Bulbs LED G9 3W 3000 K included in models **366630** and **366623**.
Cod. **209043**



3,700 Kg / 0,1016 m³
E27 max 1x 42W

€ 300

366692 ■ Black
366685 ■ Brass



2,400 Kg / 0,0482 m³
E27 max 1x 42W

€ 200


366678 ■ Black
366661 ■ Brass



1,600 Kg / 0,0207 m³
E27 max 1x 42W

€ 140

366654 ■ Black
366647 ■ Brass



0,800 Kg / 0,0094 m³
G9 max 1x 4W

€ 110

366630 ■ Black
366623 ■ Brass



P. 288



P. 385



P. 462



P. 499



3000 K
900 lm

123899

€ 3,50



3000 K
340 lm

101286

€ 2,00



3000 K
340 lm

101286

€ 2,00



3000 K
510 lm

305486

€ 6,10




Fade

Metal ceiling rose and frame. Clear blown glass shade with galvanic nuance. White acid-etched inner blown glass diffuser. Black PVC cable. Shade colors: clear with amber nuance.

LED

Bulbs LED G9 3W 3000 K included.
Cod. **209043**



1,900 Kg / 0,0278 m³
G9 max 1x15W

€ 200

271316 ■ Amber


 **3000 K**
510 lm
305486 € 6,10



Topico

Matt varnished metal ceiling rose and frame. Double glass diffuser: etched white inside, clear with smoked shade on the top on the outside. Black PVC cable. Color: Black.

LED LED source 3000 K, 30.000 h life.



IP20

4,810 Kg / 0,1235 m³
LED 28W / 2950 lm

€ 250

333045 Smok.Gra.




P. 289



Folk

Metal ceiling cup and diffuser with matt paint, available finishes: coffee. Corrugated enamelled internal parable. Power cable coated with fabric.



IP20

2,190 Kg / 0,0264 m³
E27 max 3x60W

€ 245

174235 Coffee

3000 K
340 lm

101286 € 2,00



IP20


3,070 Kg / 0,0843 m³
E27 max 1x60W

€ 290

174228 Coffee

3000 K
950 lm

101354 € 6,00



IP20


1,980 Kg / 0,0423 m³
E27 max 1x60W

€ 160

174211 Coffee

3000 K
950 lm

101330 € 4,50



IP20

0,530 Kg / 0,0070 m³
E27 max 1x60W

€ 85


174204 Coffee

3000 K
900 lm

123899 € 3,50

Aria

White blown acid-etched glass diffuser. Suspension lamps provided with steel wires adjustable in length with automatic devices.




4,080 Kg / 0,0847 m³

E27 max 1x60W

€ 285

059679 White




101330 € 4,50



Plissé

Plated metal frame. White acid-etched blown glass diffuser with decoration in relief. Clear PVC electrical wire. Colors: chrome or satin brass.




3,300 Kg / 0,0858 m³


E27 max 1x60W

€ 250

264523 Chrome
285191 Brass



123899 € 3,50




2,060 Kg / 0,0520 m³

E27 max 1x60W

€ 185

285184 Chrome
264547 Brass




123899 € 3,50



Lana

Transparent glass diffuser with silkscreen decorations inside and sandblasted outside. Chrome metal glass holders.



1,800 Kg / 0,0564 m³

E27 max 1x 60W

€ 116

068169 White


3000 K
950 lm

101330 € 4,50



Lena

Chrome metal frame. Double glass diffuser: frosted and coloured the external one, white the inner one. Suspension lamp provided with steel cables adjustable in length with automatic devices.



8,310 Kg / 0,1497 m³

E27 max 3x 60W

€ 390

052786 White

3000 K
340 lm

101286 € 2,00



6,600 Kg / 0,1089 m³

E27 max 3x 60W

€ 335

035727 White

3000 K
340 lm

101286 € 2,00






Eclipse ^{new}

Powder painted metal ceiling cap and frame. Diffuser with convex lens and clear sandblasted glass shade. PVC electrical cable. Colors: grey glass with black frame, clear glass with white frame.

LED

Bulbs LED GX53 9W 3000 K included.
Cod. **123936**


338767
338774


3,700 Kg / 0,1064 m³
GX53 max 1 x 9W

€ 165

338767 ■ White ^{new}
338774 ■ Black ^{new}

3000 K
910 lm
123936 € 5,00



Smarties

White varnished metal frame.
White blown glass diffuser. Steel
cables adjustable in length with
automatic blocking mechanism.

IP20	IP20	IP20
5,280 Kg / 0,0110 m³ E27 max 5 x 42W	3,740 Kg / 0,0721 m³ E27 max 3 x 42W	2,930 Kg / 0,0645 m³ E27 max 3 x 42W
€ 290	€ 200	€ 175
031996 White	032009 White	032016 White
3000 K 340 lm	3000 K 340 lm	3000 K 340 lm
101286 € 2,00	101286 € 2,00	101286 € 2,00



P. 282



P. 386



P. 461



Glory


Satin nickel ceiling rose. White acid-etched blown glass diffuser. Pendant lamps provided with steel cables adjustable in length with automatic blocking mechanisms.

5,780 Kg / 0,1045 m³ E27 max 5 x 60W	3,260 Kg / 0,0674 m³ E27 max 3 x 60W	2,200 Kg / 0,0406 m³ E27 max 3 x 60W
€ 350	€ 220	€ 195
019741 White	019734 White	101125 White
3000 K 340 lm	3000 K 340 lm	3000 K 340 lm
101286 € 2,00	101286 € 2,00	101286 € 2,00



Ulisse


Metal frame coated with matt white enamel. Blown acid-etched white glass diffuser. Suspension models provided with steel cables adjustable in length with automatic blocking mechanisms.



5,010 Kg / 0,1177 m³
E27 max 3 x 60W

€ 295

098616 White




119571 € 3,50



3,110 Kg / 0,0635 m³
E27 max 3 x 60W

€ 225

095226 White




119571 € 3,50



Arizona

Metal frame with satin brass finish. White acid-etched blown glass diffuser with embossed decorative stripes.


LED Bulbs LED GX53 9W 3000 K included.
Cod. 123936



6,190 Kg / 0,0992 m³
GX53 max 5 x 9W

€ 520

214481 White




123936 € 5,00



3,600 Kg / 0,0567 m³
GX53 max 3 x 9W

€ 395

214474 White



123936 € 5,00




P. 283





Ovalino

Diffuser composed of circular elements created from curved and acid-etched glass sheet. Steel cables adjustable in length with automatic devices.



IP20

6,700 Kg / 0,1448 m³
E27 max 8 x 60W

€ 325

090481 White

3000 K
900 lm

123899

€ 3,50

IP20

4,810 Kg / 0,0553 m³
E27 max 5 x 60W

€ 255

074139 White

3000 K
900 lm

123899

€ 3,50



P. 290




P. 380



Candy

White metal frame. Blown acid-etched white glass diffuser. Steel cables adjustable in length with automatic devices.



P. 285



P. 464




Cotton new

Metal frame and ceiling cap with white powder paint and magnetic closure without screws. Clear PVC cable. White acid-etched blown glass diffuser.



Bulbs LED G9 3W 3000 K included in 297781 model. Cod. 209043




IP20

4,600 Kg / 0,1513 m³
E27 max 1x 42W


€ 365

344591 White



123899

€ 3,50




IP20

2,600 Kg / 0,0810 m³
E27 max 1x 42W


€ 200

327884 White



123899

€ 3,50




IP20

2,100 Kg / 0,0441 m³
E27 max 1x 42W


€ 135

297767 White



123899

€ 3,50




IP20

0,600 Kg / 0,0076 m³
G9 max 1x 4W

€ 70

297781 White



305486

€ 6,10



P. 286




P. 384



Odeon ^{new}

Matt varnished metal magnetic ceiling cap. Metal cylindrical frame with striped decoration. White acid-etched blown glass diffusers. Black PVC cable.


LED LED source 3000 K, 50.000 h life.



5,450 Kg / 0,1016 m³
LED 39W / 5500 lm

€ 375


349237 White



6,200 Kg / 0,1021 m³
LED 39W / 5500 lm

€ 400


349220 White



3,350 Kg / 0,0600 m³
LED 20W / 3200 lm

€ 220


349213 White



0,750 Kg / 0,0229 m³
LED 8W / 1250 lm

€ 80

349206 White



0,700 Kg / 0,0099 m³
LED 8W / 1250 lm

€ 75

349190 White

new

Mapa ^{new}

A family of modular indoor pendant lights with fixed or modular configurations, capable of creating over 50.000 different combinations. The family includes 7 models: MAPA BIANCO, a single pendant with bulb and acid-etched glass; MAPA SINGLE and MAPA LED SINGLE, modular single pendants; MAPA CLOUD and MAPA LED CLOUD, multiple pendants with 3 to 25 lights, with cables converging at a single point for a cloud-like effect; MAPA DROP and LED DROP, multiple pendants with 3 to 25 lights, with adjustable-length vertical cables for a cascading effect. For the SINGLE, CLOUD and DROP models, you can freely choose and combine up to 6 diffuser diameters (from 100 mm to 500 mm), 8 glass finishes (acid-etched white, opal, clear, satin, iridescent, amber, smoked, chrome) and 5 canopy finishes (white, black, chrome, brass, copper). MAPA models with replaceable light source (G4, G9, E14, E27 bulbs) with two different cable lengths (5 and 12 m). MAPA LED models with integrated LED technology in 3000 K color temperature and high color rendering CRI ≥ 90 , LED lifetime 50.000 h L70B50, also available in DALI and PUSH dimmable versions.

PRO

High-tech product with high quality materials, intended for professional use.

DIY

Modular product

Source	LED / G4 / G9 / E14 / E27
Power	2W / 4W - max 42W
Driver included	On/Off
Drivers available	DALI/Push
MacAdam	SDCM 3
CCT	3000 K
CRI	≥ 90
LED life	50.000 h
Insulation class	II-III
IP	20
Material	Glass / Metal
Warranty	5 years






DISCOVER MORE

Mapa Bianco new

White metal frame. White acid-etched sphere blown glass diffuser. Steel wire with adjustable length. The lamp is equipped with ceiling cap, source and glass. Power supply for LED G4 bulbs included.

Source	G4 / G9 / E14 / E27
Power	max 2 / 42 W
Insulation class	II
IP	20
Material	Glass / Metal



SUSPENSIONS *Bulb G4 included cod: **222257**, **G9 cod: 209043**

∅ Glass	100 mm	150 mm	200 mm	300 mm	400 mm	500 mm
∅ Ceiling cup	90 mm	90 mm	90 mm	90 mm	90 mm	110 mm
Weight	0,440 Kg	0,420 Kg	0,570 Kg	0,570 Kg	2,040 Kg	3,200 Kg
Volume	0,0054 m³	0,0095 m³	0,0174 m³	0,0055 m³	0,0108 m³	0,0200 m³
Source	G4*	G9*	E14	E27	E27	E27
Power	max 1 x 2W	max 1 x 4W	max 1x28W	max 1x42W	max 1x42W	max 1x42W
Code (2 m)	310800	369068	009148	009087	032139	032122
€	55	60	70	90	175	285



P. 287



P. 382



P. 465



G4 / G9 / E14

E27 (300MM)

E27

Mapa Single ^{new}

Metal ceiling cap. Aluminum glass holder with clear cable of 5m length or 12m with fastening supports. Sphere diffuser made of pyrex glass or blown glass with different finishes. Power supply for LED G4 bulbs included.

Source	G4 / G9 / E14 / E27
Power	max 2 / 42 W
Insulation class	II-III
IP	20
Material	Glass / Metal

DIY Modular product



CEILING CUP Driver included for G4 sources

∅ Glass	100 mm	150 mm	200 mm	300 mm	400 mm	500 mm
∅ Ceiling cup	90 mm		90 mm		90 mm	
White	368825		244235		311265	
Chrome	368856		244259		328683	
Black	368870		244242		311272	
€	29		13		14	
Copper	368924		249315		328706	
Brass	368900		249308		328690	
€	29		15		16	



SOURCE *Bulb G4 included cod: 222257, G9 cod: 209043

∅ Glass	100 mm	150 mm	200 mm	300 mm	400 mm	500 mm
Source	G4*	G9*	E14	E27	E27	E27
Power	max 1x 2W	max 1x 4W	max 1x 28W	max 1x 42W	max 1x 42W	max 1x 42W
Code (5 m)	368238	368245	368252	368269	368276	368276
€	32	37	29	46	70	70
Code (12 m)			371733	371757		
€			68	86		



GLASS

∅ Glass	100 mm	150 mm	200 mm	300 mm	400 mm	500 mm
White	369174	369242	369297	369341	369488	369709
Clear	289878	289861	289786	369440	369655	369853
€	10	16	22	46	72	182
Opal	369228	369280	369310	369402	369600	369808
Satin	327426	327433	289939	369426	369631	369839
Iridescent	348674	348681	348698	369389	369587	369785
Amber	327402	327419	289915	369334	369464	369686
Smoky Grey	327440	327457	289908	369365	369549	369754
Chrome	369204	369266	369303	369358	369525	369730
€	13	19	30	57	102	270



P. 287



P. 382



P. 465




Mapa Cloud new



Metal ceiling cap. Aluminum glass holder with clear cable of 5m length. Sphere diffuser made of pyrex glass or blown glass with different finishes. Power supply for LED G4 bulbs included.

Source	G4 / G9 / E14
Power	max 2 / 4 / 28 W
Insulation class	II
IP	20
Material	Glass / Metal

DIY Modular product



CEILING CUP

No. lights	3	7	13	25
Diameter	220 mm	220 mm	280 mm	360 mm
White	 371832	371863	371764	371801
Black	 371849	371887	371788	371818
€	49	53	73	109






SOURCE *Bulb G4 included cod: 222257, G9 cod: 209043



ø Glass	100 mm	150 mm	200 mm
Source	G4*	G9*	E14
Power	max 1 x 2W	max 1 x 4W	max 1 x 28W
Code (5 m)	368238	368245	368252
€	32	37	29



GLASS

ø Glass	100 mm	150 mm	200 mm
White	 369174	369242	369297
Clear	 289878	289861	289786
€	10	16	22
Opal	 369228	369280	369310
Satin	 327426	327433	289939
Iridescent	 348674	348681	348698
Amber	 327402	327419	289915
Smoky Grey	 327440	327457	289908
Chrome	 369204	369266	369303
€	13	19	30



P. 287



P. 382



P. 465



DRIVER G4 Required



	Max no. lights	Power	Output	Class	Measure (LxHxW)	Code	€
On-Off	7	18 W	12 Vdc	<input type="checkbox"/>	95 x 23 x 53 mm	369143	30
	13	30 W	12 Vdc	<input type="checkbox"/>	69 x 23 x 35 mm	369099	35
	25	60 W	12 Vdc	<input type="checkbox"/>	168 x 38 x 30 mm	373041	42


Mapa Drop new



Metal ceiling cap. Aluminum glass holder with clear cable of 5m length. Sphere diffuser made of pyrex glass or blown glass with different finishes. Power supply for LED G4 bulbs included.

Source	G4 / G9 / E14 / E27
Power	max 2 / 4 / 28 / 42 W
Insulation class	II
IP	20
Material	Glass / Metal

DIY Modular product

CEILING CUP



No. lights	3	7	13	25
Diameter	300 mm	550 mm	750 mm	1050 mm
White	 344171	344256	344331	370613
Black	 344195	364872	364933	370675
€	61	120	242	467









SOURCE *Bulb G4 included cod: 222257, G9 cod: 209043



ø Glass	100 mm	150 mm	200 mm	300 mm
Source	G4*	G9*	E14	E27
Power	max 1 x 2W	max 1 x 4W	max 1 x 28W	max 1 x 42W
Code (5 m)	368238	368245	368252	368269
€	32	37	29	46

GLASS



ø Glass	100 mm	150 mm	200 mm	300 mm
White	 369174	369242	369297	369341
Clear	 289878	289861	289786	369440
€	10	16	22	46
Opal	 369228	369280	369310	369402
Satin	 327426	327433	289939	369426
Iridescent	 348674	348681	348698	369389
Amber	 327402	327419	289915	369334
Smoky Grey	 327440	327457	289908	369365
Chrome	 369204	369266	369303	369358
€	13	19	30	57



P. 287 P. 382 P. 465



DRIVER G4 Required



	Max no. lights	Power	Output	Class	Measure (LxHxW)	Code	€
On-Off	7	18 W	12 Vdc	<input type="checkbox"/>	95 x 23 x 53 mm	369143	30
	13	30 W	12 Vdc	<input type="checkbox"/>	69 x 23 x 35 mm	369099	35
	25	60 W	12 Vdc	<input type="checkbox"/>	168 x 38 x 30 mm	373041	42

Mapa Led Single new

Metal ceiling cap. Aluminum glass holder with non-shortenable clear cable of 2 m or 5m length. Sphere diffuser made of pyrex glass or blown glass with different finishes. Power supply included.

LED Led source 3000 K, 50.000 h life.


DIY Modular product

Source	LED SMD	Insulation class	II-III
Power	1,5W / 3,5W	IP	20
Driver included	On/Off	Material	Glass / Metal
Drivers available	No		
CCT	3000 K		
CRI	≥90		
LED life	50.000 h		



CEILING CUP Driver ON/OFF included

ø Glass	100 mm	150 mm	200 mm
White		368948	
Chrome		368962	
Copper		369037	
Brass		369013	
Black		368993	
€		32	











SOURCE

ø Glass	100 mm	150 mm	200 mm
Power	1,5W	3,5W	3,5W
CCT	3000K	3000K	3000K
Lumen	120 lm	380 lm	380 lm
Code (2 m)	372693	372686	372686
€	19	25	25
Code (5 m)	367965	366944	366944
€	29	34	34



GLASS

ø Glass		100 mm	150 mm	200 mm
White		369174	369242	369297
Clear		289878	289861	289786
	€	10	16	22
Opal		369228	369280	369310
Satin		327426	327433	289939
Iridescent		348674	348681	348698
Amber		327402	327419	289915
Smoky Grey		327440	327457	289908
Chrome		369204	369266	369303
	€	13	19	30



P. 287 P. 382 P. 465



Mapa Led Cloud new


Metal ceiling cap. Aluminum glass holder with non-shortenable clear cable of 2 m or 5m length. Sphere diffuser made of pyrex glass or blown glass with different finishes. Power supply included.



LED Led source 3000 K, 50.000 h life.

DIY Modular product


Source	LED SMD	Insulation class	II-III
Power	1,5W / 3,5W	IP	20
Driver included	On/Off	Material	Glass / Metal
Drivers available	DALI/Push		
CCT	3000 K		
CRI	≥90		
LED life	50.000 h		

CEILING CUP



No. lights	3	7	13	25
Diameter	220 mm	220 mm	280 mm	360 mm
White	 368733	368788	371993	372013
Black	 368757	368801	372006	372020
€	76	78	117	184









SOURCE



ø Glass	100 mm	150 mm	200 mm
Power	1,5W	3,5W	3,5W
CCT	3000K	3000K	3000K
Lumen	120 lm	380 lm	380 lm
Code (2 m)	372693	372686	372686
€	19	25	25
Code (5 m)	367965	366944	366944
€	29	34	34

GLASS



ø Glass	100 mm	150 mm	200 mm
White	 369174	369242	369297
Clear	 289878	289861	289786
€	10	16	22
Opal	 369228	369280	369310
Satin	 327426	327433	289939
Iridescent	 348674	348681	348698
Amber	 327402	327419	289915
Smoky Grey	 327440	327457	289908
Chrome	 369204	369266	369303
€	13	19	30



P. 287



P. 382



P. 465



LED DIMMABLE DRIVER Not included/Optional



	Max no. lights	Power	Output	Class	Measure (LxHxW)	Code	€
DALI/Push	7	45 W	24 Vdc	□	168 x 30 x 38 mm	373058	95
	13	80 W	24 Vdc	□	227 x 30 x 38 mm	373065	115
	25	150 W	24 Vdc	⊕	290 x 30 x 45 mm	244587	90

Mapa Led Drop new


Metal ceiling cap. Aluminum glass holder with non-shortenable clear cable of 2 m or 5m length. Sphere diffuser made of pyrex glass or blown glass with different finishes. Power supply included.

LED Led source 3000 K, 50.000 h life.

DIY Modular product


Source	LED SMD	Insulation class	II-III
Power	1,5W / 3,5W	IP	20
Driver included	On/Off	Material	Glass / Metal
Drivers available	DALI/Push		
CCT	3000 K		
CRI	≥90		
LED life	50.000 h		

CEILING CUP



No. lights	3	7	13	25
Diameter	300 mm	500 mm	750 mm	1050 mm
White	371955	371979	371894	371931
Black	371962	371986	371917	371948
€	78	137	268	513

SOURCE



ø Glass	100 mm	150 mm	200 mm
Power	1,5W	3,5W	3,5W
CCT	3000K	3000K	3000K
Lumen	120 lm	380 lm	380 lm
Code (2 m)	372693	372686	372686
€	19	25	25
Code (5 m)	367965	366944	366944
€	29	34	34

GLASS



ø Glass	100 mm	150 mm	200 mm
White	369174	369242	369297
Clear	289878	289861	289786
€	10	16	22
Opal	369228	369280	369310
Satin	327426	327433	289939
Iridescent	348674	348681	348698
Amber	327402	327419	289915
Smoky Grey	327440	327457	289908
Chrome	369204	369266	369303
€	13	19	30



P. 287 P. 382 P. 465



LED DIMMABLE DRIVER Not included/Optional




	Max no. lights	Power	Output	Class	Measure (LxHxW)	Code	€
DALI/Push	7	45 W	24 Vdc	□	168 x 30 x 38 mm	373058	95
	13	80 W	24 Vdc	□	227 x 30 x 38 mm	373065	115
	25	150 W	24 Vdc	⊕	290 x 30 x 45 mm	244587	90



Carta

Matt white painted metal frame.
Polycarbonate diffuser with paper
effect covering. Clear PVC cable.



IP20


2,750 Kg / 0,2581 m³
E27 max 1x 60W

€ 475

272139 White

3000 K
2210 lm

151786 € 6,00



IP20


1,780 Kg / 0,1489 m³
E27 max 1x 25W

€ 360

226040 White

3000 K
950 lm

101330 € 4,50



IP20


1,460 Kg / 0,0814 m³
E27 max 1x 25W

€ 225

226033 White

3000 K
950 lm

101330 € 4,50



IP20

0,860 Kg / 0,0369 m³
E27 max 1x 25W

€ 110

226026 White

3000 K
950 lm

101330 € 4,50



P. 287



P. 386




P. 464



Dream Big

Matt white varnished metal ceiling cup.
Power cable coated with fabric.
White acid-etched glass diffuser.
Rope basket.




IP20

3,830 Kg / 0,1364 m³
E27 max 1x42W

€ 265

261195 White

3000 K
900 lm
123899 € 3,50



IP20

2,420 Kg / 0,0509 m³
E27 max 1x42W

€ 155

179858 White






3000 K
900 lm
123899 € 3,50



Nemo

Blown glass diffuser. Available with smoky, copper, clear, faded chrome finishes or amber.




 <p>910x310 180/275 1285 1070 600</p> <p>IP20</p> <p>8,700 Kg / 0,2583 m³ E27 max 5x 42W</p> <p>€ 520</p> <p>138305 Fade Chrome</p> <p>3000 K 910 lm</p> <p>119571 € 3,50</p>	 <p>90 490 2490 500 500</p> <p>IP20</p> <p>4,000 Kg / 0,1884 m³ E27 max 1x 42W</p> <p>€ 450</p> <p>094137 Smoky Grey</p> <p>3000 K 1050 lm</p> <p>101347 € 6,00</p>	 <p>90 370 2370 400 400</p> <p>IP20</p> <p>2,700 Kg / 0,0880 m³ E27 max 1x 42W</p> <p>€ 200</p> <p>052816 Clear 250359 Fade Chrome 094229 Smoky Grey 111919 Copper 339061 Amber</p> <p>3000 K 1050 lm</p> <p>101347 € 6,00</p>	 <p>90 260 2275 300 300</p> <p>IP20</p> <p>2,050 Kg / 0,0466 m³ E27 max 1x 42W</p> <p>€ 115</p> <p>052809 Clear 149592 Fade Chrome 094236 Smoky Grey 111902 Copper 339054 Amber</p> <p>3000 K 1100 lm</p> <p>101323 € 4,50</p>	 <p>90 180 2180 200 200</p> <p>IP20</p> <p>1,300 Kg / 0,0176 m³ E27 max 1x 42W</p> <p>€ 75</p> <p>149585 Fade Chrome 250311 Smoky Grey 250328 Copper 339047 Amber</p> <p>3000 K 1100 lm</p> <p>101323 € 4,50</p>
--	--	---	--	---

Clown new



Metal ceiling cap. Aluminum glass holder cable of 2 m or 5m length not cuttable for LED version. Sphere diffuser made of pyrex glass or blown glass with different finishes. Power supply included.


DIY Modular product

Source	LED / G9	Insulation class	II-III
Power	3,5W - max 4W	IP	20
Driver included	On/Off	Material	Glass / Metal
Drivers available	No		
CCT	3000 K		
CRI	≥90		
LED life	50.000 h		




CEILING CUP

No. lights	3	7	13	25
Diameter	300 mm	550 mm	750 mm	1050 mm
White	 344171	344256	344331	370613
Black	 344195	364872	364933	370675
€	61	120	242	467








SOURCE *Bulb G9 included cod: 209043

Ø Glass	G9*	LED
Power	max 1 x 4W	3,5W
CCT		3000K
Lumen		380 lm
Code (2 m)		372686
€		25
Code (5 m)	368245	366944
€	37	34



GLASS

Purple	 352572
Red	 352657
Yellow	 352589
Green	 352619
Blue	 352640
€	50



352572



352657



352589



352619



352640












Lumiere

Matt varnished metal frame and ceiling cap with magnetic closure. Clear PVC cable. Central white tube-shaped diffuser. Shiny white and transparent gray blown glass decorative elements.



LED source 3000 K, 25.000 h life.

 <p>160 712 280 2755 280</p>	 <p>160 687 280 2730 280</p>	 <p>160 1083 160 3125 160</p>
  IP20	  IP20	  IP20
3,380 Kg / 0,0673 m³ LED 27W / 3550 lm	3,900 Kg / 0,0664 m³ LED 34W / 4550 lm	3,330 Kg / 0,0394 m³ LED 39W / 5050 lm
€ 280	€ 320	€ 320
314143 White	314167 White	314174 White



P. 459




P. 490



Empire

Gold plated metal frame and ceiling cap with magnetic closure without screws. Black PVC cable. Clear glass diffuser with gray shade.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**




0,600 Kg / 0,0200 m³
G9 max 1x28W

€ 100

309798 ■ Fade Chr.

305486 3000 K 510 lm € 6,10




0,600 Kg / 0,0172 m³
G9 max 1x28W

€ 100

309804 ■ Fade Chr.

305486 3000 K 510 lm € 6,10



0,600 Kg / 0,0206 m³
G9 max 1x28W

€ 100

309811 ■ Fade Chr.

305486 3000 K 510 lm € 6,10



Kalique ^{new}

Metal chromed magnetic ceiling cap. Double blown borosilicate glass diffuser: satin inner one and clear external one with different finishes. PVC cable. Glass colors: amber, light blue, smoked, clear or copper.



359465



359571




359526



359588




359540




1,080 Kg / 0,0698 m³
E27 max 1x42W

€ 300




1,170 Kg / 0,0735 m³
E27 max 1x42W

€ 330




1,260 Kg / 0,0809 m³
E27 max 1x42W

€ 395




0,650 Kg / 0,0250 m³
E27 max 1x42W

€ 110



0,710 Kg / 0,0269 m³
E27 max 1x42W

€ 115



0,740 Kg / 0,0294 m³
E27 max 1x42W

€ 125

359465	Smok.Gra	new	359618	Smok.Gra	new	359724	Smok.Gra	new	359861	Smok.Gra	new	359984	Smok.Gra	new	353616	Smok.Gra	new
359571	Clear	new	359670	Clear	new	359793	Clear	new	359939	Clear	new	360034	Clear	new	360072	Clear	new
359526	Amber	new	359632	Amber	new	359748	Amber	new	359885	Amber	new	360003	Amber	new	360058	Amber	new
359588	Blue	new	359694	Blue	new	359816	Blue	new	359960	Blue	new	360041	Blue	new	360089	Blue	new
359540	Copper	new	359663	Copper	new	359779	Copper	new	359915	Copper	new	360027	Copper	new	360065	Copper	new



3000 K
1100 lm

101323

€ 4,50



3000 K
1100 lm

101323

€ 4,50



3000 K
1100 lm

101323

€ 4,50



3000 K
910 lm

119571

€ 3,50



3000 K
910 lm

119571

€ 3,50



3000 K
910 lm

119571

€ 3,50



Soft


Metal frame with white and chrome finishes. White or smoky blown glass diffusers.



087818



111841




IP20

6,400 Kg / 0,0955 m³
E14 max 6 x 40W

€ 390

087818 White
111841 Smoky Grey

3000 K
420 lm
101217 € 2,00



IP20

3,000 Kg / 0,0657 m³
E14 max 3 x 40W

€ 220

111858 White
111865 Smoky Grey

3000 K
420 lm
101217 € 2,00



Coco

Powder coated metal frame with black finish. Clear acrylic diffuser with satin side. Clear blown glass with smoky finish. PVC cable.

LED LED source 3000 K, 20.000 h life.

IP20	IP20	IP20
1,200 Kg / 0,0097 m³ LED 7W / 550 lm	1,140 Kg / 0,0104 m³ LED 7W / 550 lm	1,080 Kg / 0,0140 m³ LED 7W / 550 lm
€ 152	€ 152	€ 152
275567 ■ Smoky Grey	275581 ■ Smoky Grey	275543 ■ Smoky Grey



Mint

Metal frame with satin brass finish and matt black ceiling rose. Power cable coated with fabric. Blown glass diffuser with stripes in relief. Available finishes: smoky or green.



237510



237497

IP20	IP20	IP20
1,350 Kg / 0,0132 m³ E27 max 1x60W	1,560 Kg / 0,0307 m³ E27 max 1x60W	1,80 Kg / 0,0280 m³ E27 max 1x60W
€ 105	€ 127	€ 138
237442 Smoky Grey 248554 Green	237398 Smoky Grey 237428 Green	237510 Smoky Grey 237497 Green
3000 K 910 lm	3000 K 910 lm	3000 K 910 lm
119571 € 3,50	119571 € 3,50	119571 € 3,50



Bistrò


Black enamel coated metal frame.
Handcrafted blown clear or smoky
glass diffuser.



112305



112312




1,900 Kg / 0,0648 m³
E27 max 1x60W

€ 213

120898 Clear
120904 SmokyGrey



3000 K
910 lm
119571 € 3,50




1,840 Kg / 0,0427 m³
E27 max 1x60W

€ 145

112305 Clear
112312 SmokyGrey



3000 K
910 lm
119571 € 3,50



1,200 Kg / 0,0274 m³
E27 max 1x60W

€ 113

112336 Clear
112343 SmokyGrey



3000 K
910 lm
119571 € 3,50



Audi-10

Chrome metal frame. Clear or smoky grey blown glass diffuser. Steel wires adjustable in length with automatic blocking mechanisms.

LED


Bulbs LED E27 8W Globo D95 3000 K included. Cod. **101330/101323**



016863



103983



IP20

5,520 Kg / 0,0884 m³
E27 max 5 x 60W

€ 425

016863 Clear
103983 Smoky Grey

3000 K
950 lm
101330 € 4,50



Audi-80

Chrome metal frame. Decorative elements composed of glass balls suspended on metal wires. Blown clear or smoked glass diffuser. Steel wires adjustable in length with an automatic device.



031743



197661




9,560 Kg / 0,1332 m³
G9 max 8 x 40W

€ 620

031750 Clear
197654 Smoky Grey

3000 K
510 lm
305486 € 6,10



5,890 Kg / 0,0884 m³
G9 max 5 x 40W

€ 445

031743 Clear
197661 Smoky Grey

3000 K
510 lm
305486 € 6,10




Bulbs LED G9 3W 3000 K included.
Cod. 209043



Madame

Matt varnished metal ceiling cup.
Power cable coated with fabric.
Metal frame diffuser covered with white, canvas or black satin ribbon.



IP20

2,560 Kg / 0,2012 m³
E27 max 1x 60W

€ 385

174396 White
219875 Ivory
174402 Black

3000 K
950 lm
101354 € 6,00



174396




219875



174402

Nordik

Matt black varnished metal frame.
Golden PVC foil shade covered with
black fabric.



1,760 Kg / 0,1694 m³
E27 max 6 x 60W

€ 280

161662 ■ Black



3000 K
910 lm

119571

€ 3,50



1,500 Kg / 0,1064 m³
E27 max 4 x 60W

€ 210

161648 ■ Black



3000 K
910 lm

119571

€ 3,50



P. 432



P. 475




P. 528



Cylinder

Metal frame. White blown acid-
etched diffuser. Steel cables
adjustable in length with automatic
blocking mechanisms.



4,040 Kg / 0,0729 m³
E27 max 1 x 60W

€ 235

025438 ■ White



3000 K
950 lm

101354

€ 6,00



P. 528





260457


260464

304625

270012

Set up


Powder coated or plated metal frames. Lampshades in fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, dove grey, white or black.



2,000 Kg / 0,145 m³

€ 172


345918 White
339269 Beige
345932 Dove Grey
345925 Black



1,260 Kg / 0,0726 m³

€ 138


260471 White
260488 Beige
304632 Dove Grey
270029 Black



0,470 Kg / 0,0221 m³

€ 92

260457 White
260464 Beige
304625 Dove Grey
270012 Black



0,230 Kg / 0,0236 m³

€ 63

260433 White
260440 Beige
304618 Dove Grey
270005 Black



260013



260020



260051



260044



IP20

1,200 Kg / 0,0084 m³
E27 max 4 x 42W

€ 126

348230 White
348247 Nickel
348254 Black
348261 Brass



IP20

1,200 Kg / 0,0084 m³
E27 max 4 x 42W

€ 126

348230 White
348247 Nickel
348254 Black
348261 Brass



IP20

1,000 Kg / 0,0072 m³
E27 max 3 x 42W

€ 102

348193 White
348209 Nickel
348216 Black
348223 Brass



IP20

0,350 Kg / 0,0021 m³
E27 max 1 x 42W

€ 30


260013 White
260044 Nickel
260020 Black
260051 Brass

3000 K
900 lm
123899 € 3,50

3000 K
900 lm
123899 € 3,50

3000 K
900 lm
123899 € 3,50


3000 K
900 lm
123899 € 3,50



0,500 Kg / 0,0040 m³

€ 80


339252 Opal



0,700 Kg / 0,0844 m³

€ 58


270050 Opal



0,280 Kg / 0,0010 m³

€ 35

270043 Opal



0,100 Kg / 0,0004 m³

€ 17

346847 Opal



P. 264



P. 430



P. 476



P. 526



339290

346014

346045

346038

Set up

Powder coated or plated metal frames. Lampshades in fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, dove grey, white or black.



1,200 Kg / 0,1989 m³

€ 138


346069 White
346052 Beige
339283 Dove Grey
346083 Black



0,750 Kg / 0,1242 m³

€ 115

339290 White
346014 Beige
346045 Dove Grey
346038 Black



0,440 Kg / 0,0438 m³

€ 80

345987 White
345970 Beige
346007 Dove Grey
345994 Black



IP20

1,200 Kg / 0,0084 m³
E27 max 4 x 42W

€ 126

348230 White
348247 Nickel
348254 Black
348261 Brass




IP20

1,200 Kg / 0,0084 m³
E27 max 4 x 42W

€ 126

348230 White
348247 Nickel
348254 Black
348261 Brass



IP20

1,000 Kg / 0,0072 m³
E27 max 3 x 42W


€ 102

348193 White
348209 Nickel
348216 Black
348223 Brass

3000 K
900 lm
123899 € 3,50

3000 K
900 lm
123899 € 3,50

3000 K
900 lm
123899 € 3,50



0,500 Kg / 0,0040 m³

€ 80


339252 Clear



0,700 Kg / 0,0844 m³

€ 58

270050 Clear



0,280 Kg / 0,0010 m³

€ 35

270043 Clear





346144

346137

346168

346151

Set up


Powder coated or plated metal frames. Lampshades in fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, dove grey, white or black.



0,800 Kg / 0,1143 m³

€ 126


346182 White
346175 Beige
346205 Dove Grey
339313 Black



0,600 Kg / 0,0574 m³

€ 103

346144 White
346137 Beige
346168 Dove Grey
346151 Black



0,500 Kg / 0,0287 m³

€ 69

339337 White
346090 Beige
346120 Dove Grey
346113 Black



IP20

1,200 Kg / 0,0084 m³
E27 max 4 x 42W

€ 126

348230 White
348247 Nickel
348254 Black
348261 Brass




IP20

1,200 Kg / 0,0084 m³
E27 max 4 x 42W

€ 126

348230 White
348247 Nickel
348254 Black
348261 Brass




IP20

1,000 Kg / 0,0072 m³
E27 max 3 x 42W

€ 102

348193 White
348209 Nickel
348216 Black
348223 Brass




3000 K
900 lm
123899 € 3,50



3000 K
900 lm
123899 € 3,50




3000 K
900 lm
123899 € 3,50



0,500 Kg / 0,0040 m³

€ 80


339252 Clear



0,700 Kg / 0,0844 m³

€ 58

270050 Clear



0,280 Kg / 0,0010 m³

€ 35


270043 Clear





Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants. Suspension lamps provided with steel cables adjustable in length.



IP20

7,340 Kg / 0,3166 m³
E27 max 10 x 60W

€ 850


165011 White



3000 K
900 lm

123899

€ 3,50



IP20

4,889 Kg / 0,1555 m³
E27 max 6 x 60W

€ 500


068299 White



3000 K
900 lm

123899

€ 3,50



IP20

3,166 Kg / 0,0646 m³
E27 max 4 x 60W

€ 370

182179 White



3000 K
900 lm

123899

€ 3,50



P. 436



P. 480



P. 529



Carlton


Chromed or golden metal frame.
Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



166247



213521



12,800 Kg / 0,1239 m³
E14 max 12 x 40W

€ 660


166247 Chrome
213521 Gold



3000 K
470 lm

101224

€ 2,00



10,000 Kg / 0,0785 m³
E14 max 8 x 40W

€ 550

117737 Chrome



3000 K
470 lm

101224

€ 2,00



P. 343



P. 435



Martinez


Chromed or golden metal frame.
Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



166360



213583



IP20

17,600 Kg / 0,0686 m³
E14 max 8 x 40W

€ 745

166360 Chrome
213583 Gold



3000 K
470 lm

101224

€ 2,00




P. 343



Nabucco

Metal frame with gold finish. Clear cut crystals decorative elements: square shaped in the upper part, diamond shaped in the lower part. Velvet chain cover.



IP20

18,730 Kg / 0,1449 m³
E14 max 16 x 40W

€ 880

237800 Gold

3000 K
480 lm

101200 € 2,00

IP20

13,810 Kg / 0,1591 m³
E14 max 12 x 40W

€ 770

237794 Gold


3000 K
480 lm

101200 € 2,00



Pashà

Metal Frame. Diffuser composed of cut crystal pearl strings. Bottom part closed with sandblasted glass disk. Steel cables adjustable in length with automatic device.



13,000 Kg / 0,1686 m³
E14 max 14 x 40W

€ 1210

164977 Chrome
164984 Gold



3000 K
480 lm
101200 € 2,00



8,500 Kg / 0,1134 m³
E14 max 10 x 40W

€ 950

082196 Chrome
082257 Gold



3000 K
480 lm
101200 € 2,00



5,350 Kg / 0,0638 m³
E14 max 6 x 40W

€ 750


082158 Chrome
082172 Gold



3000 K
480 lm
101200 € 2,00



164977



164984



P. 337



P. 434



Monet

Metal frame with round bands decorated with repoussage technique. Chains of natural wood gems. White matt varnish finish.



IP20

6,700 Kg / 0,0541 m³
E14 max 6 x 40W

€ 520

162751 White

3000 K
420 lm

101217 € 2,00



IP20

5,300 Kg / 0,0387 m³
E14 max 5 x 40W

€ 415

162737 White

3000 K
420 lm

101217 € 2,00



Dubai

Metal frame with chrome or brass finish. Decorative elements composed of transparent cut crystals pearls, octagons and prisms.



243597




243528



P. 342



P. 435



20,000 Kg / 0,8284 m³
E14 max 24 x 28W

€ 1650


243597 Chrome
243528 Brass



3000 K
470 lm

101224

€ 2,00



9,170 Kg / 0,3011 m³
E14 max 10 x 28W

€ 1050

215969 Chrome
207216 Brass



3000 K
470 lm

101224

€ 2,00




Caesar

Metal frame with gold or chrome finish. Octagonal decorative elements with icicle shaped crystal beads.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



114743



IP20


9,600 Kg / 0,2898 m³
G9 max 12 x 4W

€ 1325

114743 Gold

3000 K
510 lm

305486 € 6,10



IP20


7,500 Kg / 0,1847 m³
G9 max 9 x 4W

€ 1035

114736 Gold

3000 K
510 lm

305486 € 6,10



IP20

4,600 Kg / 0,1118 m³
G9 max 6 x 4W

€ 850

114729 Gold

3000 K
510 lm

305486 € 6,10



Pegaso


Chromed or satin brass metal frame. Cut crystal main body, candle cups and pendants. Organza fabric shades. Velvet chain cover.



059242



197739



7,900 Kg / 0,2100 m³
E14 max 8 x 28W


€ 490

059242 White
197739 Brass



3000 K
370 lm

101231 € 2,00



5,600 Kg / 0,1292 m³
E14 max 5 x 28W

€ 460

066448 White
197722 Brass



3000 K
370 lm

101231 € 2,00



3,050 Kg / 0,0740 m³
E14 max 3 x 28W

€ 230

059235 White
197715 Brass



3000 K
370 lm

101231 € 2,00



P. 436




P. 480



Blanche

Metal frame finished with satin white or black varnish. PVC foil shades coated with white or black fabric. Velvet chain cover.



IP20

6,820 Kg / 0,1459 m³
E14 max 8 x 40W

€ 560

035574 White
111896 Black

3000 K
370 lm

101231 € 2,00

IP20

4,800 Kg / 0,1260 m³
E14 max 6 x 40W

€ 450

035581 White
111872 Black

3000 K
370 lm


101231 € 2,00



035581



111872



Corte

Totally handcrafted metal frame.
Hand painted finish with antiqued effect. Available versions: white or rusty effect.




005881



057187



P. 437



IP20


7,100 Kg / 0,6840 m³
E14 max 12 x 40W

€ 445

097664 White
097671 Rust

3000 K
470 lm

101224 € 2,00



IP20


5,220 Kg / 0,3169 m³
E14 max 8 x 40W

€ 305

005898 White
057194 Rust

3000 K
470 lm

101224 € 2,00



IP20

3,180 Kg / 0,1500 m³
E14 max 5 x 40W

€ 200

005881 White
057187 Rust


3000 K
470 lm

101224 € 2,00



Colossal

Chrome metal frame and details.
Blown clear glass arms with smoky
grey or ivory white inner side.
Transparent glass and cut crystal
pendants and decorative elements.
Velvet chain cover.



IP20

19,000 Kg / 0,2016 m³
E14 max 15 x 40W

€ 1000

114170 Clear
081526 Grey


3000 K
470 lm
101224 € 2,00



114170



081526




Negresco

Plated metal frame and details.
Clear blown glass arms with golden
inner part. Decorative elements in
clear glass and cut crystal. Velvet
chain cover. Color: gold.



087771



IP20

14,400 Kg / 0,1551 m³
E14 max 10 x 28W

€ 1000

087771 Gold

3000 K
430 lm

101248

€ 2,00

IP20

11,300 Kg / 0,1123 m³
E14 max 8 x 28W

€ 850

087764 Gold

3000 K
430 lm

101248

€ 2,00




P. 438



Amadeus

Metal chrome frame. Decorative elements made of blown glass and cut crystals. Velvet chain cover.




IP20

8,200 Kg / 0,1074 m³
E14 max 8 x 40W

€ 568

168777 Clear

3000 K
470 lm
101224 € 2,00



IP20

6,700 Kg / 0,1202 m³
E14 max 6 x 40W

€ 480

168753 Clear

3000 K
470 lm
101224 € 2,00



Gioconda

Casted metal body with gold or antique silver finish. Octagonal and round cut crystal pendants. Velvet chain cover.



164953




164960



P. 439

IP20	IP20	IP20
18,100 Kg / 0,1360 m³ E14 max 12 x 40W	9,060 Kg / 0,0780 m³ E14 max 8 x 40W	6,340 Kg / 0,0682 m³ E14 max 6 x 40W
€ 1400	€ 950	€ 725
164953 Silver 164960 Gold	044934 Silver 060514 Gold	044927 Silver 060507 Gold
3000 K 470 lm	3000 K 470 lm	3000 K 470 lm
101224 € 2,00	101224 € 2,00	101224 € 2,00



Florian


Metal frame with decorative glass elements. Pendants composed of cut crystal octagons and final drops. Available versions: clear glass with golden or silvery metal.



035604



035611



17,200 Kg / 0,3482 m³
E14 max 18 x 40W

€ 1000

075150 Chrome
075181 Gold



3000 K
470 lm

101224

€ 2,00



9,760 Kg / 0,2064 m³
E14 max 12 x 40W

€ 650

035604 Chrome
035611 Gold



3000 K
470 lm

101224

€ 2,00



6,380 Kg / 0,1368 m³
E14 max 6 x 40W

€ 510

035628 Chrome
035635 Gold




3000 K
470 lm

101224

€ 2,00



P. 438



Napoleon

Chrome or gold metal frame. Blown glass and cut crystals decorative elements. Velvet chain cover.



167244















167398

IP20	IP20	IP20
17,920 Kg / 0,3881 m³ E14 max 18 x 40W	11,260 Kg / 0,1896 m³ E14 max 12 x 40W	9,070 Kg / 0,1667 m³ E14 max 8 x 40W
€ 1000	€ 695	€ 600
167268 Chrome 167411 Gold	167251 Chrome 167404 Gold	167244 Chrome 167398 Gold
3000 K 470 lm	3000 K 470 lm	3000 K 470 lm
101224 € 2,00	101224 € 2,00	101224 € 2,00



Strauss

Metal frame and details with gold finish. Blown clear glass arms. Amber crystal decorative elements. Velvet chain cover.

		
 IP20	 IP20	 IP20
20,700 Kg / 0,2453 m³ E14 max 18 x 40W	14,930 Kg / 0,1915 m³ E14 max 12 x 40W	8,200 Kg / 0,0920 m³ E14 max 6 x 40W
€ 1400	€ 1050	€ 575
140629  Gold	140612  Gold	140605  Gold
 3000 K 430 lm	 3000 K 430 lm	 3000 K 430 lm
101248 € 2,00	101248 € 2,00	101248 € 2,00




F
P. 439



Casanova

Chrome metal ceiling cap, frame and details. Handcrafted clear blown glass decorative elements. Gray velvet chain cover.



IP20

9,210 Kg / 0,1006 m³
E14 max 8 x 40W

€ 750

044255 Clear

3000 K
480 lm
101200 € 2,00



Danieli

Golden metal structure and details.
Hand modeled and blown glass
decorative elements. Velvet chain
cover. Color: amber.



IP20	IP20
7,510 Kg / 0,1255 m³ E14 max 8 x 40W	3,840 Kg / 0,1974 m³ E14 max 6 x 40W
€ 650	€ 600
159973 Amber	159942 Amber
3000 K 480 lm	3000 K 480 lm
101200 € 2,00	101200 € 2,00



Brigitta


Handcrafted clear or amber blown glass chandelier with metal body and velvet chain cover.



199382



199412



IP20

12,500 Kg / 0,2268 m³
E14 max 12 x 40W

€ 1000

199375 Clear
199405 Amber

3000 K
480 lm

101200

€ 2,00

IP20

7,700 Kg / 0,1188 m³
E14 max 8 x 40W

€ 750

199382 Clear
199412 Amber

3000 K
480 lm

101200

€ 2,00



Firenze


Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.



012872



020839




6,440 Kg / 0,0780 m³
E14 max 8 x 40W

€ 555

012872 White
020839 Gold

3000 K
430 lm
101248 € 2,00



4,360 Kg / 0,0609 m³
E14 max 5 x 40W

€ 450

012865 White
020822 Gold

3000 K
430 lm
101248 € 2,00



P. 440



P. 478




P. 530



Bon Bon

Matt varnished metal frame with cast arms. Blown glass plates. Velvet chain cover. Color: white.



11,710 Kg / 0,1888 m³
E14 max 8 x 28W

€ 900

094007 White



3000 K
420 lm

101217

€ 2,00



8,110 Kg / 0,0859 m³
E14 max 6 x 28W

€ 630

093994 White



3000 K
420 lm


101217

€ 2,00



Norma

Metal frame with chrome or antique brass finish. Diffuser composed of clear glass sheets with polished edges. Velvet chain cover.



IP20

2,620 Kg / 0,0280 m³
E27 max 1x 60W

€ 210


094786 Chrome
005911 Ant. Brass

3000 K
430 lm
101279 € 2,00



Harem

Antique brass metal body and embossed ornaments. Cut crystal set octagons. Blown light amber clear glass diffusers with tassels. Velvet chain cover.



IP20


8,550 Kg / 0,2571 m³
E27 max 9 x 42W

€ 1240

116006 Ant. Brass

3000 K
910 lm

119571 € 3,50



IP20

0,980 Kg / 0,0140 m³
E27 max 1 x 42W

€ 190

115979 Ant. Brass

3000 K
910 lm

119571 € 3,50




P. 442



Chalet

Metal frame and bearing structure.
Handcrafted and hand painted
resin decorative elements. An
accurate reproduction of horns and
carved wood.




P. 440



Driftwood

Metal ceiling cup. Suspended structure made of natural branches. Brushed metal bulb socket cover.



IP20

4,500 Kg / 0,1452 m³
E27 max 6 x 60W

€ 430

180922 Wood

2200 K
370 lm

151687

€ 2,50



P. 478



P. 524



Ceiling lamps

Indoors

Alphabetical index

Angolo	328	Look	296	Winery	314
Arizona	283	Magnolia	342	Ziggy	260
Armony	339	Mapa	287		
Atlas	326	Martinez	343		
Atrium	284	Mix up	292		
Binomio	330	Mood	307		
Birds	324	Moonlight	341		
Bloom	288	Neve	340		
Candy	285	Ninfea	333		
Carlton	343	Nitro	302		
Carta	287	Nodi	321		
Celine	274	Oby	312		
Cloud	290	Oracle slim	234		
Compo	335	Ovalino	290		
Corolla	291	Oz	238		
Cosmopolitan	327	Pasha'	337		
Cotton	286	Perlage	322		
Daisy	334	Planet	262		
Dubai	342	Play	312		
Dynamite	310	Profilo	318		
Fly	244	Ray	256		
Frame	242	Roma	336		
Geko	294	Rudy	316		
Gemini	276	Set up	264		
Glim	315	Shell	295		
Glory	280	Simply	294		
Gourmet	325	Smarties	282		
Halo	254	Spike	308		
Hermes	332	Squish	275		
King	338	Toby	313		
Kubiko	306	Topico	289		
Level	281	Totem	274		
Lika	306	Triumph	320		
Lingotto	329	Universal	270		



























































Dynamite

Pag 310

Ceiling lamps

Typology index

<small>new</small> 	<small>new</small> 					
OracleSlim 234	Oz 238	Frame 242	Fly 244	Halo 254	Ray 256	Ziggy 260
<small>new</small> 						<small>new</small> 
Planet 262	Set Up 264	Universal 270	Celine 274	Totem 274	Squish 275	Gemini 276
						
Glory 280	Level 291	Smarties 282	Arizona 283	Atrium 284	Candy 285	Cotton 286
		<small>new</small> 				
Mapa 287	Carta 287	Bloom 288	Topico 289	Ovalino 290	Cloud 290	Corolla 291
				<small>new</small> 		
Mix Up 292	Geko 294	Simply 294	Shell 295	Look 296	Nitro 302	Kubiko 306
<small>new</small> 			<small>new</small> 			
Lika 306	Mood 307	Spike 308	Dynamite 310	Play 312	Oby 312	Toby 313
						
Winery 314	Glim 315	Rudy 316	Profilo 318	Triumph 320	Nodi 321	Perlage 322
						
Birds 324	Gourmet 325	Atlas 326	Cosmopolitan 327	Angolo 328	Lingotto 329	Binomio 330

Ceiling lamps

Typology index



Hermes [332](#)



Ninfea [333](#)



Daisy [334](#)



Compo [335](#)



Roma [336](#)



Pashà [337](#)



King [338](#)



Armony [339](#)



Neve [340](#)



Moonlight [341](#)



Magnolia [342](#)



Dubai [342](#)



Carlton [343](#)



Martinez [343](#)




Armony

Pag 339








Oracle Slim new


Ceiling lamp consisting of a thin matt white or black painted aluminum frame and opal polycarbonate diffuser. Circular model available in three different sizes. Integrated LEDs; available in 3000 K color temperature; CRI ≥ 90; LED useful life 50.000 h ; IP20 protection, insulation class II.

Source	LED SMD	CRI	≥90
Power	29W / 83W	LED life	50.000 h
Driver included	On/Off	Insulation class	II
Drivers available	No	IP	20
Beam	115°	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K		










LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
ø 500	29 W	On-Off	2900 lm	2700 K	White		341897	180
					Black		341880	180
			3250 lm	3000 K	White		265971	180
					Black		265988	180
					Brass		370217	180 new
					White		341910	180
			3550 lm	4000 K	Black		341903	180



LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
ø 700	37 W	On-Off	3800 lm	2700 K	White		341934	239
					Black		341927	239
			4350 lm	3000 K	White		265995	239
					Black		266008	239
					Brass		370248	239 new
					White		341958	239
			4500 lm	4000 K	Black		341941	239






265971

265988


370217

Oracle Slim



LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
ø 900	53 W	On-Off	5150 lm	2700 K	White		341972	272
					Black		341965	272
			5650 lm	3000 K	White		266015	272
					Black		266022	272
			5850 lm	4000 K	Brass		370279	272 new
					White		341996	272
					Black		341989	272



LED SMD Driver included


Measure	Power	Driver	Lumen	CCT	Finish		Code	€
ø 1500	83 W	On-Off	9300 lm	3000 K	White		370361	460 new
					Black		370316	460 new
					Brass		370330	460 new



Plated or powder coated metal base and frame. Opal rubber diffuser. Available finishes: white, black or brushed brass. DALI/Push dimmable version available.

LED LED source 2700 / 3000 / 4000 K, 30.000 h life.


Source	LED SMD	LED life	30.000 h
Power	38W / 75W	Insulation class	II
Driver included	On/Off / DALI/Push	IP	20
Drivers available	No	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K		
CRI	≥90		



1,200 Kg / 0,0162 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
Ø 400	38 W	On-Off	4350 lm	3000 K	White		352442	110	new
					Black		365039	110	new
					Brass		365046	110	new



1,500 Kg / 0,0377 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
Ø 600	47 W	On-Off	5000 lm	2700 K	White		342283	195	
					Black		342290	195	
					Brass		342306	195	
			5100 lm	3000 K	White		253688	195	
					Black		269412	195	
					Brass		269429	195	
	48 W	DALI/Push	5500 lm	4000 K	White		342313	195	
					Black		342320	195	
					Brass		342337	195	
			5100 lm	3000 K	White		304519	330	
					Black		304526	330	
					Brass		304533	330	




253688



269412







269429



2,500 Kg / 0,0564 m³




LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
ø 800	52 W	On-Off	6100 lm	3000 K	White		352459	230 new
					Black		365053	230 new
					Brass		365060	230 new



3,000 Kg / 0,0865 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
ø 1000	75 W	On-Off	8300 lm	3000 K	White		352428	360 new
					Black		364995	360 new
					Brass		365022	360 new



P. 064




P. 350



P. 448






Frame

Matt white or black varnished metal base and frame. Opal colour plastic diffusers. Direct light emission.


LED LED source 2700/3000 K, 50.000 h life.



269825




230702



■ ■ □ IP20

1,600 Kg / 0,0458 m³
LED 41W / 4400 lm / 5200 lm
€ 320


341309	White	2700K
255019	White	3000K
269825	Black	3000K



■ ■ □ IP20

1,430 Kg / 0,0562 m³
LED 33W / 4000 lm / 4050 lm
€ 320

341316	White	2700K
230702	White	3000K
270678	Black	3000K



■ ■ □ IP20

1,260 Kg / 0,0271 m³
LED 33W / 3500 lm / 3550 lm
€ 290

341323	White	2700K
230726	White	3000K
270661	Black	3000K



P. 078



P. 500

Fly

Family composed by ceiling lamps with circular base, available with four different diameters (350 mm, 450 mm, 600 mm, 900 mm) and also in SLIM version with a more compact height. Powder coated aluminum body with white finish RAL 9016 and black finish RAL 9004, recessed optics (FLY PL) or flush (FLY SLIM) with PMMA microprismatic diffuser with glare control ($UGR < 19$). The lamp is ready to be integrated with the uplight accessory module for the indirect light part. Integrated LED light source; available with 2700 K, 3000 K and 4000 K color temperatures; color rendering index CRI ≥ 90 ; starting binning ≤ 3 Step MacAdam; LED useful life 50.000 h ; protection IP40, insulation class I. Driver included, integrated in the body, dimmable options available: 1-10V, DALI and Push. Suitable for locations where professional and uniform lighting is required, such as OFFICES and SHOPS. The high color rendering level makes it ideal even for exhibiting spaces and for the enhancement of the products in a showroom and sales area of the RETAIL sector.

PRO

High-tech product with high quality materials, intended for professional use.

IP40


Protection degree IP40.

Source	LED SMD
Power	18W / 26W / 53W / 68W
Driver included	On/Off
Drivers available	1-10V / DALI / Push
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥ 90
UGR	< 19
LED life	50.000 h
Insulation class	I
IP	40
Material	Aluminum
Warranty	5 years





Fly




3,000 Kg/0,0160 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
18 W	87°	1800 lm	2700 K	White		341149	315
				Black		341156	315
		2500 lm	3000 K	White		270272	315
				Black		306575	315
		2700 lm	4000 K	White		270289	315
				Black		306582	315

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V/Push	20 W	500 mA	108 x 22 x 52 mm	270333	65
DALI	20 W	500 mA	108 x 22 x 52 mm	270364	85



3,800 Kg/0,0257 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
26 W	87°	3300 lm	2700 K	White		341163	420
				Black		341170	420
		3350 lm	3000 K	White		254272	420
				Black		306599	420
		3700 lm	4000 K	White		270296	420
				Black		306605	420

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V/Push	32 W	700 mA	94 x 21 x 67 mm	270586	75
DALI/Push	38 W	700 mA	94 x 21 x 67 mm	270593	95

UPLIGHT Not included/Optional



Model	Power	Beam	Lumen	CCT	Code	€
ø 35	11 W	120°	1050 lm	3000 K	270258	85
			1150 lm	4000 K	270395	85
ø 45	11 W	120°	1400 lm	3000 K	270258	85
			1500 lm	4000 K	270395	85


KIT PENDANT





Light beam: WIDE




Required	Finish	Code	€
No	White	254289	50
	Black	307244	50



m	lx	ø m
1	2945	1,90
2	736	3,80
3	327	5,60
4	184	7,50
5	116	9,40



m	lx	ø m
1	1562	1,90
2	390	3,70
3	174	5,60
4	98	7,50
5	62	9,40




CRI≥80 18W 87° 2650lm 3000K

CRI≥80 26W 87° 3700lm 3000K



Fly




7,200 Kg/0,0694 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
53 W	87°	5300 lm	2700 K	White		341187	610
				Black		341194	610
		6250 lm	3000 K	White		270302	610
				Black		292205	610
		6700 lm	4000 K	White		270319	610
				Black		306612	610

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V	60 W	1400 mA	124 x 23 x 82 mm	270340	112
DALI / Push	60 W	1400 mA	125 x 28 x 85 mm	270371	135



13,000 Kg/0,1470 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
68 W	87°	8000 lm	2700 K	White		341200	1180
				Black		341217	1180
		8800 lm	3000 K	White		270326	1180
				Black		306629	1180
		9300 lm	4000 K	White		270241	1180
				Black		306636	1180

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V	68 W	1400 mA	130 x 25 x 75 mm	270357	125
DALI / Push	100 W	1400 mA	140 x 30 x 100 mm	270388	180

UPLIGHT Not included/Optional



Model	Power	Beam	Lumen	CCT	Code	€
ø 60	17,5 W	120°	2150 lm	3000 K	270401	150
			2300 lm	4000 K	270265	150
ø 90	25 W	120°	3150 lm	3000 K	271002	225
			3300 lm	4000 K	270715	225


KIT PENDANT





Light beam: WIDE




Required	Finish	Code	€
No	White	254289	50
	Black	307244	50



m	lx	ø m
1	2945	1,90
2	736	3,80
3	327	5,60
4	184	7,50
5	116	9,40



m	lx	ø m
1	3991	1,90
2	998	3,90
3	443	5,80
4	249	7,80
5	160	9,70




CRI≥80 53W 87° 7500lm 3000K

CRI≥80 65W 87° 9400lm 3000K



Fly Slim




2,700 Kg/0,0108 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
18 W	87°	1800 lm	2700 K	White		341224	295
		2500 lm	3000 K	White		306643	295
		2700 lm	4000 K	White		306650	295

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V/Push	20 W	500 mA	108 x 22 x 52 mm	270333	65
DALI	20 W	500 mA	108 x 22 x 52 mm	270364	85



3,750 Kg/0,0196 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
26 W	87°	3300 lm	2700 K	White		341231	390
		3500 lm	3000 K	White		292236	390
		3700 lm	4000 K	White		306667	390

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V/Push	32 W	700 mA	94 x 21 x 67 mm	270586	75
DALI/Push	38 W	700 mA	94 x 21 x 67 mm	270593	95

UPLIGHT Not included/Optional




Model	Power	Beam	Lumen	CCT	Code	€
ø 35	11 W	120°	1050 lm	3000 K	270258	85
			1150 lm	4000 K	270395	85
ø 45	11 W	120°	1400 lm	3000 K	270258	85
			1500 lm	4000 K	270395	85

KIT PENDANT



Required	Finish	Code	€
No	White	254289	50




Light beam: WIDE



m	lx	ø m
1	1066	1,90
2	267	3,70
3	118	5,60
4	67	7,50
5	43	9,40



m	lx	ø m
1	1511	1,90
2	378	3,80
3	168	5,70
4	94	7,60
5	60	9,50




CRI≥80 18W 87° 2650lm 3000K

CRI≥80 26W 87° 3700lm 3000K



Fly Slim




6,150 Kg/0,0825 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
53 W	87°	5300 lm	2700 K	White		341248	425
		6250 lm	3000 K	White		292250	425
		6700 lm	4000 K	White		306674	425

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V	60 W	1400 mA	124 x 23 x 82 mm	270340	112
DALI / Push	60 W	1400 mA	125 x 28 x 85 mm	270371	135



13,000 Kg/0,1500 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
68 W	87°	8000 lm	2700 K	White		341255	750
		8800 lm	3000 K	White		306681	750
		9300 lm	4000 K	White		306698	750

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V	68 W	1400 mA	130 x 25 x 75 mm	270357	125
DALI / Push	100 W	1400 mA	140 x 30 x 100 mm	270388	180

UPLIGHT Not included/Optional




Model	Power	Beam	Lumen	CCT	Code	€
ø60	17,5 W	120°	2150 lm	3000 K	270401	150
			2300 lm	4000 K	270265	150
ø90	25 W	120°	3150 lm	3000 K	271002	225
			3300 lm	4000 K	270715	225

KIT PENDANT


Required	Finish	Code	€
No	White	254289	50




Light beam: WIDE




m	lx	ø m
1	3000	1,90
2	750	3,80
3	333	5,70
4	187	7,60
5	120	9,50



CRI≥80 53W 87° 7500lm 3000K



m	lx	ø m
1	3857	1,90
2	964	3,90
3	429	5,80
4	241	7,80
5	154	9,70



CRI≥80 65W 87° 9400lm 3000K



Halo

Ceiling lamp with circular base and powder coated aluminum body. Opal polycarbonate diffuser. Available with three different diameters in white color. Light source with integrated LED, starting binning ≤ 2 -Step MacAdam; available with 3000 K and 4000 K color temperature; CRI ≥ 90 ; LED useful life 35.000; protection IP20, insulation class I.

Source	LED SMD	Insulation class	I
Power	22W / 32W / 46W	IP	20
Driver included	On/Off	Material	Aluminum
Drivers available	No		
CCT	3000 K / 4000 K		
CRI	≥ 90		
LED life	35.000 h		



Up-light included.



LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
22 W	110°	3300 lm	3000 K	White		223186	230
		3400 lm	4000 K	White		223193	230


2,750 Kg/0,0198 m³



LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
32 W	110°	5200 lm	3000 K	White		223209	310
		5500 lm	4000 K	White		223216	310

4,430 Kg/0,0300 m³



LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
46 W	110°	5500 lm	3000 K	White		223223	545
		6300 lm	4000 K	White		223230	545

6,600 Kg/0,0606 m³



Ray

Family composed by ceiling lamps with circular base, available with three different diameters (300 mm, 400 mm, 600 mm). Body with white finish RAL 9016 or black finish RAL 9005, optics with PMMA microprismatic diffuser with glare control (UGR < 19). Integrated LED light source; available with temperature CRI ≥ 90; LED useful life 50.000 L70B50 ; protection IP44, insulation class II. The lamp is equipped with an integrated switch to set up two different light emission tonality (color temperature 3000 k or 4000 k). Driver included, integrated in the body, dimmable options available. Product suitable for environments where a flexible, comfortable and uniform light is required, for example OFFICES and in the indoor spaces of the SERVICES SECTOR or RESIDENTIALS.



IP44 Protection degree IP44.

Source	LED SMD
Power	13W / 26W / 43W
Driver included	On/Off
Drivers available	No
CCT	3000 K / 4000 K
CRI	≥90
UGR	<19
LED life	50.000 h
Insulation class	II
IP	44
Material	Plastic
Warranty	5 years







LED SMD Driver TRIDONIC ON/OFF included - UGR <22

Power	Beam	Lumen	CCT	Finish		Code	€
13 W	77°	2050 - 2200 lm	3000 - 4000 K	White		327570	185
				Black		327563	185


1,620 Kg/0,0094 m³





LED SMD Driver TRIDONIC ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish		Code	€
26 W	77°	4550 - 4750 lm	3000 - 4000 K	White		318264	270
				Black		327600	270

2,160 Kg/0,0163 m³




LED SMD Driver TRIDONIC ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish		Code	€
44 W	77°	7200 - 7600 lm	3000 - 4000 K	White		327693	500
				Black		327686	500

3,240 Kg/0,0352 m³




Light beam: WIDE



m	lx	øm
1	760	1,50
2	190	3,00
3	84	4,40
4	48	5,90
5	30	7,40




CRI≥90 13W 80° 1900lm 3000K



m	lx	øm
1	1638	1,50
2	410	3,00
3	182	4,40
4	102	5,90
5	66	7,40



CRI≥90 26W 80° 3850lm 3000K



m	lx	øm
1	2786	1,60
2	697	3,10
3	310	4,70
4	174	6,20
5	111	7,80



CRI≥90 43W 80° 6450lm 3000K






Planet new

Matt varnished metal base and central reflecting disc. Satin opal polycarbonate diffuser. Finishes: white, black, brass.


LED LED source 3000 K, 30.000 h life.



3,660 Kg / 0,0365 m³
LED 29W / 2650 lm

€ 165


312378 ■ White
312361 ■ Black
370668 ■ Brass



2,150 Kg / 0,0257 m³
LED 25W / 2250 lm

€ 132


312354 ■ White
328157 ■ Black
370637 ■ Brass



1,350 Kg / 0,0168 m³
LED 20W / 1850 lm

€ 110

312347 ■ White
312330 ■ Black
351773 ■ Brass



0,820 Kg / 0,0102 m³
LED 15W / 1350 lm

€ 88

312323 ■ White
328140 ■ Black
370606 ■ Brass




Ziggy

Powder-coated metal body. Satin opal color polycarbonate inner diffusing faces.




LED source 3000 K, 50.000 h life.



6,660 Kg / 0,0988 m³
LED 62W / 7100 lm

€ 430


317908 White
321615 Black



4,000 Kg / 0,0573 m³
LED 43W / 4400 lm

€ 245


293790 White
307213 Black



2,660 Kg / 0,0336 m³
LED 30W / 3150 lm

€ 200

293783 White
307206 Black



1,350 Kg / 0,0096 m³
LED 21W / 2750 lm

€ 160

293776 White
293769 Black



260457


260464

304625

270012

Set Up


Powder coated frames.
Lampshades in fireproof PVC covered with fabric. Lampshade colors: beige, dove grey, white or black.



2,000 Kg / 0,1458 m³

€ 172


345918 White
339269 Beige
345932 Dove Grey
345925 Black



1,260 Kg / 0,0726 m³

€ 138


260471 White
260488 Beige
304632 Dove Grey
270029 Black



0,470 Kg / 0,0221 m³

€ 92


260457 White
260464 Beige
304625 Dove Grey
270012 Black



0,230 Kg / 0,0236 m³

€ 63

260433 White
260440 Beige
304618 Dove Grey
270005 Black




■ □ IP20

1,000 Kg / 0,0047 m³
E27 max 4 x 15W

€ 80

320373 White

123899 3000 K 900 lm € 3,50




■ □ IP20

1,000 Kg / 0,0047 m³
E27 max 4 x 15W

€ 80

320373 White

123899 3000 K 900 lm € 3,50




■ □ IP20

0,850 Kg / 0,0035 m³
E27 max 3x 15W

€ 58

348278 White

123899 3000 K 900 lm € 3,50



■ □ IP20

0,300 Kg / 0,0010 m³
E27 max 1x 42W

€ 35

277288 White


123899 3000 K 900 lm € 3,50



0,500 Kg / 0,0040 m³

€ 80


339252 Clear



0,700 Kg / 0,0844 m³

€ 58


270050 Clear



0,280 Kg / 0,0010 m³

€ 35

270043 Clear



0,100 Kg / 0,0004 m³

€ 17

346847 Clear



339290

346014

346045

346038

Set Up

Powder coated frames.
Lampshades in fireproof PVC
covered with fabric. Lampshade
colors: beige, dove grey, white or
black.



1,200 Kg / 0,1989 m³

€ 138


346069 White
346052 Beige
339283 Dove Grey
346083 Black



0,750 Kg / 0,1242 m³

€ 115


339290 White
346014 Beige
346045 Dove Grey
346038 Black



0,440 Kg / 0,0438 m³

€ 80

345987 White
345970 Beige
346007 Dove Grey
345994 Black



1,000 Kg / 0,0047 m³
E27 max 4 x 15W


€ 80

320373 White



3000 K
900 lm

123899 € 3,50



1,000 Kg / 0,0047 m³
E27 max 4 x 15W


€ 80

320373 White



3000 K
900 lm

123899 € 3,50



0,850 Kg / 0,0035 m³
E27 max 3x 15W


€ 58

348278 White



3000 K
900 lm


123899 € 3,50



0,500 Kg / 0,0040 m³

€ 80


339252 Clear



0,700 Kg / 0,0844 m³

€ 58

270050 Clear



0,280 Kg / 0,0010 m³

€ 35

270043 Clear





346144



346137



346168



346151

Set Up

Powder coated frames.
Lampshades in fireproof PVC
covered with fabric. Lampshade
colors: beige, dove grey, white or
black.



0,800 Kg / 0,1149 m³

€ 126


346182 White
346175 Beige
346205 Dove Grey
339313 Black



0,600 Kg / 0,0574 m³

€ 103


346144 White
346137 Beige
346168 Dove Grey
346151 Black



0,500 Kg / 0,0287 m³

€ 69

339337 White
346090 Beige
346120 Dove Grey
346113 Black



■ □ IP20

1,000 Kg / 0,0047 m³
E27 max 4 x 15W


€ 80

320373 White



3000 K
900 lm

123899 € 3,50



■ □ IP20

1,000 Kg / 0,0047 m³
E27 max 4 x 15W


€ 80

320373 White



3000 K
900 lm

123899 € 3,50



■ □ IP20

0,850 Kg / 0,0035 m³
E27 max 3x 15W


€ 58

348278 White



3000 K
900 lm


123899 € 3,50



0,500 Kg / 0,0040 m³

€ 80


339252 Clear



0,700 Kg / 0,0844 m³

€ 58

270050 Clear



0,280 Kg / 0,0010 m³

€ 35


270043 Clear



Universal Round


Diffusive ceiling lamp for indoor ceiling or wall installation, suitable for general and uniform lighting. Varnished steel body with white finish, plastic diffuser. Integrated LED source, available in 4 different powers. LED useful life 25.000 h; protection IP20, insulation class II.

Source	LED SMD	Insulation class	II
Power	12W / 36W	IP	20
Driver included	On/Off	Material	Steel
Drivers available	No		
CCT	3000 K / 4000 K		
CRI	≥90		
LED life	25.000 h		




LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
12 W	110°	1350 lm	3000 K	White		138596	30
		1500 lm	4000 K	White		321776	30




LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
17 W	110°	2050 lm	3000 K	White		138602	35
		2200 lm	4000 K	White		321752	35



LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
22 W	110°	2700 lm	3000 K	White		138619	50
		3000 lm	4000 K	White		321738	50



LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
36 W	110°	4050 lm	3000 K	White		240367	65
		4200 lm	4000 K	White		321684	65



Universal Square

Diffusive ceiling lamp for indoor ceiling or wall installation, suitable for general and uniform lighting. Varnished steel body with white finish, plastic diffuser. Integrated LED source, available in 4 different powers. LED useful life 25.000 h; protection IP20, insulation class II.

Source	LED SMD	Insulation class	II
Power	12W / 36W	IP	20
Driver included	On/Off	Material	Steel
Drivers available	No		
CCT	3000 K / 4000 K		
CRI	≥90		
LED life	25.000 h		



0,510 Kg/0,0015 m³

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
12 W	110°	1350 lm	3000 K	White		138633	30
		1500 lm	4000 K	White		321769	30



0,710 Kg/0,0024 m³

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
17 W	110°	2050 lm	3000 K	White		138640	35
		2200 lm	4000 K	White		321745	35



1,070 Kg/0,0043 m³

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
22 W	110°	2700 lm	3000 K	White		138657	50
		3000 lm	4000 K	White		321707	50



2,000 Kg/0,0084 m³


LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
36 W	118°	4050 lm	3000 K	White		240374	65
		4200 lm	4000 K	White		321660	65




Celine

Enameled metal frame.
Sandblasted clear glass diffuser.
chrome metal glass holders.




IP20
3,600 Kg / 0,0471 m³
E27 max 4 x 60W
€ 106
044293 White

3000 K
340 lm
101286 € 2,00



IP20
1,740 Kg / 0,0267 m³
E27 max 3 x 60W
€ 65
044286 White

3000 K
340 lm
101286 € 2,00




IP20
1,120 Kg / 0,0208 m³
E27 max 2 x 60W
€ 50
044279 White

3000 K
340 lm
101286 € 2,00

Totem


Matt white varnished laser shaped
metal base. Replaceable LED
lighting sources.

LED Bulbs LED GX53 9W 3000 K included.
 Cod. **123936**




IP20 INCLUSA
5,320 Kg / 0,0887 m³
GX53 max 6 x 15W
€ 295
215785 White

3000 K
910 lm
123936 € 5,00



IP20 INCLUSA
3,890 Kg / 0,0157 m³
GX53 max 4 x 15W
€ 255
215778 White

3000 K
910 lm
123936 € 5,00



IP20 INCLUSA
2,960 Kg / 0,0203 m³
GX53 max 3 x 15W
€ 210
215761 White










3000 K
910 lm
123936 € 5,00



Squish

Metal base. Double polycarbonate diffuser: satin opal the inner one, clear the external one.


LED LED source 3000 K, 25.000 h life.

		
■ ■  IP20	■ ■  IP20	■ ■  IP20
2,100 Kg / 0,0934 m ³ LED 30W / 3050 lm	2,190 Kg / 0,0429 m ³ LED 20W / 1850 lm	0,760 Kg / 0,0228 m ³ LED 10W / 920 lm
€ 210	€ 120	€ 90
332420  Clear	332413  Clear	332406  Clear










Gemini new


Powder coated or plated metal ceiling rose and body. Opal polycarbonate diffuser. Clear PVC cable. Available finishes: white, black or brushed brass. DALI/Push dimmable version available for the models with 810 mm and 610 mm diameter.

Source	LED SMD	CRI	≥90
Power	24W / 42W	LED life	50.000 h
Driver included	On/Off / DALI/Push	Insulation class	II
Drivers available	No	IP	20
Beam	130°	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K		















LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
425x425	24 W	On-Off	2450 lm	2700 K	White		341439	235
					Black		341446	235
					Brass		341453	235
			2900 lm	3000 K	White		328010	235
					Black		328027	235
					Brass		328034	235
			3000 lm	4000 K	White		372037	235 new
					Black		372044	235 new
					Brass		372051	235 new



LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€		
610x610	30 W	On-Off	3000 lm	2700 K	White		341460	320		
					Black		341477	320		
					Brass		341484	320		
					3500 lm	3000 K	White		328041	320
							Black		328058	320
							Brass		328065	320
					3600 lm	4000 K	White		372068	320 new
							Black		372075	320 new
							Brass		372082	320 new
	28 W	DALI/Push	3500 lm	3000 K	White		328942	405		
					Black		328959	405		
					Brass		328966	405		





328041




328058















328034

Gemini



On/Off 4,550 Kg / 0,0939 m³
DALI/Push 4,810 Kg/0,0939 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
810x810	42 W	On-Off	4100 lm	2700 K	White		341491	415
					Black		341507	415
					Brass		341514	415
			4450 lm	3000 K	White		328072	415
					Black		328089	415
					Brass		328096	415
			4550 lm	4000 K	White		372099	415 new
					Black		372105	415 new
					Brass		372112	415 new
	42 W	DALI/Push	4450 lm	3000 K	White		328973	515
					Black		328980	515
					Brass		329260	515








Glory

Metal frame with satin nickel finish.
White acid-etched blown glass
diffuser.



■ ■ (⊕) IP20

4,810 Kg / 0,0105 m³
E27 max 5 x 60W

€ 350


019765 White



3000 K
340 lm

101286

€ 2,00



■ ■ (⊕) IP20

3,410 Kg / 0,0646 m³
E27 max 3 x 60W

€ 220


019758 White



3000 K
340 lm

101286

€ 2,00



■ ■ (⊕) IP20

2,100 Kg / 0,0416 m³
E27 max 2 x 60W

€ 195

101132 White




3000 K
340 lm

101286

€ 2,00




P. 151



Level

Powder coated metal base. White acid-etched blown glass diffuser with fastening system without screws. Easily replaceable integrated led source.


LED LED source 3000 K, 17.500 h life.



5,200 Kg / 0,0871 m³
LED 32W / 2950 lm

€ 320

261188 White



2,100 Kg / 0,0368 m³
LED 22W / 2100 lm

€ 190

261164 White



Smarties

White varnished metal frame.
White blown glass diffuser.

4,690 Kg / 0,1456 m³ E27 max 3 x 42W	3,070 Kg / 0,1072 m³ E27 max 3 x 42W	2,810 Kg / 0,0444 m³ E27 max 2 x 42W	1,440 Kg / 0,0472 m³ E27 max 1 x 42W
€ 280	€ 195	€ 170	€ 115
032023 White	032030 White	032047 White	009223 White
3000 K 340 lm	3000 K 340 lm	3000 K 340 lm	3000 K 340 lm
101286 € 2,00	101286 € 2,00	101286 € 2,00	101286 € 2,00



P. 150



P. 386



P. 461




Arizona

Metal frame with satin brass finish.
White acid-etched blown glass
diffuser with embossed decorative
stripes.



Bulbs LED GX53 9W 3000 K included.
Cod. **123936**



IP20


7,680 Kg / 0,0975 m³
GX53 max 5 x 9W

€ 505

214511 White

3000 K
910 lm

123936 € 5,00



IP20


3,050 Kg / 0,0571 m³
GX53 max 3 x 9W

€ 330

214504 White

3000 K
910 lm

123936 € 5,00



IP20

2,960 Kg / 0,0339 m³
GX53 max 2 x 9W

€ 225

214498 White

3000 K
910 lm

123936 € 5,00




P. 152



Atrium

Matt white varnished metal frame.
White acid-etched glass diffuser
with interlocking fastening system.


LED LED source 3000 K, 30.000 h life.



4,8 Kg / 0,1113 m³
LED 29W / 2750 lm

€ 220


265841 White



3,700 Kg / 0,0693 m³
LED 22W / 2200 lm

€ 160

265827 White



2,300 Kg / 0,0397 m³
LED 16W / 1550 lm


€ 115

265803 White



Candy

Metal frame with satin nickel finish.
White acid-etched blown glass
diffuser.



IP20

2,500 Kg / 0,0799 m³
E27 max 1x42W

€ 197

086781 White

3000 K
900 lm

123899

€ 3,50



P. 154




P. 464



Cotton

Metal base finished with white powder paint. Acid-etched white blown glass with screw fastening.



■ □ IP20


2,400 Kg / 0,0810 m³
E27 max 1x 42W

€ 180

327891 White

3000 K
900 lm

123899 € 3,50



■ □ IP20

0,810 Kg / 0,0369 m³
E27 max 1x 42W

€ 125

297743 White

3000 K
900 lm

123899 € 3,50




P. 155



P. 384

Mapa

White metal base and fastening system. White blown acid-etched spherical glass diffuser.




IP20

2,590 Kg / 0,0973 m³


E27 max 1x42W

€ 188

059839 White




119571 € 3,50



P. 158 P. 382 P. 465

Carta

Matt white painted metal frame. Polycarbonate diffuser with paper effect covering.




IP20

1,150 Kg / 0,0358 m³


E27 max 1x25W

€ 110

317113 White



101279 € 2,00



P. 174 P. 386 P. 464



Bloom new

Powder painted or plated metal ceiling cap and frame. White acid-etched blown glass diffuser. Colors: striped black frame with satin gray outer glass, brushed brass frame with clear amber striped outer glass.




3,200 Kg / 0,0811 m³
E27 max 1x 42W

€ 255

366609 ■ Black
366593 ■ Brass

123899 3000 K
900 lm

€ 3,50



2,200 Kg / 0,0390 m³
E27 max 1x 42W

€ 170

new 366586 ■ Black new
new 366579 ■ Brass new

101286 3000 K
340 lm

€ 2,00



P. 142



P. 385



P. 462




P. 499



Topico

Matt varnished metal frame.
Double glass diffuser: acid-etched
white inside, clear with smoked
shade on the upper part outside.
Color: black.

LED LED source 3000 K, 30.000 h life.



■ □ IP20

2,250 Kg / 0,0843 m³
LED 19W / 2050 lm

€ 160

333014 ■ Smok Gre.



■ □ IP20

1,760 Kg / 0,0376 m³
LED 12W / 1250 lm

€ 100


333007 ■ Smok Gre.



P. 145

Ovalino

Enamelled metal frame. Diffuser composed of curved acid-etched glass sheets.





■  IP20

7,700 Kg / 0,0862 m³
E27 max 8 x 60W

€ 320

094014 White




■  IP20

5,100 Kg / 0,0586 m³
E27 max 5 x 60W

€ 250

093963 White



123899 € 3,50

123899 € 3,50



P. 153



P. 380



Cloud

Metal frame and decorative elements with matt varnish finish. Acrylic opal color diffusers. Indirect light emission. Color: white.

LED LED source 3000 K, 17.500 h life.




■  IP20

4,700 Kg / 0,0758 m³
LED 46W / 4600 lm

€ 320

285207 White



■  IP20

3,200 Kg / 0,0540 m³
LED 33W / 3300 lm

€ 230

263519 White






Corolla

Matt white varnished metal frame.
Opal satin polycarbonate diffuser.

LED LED source 3000 K, 50.000 h life.




■ □ IP20

2,450 Kg / 0,0288 m³
LED 24W / 2750 lm

€ 182

297149 ■ White



■ □ IP20

2,450 Kg / 0,0304 m³
LED 24W / 2750 lm


€ 182

297101 ■ White



Mix Up

Powder-coated metal frame and interchangeable shades. Finishes: white or black.




IP20

0,270 Kg / 0,006 m³
E27 max 1x60W

€ 35

292847 ■ White
292830 ■ Black



2,000 Kg / 0,0676 m³

€ 85


288437 ■ White
288420 ■ Black



1,100 Kg / 0,0446 m³

€ 55

307404 ■ White
288475 ■ Black



0,800 Kg / 0,0147 m³

€ 40

307411 ■ White
288444 ■ Black



0,500 Kg / 0,0174 m³

€ 35

307428 ■ White
288451 ■ Black



3000 K
900 lm

123899

€ 3,50

Geko

White enameled metal frame.
Transparent silkscreened or white
glass diffuser. Chrome metal
central glass screw.



2,800 Kg / 0,0324 m³
E27 max 4 x 60W

€ 180

116112 White

3000 K
340 lm

101286

€ 2,00



2,000 Kg / 0,0203 m³
E27 max 3 x 60W


€ 120

018508 White

3000 K
340 lm

101286

€ 2,00



1,200 Kg / 0,0136 m³
E27 max 2 x 60W

€ 85

010861 White


3000 K
340 lm

101286

€ 2,00

Simply

Transparent frosted glass diffuser.
Chrome metal glass holders with
cast-on cast-off mechanism.



3,190 Kg / 0,0552 m³
E27 max 4 x 60W


€ 86

007991 White

3000 K
340 lm

101286

€ 2,00



1,670 Kg / 0,0353 m³
E27 max 3 x 60W


€ 55

007984 White

3000 K
340 lm

101286

€ 2,00



1,010 Kg / 0,0121 m³
E27 max 2 x 60W


€ 38

007977 White

3000 K
340 lm

101286

€ 2,00



0,670 Kg / 0,0061 m³
E27 max 1 x 60W

€ 29

007960 White

3000 K
340 lm

101286

€ 2,00



Shell


Plate-worked glass diffuser with grit decoration inside. Glass holder with metal detail. Available versions: clear glass with chrome detail or amber glass with gold detail.



008622



140193




8,850 Kg / 0,0988 m³
E27 max 6 x 60W

€ 320

008622 Clear
140193 Amber

3000 K
430 lm

101279 € 2,00




6,150 Kg / 0,0659 m³
E27 max 4 x 60W

€ 240

008615 Clear
140186 Amber

3000 K
430 lm

101279 € 2,00



3,640 Kg / 0,0365 m³
E27 max 3 x 60W

€ 160

008608 Clear
140179 Amber

3000 K
430 lm

101279 € 2,00

Look Led Round new

Light body in powder-coated or plated metal. Integrated driver. Available colours: White, Black, Brass.



Led source 3000 K, 50.000 h life.

Source	LED COB	LED life	50.000 h
Power	5W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
Beam	60°		
CCT	3000 K		
CRI	≥90		

LED COB Driver included

Length	Power	Driver	Lumen	CCT	Weight	Volume	Finish		Code	€
200 mm	5W	On-Off	600 lm	3000 K	0,180 Kg	0,0011 m³	White		370811	60 new
							Black		353319	60 new
							Brass		370842	60 new
400 mm	5W	On-Off	600 lm	3000 K	0,400 Kg	0,0020 m³	White		370873	75 new
							Black		370897	75 new
							Brass		353326	75 new



P. 082



P. 372



P. 506



P. 679



370811



353319



370842


Look Round ^{new}

Light body in powder-coated or plated metal. Available colours: White, Black, Brass, Plaster.




Bulbs LED GU10 7W 3000 K included.
Cod. **123943**

Source	GU10
Power	max 28 W
Insulation class	I-II
IP	20
Material	Aluminum



GU10 Recommended bulb: 123943, 3000 K, 540 lm € 2,50

Length	Power	Weight	Volume	Finish		Code	€
100 mm	GU10 max 1x28W	0,15 Kg	0,0010 m³	White		371207	29 ^{new}
				Black		353821	29 ^{new}
				Brass		371405	29 ^{new}
200 mm		0,40 Kg	0,0016 m³	White		233079	32
				Black		233062	32
				Brass		285214	32
400 mm		0,74 Kg	0,0025 m³	White		233215	42
				Black		233192	42
				Brass		353838	42 ^{new}
750 mm		1,38 Kg	0,0043 m³	White		233352	60
				Black		233321	60
				Brass		371467	60 ^{new}



GU10 Recommended bulb: 123943, 3000 K, 540 lm € 2,50 GYPSUM

Length	Power	Weight	Volume	Finish		Code	€
110 mm	GU10 max 1x28W	0,43 Kg	0,0027 m³	Chalk		155869	27
200 mm		0,80 Kg	0,0059 m³	Chalk		355740	46 ^{new}
400 mm		2,80 Kg	0,0093 m³	Chalk		371436	69 ^{new}
750 mm		4,84 Kg	0,0152 m³	Chalk		355757	92 ^{new}



P. 082



P. 372



P. 506



P. 679



233079

233062

285214

155869


Look Square new

Light body in powder-coated or plated metal. Available colours: White, Black, Brass, Plaster.

LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**


Source GU10
Power max 28 W
Insulation class I-II
IP 20
Material Aluminum

GU10 Recommended bulb: 123943, 3000 K, 540 lm € 2,50



Length	Power	Weight	Volume	Finish		Code	€
100 mm	GU10 max 1x28W	0,30 Kg	0,0010 m³	White		367552	42 new
				Black		353845	42 new
				Brass		371481	42 new
200 mm		0,60 Kg	0,0014 m³	White		233772	47
				Black		233765	47
				Brass		371504	47 new
400 mm		0,80 Kg	0,0024 m³	White		233833	75
				Black		233826	75
				Brass		371511	75 new
750 mm		1,50 Kg	0,0043 m³	White		234007	82
				Black		233970	82
				Brass		353852	82 new

GU10 Recommended bulb: 123943, 3000 K, 540 lm € 2,50 GYPSUM



Length	Power	Weight	Volume	Finish		Code	€
110 mm	GU10 max 1x28W	0,62 Kg	0,0026 m³	Chalk		155791	30
200 mm		0,80 Kg	0,0059 m³	Chalk		355764	49 new
400 mm		2,80 Kg	0,0093 m³	Chalk		355771	70 new
750 mm		4,84 Kg	0,0152 m³	Chalk		371535	97 new



P. 082



P. 372



P. 506



P. 679



194189

194202

339740

155791

Nitro Round


White or black matt varnished aluminum body. Internally finished with plastic mask. Integrated LED source with lens.

Source	LED DOB / COB	Insulation class	I - II
Power	4W / 25W	IP	20
Driver included	On/Off	Material	Aluminum
Drivers available	No		
CCT	2700 K / 3000 K		
CRI	≥90		
LED life	50.000 h		




LED DOB

Power	Beam	Lumen	CCT	Finish		Code	€
4 W	40°	310 lm	2700K	White		342788	45
				Black		342795	45
		320 lm	3000K	White		299419	45
				Black		299402	45




LED COB BRIDGELUX Driver included

Power	Beam	Lumen	CCT	Finish		Code	€
10 W	28°	950 lm	2700 K	White		341781	65
				Black		341798	65
		1000 lm	3000 K	White		205991	65
				Black		206004	65



LED COB BRIDGELUX Driver included

Power	Beam	Lumen	CCT	Finish		Code	€
15 W	36°	1400 lm	3000 K	White		205977	90
				Black		205984	90



LED COB BRIDGELUX Driver included

Power	Beam	Lumen	CCT	Finish		Code	€
25 W	33°	2350 lm	3000 K	White		319568	115
				Black		322711	115




299402

Nitro Square


White or black matt varnished aluminum body. Internally finished with plastic mask. Integrated LED source with lens.

Source	LED DOB / COB	Insulation class	I - II
Power	5W / 25W	IP	20
Driver included	On/Off	Material	Aluminum
Drivers available	No		
CCT	3000 K		
CRI	≥90		
LED life	50.000 h		




LED DOB

Power	Beam	Lumen	CCT	Finish		Code	€
5 W	40°	370 lm	3000K	White		319797	45
				Black		319803	45




LED COB BRIDGELUX Driver included

Power	Beam	Lumen	CCT	Finish		Code	€
10 W	28°	1000 lm	3000 K	White		206035	65
				Black		206042	65



LED COB BRIDGELUX Driver included

Power	Beam	Lumen	CCT	Finish		Code	€
15 W	36°	1400 lm	3000 K	White		206011	90
				Black		206028	90



LED COB BRIDGELUX Driver included

Power	Beam	Lumen	CCT	Finish		Code	€
25 W	33°	2350 lm	3000 K	White		319575	115
				Black		319582	115




Kubiko

Powder coated aluminum body.
Shiny opal polycarbonate diffuser.
Magnetic fastening system.
Finishes: white, black.



LED source 3000 K, 30.000 h life.



0,660 Kg / 0,0020 m³

LED 10W / 1100 lm

€ 81

303321 White

303314 Black




Lika ^{new}

Family of rectangular ceiling projectors in painted die-cast aluminium, black polycarbonate reflectors, recessed light sources with SMD LED technology from 2 to 10 lights with glare control (UGR < 16), suitable for OFFICES and COMMERCIAL spaces or in minimalist RESIDENTIAL environments.



LED source 3000 K, 50.000 h life.




0,720 Kg / 0,0019 m³

LED 21W / 1400 lm

€ 124

367361 White

369945 Black




0,370 Kg / 0,0011 m³

LED 12,5W / 1200 lm

€ 90

new 248530 White

new 244884 Black



0,200 Kg / 0,0004 m³

LED 6W / 330 lm

€ 59

367354 White

369877 Black



P. 778



Mood

Metal structure available with square or round section. Black inside and white or black colour outside. Adjustable inner diffuser.




Bulbs GU10 7W and GU10 10W 3000 K included.



140841




243924



1,210 Kg / 0,0051 m³
GU10 max 1 x 50W

€ 97

140872 White
243450 Black




189031 € 11,00




0,400 Kg / 0,0029 m³
GU10 max 1 x 28W

€ 64

140841 White
243924 Black




123943 € 2,50




1,420 Kg / 0,0086 m³
GU10 max 1 x 50W

€ 97

140933 White
243931 Black




189031 € 11,00



0,460 Kg / 0,0026 m³
GU10 max 1 x 28W

€ 64

140902 White
243948 Black



123943 € 2,50



Spike

Powder coated or plated aluminum body. Available with GX53 or integrated LED source with satin opal polycarbonate diffuser. Colors: white, black, satin brass, chrome, copper.

Bulbs LED GX53 9W 3000 K included.
Cod. **123936**. LED source 3000 K, 25.000 h life. Cod. **345468, 336008, 345475**

LED



285238




310893



328799




317496



0,340 Kg / 0,0012 m³
LED 10W / 1100 lm

€ 30

345468 White
336008 Black
345475 Brass



0,240 Kg / 0,0017 m³
GX53 max 1x 15W


€ 65

277417 White
310886 Chrome
278704 Black
285238 Brass
310893 Copper

3000 K
910 lm

123936

€ 5,00



0,220 Kg / 0,0014 m³
GX53 max 1x 15W

€ 85

317489 White
328799 Chrome
317496 Black
317502 Brass
328812 Copper

3000 K
910 lm

123936

€ 5,00



P. 678



Dynamite ^{new}

Powder coated or plated or brushed metal frame. Adjustable diffusers.

LED

Bulbs LED GU10 7W 3000 K included.
Cod. **123943**



367446




371252




371269



135




385




275



135



385



275



135



385



275



135



385



275

0,980 Kg / 0,0063 m³
GU10 max 4 x 28W

€ 110

367439 White
371290 Black
371306 Brass

1,060 Kg / 0,0074 m³
GU10 max 4 x 28W

€ 115

new 371337 White
new 371344 Black
new 371351 Brass

0,790 Kg / 0,0056 m³
GU10 max 3 x 28W

€ 90

new 367408 White
new 371252 Black
new 371269 Brass

1,150 Kg / 0,0063 m³
GU10 max 4 x 28W

€ 120

new 367446 White
new 371313 Black
new 371320 Brass

1,220 Kg / 0,0074 m³
GU10 max 4 x 28W

€ 120

new 367422 White
new 371368 Black
new 371375 Brass

0,920 Kg / 0,0056 m³
GU10 max 3 x 28W

€ 95

new 367415 White
new 371276 Black
new 371283 Brass



**3000 K
540 lm**

123943

€ 2,50



**3000 K
540 lm**

123943

€ 2,50



**3000 K
540 lm**

123943

€ 2,50



**3000 K
540 lm**

123943

€ 2,50



**3000 K
540 lm**

123943

€ 2,50



**3000 K
540 lm**

123943

€ 2,50

Play

Powder coated die-cast aluminum base, junction and orientable body. Knurled clear acrylic diffuser. Available with black finish or white finish with black rear cover and front inner ring.

LED LED source 3000 K, 30.000 h life.



■ ■ □ IP20

0,240 Kg / 0,0010 m³

LED 7W / 520 lm

€ 70

258287 White

268101 Black



P. 674




P. 762



Oby

Matt white varnished metal frame with chromed junctions. Adjustable body with white plastic diffuser.

LED LED source 3000 K, 20.000 h life.



■ ■ ⊕ IP20

1,210 Kg / 0,006 m³

LED 24W / 2800 lm

€ 260

196718 White

■ ■ ⊕ IP20

0,870 Kg / 0,0038 m³

LED 18W / 2100 lm

€ 185

196701 White



P. 417






Toby

Powder coated die cast aluminum frame. Adjustable diffusers: they can be rotated or inclined. Colors: white or black.



Bulbs LED GU10 7W 3000 K included.
Cod. **123943**



0,220 Kg / 0,0013 m³
GU10 max 1x 35W

€ 62

271538 ■ White

271545 ■ Black



3000 K
540 lm


123943

€ 2,50



Winery

Enamelled ceramic body with integrated bulb socket with shiny white or black enamel finish.



IP20

0,290 Kg / 0,0004 m³
E27 max 1x 60W

€ 27

155227 White
155142 Black

3000 K
1100 lm

101323 € 4,50



155227



155142



P. 416



Glim

Total powder painted metal frame available in white or black color. Adjustable diffuser with replaceable bulb.












Bulbs LED GU10 10W 3000 K included.
Cod. **189031**



200194



200231

		
655	310	130
		
1,270 Kg / 0,0213 m³ GU10 max 4 x 50W	0,890 Kg / 0,0115 m³ GU10 max 2 x 50W	0,480 Kg / 0,0065 m³ GU10 max 1 x 50W
€ 304	€ 166	€ 86
200217 White 200255 Black	200200 White 200248 Black	200194 White 200231 Black
 3000 K 750 lm	 3000 K 750 lm	 3000 K 750 lm
189031 € 11,00	189031 € 11,00	189031 € 11,00



Rudy

White or black powder coated die-cast aluminium frame. Adjustable diffusers: they can be rotated and reclined.

LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**



229089 229065



294827 294810

IP20	IP20	IP20	IP20
1,230 Kg / 0,0078 m³ GU10 max 4 x 35W	1,080 Kg / 0,0041 m³ GU10 max 3 x 35W	1,230 Kg / 0,0035 m³ GU10 max 4 x 35W	1,080 Kg / 0,0060 m³ GU10 max 3 x 35W
€ 190	€ 130	€ 200	€ 155
229089 White 229072 Black	229065 White 229058 Black	294827 White 321523 Black	294810 White 321516 Black
3000 K 540 lm	3000 K 540 lm	3000 K 540 lm	3000 K 540 lm
123943 € 2,50	123943 € 2,50	123943 € 2,50	123943 € 2,50





Profilo

Base with recessed fastening and adjustable powder coated metal diffuser. Finishes: white, black.



Bulbs LED GU10 7W 3000 K included.
Cod. **123943**




1,900 Kg / 0,0159 m³ GU10 max 4 x 28W	0,940 Kg / 0,0082 m³ GU10 max 2 x 28W
€ 190	€ 95
328188 White 328195 Black	314716 White 314723 Black
3000 K 540 lm	3000 K 540 lm
123943 € 2,50	123943 € 2,50



Triumph

Plated metal base, arm and bulb holder cover. Color: old brass.



IP20

3,270 Kg / 0,0375 m³
E27 max 8 x 42W

€ 570

160313 Brass

2200 K
370 lm


151687 € 2,50



P. 102




P. 422



Nodi

Chrome or satin brass metal frame. White acid-etched blown or transparent or chrome glass diffusers.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20

3,160 Kg / 0,3342 m³
G9 max 9 x 15W

€ 567

149622 White
133393 Chrome

3000 K
510 lm

305486 € 6,10

IP20

3,200 Kg / 0,0853 m³
E14 max 5 x 28W

€ 231

073712 White
241050 Brass
200484 Chrome

3000 K
480 lm

101200 € 2,00



P. 110



Perlage

Metal frame with round section
linear structure or squared section
round structure. Blown glass
diffusers. Finishes: Matt black with
amber or smoky Pyrex glasses
or satin brass with etched white
glasses.

LED

Bulbs LED G9 3W 3000 K included.
Cod. **209043**




328423



328416




328409



7,520 Kg / 0,2760 m³
G9 max 18 x 15W

€ 851


328393 White
328386 Smok. Gra.
328379 Amber



3,300 Kg / 0,0759 m³
G9 max 10 x 15W

€ 518


327815 White
309286 Smok. Gra.
327808 Amber



3,870 Kg / 0,1348 m³
G9 max 9 x 15W

€ 437

328423 White
328416 Smok. Gra.
328409 Amber



1,810 Kg / 0,0348 m³
G9 max 6 x 15W

€ 265

309279 White
309262 Smok. Gra.
327822 Amber



P. 108



P. 421



P. 470



P. 492



3000 K
510 lm
305486 € 6,10



3000 K
510 lm
305486 € 6,10



3000 K
510 lm
305486 € 6,10



3000 K
510 lm
305486 € 6,10




Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. Color: matt black with satin brass detail.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**



2,800 Kg / 0,1328 m³
G9 max 5 x 15W

€ 278

273631 ■ Black

3000 K
510 lm
305486 € 6,10



P. 107



P. 420



P. 469




P. 494



Gourmet

Matt varnished metal ceiling cap and frame. White blown acid-etched glass diffusers. Available finishes: black and satin brass.



■ □ IP20


5,400 Kg / 0,1540 m³
E14 max 9 x 28W

€ 615

289489 ■ Black

101217 3000 K
420 lm

€ 2,00



■ □ IP20

3,670 Kg / 0,0920 m³
E14 max 6 x 28W

€ 415

289496 ■ Black

101217 3000 K
420 lm

€ 2,00



Atlas

Matt varnished metal frame with adjustable arms. Acid-etched white blown glass diffusers. Finishes: white, black, gold.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**




328201



311357



311340




2,400 Kg / 0,0745 m³
G9 max 5 x 4W

€ 299

328225 ■ White
328218 ■ Black
311364 ■ Gold

3000 K
510 lm
305486 € 6,10



1,500 Kg / 0,0416 m³
G9 max 3 x 4W

€ 195

328201 ■ White
311357 ■ Black
311340 ■ Gold

3000 K
510 lm
305486 € 6,10



P. 106



P. 422




Cosmopolitan

Metal frame with matt varnish finish. White acid-etched blown glass diffusers. Colors: black with satin brass details.

LED

Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20

7,600 Kg / 0,1313 m³
G9 max 12 x 15W


€ 700

273709 ■ Black



3000 K
510 lm

305486 € 6,10



IP20

6,500 Kg / 0,1397 m³
G9 max 10 x 15W


€ 600

273693 ■ Black



3000 K
510 lm

305486 € 6,10



IP20

3,040 Kg / 0,0595 m³
G9 max 8 x 15W

€ 330

328485 ■ Black



3000 K
510 lm

305486 € 6,10



Angolo

Powder-coated or plated metal frame. White blown and acid-etched glass diffusers. Available finishes: black or satin brass.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**



284286

284330



IP20

1,650 Kg / 0,0411 m³
G9 max 3 x 28W

€ 185

284286 ■ Black
284330 ■ Brass

3000 K
510 lm
305486 € 6,10



P. 471




P. 495



Lingotto

Varnished metal frame: matt black base and matt brass or total matt black structure. White overlay acid-etched blown glass diffuser.




5,580 Kg / 0,0800 m³
E14 max 4 x 28W

€ 315

327860 ■ Black
198156 ■ Brass

3000 K
420 lm
101217 € 2,00




3,370 Kg / 0,0404 m³
E14 max 2 x 28W

€ 210

304137 ■ Black
198149 ■ Brass

3000 K
420 lm
101217 € 2,00



1,810 Kg / 0,0165 m³
E14 max 1 x 28W

€ 125

327853 ■ Black
198132 ■ Brass

3000 K
420 lm
101217 € 2,00



P. 102



P. 469



Binomio

Metal frame. White acid-etched blown glass diffusers with screw fastening. Finishes: white, black, brushed brass.

Bulbs LED G9 3W 3000 K included.

Cod. **209043**.

LED source 3000 K, 50.000 h life.

LED


Cod. **328256, 313290, 328263, 328232, 313283, 328249, 328270, 313252, 328287**



1,290 Kg / 0,0048 m³
LED 18W / 1350 lm

€ 240


328256 White
313290 Black
328263 Brass



0,860 Kg / 0,0035 m³
LED 12W / 900 lm

€ 170


328232 White
313283 Black
328249 Brass



0,540 Kg / 0,0023 m³
LED 6W / 450 lm

€ 100


328270 White
313252 Black
328287 Brass



1,550 Kg / 0,0292 m³
G9 max 4 x 4W

€ 130

328454 White
310688 Black
328461 Brass



1,200 Kg / 0,0155 m³
G9 max 2 x 4W

€ 90

328430 White
310671 Black
328447 Brass

305486 3000 K 510 lm € 6,10

305486 3000 K 510 lm € 6,10



Hermes

Plated metal base and frame. White blown acid-etched glass diffusers. Available finishes: white or satin brass.




Bulbs LED G9 3W 3000 K included.
Cod. **209043**



316680

288277



2,500 Kg / 0,0372 m³
G9 max 5 x 28W

€ 350


316680 White
288277 Brass



3000 K
510 lm

305486

€ 6,10



1,700 Kg / 0,0252 m³
G9 max 3 x 28W

€ 250


322674 White
288260 Brass



3000 K
510 lm

305486

€ 6,10



2,700 Kg / 0,0388 m³
G9 max 5 x 28W

€ 320


322698 White
316697 Brass



3000 K
510 lm

305486

€ 6,10



2,500 Kg / 0,0224 m³
G9 max 3 x 28W

€ 220

322667 White
317007 Brass



3000 K
510 lm

305486

€ 6,10



Ninfea

Plated or powder-coated metal base. White acid-etched blown glass diffusers. Available finishes: white or satin brass.




Bulbs LED GX53 9W 3000 K included.
Cod. **123936**



306957

293653



2,550 Kg / 0,0480 m³
GX53 max 3 x 15W

€ 275

306964 White
293660 Brass

3000 K
910 lm

123936

€ 5,00

1,700 Kg / 0,0290 m³
GX53 max 2 x 15W

€ 195

306957 White
293653 Brass

3000 K
910 lm

123936

€ 5,00



P. 428




P. 472



Daisy

Metal base with gold leaf finish.
White acid-etched blown glass
diffusers with stripes in relief.



■ □ IP20

12,000 Kg / 0,1850 m³
E27 max 6 x 52W

€ 440

247779 ■ Gold

● 3000 K
900 lm
123899 € 3,50



Compo

Chrome or matt white varnished metal frame. White overlay acid-etched or transparent smoky blown glass diffusing elements.



125503




■  IP20

21,000 Kg / 0,2170 m³
E27 max 10 x 52W

€ 1000

125510  White

 3000 K
910 lm

119571 € 3,50




■  IP20

11,500 Kg / 0,1825 m³
E27 max 6 x 52W

€ 570

125503  White

 3000 K
910 lm

119571 € 3,50



Roma

Chrome metal frame and details.
Square-shaped crystal elements on
sides and sandblasted bottom glass
sheet.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**



7,950 Kg / 0,0675 m³
G9 max 12 x 40W

€ 758

087870 Chrome

3000 K
510 lm

305486 € 6,10




6,950 Kg / 0,0493 m³
G9 max 9 x 40W

€ 646

087863 Chrome

3000 K
510 lm

305486 € 6,10



4,800 Kg / 0,0365 m³
G9 max 6 x 40W

€ 424

000657 Chrome

3000 K
510 lm

305486 € 6,10



Pashà

Metal Frame. Diffuser composed of cut crystal pearl strings. Bottom part closed with sandblasted glass disk.



164991



165004



P. 202



P. 434



13,000 Kg / 0,1783 m³
E14 max 14 x 40W

€ 1145

164991 Chrome
165004 Gold



3000 K
480 lm

101200

€ 2,00



8,800 Kg / 0,1210 m³
E14 max 10 x 40W

€ 980


100746 Chrome
100791 Gold



3000 K
480 lm

101200

€ 2,00



6,200 Kg / 0,0624 m³
E14 max 6 x 40W

€ 780

100784 Chrome
100807 Gold



3000 K
480 lm

101200

€ 2,00



King

Diffuser composed of chrome or golden metal rings with octagonal crystals set inside.




Bulbs LED G9 3W 3000 K included.
Cod. **209043**



073255



073262





6,250 Kg / 0,0946 m³
G9 max 9 x 40W

€ 731

073255 Chrome
073262 Gold

3000 K
510 lm

305486 € 6,10





3,200 Kg / 0,0344 m³
G9 max 5 x 40W

€ 424

075419 Chrome
073187 Gold

3000 K
510 lm

305486 € 6,10



1,750 Kg / 0,0173 m³
G9 max 3 x 40W

€ 249

075389 Chrome
075402 Gold

3000 K
510 lm

305486 € 6,10



Armony

Matt varnished metal frame.
Hanging decorative elements
in metal wire with transparent
chromed glass beads. Finishes:
white.



LED LED source 3000 K, 30.000 h life.

750 750 320	600 600 320	500 500 320
10,500 Kg / 0,0919 m ³ LED 70W / 6700 lm	7,830 Kg / 0,0634 m ³ LED 56W / 5450 lm	5,050 Kg / 0,0393 m ³ LED 48W / 4700 lm
€ 600	€ 450	€ 315
315812 White	315805 White	328492 White




Neve

Plated metal frame. Decorative glass balls fixed to nylon strings.
Frame Color: chrome. Glasses color: clear.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**









800	630	405
IP20	IP20	IP20
11,250 Kg / 0,1409 m³ G9 max 15 x 40W	7,420 Kg / 0,0784 m³ G9 max 12 x 40W	3,590 Kg / 0,0304 m³ G9 max 8 x 40W
€ 760	€ 510	€ 305
030784 Chrome	022239 Chrome	022222 Chrome
3000 K 510 lm	3000 K 510 lm	3000 K 510 lm
305486 € 6,10	305486 € 6,10	305486 € 6,10



Moonlight

Metal frame available with chrome or gold finish. Pendants with octagons and cut crystals spheres.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**


			
800 800 360	600 600 360	400 400 360	260 260 200
			
11,800 Kg / 0,1479 m ³ G9 max 15 x 40W	6,000 Kg / 0,0871 m ³ G9 max 12 x 40W	2,900 Kg / 0,0328 m ³ G9 max 8 x 40W	1,500 Kg / 0,0129 m ³ G9 max 5 x 40W
€ 875	€ 605	€ 338	€ 170
077819 Chrome 082790 Gold	077802 Chrome 082783 Gold	077796 Chrome 080932 Gold	094649 Chrome 094663 Gold
3000 K 510 lm	3000 K 510 lm	3000 K 510 lm	3000 K 510 lm
305486 € 6,10	305486 € 6,10	305486 € 6,10	305486 € 6,10

Magnolia

Metal frame with gold finish. Clear cut crystals decorative elements. The upper part is composed alternatively of clear and smoky elements.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**



9,780 Kg / 0,0672 m³
G9 max 7 x 15W

€ 620


241296 **Gold**

3000 K
510 lm

305486 **€ 6,10**

Dubai

Metal frame with chrome or brass finish. Decorative elements composed of transparent cut crystals pearls, octagons and prisms.




14,290 Kg / 0,3881 m³
E14 max 24 x 28W

€ 1430

243566 **Chrome**
243498 **Brass**

3000 K
470 lm

101224 **€ 2,00**




6,310 Kg / 0,1344 m³
E14 max 6 x 28W

€ 950

207186 **Chrome**
201016 **Brass**

3000 K
470 lm

101224 **€ 2,00**



3,010 Kg / 0,0380 m³
E14 max 3 x 28W

€ 475

207162 **Chrome**
200996 **Brass**

3000 K
470 lm

101224 **€ 2,00**



[P. 204](#) [P. 435](#)



207186



201016

Martinez

Chromed or golden metal frame.
Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



IP20

17,500 Kg / 0,0686 m³

E14 max 8 x 40W

€ 770

166285 Chrome

213569 Gold



3000 K
470 lm



101224

€ 2,00

P. 200




166285



213569

Carlton

Chromed or golden metal frame.
Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



IP20

13,840 Kg / 0,1202 m³

E14 max 12 x 40W

€ 725

168937 Chrome


213507 Gold



3000 K
470 lm

101224

€ 2,00



IP20

10,200 Kg / 0,0744 m³

E14 max 8 x 40W

€ 625

168920 Chrome

168920 Chrome



3000 K
470 lm

101224

€ 2,00



P. 199



P. 435



168937



213507



Wall lamps

Indoors

Alphabetical index

Ali	387	Essence	390	Pegaso	436
Alma	394	Firenze	440	Peggy	353
Atlas	422	Flash	370	Perlage	421
Balance	356	Florian	438	Peter	441
Barber	417	Focus	398	Piano	411
Bean	402	Frida	418	Pipe	407
Binomio	426	Gea	432	Pouche	354
Birds	420	Gim	416	Pretty	388
Block	361	Gioconda	439	Prive'	389
Bloom	385	Goose	400	Radio	419
Bonne nuit	408	Harem	442	Retro'	397
Bow	396	Hotel	433	Riflesso	395
Camerino	388	Io	399	Rudy	415
Cantina	424	Komodo	410	Santa	443
Carlton	435	Lite	405	Set up	430
Carta	386	Lolly	381	Shower	425
Chalet	440	Look	372	Smarties	386
Click	356	Make-up	396	Soda	380
Clip	357	Mapa	382	Steel	359
Corte	437	Mirror-10	397	Strauss	439
Cotton	384	Moris	355	Tab	360
Cover	352	Negresco	438	Tick	429
Craft	358	Newton	424	Triplo	387
Delta	362	Ninfea	428	Triumph	422
Desk	358	Nordik	432	Winery	416
Dodo	414	Oby	417	Zig zag	366
Dorica	371	Opera	436		
Dubai	435	Ovalino	380		
Dynamite	412	Oz	350		
Dynamo	401	Page	406		
Elf	404	Pan	434		
Equinoxe	423	Pasha'	434		

























































Block

Pag 361





































Indoors

Typology index

						
Oz 350	Cover 352	Peggy 353	Pouche 354	Moris 355	Click 356	Balance 356
						
Clip 357	Desk 358	Craft 358	Steel 359	Tab 360	Block 361	Delta 362
						
Zig Zag 366	Flash 370	Dorica 371	Look 372	Soda 380	Ovalino 380	Lolly 381
						
Mapa 382	Cotton 384	Bloom 385	Smarties 386	Carta 386	Triplo 387	Ali 387
						
Camerino 388	Pretty 388	Privè 389	Essence 390	Alma 394	Riflesso 395	Make Up 396
						
Bow 396	Mirror-10 397	Retrò 397	Focus 398	Io 399	Goose 400	Dynamo 401
						
Bean 402	Elf 404	Lite 405	Page 406	Pipe 407	Bonne Nuit 408	Komodo 410
						
Piano 411	Dynamite 412	Dodo 414	Rudy 415	Gim 416	Winery 416	Oby 417

Indoors

Typology index

						 new
Barber 417	Frida 418	Radio 419	Birds 420	Perlage 421	Triumph 422	Atlas 422
						
Equinoxe 423	Cantina 424	Newton 424	Shower 425	Binomio 426	Ninfea 428	Tick 429
						
Set Up 430	Nordik 432	Gea 432	Hotel 433	Pan 434	Pashà 434	Carlton 435
						
Dubai 435	Opera 436	Pegaso 436	Corte 437	Negresco 438	Florian 438	Gioconda 439
						
Strauss 439	Firenze 440	Chalet 440	Peter 441	Harem 442	Santa 443	



Ninfea


Pag 428

Oz













Plated or powder coated metal base and frame. Opal rubber diffuser. Available finishes: white, black or brushed brass. DALI/Push dimmable version available.

LED LED source 2700 / 3000 / 4000 K, 30.000 h life.

Source	LED SMD	LED life	30.000 h
Power	26W / 28W	Insulation class	II
Driver included	On/Off / DALI/Push	IP	20
Drivers available	No	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K		
CRI	≥90		



LED SMD Driver included

Power	Driver	Lumen	CCT	Finish		Code	€
26 W	On-Off	2450 lm	2700 K	White		342221	135
				Black		342238	135
				Brass		342245	135
		2500 lm	3000 K	White		253695	135
				Black		269399	135
				Brass		269405	135
		2650 lm	4000 K	White		342252	135
				Black		342269	135
				Brass		342276	135
28 W	DALI/Push	2500 lm	3000 K	White		304489	205
				Black		304496	205
				Brass		304502	205



P. 064



P. 238



P. 448



253695



269399




269405



Cover

White or black powder painted aluminum body. Opal color plastic diffuser. Light source made of integrated LED with mirrored light emission.

LED LED source 3000 K, 30.000 h life.




■ ■ □ IP20

0,690 Kg / 0,0026 m³
LED 11W / 1100 lm

€ 100

195711 ■ White
195759 ■ Black




■ ■ □ IP20

0,860 Kg / 0,0028 m³
LED 11W / 1100 lm

€ 100

195735 ■ White
195773 ■ Black




■ ■ □ IP20

0,390 Kg / 0,0015 m³
LED 9,5W / 730 lm

€ 88

195704 ■ White
195742 ■ Black



■ ■ □ IP20

0,510 Kg / 0,0018 m³
LED 9,5W / 730 lm

€ 88


195728 ■ White
195766 ■ Black



Peggy

Powder coated metal base and frame with white finish. Satin acrylic diffuser. Indirect light emission.

LED LED source 3000 K, 50.000 h life.




■  IP20

0,710 Kg / 0,0035 m³
LED 15W / 1500 Lm

€ 170

257242  White



■  IP20

0,520 Kg / 0,0020 m³
LED 10,5W / 1080 Lm

€ 110

257235  White




Pouche

Metal frame finished with white powder varnish. Satin clear acrylic diffuser. Indirect light emission.

LED

LED source 3000 K, 20.000 h life.




■  IP20

1,440 Kg / 0,0057 m³
LED 15W / 2000 Lm

€ 111

259352  White



■  IP20

1,120 Kg / 0,0057 m³
LED 15W / 2000 Lm

€ 111

259345  White




Moris

Chrome metal frame. Blown glass diffuser available in white color.

LED

Bulbs LED G9 3W 3000 K included.
Cod. **209043**



0,520 Kg / 0,0053 m³
G9 max 2 x 40W

€ 90

034546 White

3000 K
510 lm


305486

€ 6,10

Click

Total powder coated aluminum body with white finish. Up-and-down reflector inside.

LED LED source 3000 K, 20.000 h life.




■ IP20

0,600 Kg / 0,0040 m³
LED 12W / 1450 lm

€ 84

017518 ■ White



■ IP20

0,400 Kg / 0,0018 m³
LED 6W / 520 lm

€ 62

051444 ■ White



Balance

Powder coated aluminum frame. Adjustable diffuser with clear glass, frosted inside. Finishes: white, black.

LED LED source 3000 K, 30.000 h life.




■ IP20

2,200 Kg / 0,0136 m³
LED 24W / 3100 lm

€ 232

287584 ■ White
321561 ■ Black




■ IP20

1,600 Kg / 0,0083 m³
LED 17W / 2200 lm

€ 172

287577 ■ White
321554 ■ Black



■ IP20

1,200 Kg / 0,0068 m³
LED 12W / 1450 lm

€ 137

287560 ■ White
321547 ■ Black












Clip

Metal sheet body with different finishes. Small size models supplied with sandblasted Pyrex glass diffusers.

LED

Bulbs LED G9 3W 3000 K included in models: **049236, 091136, 049229, 091129** and **170923**. Cod. **209043**

	014166		
	088273	440	250
	031361	125	90
	088266	110	65
	187365	IP20	IP20
		1,370 Kg / 0,0079 m³	0,730 Kg / 0,0033 m³
		E27 max 2 x 60W	G9 max 2 x 40W
		€ 107	€ 95
		014166 White	049236 White
		088273 Silver	091136 Silver
		031361 Chrome	049229 Chrome
		088266 Gold	091129 Gold
		187365 Coffee	170923 Coffee
		3000 K	3000 K
		430 lm	510 lm
		101279 € 2,00	305486 € 6,10

Desk

Powder coated aluminium body with white or black finish. Satin acrylic diffusers. Upward and downward light emission.

LED LED source 3000 K, 30.000 h life.



■  IP20

0,640 Kg / 0,0045 m³

LED 12,5W / 1550 lm

€ 100

138251  White

173252  Black




P. 098



Craft

Matt black varnished metal base. Natural wood body. Satin opal color polycarbonate diffuser. Downward light emission.

LED LED source 3000 K, 20.000 h life.



■  IP20

0,800 Kg / 0,0057 m³

LED 12W / 950 lm

€ 145

284477  Wood



P. 098



P. 515






Steel ^{new}

Linear aluminum lamp with direct and indirect light for wall installation. White or black finish available. Integrated LED, starting binning \leq 3-Step MacAdam; available with 3000 K and 4000 K color temperature; CRI \geq 90. Dimmable power supply 1-10V integrated as standard.




LED source 3000/4000 K, 50.000 h life.



1,250 Kg / 0,0140 m³
LED 32W / 4650/5000 lm

€ 210

233840	White	3000K
268095	White	4000K
242019	Black	3000K
268071	Black	4000K



1,600 Kg / 0,0114 m³
LED 29W / 4500/4800 lm

€ 195

368887	White	3000K ^{new}
368917	White	4000K ^{new}
367576	Black	3000K ^{new}
368894	Black	4000K ^{new}




P. 616



Tab new

Light body in powder-coated or plated aluminum. Single light source, protected by clear polycarbonate diffuser. Available colours; White, Black, Brass.

LED LED source 3000 K, 50.000 h life.



■ □ IP20

0,300 Kg / 0,0006 m³
LED 24W / 3050 Lm

€ 60


354545	White	new
369167	Black	new
354552	Brass	new



Block new

Light body in solid powder-coated aluminum. Single light source, protected by clear polycarbonate diffuser.

LED LED source 3000 K, 30.000 h life.




■ IP20

1,300 Kg / 0,0017 m³
LED 30W / 2550 Lm

€ 200

350752 White




■ IP20

1,000 Kg / 0,0013 m³
LED 20W / 1700 Lm

€ 150

new 350523 White



■ IP20

0,700 Kg / 0,0009 m³
LED 10W / 850 Lm

€ 100

new 350554 White new


Delta Led new

Powder-coated aluminum body.
Shiny opal polycarbonate diffusers.
Upward and downward light
emission. Colours: black, white and
cement.

LED LED source 3000 K, 35.000 h life.

Source	LED SMD	LED life	35.000 h
Power	10 W / 37 W	Insulation class	I
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K / 4000 K		
CRI	≥90		


LED SMD Driver included



0,450 Kg / 0,0033 m³

* 1,250 Kg / 0,0081 m³

Power	Lumen	CCT	Finish		Code	€
10 W	1100 lm	3000 K	White		345154	65
			Black		336510	65
			Concrete *		369501	65 new
	1150 lm	4000 K	White		345161	65
			Black		345178	65




0,580 Kg / 0,0045 m³

* 1,750 Kg / 0,0105 m³

LED SMD Driver included

Power	Lumen	CCT	Finish		Code	€
14 W	1550 lm	3000 K	White		316789	82
			Black		345185	82
			Concrete *		369563	82 new
	1650 lm	4000 K	White		345192	82
			Black		345208	82




0,950 Kg / 0,0062 m³

* 2,550 Kg / 0,0179 m³

LED SMD Driver included

Power	Lumen	CCT	Finish		Code	€
19,5 W	2200 lm	3000 K	White		287645	112
			Black		287638	112
			Concrete *		357096	112 new
	2250 lm	4000 K	White		307015	112
			Black		307022	112




0,900 Kg / 0,0073 m³

* 3,400 Kg / 0,0296 m³

LED SMD Driver included

Power	Lumen	CCT	Finish		Code	€
30 W	3350 lm	3000 K	White		287621	128
			Black		287614	128
			Concrete *		357119	128 new
	3500 lm	4000 K	White		307039	128
			Black		307046	128



2,400 Kg / 0,0120 m³

* 4,550 Kg / 0,0481 m³

LED SMD Driver included

Power	Lumen	CCT	Finish		Code	€
37 W	4300 lm	3000 K	White		287607	148
			Black		287591	148
			Concrete *		357126	148 new
	4550 lm	4000 K	White		307053	148
			Black		307060	148



345154



287645



287638




357096

Delta new

Powder-coated aluminum body.
Shiny opal polycarbonate diffusers.
Upward and downward light
emission. Colours: black, white.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**


Source	G9
Power	max 4 W
Insulation class	I
IP	20
Material	Aluminum



0,550 Kg / 0,00030 m³

G9 Recommended bulb: 305486, 3000 K, 510 lm € 6,10


Power	Finish	Code	€
G9 max 3 x 4W	White	366739	55 new
	Black	369617	55 new



0,740 Kg / 0,0042 m³

G9 Recommended bulb: 305486, 3000 K, 510 lm € 6,10


Power	Finish	Code	€
G9 max 4 x 4W	White	366746	67 new
	Black	369679	67 new



1,050 Kg / 0,0058 m³

G9 Recommended bulb: 305486, 3000 K, 510 lm € 6,10


Power	Finish	Code	€
G9 max 5 x 4W	White	366753	95 new
	Black	369716	95 new



1,400 Kg / 0,0078 m³

G9 Recommended bulb: 305486, 3000 K, 510 lm € 6,10

Power	Finish	Code	€
G9 max 6 x 4W	White	366760	107 new
	Black	369778	107 new



1,800 Kg / 0,0102 m³

G9 Recommended bulb: 305486, 3000 K, 510 lm € 6,10

Power	Finish	Code	€
G9 max 8 x 4W	White	366777	140 new
	Black	369822	140 new



366739


369617

Zig Zag Round new

Powder coated or plated total aluminum base and diffuser. Indirect light emission. Colors: white, black, satin brass.

LED LED source 3000 K, 50.000 h life.


Source	LED SMD	Insulation class	I
Power	12,5W / 23W / 30W	IP	20
Driver included	On/Off	Material	Aluminum
Drivers available	No		
CCT	3000 K		
CRI	≥90		
LED life	50.000 h		



0,550 Kg / 0,0022 m³

LED SMD Driver included


Measure	Power	Driver	Lumen	CCT	Finish		Code	€
290 x 50	12,5 W	On-Off	1300 lm	3000 K	White		361918	100 new
					Black		364520	100 new
					Brass		361925	100 new



0,780 Kg / 0,0033 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
530 x 50	23 W	On-Off	2350 lm	3000 K	White		361932	120 new
					Black		369495	120 new
					Brass		369532	120 new



0,990 Kg / 0,0047 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
750 x 50	30 W	On-Off	3100 lm	3000 K	White		361949	140 new
					Black		369556	140 new
					Brass		369570	140 new



361918



364520











361925









Zig Zag Square new










Plated or powder coated aluminum body. 360° indirect light emission. Colors: white, black, brushed brass or concrete.

LED LED source 2700 / 3000 / 4000 K, 50.000 h life.

Source	LED SMD	LED life	50.000 h
Power	12,5W / 23W / 30W	Insulation class	I
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K		
CRI	≥90		

 <div><div>S</div><div>I</div><div>290</div><div>50</div></div> <p>0,550 Kg/0,0021 m³</p> <p>* 1,100 Kg/0,0071 m³</p>	LED SMD Driver included								
	Measure	Power	Driver	Lumen	CCT	Finish		Code	€
	290x50	12,5 W	On-Off	1250 lm	2700 K	White		342641	95
					3000 K	White		179292	95
						Black		179315	95
						Brass		282121	95
						Concrete *		356679	95 new
				1350 lm	4000 K	White		277233	95
						Black		369433	95 new
	Measure	Power	Driver	Lumen	CCT	Finish		Code	€

<div><div><div>S</div><div>I</div><div>530</div><div>50</div></div><p>0,770 Kg/0,0038 m³</p><p>* 2,150 Kg/0,0138 m³</p></div> <th colspan="9">LED SMD Driver included</th>	LED SMD Driver included								
	Measure	Power	Driver	Lumen	CCT	Finish		Code	€
	530x50	23 W	On-Off	2300 lm	2700 K	White		342658	110
					3000 K	White		179308	110
						Black		179322	110
						Brass		282138	110
						Concrete *		356686	110 new
				2500 lm	4000 K	White		277240	110
						Black		369457	110 new
	Measure	Power	Driver	Lumen	CCT	Finish		Code	€

<div><div><div>S</div><div>I</div><div>750</div><div>50</div></div><p>1,040 Kg/0,0053 m³</p><p>* 2,950 Kg/0,0220 m³</p></div>	LED SMD Driver included									
	Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
	750x50	30 W	On-Off	3000 lm	2700 K	White		342665	140	
					3000 K	White		277219	140	
						Black		277226	140	
						Brass		287072	140	
						Concrete *		356693	140 new	
		26 W		3250 lm	4000 K	White		277257	140	
						Black		369471	140 new	
	Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
	750x50	30 W	On-Off	3000 lm	2700 K	White		342665	140	



179292



179315



282121



356679



Flash

Enameled metal base. Total gypsum body. Double light emission: upward and downward.




Item suitable for painting and varnishing.



214689



214696




■  IP20


0,710 Kg / 0,0049 m³
G9 max 1x 40W

€ 50

214689 White

 3000 K
510 lm

305486 € 6,10




■  IP20


0,770 Kg / 0,0045 m³
G9 max 1x 40W

€ 50

214672 White

 3000 K
510 lm

305486 € 6,10




■  IP20

0,950 Kg / 0,0034 m³
G9 max 1x 40W

€ 45

214696 White

 3000 K
510 lm

305486 € 6,10



Dorica new

Powder painted or plated aluminum base and shade. Opal polycarbonate diffuser. Colors: fluted surface: orange, white, blue or black; with smooth brushed surface: brass, copper, steel, grey, bronze.

LED

LED source 3000 K, 50.000 h life.



IP20

0,400 Kg / 0,0020 m³

LED 8,5W / 850 lm

€ 90

366258	White	new	366371	Grey	new
366265	Black	new	366364	Bronze	new
366357	Brass	new	362502	Blue	new
366333	Copper	new	354163	Orange	new
366326	Steel	new			



P. 080



P. 452



P. 504

Look Led Round new

Base and light body in powder-coated or plated metal. Integrated driver. Available colours: White, Black, Brass.



Led source 3000 K, 50.000 h life.

Source	LED COB	LED life	50.000 h
Power	9W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
Beam	60° + 60°		
CCT	3000 K		
CRI	≥90		



LED COB Driver included

Length	Power	Driver	Lumen	CCT	Weight	Volume	Finish		Code	€
150 mm	9W	On-Off	900 lm	3000 K	0,25 Kg	0,0015 m³	White		370552	75 new
							Black		353333	75 new
							Brass		370590	75 new
300 mm	9W	On-Off	900 lm	3000 K	0,35 Kg	0,0027 m³	White		370620	85 new
							Black		370651	85 new
							Brass		353340	85 new



P. 082



P. 296



P. 506



P. 679



370552



353333



370590


Look Round new

Base and light body in powder-coated or plated metal. Available colours: White, Black, Brass, Chrome, Copper, Burnished.



Bulbs LED GU10 7W 3000 K included.
Cod. **123943**

Source	GU10
Power	max 28 W
Insulation class	II
IP	20
Material	Aluminum



GU10 Recommended bulb: 123943, 3000 K, 540 lm € 2,50

Length	Power	Weight	Volume	Finish		Code	€
150 mm	GU10 max 2 x 28W	0,35 Kg	0,0025 m³	White		096018	65
				Black		095998	65
				Brass		369990	65 new
				Chrome		094182	65
				Ant.Brass		164823	65
				Copper		164847	65
300 mm	GU10 max 2 x 28W	0,45 Kg	0,0035 m³	White		370033	70 new
				Black		370118	70 new
				Brass		370125	70 new
				Chrome		352961	70 new
				Ant.Brass		370071	70 new
				Copper		370163	70 new



096018



095998



369990



094182



164823



164847

Look Led Square new


Base and light body in powder-coated or plated metal. Integrated driver. Available colours: White, Black, Brass.



Led source 3000 K, 50.000 h life.

Source	LED COB	LED life	50.000 h
Power	9W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
Beam	60° + 60°		
CCT	3000 K		
CRI	≥90		

LED COB Driver included



Length	Power	Driver	Lumen	CCT	Weight	Volume	Finish		Code	€
150 mm	9W	On-Off	900 lm	3000 K	0,33 Kg	0,0015m³	White		370699	87 new
							Black		353357	87 new
							Brass		370712	87 new
300 mm	9W	On-Off	900 lm	3000 K	0,45 Kg	0,0027 m³	White		370750	97 new
							Black		370774	97 new
							Brass		353364	97 new



P. 082



P. 296



P. 506



P. 679



370699



353357



370712


Look Square new

Base and light body in powder-coated or plated metal. Available colours: White, Black, Brass, Chrome, Copper, Burnished.



Bulbs LED GU10 7W 3000 K included.
Cod. **123943**

Source	GU10
Power	max 28 W
Insulation class	II
IP	20
Material	Aluminum



GU10 Recommended bulb: 123943, 3000 K, 540 lm € 2,50

Length	Power	Weight	Volume	Finish		Code	€
150 mm	GU10 max 2x28W	0,75 Kg	0,0025 m³	White		370194	70 new
				Black		353937	70 new
				Brass		370293	70 new
				Chrome		370255	70 new
				Ant.Brass		370231	70 new
				Copper		370354	70 new
300 mm	GU10 max 2x28W	1,40 Kg	0,0035 m³	White		126883	75
				Black		126890	75
				Brass		370439	75 new
				Chrome		353944	75 new
				Ant.Brass		370392	75 new
				Copper		370460	75 new



P. 082



P. 296



P. 506



P. 679



370194



353937



370293



370255



370231




370354

Soda

White chalk body. White enamel coated frame. Frosted clear glass bottom diffuser. Up-and-down light emission.



Item suitable for painting and varnishing.




■  IP20

2,630 Kg / 0,0176 m³
E14 max 2 x 40W

€ 100

105727  White

 3000 K
420 lm

101217


€ 2,00

■  IP20

1,100 Kg / 0,0068 m³
E14 max 1 x 40W

€ 50

105710  White


 3000 K
420 lm

101217

€ 2,00

Ovalino

Diffuser composed of circular elements created from curved and acid-etched glass sheet.




■  IP20

1,800 Kg / 0,0342 m³
E27 max 2 x 60W

€ 126

038025  White

 3000 K
340 lm

101286

€ 2,00



P. 153



P. 380




Lolly new

Powder-coated or plated metal base. Clear glass diffuser, internally sandblasted. Available colours: white with clear glass, black with smoked glass and brass with amber glass.

LED

Bulbs LED GX53 9W 3000 K included.
Cod. 123936



0,800 Kg / 0,0040 m³
GX53 max 1x9W

€ 50

354651 ■ Clear new
354637 ■ Amber new
354644 ■ Grey new

 3000 K
910 lm
123936 € 5,00



Mapa

White metal base and fastening system. White blown acid-etched spherical glass diffuser.

LED

Bulbs LED G9 3W 3000 K included in models: **059808** and **310787**.
Cod. **209043**



1,660 Kg / 0,0647 m³
E27 max 1x 42W


€ 88

059822 White



3000 K
430 lm

101279 € 2,00



0,900 Kg / 0,0189 m³
E27 max 1x 42W


€ 50

059815 White



3000 K
430 lm

101279 € 2,00



0,380 Kg / 0,0105 m³
G9 max 1x 15W


€ 44

059808 White



3000 K
510 lm

305486 € 6,10



0,230 Kg / 0,0025 m³
G9 max 1x 4W

€ 35

310787 White



3000 K
510 lm

305486 € 6,10



P. 158



P. 287



P. 465




Cotton new

Powder painted metal base. White acid-etched blown glass diffuser.

LED

Bulbs LED GX53 9W 3000K and LED G9 3W 3000 K included in models: **352312** and **352329**.
Cod. **123936** and **209043**




IP20


0,800 Kg / 0,0147 m³
E14 max 1x 28W

€ 71

352336 White new

 **3000 K**
420 lm

101217 € 2,00



IP20 


0,500 Kg / 0,0076 m³
G9 max 1x 4W

€ 56

352329 White new

 **3000 K**
510 lm

305486 € 6,10




IP20 

0,300 Kg / 0,0043 m³
GX53 max 1x 9W

€ 51

352312 White new

 **3000 K**
910 lm

123936 € 5,00



P. 155



P. 286



Bloom new

Powder painted or plated metal frame. White acid-etched blown glass diffuser. Colors: black striped frame with satin gray outer glass, brushed brass frame with clear amber striped outer glass.

LED

Bulbs LED G9 3W 3000 K included in models: **366548** and **366531**.
Cod. **209043**



366555



366548



■ ■ ■ IP20


1,200 Kg / 0,0204 m³
E27 max 1x 42W

€ 125

366562 ■ Black
366555 ■ Brass

101286 **3000 K**
340 lm

€ 2,00



■ ■ ■ IP20

0,600 Kg / 0,0091 m³
G9 max 1x 4W

€ 100

366548 ■ Black
366531 ■ Brass

305486 **3000 K**
510 lm

€ 6,10



P. 142



P. 288



P. 462




P. 499

Smarties

Metal base. White acid-etched blown glass diffuser with fastening system without screws.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



■ ■ ■ IP20

0,440 Kg / 0,0061 m³

G9 max 1x15W

€ 46

014814 White

3000 K
510 lm

305486 € 6,10



P. 150

P. 282



P. 461



Carta

Matt white painted metal frame. Polycarbonate diffuser with paper effect covering.

LED Bulbs LED G9 3W 3000 K included in model **317090**. Cod. **209043**



■ ■ ■ IP20

0,500 Kg / 0,0138 m³


E27 max 1x25W

€ 85

317106 White

3000 K
430 lm

101279 € 2,00



■ ■ ■ IP20

0,200 Kg / 0,0034 m³

G9 max 1x15W

€ 65

317090 White

3000 K
510 lm

305486 € 6,10



P. 170

P. 282

P. 468

P. 519

Triplo

Triple glass diffuser. One transparent and plate on the base and two frosted and bent on the upper part. Chrome metal glass holders.




■  IP20

2,170 Kg / 0,0196 m³
E27 max 2x60W

€ 71

026480 White




■  IP20


1,260 Kg / 0,0141 m³
E27 max 1x60W

€ 49

026473 White




101286 € 2,00



101286 € 2,00

Ali

White acid-etched glass diffuser composed of one frontal and two side elements. Chrome glass holders.




■ ■  IP20

1,410 Kg / 0,0162 m³
E27 max 2x60W

€ 58

026558 White












101286 € 2,00



Camerino

Aluminum base. White blown acid-etched glass diffuser closed on both sides with transparent acrylic ends.

		
650	520	370
■  IP20	■  IP20	■  IP20
1,170 Kg / 0,0132 m³ E14 max 4 x 40W	0,960 Kg / 0,0103 m³ E14 max 3 x 40W	0,780 Kg / 0,0076 m³ E14 max 2 x 40W
€ 110	€ 100	€ 90
027104 White	027098 White	027081 White
 3000 K 420 lm	 3000 K 420 lm	 3000 K 420 lm
101217 € 2,00	101217 € 2,00	101217 € 2,00







Pretty

Powder-coated aluminum base and side elements. Shiny opal color polycarbonate cylindrical diffuser. Available finish: white.

LED LED source 3000 K, 50.000 h life.

IP54 Protection degree IP54.

		
1070	807	605
■  IP54	■  IP54	■  IP54
1,250 Kg / 0,0220 m³ LED 24W / 3050 lm	1,120 Kg / 0,0165 m³ LED 18W / 2200 lm	0,960 Kg / 0,0127 m³ LED 11,5W / 1500 lm
€ 147	€ 127	€ 101
287768 White	287775 White	287782 White





Privé

Totally metal body with different finishes. The absence of diffuser allows putting on a wide range of E14 bulbs.

159423



045627



159508



179681



805

⏏ IP20

1,420 Kg / 0,0070 m³
E14 max 8 x 40W

€ 130

159522 White
045634 Chrome

3000 K
420 lm

101217

€ 2,00



605

⏏ IP20

1,100 Kg / 0,0092 m³
E14 max 6 x 40W

€ 100

159423 White
045627 Chrome
159508 Black
179681 Brass

3000 K
420 lm

101217


€ 2,00

Essence Round new

Base and light body in powder-coated or plated aluminum. Fixed, non-adjustable diffuser, in satin opal polycarbonate. Available colours: White, Black, Brass.


LED LED source LED 2700 K / 3000 K / 4000 K, 30.000 h life.

Source	LED SMD	CRI	≥90
Power	12 W / 19 W	LED life	30.000 h
Driver included	On/Off	Insulation class	II
Drivers available	No	IP	20
CCT	2700 K / 3000 K / 4000 K	Material	Aluminum




LED SMD Driver included

Power	Driver	Lumen	CCT	Finish		Code	€
13 W	On-Off	1300 lm	3000 K	White		310138	155
				Black		310145	155
				Brass		327792	155




LED SMD Driver included

Power	Driver	Lumen	CCT	Finish		Code	€
16 W	On-Off	1800 lm	3000 K	White		327778	180
				Black		310152	180
				Brass		327785	180



LED SMD Driver included

Power	Driver	Lumen	CCT	Finish		Code	€
12 W	On-Off	1300 lm	2700 K	Black		340999	145
			3000 K	White		285115	145
		1400 lm	3000 K	Black		265643	145
				Brass		371665	145 new
				Black		341002	145



LED SMD Driver included

Power	Driver	Lumen	CCT	Finish		Code	€
19 W	On-Off	2100 lm	2700 K	Black		341019	195
			3000 K	White		265575	195
		2250 lm	3000 K	Black		285108	195
				Brass		371719	195 new
				Black		341026	195




P.096



P.451



P.502




Essence Square new

Base and light body in powder-coated or plated aluminum. Fixed, non-adjustable diffuser, in satin opal polycarbonate. Available colours: White, Black, Brass.

LED LED source LED 3000 K, 30.000 h life.


Source	LED SMD	LED life	30.000 h
Power	12 W / 19 W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K		
CRI	≥90		



0,520 Kg/0,0112 m³

LED SMD Driver included

Power	Driver	Lumen	CCT	Finish		Code	€
12 W	On-Off	1250 lm	3000 K	White		311777	140
				Black		311760	140
				Brass		371689	140 new



0,600 Kg/0,0181 m³

LED SMD Driver included

Power	Driver	Lumen	CCT	Finish		Code	€
19 W	On-Off	2000 lm	3000 K	White		327945	165
				Black		311784	165
				Brass		371726	165 new




P. 096



P. 451



P. 502



311760



285092



285092




371689



Alma

Metal body with satin brass or chrome finish or white powder coated. Unmovable plastic diffuser in opal color.

LED LED source 3000 K, 30.000 h life.



■ □ IP20

0,730 Kg / 0,0258 m³
LED 18W / 2050 lm

€ 181

225029 White
224992 Chrome
225005 Brass

■ □ IP20

0,650 Kg / 0,0162 m³
LED 12,5W / 1350 lm

€ 143

224985 White
224930 Chrome
224954 Brass



Riflesso

Matt painted or plated metal frame.
Satin clear acrylic diffuser inclined
at 45°. Colors: white, chrome or
black.

LED LED source 3000 K, 20.000 h life.

IP54 Protection degree IP54.

■ IP54	■ IP54	■ IP54
0,980 Kg / 0,0051 m³ LED 19W / 2150 lm	0,750 Kg / 0,0038 m³ LED 16W / 1750 lm	0,600 Kg / 0,0026 m³ LED 10W / 1250 lm
€ 171	€ 145	€ 118
331690 White 345130 Chrome 345147 Black	142289 White 142265 Chrome 302232 Black	142296 White 142272 Chrome 302225 Black

Make Up

Powder-coated aluminium base and body. Satin clear acrylic diffuser. Downward light emission. Available finish: white.

LED LED source 3000 K, 50.000 h life.

IP54 Protection degree IP54.

■ IP54	■ IP54	■ IP54
1,400 Kg / 0,0160 m³ LED 27W / 3250 lm	1,200 Kg / 0,0091 m³ LED 18W / 2200 lm	1,000 Kg / 0,0071 m³ LED 12W / 1350 lm
€ 162	€ 122	€ 102
287676 White	287669 White	287652 White



Bow

Metal frame available with antique brass, chrome or satin brass finish. Reclining LED diffuser. Switch button on the base.

LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.

■ IP20	■ IP20	■ IP20
0,860 Kg / 0,0327 m³ LED 8W / 1050 lm	0,790 Kg / 0,0200 m³ LED 4,6W / 580 lm	0,640 Kg / 0,0136 m³ LED 3,5W / 410 lm
€ 195	€ 145	€ 125
007021 Chrome 121130 Brass 121147 Ant. Brass	007045 Chrome 121178 Brass 121161 Ant. Brass	005386 Chrome 121154 Brass 121338 Ant. Brass




Mirror-10

Metal frame with antique brass, chrome or satin nickel finish. Adjustable diffuser.




Bulbs LED G9 3W 3000 K included.
Cod. **209043**



1,090 Kg / 0,0174 m³
G9 max 4 x 40W

€ 138

017303 Chrome
017310 Ant. Brass




305486 € 6,10



Retrò


Totally metal base, arm and diffuser with brass finish. Adjustable diffuser.



0,790 Kg / 0,0152 m³
E14 max 2 x 28W

€ 120

144917 Ant. Brass



101224 € 2,00





Focus

Metal body with adjustable arm coated with rubber. Finished in white or black matt colour or in grey with chrome details.

LED LED source 3000 K, 30.000 h life.

ON OFF Lamp with integrated switch.



097183



097206



097190




203171



203188



203195



■  IP20

0,400 Kg / 0,0026 m³
LED 4W / 310 lm

€ 65




097183  White
097206  Chrome
097190  Black



■  IP20

0,410 Kg / 0,0018 m³
LED 3,5W / 280 lm

€ 70

203171  White
203188  Chrome
203195  Black



lo

Recessed fitting with powder coated metal frame. Flexible arm coated with rubber. Diffuser with knurled clear acrylic screen. Integrated switch. Colors: white or black.

LED LED source 3000 K, 30.000 h life.


ON OFF Lamp with integrated switch.



285320



272030



IP20

0,240 Kg / 0,0014 m³
LED 3W / 300 lm

€ 130

285320 ■ White
272030 ■ Black



Goose

Cast aluminum body and diffuser with colored matt powder coating. Flexible arm covered with silicone rubber.



LED source 3000 K, 20.000 h life.



Lamp with integrated switch.



142708

142692



IP20

0,430 Kg / 0,0044 m³
LED 3W / 200 lm

€ 125

142708 ■ White
142692 ■ Black



Dynamo

Metal base and flexible arm available with chrome, nickel or antique brass finish. Freely adjustable diffuser. Switch bottom on the base.

LED LED source 4000 K, 20.000 h life.

ON/OFF Lamp with integrated switch.




031460



031477



121352



IP20

0,500 Kg / 0,0025 m³
LED 3,5W / 190 lm

€ 90

031460 Chrome
031477 Nickel
121352 Ant. Brass





Bean ^{new}

Directable plated or powder coated metal base and diffuser. White, black, brass or nickel color with black switch and junction.

LED LED source 3000 K, 30.000 h life.

ON OFF Lamp with integrated switch.

 Lamp with touch dimmer.
Cod. **350233, 364810, 350240, 350264**

 Lamp with rechargeable battery included. 6 hours life. Cod. **350233, 364810, 350240, 350264**



260617



260600



260631




260624



0,180 Kg / 0,0008 m³
LED 3W / 200 lm

€ 55


260648 White
260679 Nickel
260655 Black
260662 Brass



0,180 Kg / 0,0007 m³
LED 3W / 200 lm

€ 55

260600 White
260631 Nickel
260617 Black
260624 Brass



0,310 Kg / 0,0012 m³
LED 3W / 200 lm

€ 75

350233 White ^{new}
364810 Nickel ^{new}
350240 Black ^{new}
350264 Brass ^{new}



Elf **new**

Powder-coated aluminum frame. Base with built-in switch and USB-C charging port. Adjustable diffuser with inner reflecting ring. Available colours: white, black, gold and white, gold and black.


LED LED source 3000 K, 50.000 h life.

ON OFF Lamp with integrated switch.

+ Lamp with dimmer.

Hand icon Lamp with touch dimmer.

USB Lamp with integrated USB socket.



IP20

0,290 Kg / 0,0009 m³
LED 3W / 200 lm

€ 65

347479	White	new
347462	Black	new
347493	Gold	new
347486	Gold	new



ONLY BOX 502

Lite

Aluminium base and body with white, black or brass finish. Adjustable diffuser. Integrated switch. Recessed installation on flush-mounting box type 502, not included.

LED LED source 3000 K, 20.000 h life.

ON/OFF Lamp with integrated switch.




250106



250113



250120




IP20

0,340 Kg / 0,0008 m³
LED 3W / 200 lm

€ 69

250106 White
250113 Black
250120 Brass



Page

White or black powder coated aluminum body. Adjustable diffuser with lens and jointed chrome metal piece.

LED

LED source 3000 K, 30.000 h life.


**ON
OFF**

Lamp with integrated switch.

142586



142579




■  IP20

0,320 Kg / 0,0025 m³
LED 3W / 240 lm

€ 85

142586 ■ White
142579 ■ Black



■  IP20

0,420 Kg / 0,0023 m³
LED 3W / 240 lm

€ 89

142258 ■ White
142241 ■ Black



Pipe

Powder coated aluminum body. Adjustable diffuser with knurled acrylic screen secured with ring. Integrated switch. Colors: white or black.

LED LED source 3000 K, 20.000 h life.


ON OFF Lamp with integrated switch.



280998



281001



IP20

0,400 Kg / 0,0009 m³
LED 7W / 670 lm

€ 100

280998 ■ White
281001 ■ Black




Bonne Nuit

Plated or powder coated metal frame. Double light source: one is fixed and the other is positioned on an adjustable cylinder. Two integrated switches for separate ignitions. Colors: white, black, brass and nickel.

LED LED source 3000 K, 50.000 h life.

ON
OFF Lamp with integrated switch.



■ □ IP20

0,360 Kg / 0,0015 m³
LED 6,5W / 420 lm

€ 75

336794 ■ White
336770 ■ Nickel
336787 ■ Black
336800 ■ Brass



■ □ IP20

0,360 Kg / 0,0015 m³
LED 6,5W / 420 lm

€ 75

345499 ■ White
345482 ■ Nickel
336817 ■ Black
345505 ■ Brass



Komodo

Powder-coated metal frame.
Adjustable diffuser. Integrated
switch and USB socket. Available
finishes: white or black.

LED


LED source 3000 K, 20.000 h life.

**ON
OFF**


Lamp with integrated switch.

USB

Lamp with integrated USB socket.



291789



■ □ IP20

0,700 Kg / 0,0060 m³
LED 4,5W / 240 lm

€ 115

291789 ■ White
291796 ■ Black

■ □ IP20

0,700 Kg / 0,0060 m³
LED 4,5W / 240 lm

€ 115

306810 ■ White
306827 ■ Black



Piano

Total powder painted aluminium frame. Opal polycarbonate diffuser with emission on the back. Adjustable frontal projector. Colours: white or black

LED LED source 3000 K, 20.000 h life.

ON/OFF Lamp with integrated switch.


USB Lamp with integrated USB socket.



287317



287300



■ □ IP20

0,800 Kg / 0,0051 m³
LED 10W / 910 lm

€ 165

287317 ■ White
287300 ■ Black



Dynamite ^{new}

Powder coated or plated or brushed metal frame. Adjustable diffusers.

LED

Bulbs LED GU10 7W 3000 K and
GU10 4 W 3000 K included.
Cod. **123943** and **339771**




371221



231471




244662



0,510 Kg / 0,0025 m³
GU10 max 2x28W

€ 75

367378 White ^{new} 231495 White ^{new}
367385 Black ^{new} 231471 Black ^{new}
367392 Brass ^{new} 244662 Brass ^{new}



3000 K
540 lm


123943 € 2,50



0,430 Kg / 0,0020 m³
GU10 max 1x28W


€ 38

347639 White ^{new} 347646 Black ^{new}
347653 Brass ^{new}



3000 K
540 lm

123943 € 2,50



0,150 Kg / 0,0011 m³
GU10 max 1x28W


€ 35

347639 White ^{new} 347646 Black ^{new}
347653 Brass ^{new}



3000 K
340 lm


339771 € 2,50



0,610 Kg / 0,0025 m³
GU10 max 2x28W

€ 80

371221 White ^{new} 371160 White ^{new}
371238 Black ^{new} 371191 Black ^{new}
371245 Brass ^{new} 371214 Brass ^{new}



3000 K
540 lm


123943 € 2,50



0,430 Kg / 0,0020 m³
GU10 max 1x28W

€ 40

371160 White ^{new} 371191 Black ^{new}
371214 Brass ^{new}



3000 K
540 lm

123943 € 2,50




Dodo

Powder coated or plated metal base and body. Adjustable diffuser with replaceable LED source. Finishes: white, black, brushed brass.



Bulbs LED GX53 9W 3000 K included.
Cod. **123936**




0,930 Kg / 0,0037 m³
GX53 max 2 x 15W

€ 68

314136 White
327938 Black
327921 Brass

3000 K
910 lm

123936 € 5,00



0,450 Kg / 0,0017 m³
GX53 max 1 x 15W

€ 36

314105 White
314099 Black
314129 Brass

3000 K
910 lm

123936 € 5,00



P. 509



Rudy

White or black powder coated die-cast aluminium frame. Adjustable diffusers: they can be rotated and reclined.



Bulbs LED GU10 7W 3000 K included.
Cod. **123943**

 0,570 Kg / 0,0027 m³ GU10 max 2 x 35W € 101	 0,270 Kg / 0,0099 m³ GU10 max 1 x 35W € 51	 0,570 Kg / 0,0025 m³ GU10 max 2 x 35W € 106	 0,270 Kg / 0,0011 m³ GU10 max 1 x 35W € 56
229041 White 229034 Black	229027 White 229010 Black	294803 White 321509 Black	294766 White 321530 Black
3000 K 540 lm 123943 € 2,50	3000 K 540 lm 123943 € 2,50	3000 K 540 lm 123943 € 2,50	3000 K 540 lm 123943 € 2,50



P. 316

Gim

Powder painted aluminum frame.
Rotating diffuser with satin
acrylic screen. Integrated switch.
Integrated LED source.

LED LED source 3000 K, 15.000 h life.

**ON
OFF** Lamp with integrated switch.



■  IP20

0,450 Kg / 0,0020 m³

LED 6,5W / 480 lm

€ 80


167152  White

167121  Black



Winery

Totally white or black enamelled
ceramic body with integrated bulb
socket. AP model with downward
orientation.



■  IP20

0,250 Kg / 0,0004 m³

E27 max 1x 60W

€ 30

180298  White

180304  Black



3000 K
1100 lm



101323

€ 4,50

[P. 314](#)





Oby

Matt white varnished metal frame with chromed junctions. Adjustable body with white plastic diffuser.




LED source 3000 K, 20.000 h life.



0,620 Kg / 0,0031 m³
LED 12W / 1400 lm

€ 120

196695 White



0,310 Kg / 0,0015 m³
LED 6W / 700 lm

€ 61

196688 White




P. 312

Barber

Total metal base, junction and bulb socket cover. Adjustable body. Available version antique brass.



Bulbs LED GU10 7W 3000 K included.
Cod. 123943



0,230 Kg / 0,0025 m³
GU10 max 1x28W

€ 80

159997 Ant. Brass

3000 K
540 lm

123943 € 2,50





Frida

Metal ceiling cup and bulb socket cover with antique brass or copper finish. Power cable coated with black fabric.



IP20

0,430 Kg / 0,0027 m³
E27 max 1 x 60W

€ 47

163338 Copper
163321 Ant. Brass



2200 K
500 lm

151717 € 5,00



P. 122



Radio

Metal ceiling rose and frame.
Adjustable diffuser. Electrical
cable coated with fabric. Available
with chrome or matt white or black
varnish finish.

LED Bulbs LED E27 8W Globo D125
trasparente 3000 K included.
Cod. **101347**




119427



119465



119502



IP20

0,450 Kg / 0,0080 m³
E27 max 1x60W

€ 60

119465 White
119427 Chrome
119502 Black

3000 K
1050 lm

101347

€ 6,00




Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. Color: matt black with satin brass detail.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**



0,670 Kg / 0,0108 m³
G9 max 1x 15W

€ 73

273655 ■ Black



3000 K
510 lm

305486

€ 6,10



P. 107



P. 324



P. 469



P. 494



Perlage

Metal frame. Blown glass diffusers.
Finishes: Matt black with amber or smoky Pyrex glasses or satin brass with etched white glasses.

LED

Bulbs LED G9 3W 3000 K included.
Cod. **209043**


317809



292403



292410



0,800 Kg / 0,0182 m³
G9 max 3 x 15W

€ 175

283784 White
271439 Smok Gra.
322742 Amber

3000 K
510 lm

305486

€ 6,10

0,400 Kg / 0,0054 m³
G9 max 1 x 15W

€ 75

292410 White
292403 Smok Gra.
317809 Amber

3000 K
510 lm

305486

€ 6,10



P. 108



P. 322



P. 470





P. 492

Triumph

Plated metal base, arm and bulb holder cover. Color: old brass.



Lamp with integrated switch.



0,710 Kg / 0,0059 m³
E27 max 2x42W

€ 160

160245 Brass



2200 K
370 lm

151687

€ 2,50



0,490 Kg / 0,0069 m³
E27 max 1x42W

€ 105

160214 Brass



2200 K
370 lm

151687

€ 2,50



P. 102



P. 320




Atlas new

Matt varnished base and frame with adjustable arms. White acid-etched blown glass diffusers. Colors : white, black, gold.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**



0,640 Kg / 0,0124 m³
G9 max 2x4W

€ 135

352008 White new

365077 Black new

365084 Gold new



3000 K
510 lm

305486

€ 6,10



P. 106



P. 326



352008

365077


365084



Equinoxe

Plated metal frame. Clear borosilicate glass diffusers. Colors: chrome structure with clear or faded smoky glass, antique brass structure with clear glass or faded amber glass.

LED Bulbs LED G4 2W 3000 K included.
Cod. **222257**



IP20

0,990 Kg / 0,0147 m³
G4 max 1x2W

€ 145

200132 Chrome
200149 Brass
345338 Smok. Gra.
345321 Amber

3000 K
200 lm
222257 € 4,00




P. 112



P. 491

Cantina

Metal frame, diffuser and bulb socket cover, available with antique brass or copper finish. Electrical cable covered with fabric.



■  IP20

0,520 Kg / 0,0121 m³
E14 max 1x 40W

€ 90

112695 ■ Copper
112626 ■ Ant. Brass



3000 K
480 lm



101200 € 2,00 [P. 136](#)




112695

112626

Newton

Chrome metal frame and diffuser. Available with satin nickel, antique brass or matt black varnish finish. Adjustable arm. Adjustable diffuser with white enamel coating inside.



■  IP20

0,600 Kg / 0,0090 m³
E27 max 1x 42W

€ 62

016399 ■ Nickel
027852 ■ Black
027876 ■ Ant. Brass



3000 K
900 lm



123899 € 3,50 [P. 516](#)



016399

027852

027876



Shower

Black matt varnished metal frame.
Articulated chrome element.
Adjustable diffuser. Power cable
coated with fabric with switch and
plug included.



Lamp with integrated switch.



0,760 Kg / 0,0391 m³
E27 max 1x60W

€ 130

179643 ■ Black



3000 K
900 lm

123899

€ 3,50



Binomio

Powder coated or plated metal frame. Satin acrylic sphere diffuser. Model with adjustable cylindrical diffuser, with independent switching. Colors: white, black, brushed brass.

LED source 3000 K, 50.000 h life.

Cod. **336534**, **336664**, **336671**

LED

Bulbs LED G9 3W 3000 K included in models: **328478**, **310664**, **311319**.

Cod. **209043**

ON
OFF

Lamp with integrated switch.

Cod. **336534**, **336664**, **336671**



336671



310664



328478



0,680 Kg / 0,0025 m³
LED 6W / 600 lm

€ 110

336534 ■ White
336664 ■ Black
336671 ■ Brass



0,500 Kg / 0,0095 m³
G9 max 1x 4W

€ 55

328478 ■ White
310664 ■ Black
311319 ■ Brass



3000 K
510 lm

305486

€ 6,10



P. 330



P. 466




P. 496



Ninfea

Plated or powder-coated metal base. White overlay, acid-etched blown glass diffusers. Available finishes: white or satin brass.

LED Bulbs LED G9 3W 3000 K, LED GX53 9W 3000 K included. Cod. **209043**, **123936**




0,800 Kg / 0,0168 m³
G9 max 2 x 4W

€ 132

327716 White
346533 Brass

3000 K
510 lm
305486 € 6,10



0,800 Kg / 0,0092 m³
GX53 max 1 x 15W

€ 105

306940 White
293646 Brass

3000 K
910 lm
123936 € 5,00



P. 333



P. 472



Tick

Powder coated metal body with gold or silver leaf finish. The diffuser can be reclined up to 90°.


LED LED source 3000 K, 30.000 h life.



238944



238975



IP20

0,440 Kg / 0,0041 m³
LED 7,5W / 700 lm

€ 70

238975 White
238944 Gold



Set up

Powder coated or plated metal frame. Two-light version with rubber-coated flexible arm and independent switches. Lampshades made of fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass with black details. Lampshade colors: beige, white, black, dove grey.



LED LED source 3000 K in model **259819**, **259826**, **259833** and **259857**, 20.000 h life.

ON OFF Lamp with integrated switch in models: **259819**, **259826**, **259833** and **259857**.



259765

259796

259772


259802

260068

260082

304113

260075



0,900 Kg / 0,0063 m³
E27 max 1x 42W +
LED 3W / 200 lm


€ 105

259819 White
259833 Nickel
259826 Black
259857 Brass



3000 K
900 lm

123899 € 3,50



0,370 Kg / 0,0032 m³
E27 max 1x 42W


€ 63

259765 White
259796 Nickel
259772 Black
259802 Brass



3000 K
900 lm


123899 € 3,50



0,460 Kg / 0,0228 m³

€ 63


260433 White
260440 Beige
270005 Black
304618 Dove Grey



0,120 Kg / 0,0180 m³

€ 32


260327 White
260334 Beige
269986 Black
304601 Dove Grey



0,130 Kg / 0,0180 m³

€ 34

260068 White
260082 Beige
260075 Black
304113 Dove Grey



0,110 Kg / 0,0180 m³

€ 29

260341 White
260358 Beige
270036 Black
293004 Dove Grey

Nordik

Matt black varnished metal frame. One single switch to control independently both lighting sources.


LED LED source 3000 K, 20.000 h life.

■  IP20

0,630 Kg / 0,0111 m³
E14 max 1 x 40W +
LED 1,5W / 100 lm


€ 110

158242 ■ Black

 3000 K
480 lm

101200

€ 2,00



P. 191

P. 475

P. 528





Gea

White powder coated aluminum body. Adjustable diffuser with integrated led. PVC shade coated with fabric. USB socket. Independent switches.

LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.

USB Lamp with integrated USB socket.




■  IP20

0,500 Kg / 0,0022 m³
E27 max 1 x 60W +
LED 3W / 230 lm

€ 125

239521 ■ White

 3000 K
900 lm

123899

€ 3,50

0,140 Kg / 0,0052 m³

€ 17

239576 ■ White






Hotel

Fabric shade with satin glasses.
Double light model with adjustable
external light and separated
ignition. Colors: total white, total
black, chrome body with white,
canvas or black shade.

LED LED source 3000 K, 20.000 h life.

**ON
OFF** Lamp with integrated switch.



IP20

1,410 Kg / 0,0149 m³
E27 max 1x60W +
LED 1,5W / 50 lm


€ 125

215693 Total White
035949 White
215709 Total Black
035956 Black
103204 Canvas

3000 K
900 lm
123899 € 3,50

Pan

Diffuser composed of plated metal decorative tubes of different measures. Upward and downward light emission.




■  IP20

6,340 Kg / 0,0302 m³

E14 max 2 x 40W

€ 450

208794  Gold

 3000 K
470 lm

101224 € 2,00



Pashà

Metal Frame. Diffuser composed of cut crystal pearl strings.

LED Bulbs LED G9 3W 3000 K included.
Cod. 209043



■  IP20 


1,110 Kg / 0,0061 m³

G9 max 3 x 40W

€ 210

082264  Chrome

082288  Gold

 3000 K
510 lm

305486

€ 6,10



[P. 202](#)



[P. 337](#)




082264



082288

Carlton

Chromed or golden metal frame.
Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



2,570 Kg / 0,0154 m³

E14 max 3 x 40W

€ 170

168913 Chrome

213491 Gold



3000 K
470 lm



101224


€ 2,00

P. 199

P. 343

Dubai

Metal frame with chrome or brass finish. Decorative elements composed of transparent cut crystals pearls, octagons and prisms.



1,190 Kg / 0,0088 m³

E14 max 2 x 28W

€ 210

207155 Chrome

201023 Brass



3000 K
470 lm



101224

€ 2,00

P. 204

P. 342



168913



213491



207155



201023

Opera


Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants.



LED source 3000 K, 15.000 h life.



Lamp with integrated switch.



IP20

1,550 Kg / 0,0208 m³

E14 max 1 x 40W +
LED 1,5W / 50 Lm

€ 180

068268 White

3000 K
420 Lm



101217

€ 2,00

[P. 198](#)


[P. 480](#)

[P. 529](#)



Pegaso

Chromed or satin brass metal frame. Cut crystal main body, candle cups and pendants. Organza fabric shades.



IP20

1,600 Kg / 0,0274 m³

E14 max 2 x 28W

€ 165

059211 White

197708 Brass

3000 K
370 lm



101231

€ 2,00

[P. 206](#)

[P. 480](#)



059211



197708



Corte

Totally handcrafted metal frame.
Hand painted finish with antiqued
effect. Available versions: white or
rusty effect.



IP20

1,060 Kg / 0,0368 m³

E14 max 2 x 40W

€ 100

028460 White

057200 Rust



3000 K
470 lm

101224


€ 2,00



P. 209

Negresco

Plated metal frame and details.
Clear blown glass arms with golden
inner part. Decorative elements in
clear glass and cut crystal. Color:
gold.



■  IP20

2,380 Kg / 0,0183 m³

E14 max 2x 28W

€ 160

087757  Gold



3000 K
430 lm




101248

€ 2,00

[P. 211](#)

Florian

Metal frame with decorative glass
elements. Pendants composed
of cut crystal octagons and final
drops. Available versions: clear
glass with golden or silvery metal.



■  IP20

1,430 Kg / 0,0121 m³

E14 max 2x 40W

€ 155

035642  Chrome

035659  Gold



3000 K
470 lm



101224

€ 2,00

[P. 214](#)




035642



035659

Gioconda

Casted metal body with gold or antique silver finish. Octagonal and round cut crystal pendants.



IP20

1,310 Kg / 0,0128 m³

E14 max 2 x 40W

€ 215

044910 Silver

060491 Gold



3000 K
470 lm



101224

€ 2,00

P. 213




044910



060491

Strauss

Metal frame and details with rose gold finish. Blown clear glass arms. Amber crystal decorative elements.



IP20

2,080 Kg / 0,0189 m³

E14 max 2 x 40W

€ 145

140599 Gold



3000 K
430 lm



101248


€ 2,00

P. 218



Firenze

Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.



■  IP20

2,050 Kg / 0,0415 m³

E14 max 2x 40W

€ 175

012902  White

020846  Gold



3000 K
430 lm

101248

€ 2,00



[P. 222](#)



[P. 478](#)



[P. 530](#)




012902



020846

Chalet

Metal frame and bearing structure. Handcrafted and hand painted resin decorative elements. An accurate reproduction of horns and carved wood.



■  IP20

1,770 Kg / 0,0575 m³

E14 max 2x 40W

€ 205

115511  Beige



3000 K
470 lm

101224

€ 2,00




[P. 226](#)





Peter

Handcrafted resin body; a faithful copy of carved wood. PVC foil shade covered with canvas.



IP20

4,160 Kg / 0,0371 m³
E14 max 2 x 40W

€ 230

075211 Canvas


3000 K
480 lm

101200 € 2,00



Harem

Antique brass metal frame with decorations in relief and embedded crystals. Lightly amber blown glass diffusers. Tassel pendants.



■ □ IP20

0,900 Kg / 0,016 m³
E27 max 1x 42W

€ 220

115962 ■ Ant. Brass



3000 K
910 lm

119571

€ 3,50



P. 225



Santa

Hand-crafted and blown clear glass chandelier. Chrome metal details. Gold model available with grit on the glass.



087368



087375



IP20

2,900 Kg / 0,0310 m³
E14 max 1x 40W


€ 230

087368 Clear
087375 Gold

3000 K
470 lm

101224

€ 2,00



IP20

1,620 Kg / 0,0148 m³
E14 max 1x 40W

€ 100

013060 Clear
013046 Gold

3000 K
470 lm

101224

€ 2,00



Table lamps

Indoors

Alphabetical index

Angolo	471	Pegaso	480
Axel	473	Perlage	470
Binomio	466	Pivot	450
Birds	469	Prato	468
Bloom	462	Queen	481
Candy	464	Set up	476
Carta	464	Smarties	461
Diamond	460	Wally	457
Diesis	455		
Dorica	452		
Driftwood	478		
Easy	454		
Essence	451		
Firenze	478		
Futura	456		
Kali	479		
Lawyer	458		
Lingotto	469		
London	474		
Lumiere	459		
Mapa	465		
Ninfea	472		
Nordik	475		
Opera	480		
Oz	448		


























Bloom

Pag 462



Indoors

Typology index

		new 	new 			
Oz 448	Pivot 450	Essence 451	Dorica 452	Easy 454	Diesis 455	Futura 456
					new 	
Wally 457	Lawyer 458	Lumiere 459	Diamond 460	Smarties 461	Bloom 462	Carta 464
		new 				
Candy 464	Mapa 465	Binomio 466	Prato 468	Birds 469	Lingotto 469	Perlage 470
						
Angolo 471	Ninfea 472	Axel 473	London 474	Nordik 475	Set Up 476	Driftwood 478
						
Firenze 478	Kali 479	Opera 480	Pegaso 480	Queen 481		


Oz

Plated or powder coated metal base and frame. PVC wires. Opal rubber diffuser. Available finishes: white, black or brushed brass.

LED LED source 2700 / 3000 / 4000 K, 30.000 h life.

ON OFF Lamp with integrated switch.

Source	LED SMD	LED life	30.000 h
Power	22W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K		
CRI	≥90		



LED SMD Driver included

Power	Driver	Lumen	CCT	Finish		Code	€
22 W	On-Off	2500 lm	2700 K	White		342467	125
				Black		342474	125
				Brass		342481	125
		2600 lm	3000 K	White		269474	125
				Black		269481	125
				Brass		269498	125
		2800 lm	4000 K	White		342498	125
				Black		342504	125
				Brass		342511	125



P. 064



P. 238



P. 350



269474



269481



269498



Pivot

Matt varnished aluminium frame. Base coated with plastic with dimmer. Adjustable diffuser with satin opal color PC screen. PVC cable with driver and plug.

LED LED source. Settable CCT: 3000, 4000, 6000 K. 25.000 h life.

ON OFF Lamp with integrated switch.

⌂ Lamp with dimmer.

✎ Lamp with touch dimmer.



IP20

0,700 Kg / 0,0135 m³
LED 7W / 800 lm

€ 81

289168 White
289151 Black



Essence ^{new}

Base and light body in powder-coated or plated metal. Diffuser in satin opal polycarbonate. PVC cable with driver and dimmer-switch. Available colours: White, Black.

LED LED source 3000 K, 30.000 h life.

ON OFF Lamp with integrated switch.

⏮ ⏭ Lamp with dimmer.



0,800 Kg / 0,0053 m³
LED 12W / 1400 lm

€ 120

367156 ■ White
371900 ■ Black



0,700 Kg / 0,0053 m³
LED 12W / 1400 lm

€ 120

new 367149 ■ White new
new 371870 ■ Black new



P. 096 P. 390 P. 502





Dorica ^{new}

Powder painted or plated aluminum base and shade. Opal polycarbonate diffuser. Black PVC cable with dimmer and power supply. Colors: fluted surface: orange, white, blue or black; with smooth brushed surface: brass, copper, steel, grey, bronze.

LED LED source 3000 K, 50.000 h life.

**ON
OFF** Lamp with integrated switch.

 Lamp with touch dimmer.



0,800 Kg / 0,0059 m³

LED 8W / 1100 lm

€ 120

366074	White	new	362564	Grey	new
366081	Black	new	362540	Bronze	new
362533	Brass	new	366104	Blue	new
362557	Copper	new	366098	Orange	new
354149	Steel	new			



P. 080



P. 371



P. 504



Easy

Matt varnished or plated metal frame. Adjustable diffuser with satin acrylic optic. PVC cable with switch and driver integrated on the plug. Finishes: white, black, brushed brass.



295510



295534



295541



IP20

1,200 Kg / 0,0186 m³
LED 3,5W / 200 lm

€ 90

295510 White
295534 Black
295541 Brass



LED source 3000 K, 50.000 h life.



Lamp with integrated switch.




P. 510




Diesis

Powder coated or plated metal frame. Adjustable diffuser: it can be rotated or inclined. PVC cable with switch. Color: black, satin nickel or satin brass.

LED LED source 3000 K, 30.000 h life.

 Lamp with dimmer.

 Lamp with touch dimmer.



P. 128



P. 511



291093



283333






291109




 IP20  

1,700 Kg / 0,0224 m³
LED 6,5W / 500 lm

€ 150

291093  Nickel
283333  Black
291109  Brass



Wally

Metal technical lamp with white, matt black finish or black with copper joints. Jointed and spring balanced arm. Adjustable diffuser.



Lamp with integrated switch.



2,450 Kg / 0,0113 m³
E27 max 1x 42W

€ 95

193991 White
265278 Black
061191 Black Copper

3000 K
340 lm

101286 € 2,00



Lawyer

Metal frame available with brass, chrome or antique brass finish. Blown overlay glass diffuser.



Lamp with integrated switch.



IP20

1,850 Kg / 0,0240 m³
E27 max 1x60W

€ 120

013657 Brass
045030 Ant. Brass

3000 K
910 lm
119571 € 3,50



Lumiere

Matt black varnished metal frame and details. Central white tube-shaped diffuser. Shiny white and transparent gray blown glass decorative elements. PVC cable.

LED LED source 3000 K, 25.000 h life.

ON/OFF Lamp with integrated switch.



P. 180



P. 490



IP20

2,800 Kg / 0,0291 m³
LED 18W / 2250 lm

€ 180

314204 **White**



P. 105

Diamond

Table lamp with rechargeable battery. Clear acrylic diffuser with cut crystal processing effect. Integrated tactile switch.



LED

LED source 3000 K, 20.000 h life.

**ON
OFF**

Lamp with integrated switch.



Lamp with touch dimmer.



Lamp with rechargeable battery included. 7 hours life.



P. 105



IP20

0,800 Kg / 0,0042 m³
LED 2W / 240 lm

€ 90

343488 **Clear**




Smarties

Metal base. White acid-etched blown glass diffuser. Electrical cable with plug and switch.

LED Bulbs LED G9 3W 3000 K included in **032078** model. Cod. **209043**

ON/OFF Lamp with integrated switch.




IP20

2,600 Kg / 0,0846 m³
E27 max 1x 42W

€ 190

327914 White




IP20

1,400 Kg / 0,0406 m³
E27 max 1x 42W

€ 130

327907 White



IP20

0,470 Kg / 0,0060 m³
G9 max 1x 15W

€ 50

032078 White



P. 150



P. 282



P. 386



3000 K
430 lm

101279

€ 2,00



3000 K
430 lm

101279

€ 2,00



3000 K
510 Lm

305486

€ 6,10



Bloom new

Powder painted or plated metal frame. White acid-etched blown glass diffuser. Colors: black striped frame with satin gray outer glass, brushed brass frame with clear amber striped outer glass.

LED

Bulbs LED G9 3W 3000 K included.
Cod. **209043**

**ON
OFF**

Lamp with integrated switch.


366524

366517


1,130 Kg / 0,0111 m³
G9 max 1x 4W

€ 120

352848 **Black**
366524 **Brass**



0,700 Kg / 0,0096 m³
G9 max 1x 4W

€ 100

new 366517 **Black** **new**
new 366500 **Brass** **new**

3000 K
510 Lm

305486

€ 6,10

3000 K
510 Lm

305486

€ 6,10



P. 142 P. 288 P. 385 P. 499

Carta

Matt white painted metal frame.
Polycarbonate diffuser with paper
effect covering.



Bulbs LED G9 3W 3000 K included in
317151 model. Cod. **209043**



Lamp with integrated switch.



0,950 Kg / 0,0132 m³
E27 max 1x 25W

€ 80


317168 White




0,400 Kg / 0,0034 m³
G9 max 1x 15W

€ 60

317151 White



101279 € 2,00



305486 € 6,10



P. 174 P. 287 P. 386

Candy


Metal frame with satin nickel finish.
White acid-etched blown glass
diffuser.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**




Lamp with integrated switch.



0,800 Kg / 0,0259 m³
G9 max 1x 40W

€ 102

086804 White



305486 € 6,10



P. 154 P. 285






Mapa

White metal base and fastening system. White blown acid-etched spherical glass diffuser.

LED Bulbs LED G9 3W 3000 K included in **310817** model. Cod. **209043**


ON/OFF Lamp with integrated switch.




3,520 Kg / 0,1060 m³
E27 max 1x 42W

€ 165

000206 White




119571 € 3,50




1,880 Kg / 0,0505 m³
E27 max 1x 42W

€ 85

009131 White




119571 € 3,50




1,050 Kg / 0,0214 m³
E27 max 1x 42W

€ 50

009155 White




119571 € 3,50



0,280 Kg / 0,0059 m³
G9 max 1x 4W

€ 45

310817 White



305486 € 6,10



P. 158



P. 287



P. 382



Binomio ^{new}

Metal frame finished with powder paint. Diffusers with satin clear acrylic spheres. Integrated driver. PVC cable with switch. Finishes: white, black, brushed brass.

LED source 3000 K, 50.000 h life.

Cod. **328294**, **313320**, **328300**.

LED

Bulbs LED G9 3W 3000 K included in models: **353203**, **353302**, **353258**.

Cod. **209043**

ON
OFF

Lamp with integrated switch.



1,150 Kg / 0,0093 m³
LED 6W / 450 lm

€ 130

328294 ■ White
313320 ■ Black
328300 ■ Brass



1,200 Kg / 0,0199 m³
G9 max 1x 4W

€ 58

353203 ■ White ^{new}
353302 ■ Black ^{new}
353258 ■ Brass ^{new}

3000 K
510 Lm

305486

€ 6,10



P. 330



P. 426



P. 496




Prato

White blown overlay acid-etched glass diffuser. Electrical cable with plug and switch.



Lamp with integrated switch.



IP20


1,380 Kg / 0,0220 m³
E27 max 1x 60W

€ 80

074702 White

3000 K
400 lm

101286 € 2,00



IP20

0,650 Kg / 0,0092 m³
E14 max 1x 40W

€ 51

074726 White

3000 K
410 lm

101217 € 2,00

Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. PVC cable with switch and plug. Color: matt black with satin brass detail.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**

ON
OFF Lamp with integrated switch.

130x160




0,900 Kg / 0,0163 m³

G9 max 1x 15W

€ 86

273679 ■ Black



305486 € 6,10



P. 107 P. 324 P. 420 P. 494

Lingotto

Varnished metal frame; matt black base and matt brass or total matt black structure. White overlay acid-etched blown glass diffuser.

LED Bulbs LED G9 3W 3000 K included in models: **304151** and **259222**.
Cod. **209043**

ON
OFF Lamp with integrated switch.




1,320 Kg / 0,0173 m³

E14 max 1x 28W

€ 125

327877 ■ Black

251127 ■ Brass



101217 € 2,00




0,750 Kg / 0,0084 m³

G9 max 1x 4W

€ 90

304151 ■ Black

259222 ■ Brass



305486 € 6,10



259222



304151



P. 102 P. 329



Perlage

Metal frame. Blown glass diffusers.
Finishes: Matt black with amber or smoky Pyrex glasses or satin brass with etched white glasses.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**



Lamp with integrated switch.



317823



292458



292441



2,000 Kg / 0,0225 m³
G9 max 3 x 15W

€ 200

292472 White
292465 Smok. Gre.
322759 Amber

3000 K
510 lm
305486 € 6,10



0,600 Kg / 0,0054 m³
G9 max 1 x 15W

€ 85

292458 White
292441 Smok. Gre.
317823 Amber

3000 K
510 lm
305486 € 6,10



P. 108



P. 322



P. 421



P. 492



Angolo

Powder-coated or plated metal frame. White blown and acid-etched glass diffusers. Black PVC cable with switch and plug. Available finishes: black or satin brass.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**

ON OFF Lamp with integrated switch.



284316



284361



0,600 Kg / 0,0085 m³
G9 max 1x 28W

€ 75

284316 ■ Black
284361 ■ Brass

3000 K
510 lm

305486

€ 6,10



P. 328



P. 495



Ninfea

Plated or powder-coated metal base. White overlay, acid-etched blown glass diffusers. PVC cable with switch and plug. Available finishes: white or satin brass.



Bulbs LED GX53 9W 3000 K included.
Cod. **123936**




Lamp with integrated switch.



346526



318325



1,100 Kg / 0,0158 m³
GX53 max 1x15W

€ 99

318325 White
346526 Brass

3000 K
910 lm

123936 € 5,00



P. 333



P. 428




Axel

Powder coated metal base and junctions. Natural wood stem. PVC shade coated with fabric can be adjusted in height. PVC cable with switch. Colors: white or black.



Lamp with integrated switch.



IP20

1,970 Kg / 0,00190 m³
E27 max 1x 60W

€ 140

282091 ■ White
272238 ■ Black

3000 K
1080 lm
119571 € 3,50



P. 524



London

Metal frame with chrome finish or with matt white or black varnish. PVC foil shade coated with fabric. The chrome model has chrome semi-transparent PVC foil shade.



Lamp with integrated switch.




110530



032368



110554



1,270 Kg / 0,0253 m³
E27 max 1x60W

€ 60

110530 White
032368 Chrome
110554 Black



3000 K
910 lm

119571 € 3,50



P. 525




Nordik

Matt black varnished metal frame.
Golden PVC foil shade covered with
black fabric.



Lamp with integrated switch.



1,220 Kg / 0,0504 m³
E27 max 1x 60W

€ 115

161686 ■ Black

3000 K
910 lm

119571 € 3,50



P. 191



P. 432



P. 528



Set up

Powder coated or plated metal frame. Lampshades made of fireproof PVC covered with fabric. PVC cable. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, white, black, dove grey.



Lamp with integrated switch.



259918

259949

259925

259956

260068

260082

304113

260075



1,130 Kg / 0,0050 m³
E27 max 1x42W

€ 90


259918 White
259949 Nickel
259925 Black
259956 Brass



0,680 Kg / 0,0060 m³
E27 max 1x42W

€ 70


259864 White
259895 Nickel
259871 Black
259901 Brass



0,230 Kg / 0,0236 m³

€ 63


260433 White
260440 Beige
304618 Dove Grey
270005 Black



0,120 Kg / 0,0050 m³

€ 32


260327 White
260334 Beige
304601 Dove Grey
269986 Black



0,130 Kg / 0,0180 m³

€ 34

260068 White
260082 Beige
304113 Dove Grey
260075 Black



0,110Kg / 0,0180 m³

€ 29

260341 White
260358 Beige
293004 Dove Grey
270036 Black



3000 K
820 lm

123899 € 3,50



3000 K
820 lm

123899 € 3,50

Driftwood


Metal frame. Natural wood decorative arms. PVC foil diffusers coated with canvas fabric.



Lamp with integrated switch.



Lamp with dimmer.



2,450 Kg / 0,0709 m³

E27 max 1x 60W

€ 220

129570 Wood



2200 K
370 Lm



151687

€ 2,50

[P. 227](#)

[P. 524](#)




Firenze

Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.



Lamp with integrated switch.



1,220 Kg / 0,0215 m³

E14 max 1x 40W

€ 148

012889 White

020853 Gold



3000 K
480 lm



101200

€ 2,00

[P. 222](#)

[P. 440](#)

[P. 530](#)



012889



020853





Kali

Ceramic body with decorations in relief. PVC shade coated with fabric. PVC cable with integrated switch.




Lamp with integrated switch.




0,660 Kg / 0,0101 m³
E14 max 1x40W

€ 28

245331 White




101217 € 2,00



0,620 Kg / 0,0037 m³
E14 max 1x40W

€ 28

245348 White




101217 € 2,00



0,660 Kg / 0,0057 m³
E14 max 1x40W

€ 28

245393 White



101217 € 2,00

Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants.



Lamp with integrated switch.



1,750 Kg / 0,0362 m³

E27 max 1x 60W

€ 145

068305 White



3000 K
900 lm

123899

€ 3,50



P. 198



P. 436



P. 529



Pegaso

Chromed or satin brass metal frame. Cut crystal main body, candle cups and pendants. Organza fabric shades.



Lamp with integrated switch.



059266



197753



2,000 Kg / 0,0679 m³

E27 max 1x 60W

€ 215

059259 White



3000 K
820 lm

123899

€ 3,50



1,450 Kg / 0,0106 m³

E14 max 1x 28W

€ 110

059266 White

197753 Brass



3000 K
410 lm

101217

€ 2,00



P. 206



P. 436






Queen

Gilded metal frame with cut crystal base and decorative elements. PVC foil shade covered with quilted decoration and gold glitters.



Lamp with integrated switch.



2,300 Kg / 0,0427 m³
E27 max 1x60W

€ 210


077758 Gold



3000 K
1080 lm

119571

€ 3,50



1,360 Kg / 0,0184 m³
E27 max 1x60W

€ 140


077741 Gold



3000 K
1080 lm

119571

€ 3,50



0,900 Kg / 0,0105 m³
E27 max 1x60W

€ 120

077734 Gold



3000 K
1080 lm

119571

€ 3,50



P. 529



Floor lamps

Indoors

Alphabetical index

Angolo	495	London	525
Axel	524	Look	506
Binomio	496	Lumiere	490
Birds	494	Mix up	507
Blade	488	Newton	516
Bloom	499	Nordik	528
Comet	518	Opera	529
Comfort	512	Pagoda	523
Craft	515	Perlage	492
Cylinder	528	Polly	517
Daddy	522	Queen	529
Diesis	511	Regol	525
Dodo	509	Set up	526
Dorica	504	Yoko	501
Dorsale	520		
Driftwood	524		
Easy	510		
Ego	486		
Equinoxe	491		
Essence	502		
Eva	498		
Firenze	530		
Frame	500		
Futura	514		
Ginger	508		

Indoors

Typology index

						
Ego 486	Blade 488	Lumiere 490	Equinoxe 491	Perlage 492	Birds 494	Angolo 495
						
Yoko 501	Essence 502	Dorica 504	Look 506	Mix Up 507	Ginger 508	Dodo 509
						
Craft 515	Newton 516	Polly 517	Comet 518	Dorsale 520		
						
Regol 525	London 525	Set Up 526	Cylinder 528	Nordik 528	Opera 529	Queen 529

new



Binomio 496



Eva 498

new



Bloom 499



Frame 500



Easy 510



Diesis 511



Comfort 512



Futura 514



Daddy 522



Pagoda 523



Axel 524



Driftwood 524



Firenze 530



Blade

Pag 488



Ego


Powder painted aluminum body and structure. Modular sources with light modules from the Ego series (maximum consumption 95 W, maximum total length 1250 mm), non-dimmable or dimmable 1-10 V. Dimmer included, integrated on the track. Plastic profile cover included, which can be cut to size. PVC cable. Black color.



High-tech product with high quality materials, intended for professional use.



Luminaire with dimmer.



240x300
IP20

10,600 Kg / 0,0310 m³

€ 300

344775 ■ Black





Blade ^{new}

Base and light body in powder-coated or plated aluminum. Light source with protective opal silicone diffuser. PVC cable, external power supply with integrated switch. Available colours: White, Nickel, Black, Brass.



LED source 3000 K, 50.000 h life.



Lamp with integrated switch.



Lamp with dimmer.

368641

368658

368665

368672

250

2512

IP20

5,800 Kg / 0,0244 m³
LED 15W / 2300 lm

€ 750

368641	White	new
368672	Nickel	new
368658	Black	new
368665	Brass	new



Lumiere

Matt black varnished metal frame and details. Central white tube-shaped diffuser. Shiny white and transparent gray blown glass decorative elements. PVC cable.

LED LED source 3000 K, 25.000 h life.

ON OFF Lamp with integrated switch.



P. 180



P. 459



IP20

8,660 Kg / 0,1898 m³
LED 58W / 7550 lm

€ 510

314198 White



Equinoxe

Plated metal frame. Clear borosilicate glass diffusers. Colors: chrome structure with clear or faded smoky glass, antique brass structure with clear glass or faded amber glass.

LED Bulbs LED G4 2W 3000 K included.
Cod. **222257**

ON OFF Lamp with integrated switch.



290959

290966

348292

348285



6,500 Kg / 0,0929 m³
G4 max 4 x 2W

€ 550

290959 Chrome
290966 Brass
348292 Smok. Gra.
348285 Amber



P. 112



P. 423



3000 K
200 lm

222257

€ 4,00



Perlage

Metal frame. Blown glass diffusers.
Finishes: Matt black with amber or smoky Pyrex glasses or satin brass with etched white glasses.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**



Lamp with integrated switch.



4,800 Kg / 0,0559 m³
G9 max 4 x 15W

€ 325

277967 White
306988 Smoky Gra.
317816 Amber



3000 K
510 lm

305486

€ 6,10



P. 108



P. 322



P. 421



P. 470



Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. PVC cable with switch and plug. Color: matt black with satin brass detail.

LED

Bulbs LED G9 3W 3000 K included.
Cod. **209043**

**ON
OFF**

Lamp with integrated switch.



P. 107



P. 324



P. 420



P. 469



5,640 Kg / 0,1068 m³
G9 max 5 x 15W

€ 340

273662 ■ Black



3000 K
510 lm

305486

€ 6,10



Angolo

Powder-coated or plated metal frame. White blown and acid-etched glass diffusers. Black PVC cable with switch and plug. Available finishes: black or satin brass.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**

ON OFF Lamp with integrated switch.



P. 328



P. 471



IP20

2,700 Kg / 0,1772 m³
G9 max 5 x 28W

€ 280

284309 ■ Black
284354 ■ Brass

3000 K
510 lm
305486 € 6,10



Binomio ^{new}

Metal frame finished with powder paint. Diffusers with satin clear acrylic spheres. Integrated driver. PVC cable with switch. Finishes: white, black, brushed brass.

LED source 3000 K, 50.000 h life.

Cod. **328317**, **313313**, **328324**.

LED

Bulbs LED G9 3W 3000 K included in models: **353210**, **369327**, **353265**.

Cod. **209043**

ON
OFF

Lamp with integrated switch.



2,500 Kg / 0,0390 m³

LED 12W / 900 lm

€ 250

328317 White

313313 Black

328324 Brass



4,500 Kg / 0,0572 m³

G9 max 3 x 4W

€ 145

353210 White ^{new}

369327 Black ^{new}

353265 Brass ^{new}

3000 K
510 lm
305486 € 6,10




Eva

Marble base. Powder-coated metal frame. PVC cable with switch and plug. Available finishes: black.



Lamp with integrated switch.



8,500 Kg / 0,0436 m³
E27 max 1x 60W

€ 275

295213 ■ Black



3000 K
1100 lm

101347

€ 6,00



Bloom new

Powder painted or plated metal frame. White acid-etched blown glass diffuser. Colors: black striped frame with satin gray outer glass, brushed brass frame with clear amber striped outer glass.

LED LED source 3000 K, 30.000 h life.


ON OFF Lamp with integrated switch.



362861



366616



IP20

9,500 Kg / 0,0847 m³
LED 11W / 1400 lm

€ 500

362861 ■ Black new
366616 ■ Brass new



P. 142



P. 288



P. 385



P. 462



Frame

Matt white or black varnished metal base and frame. Opal colour plastic diffusers. Direct light emission.

LED LED source 3000 K, 30.000 h life.



ON OFF Lamp with integrated switch.



P. 078



P. 242



IP20

10,300 Kg / 0,0448 m³
LED 30W / 2850 lm

€ 450

299624 White
299617 Black



Yoko

Matt varnished metal base and frame. Opal polycarbonate diffuser. PVC electrical cable with socket-power supply. Colors: white or black.

LED LED source 3000 K, 30.000 h life.

ON OFF Lamp with integrated switch.

⊖ ⊕ Lamp with dimmer.



P. 097

258874



258904



IP20

1,650 Kg / 0,0344 m³
LED 16W / 1250 lm

€ 150

258874 ■ White
258904 ■ Black



Essence ^{new}

Plated or powder-coated metal ceiling cap, body and floor base. Satin opal color PVC diffuser. Black PVC supporting cable. Powered from base by a black PVC cable with plug. Available finishes: white, black or brass.

LED LED source 2700/3000 K, 20.000 h life.

**ON
OFF** Lamp with integrated switch.

⌚ Lamp with dimmer.

301075

60 7040 60

IP20

1,200 Kg / 0,0102 m³
LED 14W / 1500 lm / 1800 lm

€ 210

341118	White	2700K
301051	White	3000K
341125	Black	2700K
301068	Black	3000K
341132	Brass	2700K
301075	Brass	3000K

367170

90 1605 100

IP20

1,700 Kg / 0,0372 m³
LED 24W / 2400 lm

€ 220

367170	White	new
371771	Black	new

371740

90 1605 100

IP20

1,600 Kg / 0,0372 m³
LED 24W / 2400 lm

€ 220

367163	White	new
371740	Black	new




P. 096



P. 390



P. 451



366111

366128

366135

354668

Dorica ^{new}

Powder painted or plated aluminum base and shade. Opal polycarbonate diffuser. Black PVC cable with dimmer and power supply. Colors: fluted surface: orange, white, blue or black; with smooth brushed surface: brass, copper, steel, grey, bronze.

LED LED source 3000 K, 50.000 h life.

ON OFF Lamp with integrated switch.

⊖ ⊕ Lamp with dimmer.



366241




366159

366142

366210

366203



300

250

IP20

IP20

9,300 Kg / 0,0378 m³
LED 66W / 7950 lm

€ 750

5,000 Kg / 0,0176 m³
LED 50W / 7100 lm

€ 400

366227 White
366234 Black
366241 Brass

new 366111 White
new 366128 Black
new 366166 Brass
366159 Copper
366142 Steel

new 366210 Grey
new 366203 Bronze
new 366135 Blue
new 354668 Orange



P. 080



P. 371



P. 452



Look

Powder coated metal base and aluminum body. Clear glass diffusers. PVC cable. Ground driver with dimmer. Finishes: white, black.



LED source 3000 K, 30.000 h life.



Lamp with dimmer.



Lamp with integrated switch.



P. 082



P. 296



P. 372



P. 679



304915



304922



5,080 Kg / 0,0845 m³
LED 24W / 2750 lm

€ 250

304922 ■ White
304915 ■ Black



Mix Up

Powder-coated metal frame and interchangeable shades. Finishes: white or black.



Lamp with integrated switch.



8,500 Kg / 0,0354 m³
E27 max 1x 42W


€ 200

328164 ■ White
328171 ■ Black



3000 K
900 lm


123899 € 3,50



1,100 Kg / 0,0476 m³

€ 55


307404 ■ White
288475 ■ Black



0,800 Kg / 0,0156 m³

€ 40

307411 ■ White
288444 ■ Black



0,500 Kg / 0,0184 m³

€ 35

307428 ■ White
288451 ■ Black



P. 130



P. 292



Ginger

Powder coated metal base and frame. Adjustable diffuser. PVC cable with switch and plug. Two lights version with double switch for separate ignitions. Colors: white, black.

LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**

ON OFF Lamp with integrated switch.

<p>100x55 2155 180x320</p> <p>IP20</p>	<p>100x55 1220 150x220</p> <p>IP20</p>
<p>5,600 Kg / 0,0285 m³ GU10 max 2x 28W</p> <p>€ 200</p>	<p>2,650 Kg / 0,0246 m³ GU10 max 1x 28W</p> <p>€ 100</p>
<p>345314 White 326672 Black</p>	<p>326665 White 326658 Black</p>
<p> 3000 K 540 lm</p> <p>123943 € 2,50</p>	<p> 3000 K 540 lm</p> <p>123943 € 2,50</p>




Dodo new


Base, frame and adjustable diffuser in powder-coated or plated metal. Black PVC cable with switch.

LED Bulbs LED GX53 9W 3000 K included.
Cod. **252551**

ON/OFF Lamp with integrated switch.




200
1180
200

■ □ IP20 


2,200 Kg / 0,0268 m³
GX53 max 1x9W

€ 140


370422 **White** new
 370477 **Black** new
 352152 **Brass** new

 **3000 K**
890 lm


252551 € 9,00



370422



370477



352152



P. 414



Easy


Matt varnished or plated metal frame. Adjustable diffuser with satin acrylic optic. PVC cable with switch and driver integrated on the plug. Finishes: white, black, brushed brass.

LED LED source 3000 K, 50.000 h life.

ON OFF Lamp with integrated switch.



P. 454



 IP20

3,000 Kg / 0,0190 m³

LED 3,5W / 200 lm

€ 130

295473  White

295497  Black

295503  Brass




Diesis

Powder coated or plated metal frame. Adjustable diffuser: it can be rotated or inclined. PVC cable with switch. Color: black, satin nickel or satin brass.

LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.



IP20

3,500 Kg / 0,0218 m³
LED 4,5W / 390 lm

€ 180

285337 Nickel
279800 Black
285344 Brass



P. 128



P. 455



296685



336220



336220




336220

Comfort

Powder-coated aluminum structure. Double source: uplight with diffused emission, downlight available with diffused or concentrated emission. Light sensor. PVC cable with plug. Colors: black or white.

LED LED source 3000/4000 K, 50.000 h life.

 Lamp with dimmer.

USB Lamp with integrated USB socket.
Cod. **296685, 306452, 296678, 306469**

UGR Product with UGR <16.



19,500 Kg / 0,0704 m³
LED 76W / 7600 lm
€ 950

345307 ■ White
336220 ■ Black



12,700 Kg / 0,0326 m³
LED 76W / 9700/10800 lm
€ 650

296685 ■ White 3000K
306452 ■ White 4000K
296678 ■ Black 3000K
306469 ■ Black 4000K



Futura

Articulated aluminum and plastic arm with PVC exposed wire. Adjustable LED diffuser and integrated switcher. Plug with power supply.



LED LED source 4000 K, 25.000 h life.

Hand icon Lamp with touch dimmer.



IP20 **Hand icon** **Dimmer icon**

4,440 Kg / 0,010 m³
LED 12,5W / 1050 lm

€ 125

272085 **White**
204956 **Aluminum**
204949 **Black**



P. 456



Craft

Matt black varnished metal base. Natural wood body. Satin opal color polycarbonate diffuser. Black PVC cable with dimmer and plug.




LED source 3000 K, 20.000 h life.



Lamp with dimmer.



Lamp with integrated switch.



3,500 Kg / 0,0536 m³
LED 26W / 2450 lm

€ 395

284484 Wood



P. 098



P. 358



015286

003528




Newton

Chrome metal frame and diffuser.
Available with satin nickel or matt
black varnish finish. Adjustable
arm. Adjustable diffuser with white
enamel coating inside.



Lamp with integrated switch.



IP20

5,270 Kg / 0,0323 m³
E27 max 1 x 42W

€ 120

015286 ■ Nickel
003528 ■ Black



3000 K
820 lm

123899

€ 3,50



P. 424



Polly

Diffusers and base in chrome, silver or black enamelled metal. Chrome metal details and joints. Adjustable diffusers.



Lamp with integrated switch.



IP20

3,500 Kg / 0,0229 m³
E27 max 2 x 60W

€ 132

061122 Chrome
061115 Silver
061139 Black

3000 K
1080 lm


119571 € 3,50





Comet

Powder coated varnished metal base and body. Opal silicon diffuser. Touch switch integrated on the body. Pvc cable with driver and plug. Finishes: white, black.

LED LED source 3000 K, 20.000 h life.


 Lamp with dimmer.

 Lamp with touch dimmer.

 Lamp with integrated switch.

304168

304649



3,800 Kg / 0,0607 m³
LED 30W / 2950 lm

€ 295

304649  White
304168  Black



Dorsale

Metal frame with chrome or white or black matt varnish finish. The arm is composed of three elements with square section. PVC foil shade, available in chrome or coated with white or black fabric.



Lamp with integrated switch.



046471



046723



041742



12,000 Kg / 0,0911 m³
E27 max 1x60W

€ 605

286686 White
286662 Chrome
286679 Black

0,430 Kg / 0,0709 m³

€ 75

046723 White
041742 Chrome
046471 Black



3000 K
1050 lm

101347

€ 6,00



Daddy

Metal frame. Available in black and matt white color with fabric coated shade.




Lamp with integrated switch.



110356



110363



IP20

7,250 Kg / 0,0958 m³
E27 max 1 x 60W

€ 340

110356 White
110363 Black



3000 K
1050 lm

101347

€ 6,00



Pagoda

Metal frame and base finished with satin enamel. Shade coated with fabric with the possibility to regulate the incline.



Lamp with integrated switch.



051741

051765

IP20

10,870 Kg / 0,1023 m³
E27 max 1x 60W

€ 390

051741 ■ White
051765 ■ Black

3000 K
1050 lm

101347

€ 6,00




Axel

Powder coated metal base and junctions. Natural wood stem. PVC shade coated with fabric can be adjusted in height. PVC cable with switch. Colors: white or black.



Lamp with integrated switch.



5,200 Kg / 0,0759 m³
E27 max 1x 60W

€ 230

272245 White
282084 Black



3000 K
1050 lm

101347

€ 6,00



P. 473

524



Driftwood

Metal frame. Natural wood decorative arms. PVC foil diffusers coated with canvas fabric.



Lamp with integrated switch.



Lamp with dimmer. Cod. **180946**



5,830 Kg / 0,3367 m³
E27 max 1x 60W

€ 665


148939 Wood



2200 K
370 lm

151687

€ 2,50



24,000 Kg / 0,1753 m³
E27 max 3x 60W

€ 745

180946 Wood



2200 K
370 lm

151687

€ 2,50



P. 227



P. 478




Regol

Articulated metal frame. Multi-level adjustable diffuser. Available with satin nickel finish and white fabric shade.



Lamp with integrated switch.



5,420 Kg / 0,0759 m³
E27 max 1x60W

€ 280

014609 White



3000 K
1050 lm

101347 € 6,00




London

Metal frame with chrome finish or with matt white or black varnish. PVC foil shade coated with fabric. The chrome model has chrome semi-transparent PVC foil shade.



Lamp with integrated switch.



7,120 Kg / 0,1907 m³
E27 max 1x60W

€ 180

110233 White
032382 Chrome
110240 Black



3000 K
1050 lm

101347 € 6,00



P. 474





Set up

Powder coated or plated metal frame. Lampshades made of fireproof PVC covered with fabric. PVC cable. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, white, black, dove grey.



Lamp with integrated switch.



259963

259994

259970

260006

260136

260242

304120


260235



2,640 Kg / 0,0248 m³
E27 max 1x 42W

€ 166


259963 White
259994 Nickel
259970 Black
260006 Brass



0,470 Kg / 0,0221 m³

€ 92

260457 White
260464 Beige
304625 Dove Grey
270012 Black



0,460 Kg / 0,0709 m³

€ 75

260136 White
260242 Beige
304120 Dove Grey
260235 Black



3000 K
900 lm

123899

€ 3,50



P. 192



P. 264



P. 430



P. 476




Cylinder

Matt white varnished metal base.
White blown overlay and acid-etched glass diffuser.



Lamp with integrated switch.



10,010 Kg / 0,0957 m³
E27 max 2x 60W

€ 260

111452 ■ White



3000 K
900 lm



123899

€ 3,50


P. 191

Nordik

Matt black varnished metal frame.
Golden PVC foil shade covered with black fabric.



Lamp with integrated switch.



3,620 Kg / 0,0651 m³
E27 max 1x 60W

€ 240

161716 ■ Black



3000 K
1050 lm



101347

€ 6,00

P. 191



P. 432



P. 475




Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants.



Lamp with integrated switch.



5,720 Kg / 0,0750 m³
E27 max 1x60W

€ 315

068275 White



3000 K
950 lm

101354

€ 6,00



P. 198



P. 436



P. 480



Queen

Gilded metal frame with cut crystal base and decorative elements. PVC foil shade covered with quilted decoration and gold glitters.



Lamp with integrated switch.



4,900 Kg / 0,0518 m³
E27 max 1x60W

€ 370

077765 Gold



3000 K
1050 lm

101347

€ 6,00



P. 481



Firenze

Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.




Lamp with integrated switch.



002880



020877



5,600 Kg / 0,0734 m³
E27 max 1x 60W

€ 370

002880 White
020877 Gold

3000 K
1050 lm

101347

€ 6,00



P. 222



P. 440



P. 478









Linear systems

Indoors

Alphabetical index

Deva	534
Ego	554
Fluo	608
Office	628
Steel	616
Stick	594

Typology index

<small>new</small> 	<small>new</small> 
Deva 534	Ego 554
<small>new</small> 	
Stick 594	Fluo 608
<small>new</small> 	<small>new</small> 
Steel 616	Office 628



Deva ^{new}


Linear system consisting of an extruded aluminium profile and magnetically fixed lighting elements. The system is available in matt black painted finish, in surface-mounted or suspended installation mode (SURFACE), quick recessed installation in plasterboard (TRIMLESS) or trimless recessed installation between two plasterboard panels (RECESSED). Reduced section of the electrified profile, 10 mm wide and 15 mm high with a 5 mm electrified split, available in two lengths, 1000 mm and 2000 mm, or with a curved or 90° corner connector. Can be combined with different lighting modules depending on the desired layout, which can be modified as required: fixed or adjustable SPOT modules for spot lighting; ACCENT modules for focused lighting; PENDANT TUBE module for localised lighting; WIDE INNER linear modules completely inside the profile, WIDE OUTER linear modules outside the profile or DISC circular modules for diffused and uniform lighting. Integrated LED technology with a colour temperature of 3000 K or 4000 K with high colour rendering CRI ≥ 90 , initial binning SDCM ≤ 3 , IP20 protection, insulation class III, 24 Vdc power supply, non-dimmable, LED lifetime 30,000 h L70B50. Ideal for lighting small spaces where minimal system footprint, wide application flexibility and high lighting quality are required, such as RESIDENTIAL, MUSEUM and RETAIL spaces.

Source	LED COB / SMD
Driver included	No
Drivers available	On/Off
MacAdam	SDCM 3
CCT	3000 K
CRI	≥ 90
LED life	30.000h
Insulation class	III
IP	20
Material	Aluminum
Warranty	5 years






Deva Spot




LED COB OSRAM

Power	Beam	Control	Lumen	CCT	Finish		Code	€
2,5W	37°	On-Off	150 lm	3000 K	Black	■	332765	40
			160 lm	4000 K	Black	■	370170	40 new



LED COB BRIDGELUX

Power	Beam	Control	Lumen	CCT	Finish		Code	€
4,5W	34°	On-Off	450 lm	3000 K	Black	■	332789	46
			470 lm	4000 K	Black	■	370224	46 new




LED COB BRIDGELUX

Power	Beam	Control	Lumen	CCT	Finish		Code	€
8W	30°	On-Off	750 lm	3000 K	Black	■	332819	52
			780 lm	4000 K	Black	■	370149	52 new




Light beam: ACCENT



CRI≥90 4,5W 38° 450lm 3000K




Deva Disc



0,110 Kg/0,0004 m³

LED COB BRIDGELUX


Power	Beam	Control	Lumen	CCT	Finish		Code	€
5 W	38°	On-Off	500 lm	3000 K	Black		332840	46
			530 lm	4000 K	Black		370262	46 new



0,330 Kg/0,0021 m³

LED SMD

Power	Beam	Control	Lumen	CCT	Finish		Code	€
10 W	98°	On-Off	1100 lm	3000 K	Black		332864	52
			1150 lm	4000 K	Black		370019	52 new



0,430 Kg/0,0021 m³

LED SMD


Power	Beam	Control	Lumen	CCT	Finish		Code	€
15 W	98°	On-Off	1750 lm	3000 K	Black		332901	63
			1800 lm	4000 K	Black		370057	63 new



Light beam: ACCENT




Light beam: WIDE




m	lx	ø m
1	764	0,68
2	191	1,40
3	85	2,00
4	48	2,70
5	31	3,40



CRI≥90 5W 38° 500lm 3000K




m	lx	ø m
1	309	3,30
2	77	6,60
3	34	9,80
4	19	13,00
5	12	16,00



CRI≥90 15W 98° 1750lm 3000K



332840




332901

Deva Accent



LED SMD




0,070 Kg/0,0005 m³

Power	Beam	Control	Lumen	CCT	Finish		Code	€
5 W	34°	On-Off	350 lm	3000 K	Black		332758	35
			360 lm	4000 K	Black		369907	35 new



LED SMD OSRAM




0,140 Kg/0,0005 m³

Power	Beam	Control	Lumen	CCT	Finish		Code	€
10 W	34°	On-Off	900 lm	3000 K	Black		332734	46
			940 lm	4000 K	Black		369938	46 new



LED SMD OSRAM




0,230 Kg/0,0014 m³

Power	Beam	Control	Lumen	CCT	Finish		Code	€
14 W	34°	On-Off	1400 lm	3000 K	Black		332710	58
			1450 lm	4000 K	Black		369976	58 new




Light beam: **ACCENT**



m	lx	øm
1	913	0,51
2	228	1,00
3	101	1,50
4	57	2,10
5	37	2,60



CRI≥90 5W 34° 350lm 3000K



m	lx	øm
1	2698	0,51
2	675	1,00
3	300	1,50
4	169	2,10
5	108	2,60



CRI≥90 14W 34° 1400lm 3000K



Deva Accent 145 mm




Deva Accent 241 mm



Deva Accent 335 mm




Deva Wide Inner




LED SMD

Power	Beam	Control	Lumen	CCT	Finish		Code	€
6 W	100°	On-Off	700 lm	3000 K	Black		332949	29
			740 lm	4000 K	Black		370309	29 new



LED SMD

Power	Beam	Control	Lumen	CCT	Finish		Code	€
11 W	100°	On-Off	1400 lm	3000 K	Black		332925	40
			1500 lm	4000 K	Black		370347	40 new




LED SMD

Power	Beam	Control	Lumen	CCT	Finish		Code	€
16 W	100°	On-Off	2100 lm	3000 K	Black		332895	58
			2200 lm	4000 K	Black		370378	58 new



Light beam: WIDE



m	lx	ø m
1	161	6,0
2	40	12
3	18	18
4	10	24
5	6,4	30



CRI≥90 11W 100° 1400lm 3000K



Deva Wide Inner 300 mm




Deva Wide Inner 600 mm



Deva Wide Inner 900 mm




Deva Wide Outer




LED SMD

Power	Beam	Control	Lumen	CCT	Finish		Code	€
8 W	100°	On-Off	900 lm	3000 K	Black	■	332871	29



LED SMD

Power	Beam	Control	Lumen	CCT	Finish		Code	€
12 W	100°	On-Off	1350 lm	3000 K	Black	■	332833	40




LED SMD

Power	Beam	Control	Lumen	CCT	Finish		Code	€
21 W	100°	On-Off	2700 lm	3000 K	Black	■	332802	58



Light beam: WIDE



m	lx	ø m
1	257	1,90
2	64	3,70
3	29	5,60
4	16	7,50
5	10	9,40



CRI≥90 12W 100° 1350lm 3000K



Deva Wide Outer 346 mm




Deva Wide Outer 646 mm



Deva Wide Outer 945 mm



Deva Pendant




LED COB BRIDGELUX

Power	Beam	Control	Lumen	CCT	Finish		Code	€
6 W	34°	On-Off	550 lm	3000 K	Black	■	332932	52
			570 lm	4000 K	Black	■	370095	52 new

0,280 Kg/0,0009 m³



Light beam: **ACCENT**



m	lx	Øm
1	742	0,68
2	186	1,40
3	82	2,00
4	46	2,70
5	30	3,40



CRI≥90 6W 34° 550lm 3000K




Deva Surface

TRACK No mounting kit required, direct ceiling installation
Maximum length per power source: 10 meters




Length	Weight	Volume	Finish		Code	€
1000 mm	0,280 Kg	0,0003 m³	Black	■	332475	23
2000 mm	0,470 Kg	0,0162 m³	Black	■	332482	46




ROUND TRACK Optional

Weight	Volume	Control	Finish		Code	€
0,017 Kg	0,0008 m³	On-Off	Black	■	339375	105




L-JOINT Optional

Weight	Volume	Control	Finish		Code	€
0,016 Kg	0,0001 m³	On-Off	Black	■	339382	47



LINEAR JOINT Required - 1 Kit x linear connection

Weight	Volume	Control	Finish		Code	€
0,009 Kg	0,0002 m³	On-Off	Black	■	339368	21



POWER SUPPLY CONNECTOR Required - 1 Kit x power source max 140W

Weight	Volume	Control	Finish		Code	€
0,006 Kg	0,0002 m³	On-Off	Black	■	332581	17

Cable length 1500 mm

DRIVER ON/OFF Required



Power	Output	Class	Measure (LxHxW)	Code	€
75 W	24 Vdc	□	168x30x38 mm	332659	75
150 W	24 Vdc	□	227x30x38 mm	332628	109



END CAPS KIT



Required	Measure (LxHxW)	Finish		Code	€
Yes	10 x 7 x 15 mm	Black	■	332635	4




SUSPENSION KIT

Required	Measure (LxHxW)	Finish		Code	€
Yes	8 x 7 x 2049 mm	Black	■	332703	17

Deva - Assembly plans




Deva - Recessed




TRACK No mounting kit required, direct ceiling installation
Maximum length per power source: 10 meters

Length	Weight	Volume	Finish		Code	€
1000 mm	0,370 Kg	0,0010 m³	Black	■	332529	23
2000 mm	0,670 Kg	0,0020 m³	Black	■	332536	46




ROUND TRACK Optional

Weight	Volume	Control	Finish		Code	€
0,267 Kg	0,0026 m³	On-Off	Black	■	339405	105




L-JOINT Optional

Weight	Volume	Control	Finish		Code	€
0,030 Kg	0,0002 m³	On-Off	Black	■	339412	47



LINEAR JOINT Required - 1 Kit x linear connection

Weight	Volume	Control	Finish		Code	€
0,020 Kg	0,0002 m³	On-Off	Black	■	339399	21



POWER SUPPLY CONNECTOR Required - 1 Kit x power source max 140W

Weight	Volume	Control	Finish		Code	€
0,060 Kg	0,0002 m³	On-Off	Black	■	332581	17

Cable length 1500 mm

DRIVER ON/OFF Required





Power	Output	Class	Measure(LxHxW)	Code	€
75 W	24 Vdc	□	168x30x38 mm	332659	75
150 W	24 Vdc	□	227x30x38 mm	332628	109



END CAPS KIT


Required	Measure (L x H x W)	Finish		Code	€
Yes	10x7x15 mm	Black	■	332635	4

Deva - Assembly plans




Deva - Recessed Easy

TRACK No mounting kit required, direct ceiling installation
Maximum length per power source: 10 meters




Length	Weight	Volume	Finish		Code	€
1000 mm	0,370 Kg	0,0065 m³	Black	■	332499	29
2000 mm	0,870 Kg	0,0450 m³	Black	■	332512	58

L-JOINT Optional




Weight	Volume	Control	Finish		Code	€
0,030 Kg	0,0001 m³	On-Off	Black	■	339429	47

LINEAR JOINT Required - 1 Kit x linear connection



Weight	Volume	Control	Finish		Code	€
0,020 Kg	0,0001 m³	On-Off	Black	■	339399	21

POWER SUPPLY CONNECTOR Required - 1 Kit x power source max 140W



Weight	Volume	Control	Finish		Code	€
0,060 Kg	0,0002 m³	On-Off	Black	■	332581	17

Cable length 1500 mm

DRIVER ON/OFF Required




Power	Output	Class	Measure (LxHxW)	Code	€
75 W	24 Vdc	□	168x30x38 mm	332659	75
150 W	24 Vdc	□	227x30x38 mm	332628	109



END CAPS KIT

Required	Measure (L x H x W)	Finish		Code	€
Yes	10x7x15 mm	Black	■	332635	4

Deva - Assembly plans



Ego new

Linear system composed of an extruded aluminum profile and lighting elements with mechanical safety lock. The system is available in matt black RAL 9005, matt white RAL 9016 or anodized satin brass, in the ceiling or suspension installation mode (LOW and HIGH), recessed without edge that disappears into the plasterboard (RECESSED), rapid recessed into the plasterboard (RECESSED EASY) or recessed with edges for plasterboard or paneled false ceilings (RECESSED TRIM). Reduced section of the profile 26 mm, 27 mm or 52 mm wide, available in two lengths 1000 mm and 2000 mm. Possibility of composition with different light modules depending on the desired arrangement, modifiable if necessary: the SPOT SINGLE, DOUBLE and FLAT SINGLE modules for spot lighting, the SPOT ZOOM module for targeted lighting with adjustment of the beam opening without tools, the ACCENT module with glare control (UGR < 19), the PENDANT TUBE modules for localized lighting and WIDE or PENDANT BALL modules for diffused and uniform lighting. Integrated LED technology with color temperature of 2700K, 3000K or 4000K; color rendering index CRI ≥ 90, initial binning ≤ 3Step MacAdam; IP20 protection, insulation class III, 48 Vdc power supply, LED useful life 50,000 h L70B50; system also available in dimmable 1-10V or DALI-2 version. Ideal for lighting small and large environments where ample flexibility and high quality lighting is required, for example MUSEUM, COMMERCIAL, RESIDENTIAL and RETAIL spaces.

PRO

High-tech product with high quality materials, intended for professional use.

UGR

Product with UGR < 19 (Accent, Pendant).

Source	LED COB / SMD
Driver included	No
Drivers available	On/Off
Control	On/Off / 1-10V / DALI
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥90
UGR	<19 (Accent, Pendant)
LED life	50.000h
Insulation class	III
IP	20
Material	Aluminum
Warranty	5 years






Ego Spot Single



LED SMD OSRAM



Power	Beam	Control	Lumen	CCT	Finish		Code	€
3 W	30°	On-Off	250 lm	3000 K	White		282978	82
					Black		257617	82
			300 lm	4000 K	Black		317977	82
		1-10V	250 lm	3000 K	White		303673	100
					Black		303666	100
		DALI	250 lm	3000 K	White		286402	125
					Black		286396	125



HONEYCOMB




LENS

Model	Required	Beam	Finish		Code	€
Spot 3 W	No		Black		260853	5
Spot 3 W	No	18°	Clear		332062	5
		45°	Clear		332079	5





Light beam: ACCENT



m	lx	ø m
1	537	0,46
2	134	0,92
3	60	1,40
4	34	1,80
5	21	2,30




CRI≥90 3W 30° 2001m 3000K



Ego Spot Single




LED COB CITIZEN



Power	Beam	Control	Lumen	CCT	Finish		Code	€
8 W	30°	On-Off	700 lm	2700 K	Black		340388	97
			850 lm	3000 K	White		282985	97
					Black		257631	97
			1050 lm	4000 K	Black		317984	97
					White		303697	110
		DALI	850 lm	3000 K	White		303680	110
					Black		340364	135
			900 lm	2700 K	Black		340364	135
			850 lm	3000 K	White		286426	135
					Black		286419	135



LED COB CITIZEN



Power	Beam	Control	Lumen	CCT	Finish		Code	€
12 W	30°	On-Off	1050 lm	2700 K	Black		340425	102
			1150 lm	3000 K	White		282992	102
					Black		257655	102
			1200 lm	4000 K	Black		321967	102
					White		303710	110
		DALI	1150 lm	3000 K	White		303703	110
					Black		340401	140
			1050 lm	2700 K	Black		340401	140
			1150 lm	3000 K	White		286440	140
					Black		286433	140



HONEYCOMB




LENS

Model	Required	Beam	Finish		Code	€
Spot 8W/12W	No		Black		260860	5
Spot 8W/12W	No	18°	Clear		332086	5
		45°	Clear		332093	5




Light beam: ACCENT



m	lx	ø m
1	2393	0,49
2	598	0,98
3	266	1,50
4	150	2,00
5	96	2,50



CRI≥90 8W 30° 850lm 3000K




m	lx	ø m
1	2877	0,51
2	719	1,00
3	320	1,50
4	180	2,10
5	115	2,60



CRI≥90 12W 30° 1200lm 3000K




Ego Spot Single



LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish		Code	€
19 W	35°	On-Off	2200 lm	3000 K	White		307558	143
					Black		305608	143
			2650 lm	4000 K	Black		321998	143
					White		307527	155
		1-10V	2200 lm	3000 K	White		307527	155
					Black		307510	155
			2200 lm	3000 K	White		307541	185
					Black		307534	185

0,800 Kg/0,0035 m³



LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish		Code	€
26 W	35°	On-Off	3050 lm	3000 K	White		307602	155
					Black		305615	155
			3250 lm	4000 K	Black		317991	155
					White		307572	165
		1-10V	3050 lm	3000 K	White		307572	165
					Black		307565	165
			3050 lm	3000 K	White		307596	185
					Black		307589	185

0,800 Kg/0,0035 m³




LENS

Model	Required	Beam	Finish		Code	€
Spot 19W/26W	No	20°	Clear		332109	10
		55°	Clear		332116	10




Light beam: ACCENT



m	lx	Øm
1	4476	0,57
2	1119	1,10
3	497	1,70
4	280	2,30
5	179	2,90




CRI≥90 19W 35° 2200lm 3000K



m	lx	Øm
1	6816	0,56
2	1704	1,10
3	757	1,70
4	426	2,20
5	273	2,80




CRI≥90 26W 35° 3050lm 3000K



Ego Spot Double



LED SMD OSRAM



Power	Beam	Control	Lumen	CCT	Finish		Code	€
5 W	30°	On-Off	500 lm	3000 K	White		282947	102
					Black		257624	102
			600 lm	4000 K	Black		321714	102
		1-10V	500 lm	3000 K	White		303611	117
					Black		303604	117
		DALI	500 lm	3000 K	White		286341	148
					Black		286334	148



HONEYCOMB




LENS

Model	Required	Beam	Finish		Code	€
Spot 5 W	No		Black		260853	5
Spot 5 W	No	18°	Clear		332062	5
		45°	Clear		332079	5



Light beam: ACCENT




m	lx	Øm
1	508	0,46
2	127	0,92
3	56	1,40
4	32	2,80
5	20	2,30



CRI≥90 5W 30° 400lm 3000K




Ego Spot Double



LEDCOBCITIZEN

Power	Beam	Control	Lumen	CCT	Finish		Code	€
16 W	30°	On-Off	1400 lm	2700 K	Black		340265	138
				3000 K	White		282954	138
			2100 lm	4000 K	Black		321806	138
				3000 K	White		303635	150
				3000 K	Black		303628	150
		DALI	1400 lm	2700 K	Black		340241	180
				3000 K	White		286365	180
			1700 lm	3000 K	Black		286358	180



LEDCOBCITIZEN

Power	Beam	Control	Lumen	CCT	Finish		Code	€
24 W	30°	On-Off	2300 lm	3000 K	White		282961	148
					Black		257662	148
			2400 lm	4000 K	Black		321844	148
		1-10V	2300 lm	3000 K	White		303659	155
					Black		303642	155
		DALI	2300 lm	3000 K	White		286389	185
					Black		286372	185



HONEYCOMB




LENS

Model	Required	Beam	Finish		Code	€
Spot 16W/24W	No		Black		260860	5
Spot 16W/24W	No	18°	Clear		332086	5
		45°	Clear		332093	5




Light beam: ACCENT



m	lx	ø m
1	2451	0,49
2	613	1,98
3	272	1,50
4	153	2,00
5	98	2,50



CRI≥90 16W 30° 1450lm 3000K




m	lx	ø m
1	3051	0,51
2	763	1,00
3	339	1,50
4	191	2,10
5	122	2,60



CRI≥90 24W 30° 2000lm 3000K



Ego Spot Zoom




0,460 Kg/0,0037 m³

LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish		Code	€
10 W	20°-40°	On-Off	900 lm	3000 K	Black		330730	122
			1150 lm	4000 K	Black		340197	122
		DALI	900 lm	3000 K	Black		330754	178
			1150 lm	4000 K	Black		340180	178



Light beam: from SPOT to WIDE




m	lx	Øm
1	2185	0,67
2	546	1,30
3	243	2,00
4	137	2,70
5	87	3,30



CRI≥90 10W 20°-40° 1000lm 3000K






Ego Spot Big



0,470 Kg/0,0025 m³



LED COB CITIZEN UGR <19

Power	Beam	Control	Lumen	CCT	Finish		Code	€
10 W	38°	On-Off	1350 lm	3000 K	White		327556	112
					Black		300764	112




0,750 Kg/0,0025 m³

LED COB CITIZEN UGR <19

Power	Beam	Control	Lumen	CCT	Finish		Code	€
20 W	38°	On-Off	2700 lm	3000 K	White		327549	194
					Black		316307	194




Light beam: ACCENT



m	lx	ø m
1	1296	0,76
2	324	1,50
3	144	2,30
4	81	3,00
5	52	3,80



CRI≥90 10W 38° 1000lm 3000K




m	lx	ø m
1	2964	0,71
2	741	1,40
3	329	2,10
4	185	2,80
5	119	3,60



CRI≥90 20W 38° 2000lm 3000K



Ego Spot Flat




LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish		Code	€
9 W	36°	On-Off	1100 lm	3000 K	White		300504	108
					Black		290614	108
		1-10V	1100 lm	3000 K	White		303741	120
					Black		303727	120
		DALI	1100 lm	3000 K	White		300535	150
					Black		300528	150



Light beam: **ACCENT**




m	lx	Øm
1	2242	0,60
2	560	1,20
3	249	1,80
4	140	2,40
5	90	3,00



CRI≥90 9W 36° 1100lm 3000K




Ego Accent



0,281 Kg/0,0013 m³

LED SMD OSRAM UGR <19

Power	Beam	Control	Lumen	CCT	Finish		Code	€
7 W	35°	On-Off	630 lm	2700 K	Black		340067	102
			700 lm	3000 K	White		282633	102
					Black		257792	102
			780 lm	4000 K	Black		323596	102
			700 lm	3000 K	White		303505	138
		1-10V			Black		303499	138
			630 lm	2700 K	Black		340043	148
			700 lm	3000 K	White		286068	148
					Black		286051	148




0,330 Kg/0,0011 m³

LED SMD OSRAM UGR <19

Power	Beam	Control	Lumen	CCT	Finish		Code	€
13 W	35°	On-Off	1250 lm	2700 K	Black		340104	142
			1400 lm	3000 K	White		282640	142
					Black		257686	142
			1550 lm	4000 K	Black		317953	142
			1400 lm	3000 K	White		303529	174
		1-10V			Black		303512	174
			1250 lm	2700 K	Black		340081	204
			1400 lm	3000 K	White		286082	204
					Black		286075	204



Light beam: ACCENT



m	lx	ø m
1	3121	0,61
2	780	1,20
3	347	1,80
4	195	2,40
5	125	3,00



CRI≥90 13W 35° 1400lm 3000K




Ego Accent 192 mm










Ego Accent 284 mm




Ego Wide





LED SMD SAMSUNG

Power	Beam	Control	Lumen	CCT	Finish		Code	€
7 W	110°	On-Off	850 lm	3000 K	White		283029	76
					Black		257709	76
				1000 lm	4000 K	Black		317960
		1-10V	850 lm	3000 K	White		303796	120
					Black		303789	120
			DALI	850 lm	3000 K	White		286501
		Black					286495	125





LED SMD SAMSUNG

Power	Beam	Control	Lumen	CCT	Finish		Code	€
13 W	110°	On-Off	1350 lm	2700 K	Black		340586	102
					White		283036	102
			1700 lm	3000 K	Black		257716	102
		1-10V	2000 lm	4000 K	Black		322056	102
					White		303819	130
			1700 lm	3000 K	Black		303802	130
		DALI	1350 lm	2700 K	Black		340562	145
					White		286525	145
			1700 lm	3000 K	Black		286518	145




LED SMD SAMSUNG


Power	Beam	Control	Lumen	CCT	Finish		Code	€
26 W	110°	On-Off	2700 lm	2700 K	Black		340623	148
			3400 lm	3000 K	White		283043	148
					Black		257730	148
		1-10V	4000 lm	4000 K	Black		322070	148
			3400 lm	3000 K	White		303833	160
					Black		303826	160
		DALI	2700 lm	2700 K	Black		340609	185
			3400 lm	3000 K	White		286549	185
					Black		286532	185



Light beam: WIDE



m	lx	ø m
1	619	2,50
2	155	4,90
3	69	7,40
4	39	9,80
5	25	12,00



CRI≥90 26W 110° 3400lm 3000K



Ego Wide 284 mm




Ego Wide 560 mm







Ego Wide 1120 mm




Ego Flexible







LED SMD OSRAM UGR <19

Power	Beam	Lumen	CCT	Control	Finish		Code	€
13 W	35°	1400 lm	3000 K	On-Off	White		282718	178
					Black		257846	178
				DALI	White		286105	215
					Black		286099	215




LED SMD SAMSUNG

Power	Beam	Lumen	CCT	Control	Finish		Code	€
7 W	110°	850 lm	3000 K	On-Off	White		282725	122
					Black		257839	122
				DALI	White		286129	160
					Black		286112	160



Light beam: ACCENT




m	lx	dm
1	3112	0,61
2	778	1,20
3	346	1,80
4	194	2,40
5	124	3,00




CRI≥90 13W 35° 1400lm 3000K



Light beam: WIDE



m	lx	dm
1	231	2,90
2	58	5,80
3	26	8,60
4	14	12,00
5	9	14,00



CRI≥90 7W 110° 850lm 3000K




EGO FLEXIBLE ACCENT




EGO FLEXIBLE WIDE

Ego Pendant




LED COB CITIZEN UGR<19

Power	Beam	Control	Lumen	CCT	Finish		Code	€
5,5W	66°	On-Off	520 lm	3000 K	Black		332451	92
		1-10V	520 lm	3000 K	Black		344782	110
		DALI	520 lm	3000 K	Black		344799	140



LED COB CITIZEN UGR<19

Power	Beam	Control	Lumen	CCT	Finish		Code	€
12 W	30°	On-Off	1150 lm	3000 K	White		282879	148
					Black		257747	148
			1250 lm	4000 K	Black		321653	148
					White		303598	158
		DALI	1150 lm	3000 K	White		303574	158
					Black		286327	190
			1150 lm	3000 K	White		286310	190
					Black		286310	190



LED COB CITIZEN


Power	Beam	Control	Lumen	CCT	Finish		Code	€
10 W	-	On-Off	1050 lm	3000 K	White		327532	133
					Black		327525	133




Light beam: ACCENT



Light beam: WIDE



m	lx	Øm
1	2877	0,51
2	719	1,00
3	320	1,50
4	180	2,10
5	115	2,60



CRI≥90 12W 30° 1050lm 3000K

CRI≥90 10W 1050lm 3000K




ADJUSTABLE CABLE
PENDANT TUBE 12W

Ego - Low




TRACK No mounting kit required, direct ceiling installation
Maximum length per power source: 25 meters

Length	Weight	Volume	Finish		Code	€
1000 mm	0,70 Kg	0,0013 m³	White		282909	48
			Black		257877	48
2000 mm	1,40 Kg	0,0018 m³	White		282916	96
			Black		266121	96




L-JOINT Optional

Weight	Volume	Control	Finish		Code	€
0,21 Kg	0,0010 m³	On-Off	White		282848	96
			Black		257990	96
		1-10V / DALI	White		286266	100
			Black		286259	100



LINEAR JOINT Required - 1 Kit x linear connection

Weight	Volume	Control	Finish		Code	€
0,04 Kg	0,0001 m³	On-Off 1-10V / DALI	White		285993	40
			Black		283104	40



Cable length 2000 mm

POWER SUPPLY CONNECTOR Required - 1 Kit x power source max 210 W

Weight	Volume	Control	Finish		Code	€
0,20 Kg	0,0008 m³	On-Off	White		282862	37
			Black		265896	37
		1-10V / DALI	White		286303	50
			Black		286297	50



END CAP NO HOLE



END CAP WITH HOLE



CEILING CUP WITH SUSPENSION KIT



SUSPENSION KIT





BLIND COVER



BLIND COVER L-JOINT

Required	Measure (L x H x W)	Finish		Code	€
Yes	26 x 11 x 27 mm	White		282688	6
		Black		267241	6
Yes	26 x 11 x 27 mm	White		282671	6
		Black		267258	6
Yes - 1 Kit x power source max 210 W	2000 mm	White		282749	55
		Black		276328	55
Yes - 1 kit x 900 mm	2000 mm	White		282756	17
		Black		259376	17
No	1000 x 17 x 18 mm	White		344768	10
		Black		344751	10
No	95 x 18 x 17 mm	Black		337104	10 new


Ego - Assembly plans



TRACK LOW




Ego - High




TRACK No mounting kit required, direct ceiling installation
Maximum length per power source: 25 meters

Length	Weight	Volume	Finish		Code	€
1000 mm	0,90 Kg	0,0085 m³	White		282886	60
			Black		258027	60
2000 mm	1,80 Kg	0,0096 m³	White		282893	120
			Black		266145	120




L-JOINT Optional

Weight	Volume	Control	Finish		Code	€
0,26 Kg	0,0013 m³	On-Off	White		282824	92
			Black		258140	92
		1-10V / DALI	White		286228	100
			Black		286211	100



LINEAR JOINT Required - 1 Kit x linear connection

Weight	Volume	Control	Finish		Code	€
0,04 Kg	0,0001 m³	On-Off 1-10V / DALI	White		285993	40
			Black		283104	40



Cable length 2000 mm

POWER SUPPLY CONNECTOR Required - 1 Kit x power source max 210 W

Weight	Volume	Control	Finish		Code	€
0,20 Kg	0,0008 m³	On-Off	White		282862	37
			Black		265896	37
		1-10V / DALI	White		286303	50
			Black		286297	50



END CAP NO HOLE



END CAP WITH HOLE



CEILING CUP WITH SUSPENSION KIT





SUSPENSION KIT



BLIND COVER

Required	Measure (L x H x W)	Finish		Code	€
Yes	26 x 11 x 52 mm	White		282664	6
		Black		267227	6
Yes	26 x 11 x 52 mm	White		282657	6
		Black		267234	6
Yes - 1 Kit x power source max 210 W	2000 mm	White		282749	55
		Black		276328	55
Yes - 1 kit x 900 mm	2000 mm	White		282756	17
		Black		259376	17
No	1000 x 5 x 24 mm	White		282770	17
		Black		258256	17


Ego - Assembly plans



TRACK HIGH




Ego - Recessed




TRACK Kit for assembly profile included
Maximum length per power source: 25 meters

Length	Weight	Volume	Finish		Code	€
1000 mm	1,52 Kg	0,0085 m³	White		282923	75
			Black		258171	75
2000 mm	2,94 Kg	0,0020 m³	White		282930	150
			Black		266183	150




L-JOINT Optional

Weight	Volume	Control	Finish		Code	€
0,32 Kg	0,0013 m³	On-Off	White		282787	91
			Black		258232	91
		1-10V / DALI	White		286204	125
			Black		286167	125



LINEAR JOINT Required - 1 Kit x linear connection

Weight	Volume	Control	Finish		Code	€
0,04 Kg	0,0002 m³	On-Off 1-10V / DALI	White		286006	40
			Black		283111	40



POWER SUPPLY CONNECTOR Required - 1 Kit x power source max 210 W

Weight	Volume	Control	Finish		Code	€
0,20 Kg	0,0008 m³	On-Off	White		282862	37
			Black		265896	37
		1-10V / DALI	White		286303	50
			Black		286297	50

Cable length 2000 mm



END CAP NO HOLE


END CAP WITH HOLE

BLIND COVER

INSTALLATION TOOL

Required	Measure (L x H x W)	Finish		Code	€
Yes	36 x 4 x 52 mm	White		282701	6
		Black		267203	6
Yes	36 x 4 x 52 mm	White		282695	6
		Black		267210	6
No	1000 x 5 x 24 mm	White		282770	17
		Black		258256	17
No		Black		292922	32

Ego - Assembly plans




BLIND COVER



INSTALLATION TOOL




Ego - Recessed Easy




TRACK No mounting kit required, direct ceiling installation
Maximum length per power source: 25 meters

Length	Weight	Volume	Finish		Code	€
1000 mm	1,16 Kg	0,0088 m³	White		320489	65
			Black		320472	65
2000 mm	2,40 Kg	0,0088 m³	White		320502	130
			Black		320496	130




L-JOINT Optional

Weight	Volume	Control	Finish		Code	€
0,30 Kg	0,0013 m³	On-Off	White		320748	117
			Black		320731	117
		1-10V / DALI	White		320724	135
			Black		320717	135



LINEAR JOINT Required - 1 Kit x linear connection

Weight	Volume	Control	Finish		Code	€
0,04 Kg	0,0002 m³	On-Off 1-10V / DALI	White		286006	40
			Black		283111	40



Cable length 2000 mm

POWER SUPPLY CONNECTOR Required - 1 Kit x power source max 210 W

Weight	Volume	Control	Finish		Code	€
0,20 Kg	0,0008 m³	On-Off	White		282862	37
			Black		265896	37
		1-10V / DALI	White		286303	50
			Black		286297	50






END CAP NO HOLE

END CAP WITH HOLE


BLIND COVER

Required	Measure (L x H x W)	Finish		Code	€
Yes	83 x 52 x 30 mm	White		320564	6
		Black		320557	6
Yes	83 x 52 x 30 mm	White		320588	6
		Black		320571	6
No	1000 x 5 x 24 mm	White		282770	17
		Black		258256	17

Ego - Assembly plans




Ego - Recessed Trim



TRACK Kit for assembly profile included
Maximum length per power source: 25 meters


Length	Weight	Volume	Finish		Code	€
1000 mm	1,13 Kg	0,0020 m³	White		320441	86
			Black		320434	86
2000 mm	2,25 Kg	0,0040 m³	White		320465	172
			Black		320458	172

L-JOINT Optional




Weight	Volume	Control	Finish		Code	€
0,30 Kg	0,0013 m³	On-Off	White		320625	128
			Black		320618	128
		1-10V / DALI	White		320601	147
			Black		320595	147

LINEAR JOINT Required - 1 Kit x linear connection




Weight	Volume	Control	Finish		Code	€
0,040 Kg	0,0002 m³	On-Off 1-10V / DALI	White		286006	40
			Black		283111	40

POWER SUPPLY CONNECTOR Required - 1 Kit x power source max 210 W



Cable length 2000 mm

Weight	Volume	Control	Finish		Code	€
0,20 Kg	0,0008 m³	On-Off	White		282862	37
			Black		265896	37
		1-10V / DALI	White		286303	50
			Black		286297	50






END CAP NO HOLE

END CAP WITH HOLE


BLIND COVER

Required	Measure (L x H x W)	Finish		Code	€
Yes	38 x 52 x 17 mm	White		320526	6
		Black		320519	6
Yes	38 x 52 x 17 mm	White		320540	6
		Black		320533	6
No	1000 x 5 x 24 mm	White		282770	17
		Black		258256	17

Ego - Assembly plans




Ego - Bi-Emission



TRACK Maximum length per power source: 13 meters

Length	Weight	Volume	Finish		Code	€
1000 mm	1,40 Kg	0,0026 m³	Black	■	322513	148
2000 mm	2,90 Kg	0,0045 m³	Black	■	340647	296



LINEAR JOINT WITH SUSPENSION KIT

Required - 1 Kit x linear connection


Weight	Volume	Control	Finish		Code	€
0,271 Kg	0,0012 m³	On-Off	Black	■	339863	219
		1-10V / DALI	Black	■	351346	262



UP/DOWN ELECTRICAL CONNECTOR

Required - 1 Kit x power source

Weight	Volume	Control	Finish		Code	€
0,100 Kg	0,0002 m³	On-Off	Black	■	322810	71
		1-10V / DALI	Black	■	342757	80



POWER SUPPLY CONNECTOR

Required - 1 Kit x power source max 210 W

Weight	Volume	Control	Finish		Code	€
0,20 Kg	0,0008 m³	On-Off	White	■	282862	37
			Black	■	265896	37
		1-10V / DALI	White	■	286303	50
			Black	■	286297	50

Cable length 2000 mm



END CAP NO HOLE

END CAP WITH HOLE


CEILING CUP WITH SUSPENSION KIT

SUSPENSION KIT

BLIND COVER

Required	Measure (L x H x W)	Finish		Code	€
Yes	26 x 90 x 2 mm	Black	■	322841	7
Yes	26 x 90 x 2 mm	Black	■	322858	7
Yes - 1 Kit x power source max 210 W	2100 mm	Black	■	322476	59
Yes - 1 kit x 900 mm	2085 mm	Black	■	322490	37
No	1000 x 5 x 24 mm	Black	■	258256	17

Ego - Assembly plans



Ego - Drivers







DRIVER MEANWELL ON/OFF Required

Power	Output	Class	Measure(LxHxW)	Driver box	Code	€
75 W	48 Vdc	⊕	171x37x62 mm	255x55x75 mm	223155	143
96 W	48 Vdc	⊕	220x37x68 mm	330x60x80 mm	223162	189
150 W	48 Vdc	⊕	228x37x68 mm	330x60x80 mm	223179	209
240 W	48 Vdc	⊕	244x39x68 mm	330x60x80 mm	224275	235



DRIVER BOX Optional

Material	Measure(LxHxW)	Color		Code	€
Metal	255x55x75 mm	White		302379	25
		Black		302362	25
	330x60x80 mm	White		302355	30
		Black		302348	30



ON-OFF DRIVER ON TRACK Required - Cable length 2000 mm It replaces Driver + Power Supply Connector*

Power	Output	Class	Measure(LxHxW)	Code	€
100 W	48 Vdc	□	297x20x16 mm	296302	92
150 W	48 Vdc	□	268x43x16 mm	325750	97
250 W	48 Vdc	□	268x43x16 mm	325767	113

* Codes **325750** and **325767** suggested use with HIGH and RECESSED versions.



325750
325767

296302

593

Stick ^{new}



Linear dimmable system consisting of an extruded aluminium profile and magnetically attached lighting elements. The system is available in matt black or white for surface mounting (SURFACE) or recessed mounting in plasterboard (RECESSED). Reduced profile section 19 mm wide and only 13.5 mm high, available in two lengths: 1000 mm and 2000 mm. Can be combined with different lighting modules depending on the desired layout, which can be modified as required: SPOT SINGLE and DOUBLE modules for spot lighting, ACCENT modules for focused light and WIDE modules for diffused and uniform lighting. Integrated LED technology with colour temperatures of 2700 K and 3000 K; high colour rendering CRI ≥ 90 , initial binning SDCM ≤ 3 ; IP20 protection, insulation class III, 48 Vdc power supply, LED lifetime 50.000 h L70B50; system also available in a 1-10V dimmable version. Ideal for lighting details or small spaces where great flexibility and high lighting quality are required, such as MUSEUMS, RESIDENTIAL and RETAIL spaces.

Source	LED COB / SMD
Driver included	No
Drivers available	On/Off / 1-10V
Control	Phase-cut
CCT	2700 K / 3000 K
CRI	≥ 90
LED life	50.000h
Insulation class	III
IP	20
Material	Aluminum
Warranty	5 years






Stick Spot Single




LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish		Code	€
3 W	24°	200 lm	2700 K	Black		345048	45
		210 lm	3000 K	White		364100	45 new
				Black		329505	45




LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish		Code	€
5 W	30°	390 lm	2700 K	Black		345055	50
		400 lm	3000 K	White		364117	50 new
				Black		329529	50



LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish		Code	€
7 W	36°	600 lm	2700 K	Black		345062	80
		620 lm	3000 K	White		369983	80 new
				Black		343501	80



LED SMD BRIDGELUX


Power	Beam	Lumen	CCT	Finish		Code	€
10 W	36°	840 lm	2700 K	Black		345079	85
		860 lm	3000 K	White		364124	85 new
				Black		343518	85



Light beam: SPOT




Light beam: ACCENT



m	lx	ø m
1	514	0,62
2	128	1,20
3	57	1,90
4	32	2,50
5	21	3,10



CRI≥90 3W 24° 2501m 3000K




m	lx	ø m
1	822	0,62
2	205	1,20
3	91	1,90
4	51	2,50
5	33	3,10



CRI≥90 5W 30° 4301m 3000K




Stick Spot Double



LED COB BRIDGELUX

Power	Beam	Lumen	CCT	Finish		Code	€
6 W	24°	400 lm	2700 K	Black		345024	68
		420 lm	3000 K	White		374307	68 new
				Black		329512	68




LED COB BRIDGELUX

Power	Beam	Lumen	CCT	Finish		Code	€
10 W	30°	780 lm	2700 K	Black		345031	75
		800 lm	3000 K	White		369969	75 new
				Black		329536	75



Light beam: SPOT




m	lx	ø m
1	1028	0,62
2	257	1,20
3	114	1,90
4	64	2,50
5	41	3,10



CRI≥90 6W 24° 500lm 3000K




Light beam: ACCENT



m	lx	ø m
1	1645	0,62
2	411	1,20
3	183	1,90
4	103	2,50
5	66	3,10



CRI≥90 10W 30° 870lm 3000K




Stick Accent



0,080 Kg/0,0002 m³

LED SMD BRIDGELUX


Power	Beam	Lumen	CCT	Finish		Code	€
6 W	40°	600 lm	2700 K	Black		344980	30
		630 lm	3000 K	White		364087	30 new
				Black		329468	30



0,150 Kg/0,0006 m³

LED SMD BRIDGELUX


Power	Beam	Lumen	CCT	Finish		Code	€
12 W	40°	1200 lm	2700 K	Black		345000	60
		1250 lm	3000 K	White		369921	60 new
				Black		329475	60



0,080 Kg/0,0004 m³

LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish		Code	€
8 W	40°	830 lm	2700 K	Black		344997	45
		870 lm	3000 K	White		364094	45 new
				Black		343525	45




0,140 Kg/0,0006 m³

LED SMD BRIDGELUX


Power	Beam	Lumen	CCT	Finish		Code	€
16 W	40°	1650 lm	2700 K	Black		345017	70
		1750 lm	3000 K	White		369952	70 new
				Black		343532	70




Light beam: ACCENT



m	lx	ø m
1	958	0,64
2	240	1,30
3	106	1,90
4	60	2,60
5	38	3,20




m	lx	ø m
1	1917	0,64
2	479	1,30
3	213	1,90
4	120	2,60
5	77	3,20




CRI≥90 6W 40° 630lm 3000K

CRI≥90 12W 40° 1250lm 3000K

600



329468



329468



329475




601


Stick Wide



0,070 Kg/0,0002 m³




LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish		Code	€
6 W	110°	510 lm	2700 K	Black		345086	25
		530 lm	3000 K	White		364131	25 new
				Black		329444	25




0,130 Kg/0,0005 m³

LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish		Code	€
12 W	110°	1150 lm	2700 K	Black		345093	50
		1200 lm	3000 K	White		374291	50 new
				Black		329451	50




Light beam: WIDE



m	lx	ø m
1	138	2,50
2	35	4,90
3	15	7,40
4	8,7	9,80
5	5,5	12,00



CRI≥90 6W 110° 600lm 3000K



m	lx	ø m
1	277	2,50
2	69	4,90
3	31	7,40
4	17	9,80
5	11	12,00



CRI≥90 12W 110° 1200lm 3000K




Stick Wide 300 mm



Stick Wide 600 mm




Stick Surface



TRACK Kit for profile installation and closing caps included

Length	Weight	Volume	Finish		Code	€	
1000 mm	0,350 Kg	0,1348 m³	White		364063	30	new
			Black		329574	30	
2000 mm	0,700 Kg	0,2644 m³	White		370859	60	new
			Black		329581	60	




L-JOINT Optional

	Weight	Volume	Finish		Code	€	
	0,07 Kg	0,0004 m³	White		364155	37	new
			Black		330358	37	




BLIND COVER

Required	Measure (LxHxW)	Finish		Code	€	
No	1000 x 3 x 15 mm	White		370453	4	new
		Black		329635	4	
	2000 x 3 x 15 mm	White		370491	6	new
		Black		329642	6	



LINEAR JOINT Required - 1 Kit x linear connection

Weight	Volume	Finish		Code	€	
0,03 Kg	0,0001 m³	White		370545	15	new
		Black		329710	15	



POWER SUPPLY CONNECTOR Required - 1 Kit x power source max 140W

Weight	Volume	Finish		Code	€	
0,08 Kg	0,0003 m³	White		364148	20	new
		Black		329703	20	

REMOTE DIMMABLE DRIVER 1-10V Required



Power	Output	Class	Measure(LxHxW)		Code	€
150 W	48 Vdc		350x18x30 mm		329673	90


ON-OFF DRIVER ON TRACK Required - Cable length 300 mm
It replaces Driver + Main connector




Cable length 300 mm

Power	Output	Class	Measure(LxHxW)	Finish		Code	€	
150 W	48 Vdc		305x32x16 mm	White		364162	80	new
				Black		329666	80	


Stick - Assembly plans



BLIND COVER




Stick Recessed



TRACK Kit for profile installation and closing caps included

Length	Weight	Volume	Finish		Code	€	
1000 mm	0,400 Kg	0,0017 m³	White		364070	30	new
			Black		329598	30	
2000 mm	0,800 Kg	0,0033 m³	White		370828	60	new
			Black		329604	60	



L-JOINT Optional


	Weight	Volume	Finish		Code	€	
	0,07 Kg	0,0004 m³	White		372730	37	new
			Black		330365	37	



BLIND COVER

Required	Measure (LxHxW)	Finish		Code	€	
No	1000 x 3 x 15 mm	White		370453	4	new
		Black		329635	4	
	2000 x 3 x 15 mm	White		370491	6	new
		Black		329642	6	


LINEAR JOINT Required - 1 Kit x linear connection



Weight	Volume	Finish		Code	€	
0,03 Kg	0,0001 m³	White		370545	15	new
		Black		329710	15	

POWER SUPPLY CONNECTOR

Required - 1 Kit x power source max 140W



Cable length 140 mm

Weight	Volume	Finish		Code	€	
0,08 Kg	0,0003 m³	White		364148	20	new
		Black		329703	20	

REMOTE DIMMABLE DRIVER 1-10V

Required



Power	Output	Class	Measure(LxHxW)		Code	€
150 W	48 Vdc		350x18x30 mm		329673	90

ON-OFF DRIVER ON TRACK


Required - Cable length 300 mm
It replaces Driver + Main connector




Cable length 300 mm

Power	Output	Class	Measure(LxHxW)	Finish		Code	€	
150 W	48 Vdc		305x32x16 mm	White		364162	80	new
				Black		329666	80	

Stick - Assembly plans



BLIND COVER



Fluo

Linear system of lamps with extruded aluminum, 50 mm wide and 80 mm high body. Modules available in two lengths: 1200 mm and 1800 mm, which can be assembled according to the desired arrangement. The system is available in two different arrangements: the WIDE diffusing module and the BI-EMISSION module with component for indirect lighting; integrated LEDs, color temperature options of 3000 K or 4000 K, chromatic index CRI ≥ 90 , starting binning ≤ 3 -Step MacAdam, IP20 protection, insulation class I; LED useful life 50.000 h L70B50. The system is available in white and black colors and it is possible to install it in different ways: single or continuous line for ceiling installation; suspended or flush-mounted in plasterboard ceilings. Included driver, integrated in the lighting fitting, DALI and Push dimmable versions. Suitable for locations where professional lighting with minimal design is required, such as COMMERCIAL and RETAIL.

PRO


High-tech product with high quality materials, intended for professional use.

Source	LED SMD
Driver included	On/Off
Drivers available	DALI/Push
MacAdam	SDCM 3
Optics	Accent/Wide/Bi-Emission
CCT	3000 K / 4000 K
CRI	≥ 90
LED life	50.000 h
Insulation class	I
IP	20
Material	Aluminum
Warranty	5 years





Fluo Wide



2,890 Kg/0,0206 m³
Cable length 2150 mm

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
27 W	105°	3250 lm	3000 K	White		192437	330
				Black		191997	330
		3450 lm	4000 K	White		192482	330
				Black		192505	330

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
DALI/Push	27 W	500 mA	280 x 21 x 30 mm	216287	160



4,420 Kg/0,0403 m³
Cable length 2150 mm

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
36 W	105°	4900 lm	3000 K	White		192550	425
				Black		192567	425
		5200 lm	4000 K	White		192604	425
				Black		192628	425


DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
DALI/Push	38 W	700 mA	280 x 21 x 30 mm	216270	160


MOUNTING KIT Required - Page 614



Light beam: WIDE



m	lx	ø m
1	1042	2,50
2	260	5,00
3	115	7,50
4	65	10,00
5	41	12,50



CRI ≥ 90 27W 105° 3600lm 4000K


* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. The linear connection is available only for the on-off versions of the products.



Fluo Wide 1200



Fluo Wide 1800



The single final cup is 2.5 mm width.

Fluo Bi-Emission*



2,890 Kg/0,0183 m³
Cable length 2150 mm

LED SMD SAMSUNG

Up-light included - Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
27 W	105°	3250 lm	3000 K	White		192666	425
				Black		192710	425
		3450 lm	4000 K	White		192741	425
				Black		192758	425

UP-LIGHT INFO

Power	Beam	Lumen	CCT
13 W	105°	2250 lm	3000 K
		2450 lm	4000 K

DIMMABLE DRIVERS KIT*

Code	€
DALI/Push	270876 260



4,420 Kg/0,0275 m³
Cable length 2150 mm

LED SMD SAMSUNG

Up-light included - Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
36 W	105°	4900 lm	3000 K	White		192703	580
				Black		192697	580
		5200 lm	4000 K	White		192673	580
				Black		192642	580

UP-LIGHT INFO

Power	Beam	Lumen	CCT
18 W	105°	3350 lm	3000 K
		3650 lm	4000 K


DIMMABLE DRIVERS KIT*

Code	€
DALI/Push	270937 260



Light beam: BI-EMISSION
WIDE

MOUNTING KIT Required - Page 614



m	lx	ø m
1	512	2,10
2	128	4,21
3	56	6,32
4	32	8,43
5	20	10,54



* Separate switching on of direct and indirect output (available only for on-off versions). Control of the direct and indirect output in synchrony (versions with Push dimming). The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. The linear connection is available only for the on-off versions of the products.


CRI≥90 27+13W 105°+105° 3300+1800lm 3000K



Fluo Bi-Emission 1200






Fluo Bi-Emission 1800



The single final cup is 2.5 mm width.

Fluo - Assembly plans





Fluo - Mounting kit

		Required	N° Cables	Cables Length	Finish		Code	€
	CEILING CUP WITH SUSPENSION KIT	Yes - 1 Kit x power source	1	2000 mm	White		277929	32
					Black		277912	32
			1	5000 mm	White		276342	43
					Black		276335	43
	SUSPENSION KIT	Yes - 1 Kit x 600 mm	1	2000 mm			220826	13
			1	5000 mm			243665	20
	RECESSED MOUNTING KIT	Yes - 1 Kit x 600 mm					191188	25
	CEILING MOUNTING KIT	Yes - 1 Kit x 600 mm					191171	25

MECHANICAL JOINT Maximum length per power source: 30 meters

	Required	Code	€
	Yes - 1 Kit x connection	191508	12

Steel new

Family of linear luminaires with extruded aluminium body, powder coated in white or black finish. The family is available in 4 models with different sections and options for installation and control, with direct light emission (MONO-EMISSION) or direct/indirect light emission (BI-EMISSION). STEEL D09 models with a section width of 9 mm and height of 95 mm, with direct or direct/indirect light emission, for single suspension installation. STEEL D11 models with a section width of 11 mm and height of 60 mm, with direct/indirect light emission, for single suspension installation. STEEL D20 models with a section width of 20 mm and height of 95 mm for single suspension installation, in a continuous line or with 90° angles using integrated internal connectors and accessory corner profiles, available with integrated 1-10 V dimmable driver as standard. STEEL D35 models with a section width of 35 mm and height of 80 mm for single suspension or continuous line installation using integrated internal connectors, with optional kit for ceiling installation, equipped with integrated switch for switching indirect emission on and off. The models feature direct emission in the ACCENT version with recessed optics (UGR < 19) for focused lighting, or in the WIDE version with microprismatic diffuser (UGR < 19) or opal diffuser for general lighting. Integrated LED technology available in 3000 K or 4000 K colour temperature, initial binning SDCM ≤ 3; IP 20 protection, insulation class I-II; LED useful life up to 50.000 h L70B50.

PRO High-tech product with high quality materials, intended for professional use.

UGR Product with UGR <16 (Accent), <19 (Wide).

Source	LED SMD
Driver included	On/Off / 1-10V
Drivers available	No
MacAdam	SDCM 3
Optics	Accent/Wide
CCT	3000 K / 4000 K
CRI	≥90
UGR	<16 (Accent) / <19 (Wide)
LED life	50.000 h
Insulation class	I - II
IP	20
Material	Aluminum
Warranty	5 years




P. 359






Steel D09 - Mono-Emission



LED SMD WIDE Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
24W	90°	2700 lm	3000 K	White		367019	150 <small>new</small>
				Black		368818	150 <small>new</small>




LED SMD ACCENT Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
24W	50°	2700 lm	3000 K	White		368795	150 <small>new</small>
				Black		368771	150 <small>new</small>



Light beam: WIDE




m	lx	Øm
1	809	1,90
2	202	3,90
3	90	5,80
4	51	7,80
5	32	9,70



CRI≥90 24W 110° 2700lm 3000K



Light beam: ACCENT




m	lx	Øm
1	990	2,00
2	247	4,10
3	110	6,10
4	52	8,10
5	40	10,00




CRI≥90 24W 70° 2700lm 3000K




Steel D09 Accent



Steel D09 Wide



Steel D09/D11 - Bi-Emission




LED SMD SAMSUNG WIDE

Up-light included - Driver OSRAM ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
35W	110°	2750 lm	3000 K	White		348407	160
				Black		348384	160

UP-LIGHT INFO

Beam	Lumen	CCT
110°	1400 lm	3000 K




LED SMD SAMSUNG ACCENT

Up-light included - Driver OSRAM ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
35W	70°	3450 lm	3000 K	White		348414	160
				Black		348391	160

UP-LIGHT INFO

Beam	Lumen	CCT
110°	650 lm	3000 K




LED SMD SAMSUNG WIDE

Up-light included - Driver OSRAM ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish		Code	€
36W	110°	2750 lm	3000 K	White		336206	140
				Black		336190	140

UP-LIGHT INFO

Beam	Lumen	CCT
110°	1400 lm	3000 K



LED SMD SAMSUNG ACCENT

Up-light included - Driver OSRAM ON/OFF included - UGR <16

Power	Beam	Lumen	CCT	Finish		Code	€
36W	68°	3450 lm	3000 K	White		336183	140
				Black		336176	140

UP-LIGHT INFO


Beam	Lumen	CCT
71°	650 lm	3000 K




Light beam: BI-EMISSION
WIDE



Light beam: BI-EMISSION
ACCENT



m	lx	Øm
1	616	2,80
2	154	5,60
3	68	8,50
4	39	11,00
5	25	14,00



m	lx	Øm
1	937	1,50
2	234	3,10
3	104	4,60
4	59	6,20
5	37	7,70




CRI≥90 35W 110°+110° 2750+1400lm 3000K


CRI≥90 35W 70°+110° 3450+650lm 3000K




Steel D09 Accent



Steel D09 Wide




Steel D20 - Mono-Emission




LED SMD WIDE Driver 1-10V included

Power	Beam	Lumen	CCT	Finish		Code	€
29 W	104°	4500 lm	3000 K	White		369006	200 new
				Black		367590	200 new
		4800 lm	4000 K	White		369044	200 new
				Black		369020	200 new

L-JOINT Optional - Up-light not included




Power	Beam	Lumen	CCT	Finish		Code	€
5,5 W	104°	560 lm	3000 K	White		241999	47
				Black		242002	47
		600 lm	4000 K	White		268149	47
				Black		268118	47



LED SMD ACCENT Driver 1-10V included

Power	Beam	Lumen	CCT	Finish		Code	€
30 W	44°	4500 lm	3000 K	White		368955	200 new
				Black		368931	200 new
		4800 lm	4000 K	White		368986	200 new
				Black		368979	200 new



BLIND L-JOINT Optional - Up/Down-light not included

Finish		Code	€
White		370286	47 new
Black		370200	47 new



LINEAR JOINT


Required	Code	€
Yes - 1 Kit x connection	241982	6




Light beam: WIDE



Light beam: ACCENT



m	lx	dm
1	949	2,40
2	237	4,80
3	105	7,10
4	59	9,50
5	38	12,00




m	lx	dm
1	6533	0,75
2	1633	1,50
3	726	2,30
4	408	3,00
5	261	3,80



CRI≥90 29W 104° 4500lm 3000K


CRI≥90 30W 44° 4500lm 3000K



369006

367590

Steel D20 - Bi-Emission




LED SMD WIDE Up-light included - Driver 1-10V included

Power	Beam	Lumen	CCT	Finish		Code	€
32 W	104°	4650 lm	3000 K	White		241968	225
				Black		241975	225
		5000 lm	4000 K	White		268231	225
				Black		268217	225

UP-LIGHT INFO


Lumen	CCT
2250 lm	3000 K
2400 lm	4000 K

L-JOINT Optional - Up-light not included



Power	Beam	Lumen	CCT	Finish		Code	€
5,5 W	104°	560 lm	3000 K	White		241999	47
				Black		242002	47
		600 lm	4000 K	White		268149	47
				Black		268118	47

LED SMD ACCENT Up-light included - Driver 1-10V included




Power	Beam	Lumen	CCT	Finish		Code	€
38 W	44°	5700 lm	3000 K	White		368832	225 new
				Black		367606	225 new
		6000 lm	4000 K	White		368863	225 new
				Black		368849	225 new

UP-LIGHT INFO

Lumen	CCT
2200 lm	3000 K
2300 lm	4000 K

BLIND L-JOINT Optional - Up/Down-light not included



Finish		Code	€
White		370286	47 new
Black		370200	47 new



LINEAR JOINT


Required	Code	€
Yes - 1 Kit x connection	241982	6




Light beam: BI-EMISSION
WIDE



Light beam: BI-EMISSION
ACCENT



m	lx	øm
1	572	2,56
2	143	5,12
3	64	7,68
4	36	10,24
5	23	12,80



m	lx	øm
1	572	2,56
2	143	5,12
3	64	7,68
4	36	10,24
5	23	12,80




CRI≥90 32W 104°+104° 2600+2400lm 4000K CRI≥90 38W 44°+104° 3500+2200lm 3000K



241968

241975

Steel D35 - Bi-Emission




1,990 Kg/0,0111 m³
Cable length 1800 mm

LED SMD SAMSUNG WIDE

Up-light included - Driver OSRAM ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish		Code	€
36 W	70°	4200 lm	3000 K	White		267128	300
				Black		270197	300
		4500 lm	4000 K	White		270203	300
				Black		267135	300



1,980 Kg/0,0111 m³
Cable length 1800 mm







LED SMD SAMSUNG ACCENT

Up-light included - Driver OSRAM ON/OFF included - UGR <16

Power	Beam	Lumen	CCT	Finish		Code	€
36 W	60°	3600 lm	3000 K	White		270180	300
				Black		267142	300
		3700 lm	4000 K	White		267159	300
				Black		270173	300


UP-LIGHT INFO

Beam	Lumen	CCT
110°	750 lm	3000 K
	800 lm	4000 K

		Required	N° Cables	Cables Length	Finish		Code	€
	CEILING CUP WITH SUSPENSION KIT	Yes - 1 Kit x power source	1	2000 mm	White		276311	35
					Black		276304	35
	SUSPENSION KIT	Yes - 1 Kit x 500 mm	1	2000 mm			271750	13
	CEILING MOUNTING KIT	Yes - 1 Kit x 1000 mm					270210	31
	LINEAR JOINT	Yes - 1 Kit x connection					271712	7



Light beam: BI-EMISSION
WIDE




m	lx	dm
1	1173	1,50
2	293	3,10
3	130	4,60
4	73	6,20
5	47	7,70



CRI≥90 36W 70°+110° 3700+800lm 4000K



Light beam: BI-EMISSION
ACCENT




m	lx	dm
1	2216	1,20
2	554	2,40
3	246	3,60
4	139	4,80
5	89	6,10



CRI≥90 36W 60°+110° 2900+800lm 4000K



Steel Accent



Steel Wide



Office new




Linear fixtures in painted aluminium with direct emission. ACCENT versions with focused optics (UGR < 16) or WIDE versions with microprismatic diffuser (UGR < 19). Single suspension installation (ACCENT or WIDE) or continuous line installation (max. 30 m, WIDE only). Integrated CCT 3000 K and 4000 K LEDs, SDCM ≤ 3; IP 20, class I; LED lifetime 50,000 h L70B50.

Source	LED SMD	LED life	50.000 h
Power	30W	Insulation class	I
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K / 4000 K	Warranty	5 years
CRI	≥90		
UGR	<16 / <19		


UGR

Product with UGR <16.




LED SMD WIDE Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
30 W	68°	3900 lm	3000 K	White		369129	180 new
				Black		369112	180 new
		4100 lm	4000 K	White		369150	180 new
				Black		369136	180 new



LINEAR CONNECTOR Required - 1 Kit x linear connection

Weight	Volume	Control	Finish		Code	€
0,120 Kg	0,0001 m ³	On-Off	White		373522	5 new
			Black		373515	5 new



LED SMD ACCENT Driver ON/OFF included. Not compatible with: 373522, 373515


Power	Beam	Lumen	CCT	Finish		Code	€
30 W	37°	3350 lm	3000 K	White		271194	180
				Black		271187	180
		3700 lm	4000 K	White		271217	180
				Black		271200	180




Light beam: WIDE



Light beam: ACCENT



m	lx	ø m
1	1754	1,40
2	439	2,90
3	195	4,30
4	110	5,70
5	70	7,20



m	lx	ø m
1	6008	0,72
2	1502	1,40
3	668	2,20
4	376	2,90
5	240	3,60



CRI≥90 30W 37° 4100lm 4000K

CRI≥90 30W 37° 3700lm 4000K



271194



271187





LED strip and supports

Indoors

Alphabetical index

Slot	632
Strip Led	636
Tesi	640

Typology index


		
Strip 632	Tesi 636	Slot 640

* No further promotions can be applied to the strip led recommended prices.

Strip LED and Drivers


Volt	24 Vdc
Source	LED COB / SMD
Drivers available	On/Off / 1-10V / DALI/Push
Power	5 / 8 / 10 / 15 / 20 / 40 W/m
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥90
Beam	120°
LED life	50.000 h
Warranty	5 years

SMD 2835 180 LED/m - 50.000h




Power	IP	Lumen	CCT	Measure	Code	€
8 W/m	IP20	670 lm/m	2700 K	5x5000mm	345772	50
		700 lm/m	3000 K	5x5000mm	345789	50
		750 lm/m	4000 K	5x5000mm	345796	50
15 W/m	IP20	1290 lm/m	2700 K	5x5000mm	345765	65
		1340 lm/m	3000 K	5x5000mm	332239	65
		1380 lm/m	4000 K	5x5000mm	332246	65

SMD 2835 120 LED/m - 50.000h




Power	IP	Lumen	CCT	Measure	Code	€
5 W/m	IP20	470 lm/m	2700 K	8x5000mm	346328	50
		490 lm/m	3000 K	8x5000mm	346335	50
		510 lm/m	4000 K	8x5000mm	346359	50
	IP65	460 lm/m	3000 K	8x5000mm	346342	60
		500 lm/m	4000 K	8x5000mm	346366	60
10 W/m	IP20	910 lm/m	2700 K	8x5000mm	346373	50
		940 lm/m	3000 K	8x5000mm	346380	50
		970 lm/m	4000 K	8x5000mm	346403	50
	IP65	960 lm/m	3000 K	8x5000mm	346397	60
		1040 lm/m	4000 K	8x5000mm	346410	60
15 W/m	IP20	1400 lm/m	2700 K	10x5000mm	272498	55
		1450 lm/m	3000 K	10x5000mm	272481	55
		1600 lm/m	4000 K	10x5000mm	272474	55
	IP65	1400 lm/m	3000 K	10x5000mm	272504	75
		1480 lm/m	4000 K	10x5000mm	287959	75




345789

Strip LED and Drivers




SMD 2835 240 LED/m - 50.000 h

Power	IP	Lumen	CCT	Measure	Code	€
10 W/m	IP20	990 lm/m	2700 K	8x5000mm	346427	65
		1000 lm/m	3000 K	8x5000mm	346434	65
		1060 lm/m	4000 K	8x5000mm	346458	65
	IP65	880 lm/m	3000 K	8x5000mm	346441	80
		900 lm/m	4000 K	8x5000mm	346465	80
15 W/m	IP20	1330 lm/m	2700 K	8x5000mm	346472	65
		1450 lm/m	3000 K	8x5000mm	346489	65
		1510 lm/m	4000 K	8x5000mm	346502	65
	IP65	1400 lm/m	3000 K	8x5000mm	346496	80
		1460 lm/m	4000 K	8x5000mm	346519	80
20.5 W/m	IP20	2000 lm/m	2700 K	10x5000mm	272535	90
		2050 lm/m	3000 K	10x5000mm	272528	90
		2100 lm/m	4000 K	10x5000mm	272511	90
	IP65	2000 lm/m	3000 K	10x5000mm	272542	105
		2020 lm/m	4000 K	10x5000mm	287966	105



SMD 2835 180 LED/m - 50.000h



Power	IP	Lumen	CCT	Measure	Code	€
40 W/m	IP20	4350 lm/m	3000 K	10x3000mm	253886	145
		4410 lm/m	4000 K	10x3000mm	253893	145












COB 180 LED/m - 50.000h

Power	IP	Lumen	CCT	Measure	Code	€
8 W/m	IP20	760 lm/m	2700 K	8x5000mm	325934	60
		790 lm/m	3000 K	8x5000mm	325958	60
		820 lm/m	4000 K	8x5000mm	325972	60
15 W/m	IP20	1350 lm/m	2700 K	8x5000mm	325941	60
		1470 lm/m	3000 K	8x5000mm	325965	60
		1620 lm/m	4000 K	8x5000mm	325989	60







	Required	Code	€
 POWER SUPPLY CONNECTOR	No	292939	2
 LINEAR JOINT	No	292953	2

DRIVER For indoor installation only


	Power	Output	Class	Measure(LxHxW)	Code	€
On-Off	30 W	24 Vdc		140 x 28 x 45 mm	124070	17
	60 W	24 Vdc		186 x 33 x 50 mm	124087	26
	150 W	24 Vdc		268 x 31 x 45 mm	124117	46
1-10V/Push	36 W	24 Vdc		293 x 30 x 43 mm	244556	47
1-10V	100 W	24 Vdc		210 x 34 x 67 mm	244570	65
1-10V	150 W	24 Vdc		210 x 34 x 67 mm	244594	70
DALI/Push	36 W	24 Vdc		175 x 30 x 44 mm	244549	57
	80 W	24 Vdc		295 x 35 x 45 mm	244563	67
	150 W	24 Vdc		273 x 37 x 57 mm	244587	90

DRIVER BOX Optional



Material	Measure(LxHxW)	Color		Code	€
Metal	255x55x75 mm	White		302379	25
		Black		302362	25
	330x60x80 mm	White		302355	30
		Black		302348	30

Tesi 8mm




Flexible steel tape for wall-to-wall tension application, to be used as a support for the application of LED strips for indirect lighting. Tape available in two widths of 8 mm and 20 mm, maximum length of 5 or 10 meters that can be cut to size, aluminum supports with locking system, available in steel, white or black finishes. Ideal for environments with an historical and architectural character that are already highly personalized, with its minimal section it disappears inside the environment to guarantee a result of extreme formal cleanliness.

STRIP LED SUPPORT




Length	Width	Finish		Code	€
5000 mm	8 mm	Steel		344935	152
		White		344928	152
		Black		344911	152



Length	Width	Finish		Code	€
10000 mm	8 mm	Steel		344904	168
		White		344898	168
		Black		344881	168

RECOMMENDED STRIP LED AND DRIVER

SMD 2835 180 LED/m - 50.000h



Power	IP	Lumen	CCT	Measure	Code	€
8 W/m	IP20	670 lm/m	2700 K	5x5000mm	345772	50
		700 lm/m	3000 K	5x5000mm	345789	50
		750 lm/m	4000 K	5x5000mm	345796	50

DRIVER ON/OFF



Light beam: INDIRECT




Power	Output	Class	Measure(LxHxW)	Driver box	Code	€
30 W	24 Vdc		140 x 28 x 45 mm	255 x 55 x 75 mm	124070	17
60 W	24 Vdc		186 x 33 x 50 mm	255 x 55 x 75 mm	124087	26
150 W	24 Vdc		268 x 31 x 45 mm	330 x 60 x 80 mm	124117	46






STRIP LED SUPPORT




Length	Width	Finish		Code	€
5000 mm	20 mm	Steel		258300	160
		White		302256	160
		Black		302263	160



Length	Width	Finish		Code	€
10000 mm	20 mm	Steel		302270	178
		White		302287	178
		Black		302294	178

RECOMMENDED STRIP LED AND DRIVER

SMD 2835 120 LED/m - 50.000h



Power	IP	Lumen	CCT	Measure	Code	€
5 W/m	IP20	470 lm/m	2700 K	8x5000mm	346328	50
		490 lm/m	3000 K	8x5000mm	346335	50
		510 lm/m	4000 K	8x5000mm	346359	50
	IP65	460 lm/m	3000 K	8x5000mm	346342	60
		500 lm/m	4000 K	8x5000mm	346366	60
		510 lm/m	4000 K	8x5000mm	346359	50
10 W/m	IP20	910 lm/m	2700 K	8x5000mm	346373	50
		940 lm/m	3000 K	8x5000mm	346380	50
		970 lm/m	4000 K	8x5000mm	346403	50
	IP65	960 lm/m	3000 K	8x5000mm	346397	60
		1040 lm/m	4000 K	8x5000mm	346410	60
		1040 lm/m	4000 K	8x5000mm	346410	60
15 W/m	IP20	1400 lm/m	2700 K	10x5000mm	272498	55
		1450 lm/m	3000 K	10x5000mm	272481	55
		1600 lm/m	4000 K	10x5000mm	272474	55
	IP65	1400 lm/m	3000 K	10x5000mm	272504	75
		1480 lm/m	4000 K	10x5000mm	287959	75
		1480 lm/m	4000 K	10x5000mm	287959	75


DRIVER ON/OFF



Light beam: INDIRECT



Power	Output	Class	Measure(LxHxW)	Driver box	Code	€
30 W	24 Vdc		140 x 28 x 45 mm	255 x 55 x 75 mm	124070	17
60 W	24 Vdc		186 x 33 x 50 mm	255 x 55 x 75 mm	124087	26
150 W	24 Vdc		268 x 31 x 45 mm	330 x 60 x 80 mm	124117	46



Slot



Extruded aluminium profile with anodised or powder-coated surface, available in white, black and aluminium finishes, with satin-finish PMMA diffuser. Bars are available in different sections and lengths in the RECESSED version for recessed installation in plasterboard ceilings and in the SURFACE version for wall or ceiling installation. The ANGULAR models are designed with an internal angle of inclination of the light source for optimal lighting inside light veils and wall chase. The linear profiles are available in lengths of 2000 and 3000 mm, can be assembled according to the desired design and can be cut to size. LED strips and drivers must be combined to complete the installation. The accessories included with the profiles are not sold separately.

Model	Recessed / Surface / Angular
Width	6 / 31 mm
Material	Aluminum






Slot Recessed Trim



PROFILE 6 mm Recommended Strip LED_{max} 8 W/m



Length	Weight	Volume	Finish		Code	€
2000 mm	0,72 Kg	0,0003 m ³	White		346212	9
3000 mm	1,23 Kg	0,0005 m ³	White		346229	13



PROFILE 12 mm Recommended Strip LED_{max} 15 W/m


Length	Weight	Volume	Finish		Code	€
2000 mm	0,33 Kg	0,0007 m ³	White		203102	25
3000 mm	0,48 Kg	0,0010 m ³	White		204611	40

Slot Recessed Trimless



PROFILE 11 mm Recommended Strip LED_{max} 8 W/m

Length	Weight	Volume	Finish		Code	€
2000 mm	0,50 Kg	0,0021 m ³	White		346274	45
3000 mm	1,45 Kg	0,0021 m ³	White		346281	65



PROFILE 21 mm Recommended Strip LED_{max} 15 W/m

Length	Weight	Volume	Finish		Code	€
2000 mm	0,60 Kg	0,0021 m ³	White		346762	60
3000 mm	0,88 Kg	0,0055 m ³	White		346779	80

KIT PROFILE



LINEAR JOINT

L-JOINT

WALL-CEILING JOINT

Required	Code	€
Yes - 1 Kit x connection	223766	6
Yes - 1 Kit x connection	223759	6
Yes - 1 Kit x connection	223742	6



346212
203102




Mounting kit included

346762
346779



Slot Surface




PROFILE 6 mm Recommended Strip LED max 8 W/m

Length	Weight	Volume	Finish		Code	€
2000 mm	0,16 Kg	0,0003 m³	White		346243	8
	0,16 Kg	0,0003 m³	Black		346236	8
3000 mm	0,40 Kg	0,0002 m³	White		346267	12
	0,40 Kg	0,0002 m³	Black		346250	12




PROFILE 11 mm Recommended Strip LED max 15 W/m

Length	Weight	Volume	Finish		Code	€
2000 mm	0,22 Kg	0,0022 m³	White		203089	20
	0,22 Kg	0,0022 m³	Aluminu.		203072	20
3000 mm	0,42 Kg	0,0022 m³	White		204598	30
	0,42 Kg	0,0022 m³	Aluminu.		204581	30



PROFILE 14 mm Recommended Strip LED max 15 W/m

Measure	Weight	Volume	Finish		Code	€
2000x15mm	0,42 Kg	0,0008 m³	White		307145	25
2000x22mm	0,51 Kg	0,0012 m³	White		307152	25



PROFILE 31 mm Recommended Strip LED max 40 W/m

Length	Weight	Volume	Finish		Code	€
2000 mm	1,41 Kg	0,0036 m³	White		270524	75
	1,41 Kg	0,0036 m³	Black		270517	75
3000 mm	1,97 Kg	0,0047 m³	White		270548	105
	1,97 Kg	0,0047 m³	Black		270531	105

Required	N° Cables	Cables Length	Code	€
No - 1Kitx2000mm	2	3000 mm	270449	18
Yes - 1Kitxconnection			270463	6



SUSPENSION KIT

MECHANICAL JOINT



Mounting kit included





307145



270517

645

Slot Angular Recessed



PROFILE 17 mm Recommended Strip LED_{max} 15 W/m

Length	Weight	Volume	Finish		Code	€
2000 mm	0,82 Kg	0,0042 m ³	White		339788	65
3000 mm	1,05 Kg	0,0052 m ³	White		339795	90

KIT PROFILE



LINEAR JOINT





L-JOINT



WALL-CEILING JOINT


Required		Code	€
Yes - 1 Kit x connection		223766	6
Yes - 1 Kit x connection		223759	6
Yes - 1 Kit x connection		223742	6

Slot Angular Surface



PROFILE 10 mm Recommended Strip LED_{max} 15 W/m

Length	Weight	Volume	Finish		Code	€
2000 mm	0,16 Kg	0,0003 m ³	White		346298	20
3000 mm	0,22 Kg	0,0004 m ³	White		346304	30



PROFILE 16 mm Recommended Strip LED_{max} 15 W/m

Length	Weight	Volume	Finish		Code	€
2000 mm	0,26 Kg	0,0002 m ³	White		203126	25
3000 mm	0,41 Kg	0,0013 m ³	White		204635	40



339788
339795




Mounting kit included

346298
346304



339788
339795














Spotlights and Tracks

Indoors

Alphabetical index

Display	680
Dynamite	676
Eos	666
Fox	658
Link	688
Look	679
Play	674
Pov	672
Smile	650
Spike	678

Typology index

	<small>new</small> 	
Smile 650	Fox 658	Eos 666
	<small>new</small> 	<small>new</small> 
Pov 672	Play 674	Dynamite 676
		<small>new</small> 
Spike 678	Look 679	Display 680
		
Link 3-Phase 688	Link 1-Phase 694	

Smile

Cylindrical aluminum projector (extrusion + CNC manufacturing + forging) suitable for installation on three-phase track. White or black powder coating, 350 ° rotating head and 90 ° adjustable, the power driver is included and is located in the cylindrical body of the projector itself; light source with integrated LED COB technology, available with a color temperature of 3000 K or 4000 K and with color rendering index up to 90; starting binning ≤ 4-Step MacAdam; symmetrical beam optic with three different emission angles and glare control (UGR <19); assembly and disassembly without tools; IP 20 protection; insulation class II; LED useful life 50.000 h L70B50.

Ideal for the installation in big rooms, where great flexibility and color rendering is required, such as MUSEUM, COMMERCIAL and RETAIL spaces.

UGR Product with UGR <19.

Source	LED COB
Power	15W / 20W / 30W
Driver included	On/Off
Drivers available	No
Track	Link 3-Phase
CCT	3000 K / 4000 K
CRI	≥80 / ≥90
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years




Link 3-Phase - Page 688





Smile 15W



3-PHASE LED COB PHILIPS Driver TRIDONIC ON/OFF included

CRI ≥ 90

Power	Beam	Lumen	CCT	Finish		Code	€
15 W	24°	1700 lm	3000 K	White		189598	120
				Black		189604	120
	36°	1700 lm	3000 K	White		189772	120
				Black		189789	120
	50°	1700 lm	3000 K	White		189970	120
				Black		189987	120

CRI ≥ 80

Power	Beam	Lumen	CCT	Finish		Code	€
15 W	24°	2050 lm	3000 K	White		189574	120
				Black		189581	120
		2250 lm	4000 K	White		189611	120
				Black		189628	120
	36°	2050 lm	3000 K	White		189758	120
				Black		189765	120
		2250 lm	4000 K	White		189796	120
				Black		189802	120
	50°	2050 lm	3000 K	White		189932	120
				Black		189949	120
		2250 lm	4000 K	White		189956	120
				Black		189963	120




CEILING
CONNECTION

Required	Driver	Finish		Code	€
No	On/Off	White		170145	23
		Black		170152	23



Light beam: SPOT




m	lx	ø m
1	4362	0,47
2	1090	0,94
3	484	1,41
4	272	1,88
5	174	2,35



CRI ≥ 80 15W 24° 2050lm 3000K



Light beam: ACCENT




m	lx	ø m
1	2923	0,64
2	730	1,29
3	324	1,94
4	182	2,58
5	116	3,23




CRI ≥ 80 15W 36° 2050lm 3000K



Light beam: WIDE



m	lx	ø m
1	1611	0,89
2	402	1,79
3	179	2,69
4	100	3,59
5	64	4,49



CRI ≥ 80 15W 50° 2050lm 3000K



Smile 20W



3-PHASE LED COB PHILIPS Driver TRIDONIC ON/OFF included

CRI ≥ 90

Power	Beam	Lumen	CCT	Finish		Code	€
20 W	24°	2550 lm	3000 K	White		189659	135
				Black		189666	135
	36°	2550 lm	3000 K	White		189833	135
				Black		189840	135
	50°	2550 lm	3000 K	White		190037	135
				Black		190044	135

CRI ≥ 80

Power	Beam	Lumen	CCT	Finish		Code	€
20 W	24°	3000 lm	3000 K	White		189635	135
				Black		189642	135
		3150 lm	4000 K	White		189673	135
				Black		189680	135
	36°	3000 lm	3000 K	White		189819	135
				Black		189826	135
		3150 lm	4000 K	White		189857	135
				Black		189864	135
	50°	3000 lm	3000 K	White		189994	135
				Black		190006	135
		3150 lm	4000 K	White		190013	135
				Black		190020	135




CEILING
CONNECTION

Required	Driver	Finish		Code	€
No	On/Off	White		170145	23
		Black		170152	23



Light beam: SPOT




m	lx	ø m
1	8787	0,42
2	2196	0,85
3	976	1,28
4	549	1,71
5	351	2,14



CRI ≥ 80 20W 24° 3000lm 3000K



Light beam: ACCENT




m	lx	ø m
1	4526	0,64
2	1131	1,28
3	502	1,92
4	282	2,56
5	181	3,20



CRI ≥ 80 20W 36° 3000lm 3000K



Light beam: WIDE



m	lx	ø m
1	2657	0,93
2	664	1,87
3	295	2,81
4	166	3,75
5	106	4,69



CRI ≥ 80 20W 50° 3000lm 3000K



Smile 30W



3-PHASE LED COB PHILIPS Driver TRIDONIC ON/OFF included

CRI ≥ 90

Power	Beam	Lumen	CCT	Finish		Code	€
30 W	24°	3500 lm	3000 K	White		189710	150
				Black		189727	150
	36°	3500 lm	3000 K	White		189918	150
				Black		189925	150
	50°	3500 lm	3000 K	White		190099	150
				Black		190105	150

CRI ≥ 80

Power	Beam	Lumen	CCT	Finish		Code	€
30 W	24°	4000 lm	3000 K	White		189697	150
				Black		189703	150
		4200 lm	4000 K	White		189734	150
				Black		189741	150
	36°	4000 lm	3000 K	White		189871	150
				Black		189888	150
		4200 lm	4000 K	White		189895	150
				Black		189901	150
	50°	4000 lm	3000 K	White		190051	150
				Black		190068	150
		4200 lm	4000 K	White		190075	150
				Black		190082	150




CEILING
CONNECTION

Required	Driver	Finish		Code	€
No	On/Off	White		170145	23
		Black		170152	23



Light beam: SPOT




m	lx	ø m
1	12955	0,39
2	3238	0,79
3	1439	1,19
4	809	1,59
5	518	1,99



CRI ≥ 80 30W 24° 4000lm 3000K



Light beam: ACCENT




m	lx	ø m
1	6240	0,62
2	1560	1,24
3	693	1,86
4	390	2,48
5	249	3,10




CRI ≥ 80 30W 36° 4000lm 3000K



Light beam: WIDE



m	lx	ø m
1	3740	0,88
2	935	1,76
3	415	2,65
4	233	3,53
5	149	4,42



CRI ≥ 80 30W 50° 4000lm 3000K



Fox new

Cylindrical extruded aluminum projector suitable for installation on single-phase and three-phase LINK track. White, black or satin brass powder coating, 350° rotating head and 90° adjustable. 1-10 V or DALI dimmable versions available. Light source with integrated LED COB technology, available with 3 different powers and with color temperatures of 2700 K, 3000 K or 4000 K and with color rendering index CRI ≥ 80 or CRI ≥ 90; starting binning ≤ 3-Step MacAdam; medium beam with accessories optics with narrow beam. Assembly and disassembly without tools. IP 20 protection; LED useful life 50.000 h L70B50. Perfect for lighting the small and medium size environments that require wide flexibility for arrangement, such as COMMERCIAL and RETAIL spaces, and an optimal performance-price ratio.

Source	LED COB
Power	8W / 15W / 25W
Driver included	On/Off / 1-10V / DALI
Drivers available	No
Track	Link 3-Phase / 1-Phase
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥80 / ≥90
LED life	50.000 h
Insulation class	I - II
IP	20
Material	Aluminum
Warranty	5 years



Link 3-Phase - Page 688




Link 1-Phase - Page 694





Fox 8W



3-PHASE LED COB BRIDGELUX Driver included

CRI ≥ 90

Power	Beam	Driver	Lumen	CCT	Finish		Code	€
8 W	41°	On-Off	950 lm	2700 K	White		340845	45
					Black		340838	45
			1000 lm	3000 K	White		285368	45
					Black		285351	45
		1-10V	1050 lm	4000 K	White		322339	45
					Black		322322	45
			1000 lm	3000 K	White		302546	85
					Black		302539	85

CRI ≥ 80

Power	Beam	Driver	Lumen	CCT	Finish		Code	€
8 W	41°	On-Off	1150 lm	3000 K	White		250410	45
					Black		250403	45
					Brass		283920	49
			1200 lm	4000 K	White		271453	45
					Black		271446	45

1-PHASE LED COB BRIDGELUX Driver included

CRI ≥ 90

Power	Beam	Driver	Lumen	CCT	Finish		Code	€
8 W	54°	On-Off	1000 lm	3000 K	White		371924	35 new
					Black		348308	35



LENS




CEILING
CONNECTION

Model	Required	Beam	Driver	Finish		Code	€
On/Off	No	23°		Clear		349121	5
1-10V	No			Clear		302744	5
3-Phase	No		On/Off	White		170145	23
	No			Black		170152	23



Light beam: ACCENT



m	lx	Øm
1	2067	0,77
2	517	1,54
3	230	2,30
4	129	3,07
5	83	3,84




CRI ≥ 90 8W 41° 950lm 3000K

* The optional lens must be ordered in concomitance with the product and will be mounted inside the product as replacement for the default one.



Fox 15W



3-PHASE LED COB BRIDGELUX Driver included

CRI ≥ 90

Power	Beam	Driver	Lumen	CCT	Finish		Code	€
15 W	41°	On-Off	1550 lm	2700 K	White		340883	50
					Black		340876	50
			1600 lm	3000 K	White		285382	50
					Black		285375	50
			1700 lm	4000 K	White		322360	50
					Black		322346	50
		1-10V	1600 lm	3000 K	White		302560	80
					Black		302553	80
		DALI	1600 lm	3000 K	White		302584	110
					Black		302577	110

CRI ≥ 80

Power	Beam	Driver	Lumen	CCT	Finish		Code	€
15 W	41°	On-Off	1900 lm	3000 K	White		250434	50
					Black		250427	50
					Brass		283937	55
			2000 lm	4000 K	White		267784	50
					Black		267777	50

1-PHASE LED COB BRIDGELUX Driver included

CRI ≥ 90

Power	Beam	Driver	Lumen	CCT	Finish		Code	€
15 W	39°	On-Off	1600 lm	3000 K	Black		348315	40



LENS




CEILING
CONNECTION

Model	Required	Beam	Driver	Finish		Code	€
On/Off	No	15°		Clear		349138	5
1-10V/DALI	No			Clear		302751	5
3-Phase	No		On/Off	White		170145	23
	No			Black		170152	23



Light beam: ACCENT




m	lx	ø m
1	3204	0,80
2	801	1,60
3	356	2,40
4	200	3,20
5	128	4,00



CRI ≥ 80 15W 41° 1850lm 3000K



Fox 25W



3-PHASE LED COB BRIDGELUX Driver included

CRI ≥ 90

Power	Beam	Driver	Lumen	CCT	Finish		Code	€
25 W	35°	On-Off	2800 lm	2700 K	White		340944	55
					Black		340937	55
			2900 lm	3000 K	White		285405	55
					Black		285399	55
			3050 lm	4000 K	White		322391	55
					Black		322377	55
		1-10V	2900 lm	3000 K	White		302607	100
					Black		302591	100
		DALI	2900 lm	3000 K	White		302621	115
					Black		302614	115

CRI ≥ 80

Power	Beam	Driver	Lumen	CCT	Finish		Code	€
25 W	35°	On-Off	3300 lm	3000 K	White		250458	55
					Black		250441	55
					Brass		283944	60
			3500 lm	4000 K	White		267807	55
					Black		267791	55

1-PHASE LED COB BRIDGELUX Driver included

CRI ≥ 90

Power	Beam	Driver	Lumen	CCT	Finish		Code	€
25 W	35°	On-Off	3000 lm	3000 K	Black		348322	45



LENS




CEILING
CONNECTION

Model	Required	Beam	Driver	Finish		Code	€
On/Off	No	15°		Clear		349145	5
1-10V/DALI	No			Clear		302768	5
3-Phase	No		On/Off	White		170145	23
	No			Black		170152	23



Light beam: ACCENT



m	lx	øm
1	8140	0,61
2	2035	1,22
3	904	1,82
4	509	2,43
5	326	3,04



CRI ≥ 90 25W 35° 2950lm 3000K



Eos

Extruded aluminum cylindrical tracklight with variable opening beam from narrow to wide (20°-55°), suitable for single-phase or three-phase LINK track installation. White or black powder coating, 355° turning head and 90° adjustable. Dimmable 1-10 V or DALI versions available. Light source with integrated COB LED technology, available with two different powers and color temperature of 2700 K, 3000 K and 4000 K and chromatic index ≥ 90 ; starting binning ≤ 3 -Step MacAdam. Assembly, disassembly and adjustment of the beam opening without tools. IP20 protection; LED useful life 30.000 h L70B50. Ideal for installation in big rooms, where great flexibility and high color rendering is required, such as EXHIBITION, MUSEUMS and COMMERCIAL.


Source	LED COB
Power	15W / 25W
Driver included	On/Off / 1-10V / DALI
Drivers available	No
Track	Link 3-Phase / 1-Phase
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥ 90
LED life	50.000 h
Insulation class	I - II
IP	20
Material	Aluminum
Warranty	5 years




Link 3-Phase - Page 688




Link 1-Phase - Page 694





Eos 15W



3-PHASE LED COB BRIDGELUX Driver included

Power	Beam	Driver	Lumen	CCT	Finish		Code	€
15 W	20-55°	On-Off	1650 lm	2700 K	White		340807	73
					Black		340791	73
			1700 lm	3000 K	White		286594	73
					Black		276182	73
			1850 lm	4000 K	White		322094	73
					Black		322087	73
		1-10V	1700 lm	3000 K	White		302959	116
					Black		302942	116
		DALI	1700 lm	3000 K	White		302997	135
					Black		302980	135

1-PHASE LED COB BRIDGELUX Driver included

Power	Beam	Driver	Lumen	CCT	Finish		Code	€
15 W	20-55°	On-Off	1700 lm	3000 K	Black		337579	65




CEILING CONNECTION

Model	Required	Beam	Driver	Finish		Code	€
3-Phase	No		On/Off	White		170145	23
	No			Black		170152	23




Light beam: from SPOT to WIDE



CRI≥90 15W 20-55° 1450lm 3000K



Eos 25W



3-PHASE LED COB BRIDGELUX Driver included

Power	Beam	Driver	Lumen	CCT	Finish		Code	€
25 W	20-55°	On-Off	2900 lm	2700 K	White		340821	92
					Black		340814	92
			2950 lm	3000 K	White		286600	92
					Black		276243	92
			3100 lm	4000 K	White		322124	92
					Black		322100	92
		1-10V	2950 lm	3000 K	White		302973	135
					Black		302966	135
		DALI	2950 lm	3000 K	White		303017	155
					Black		303000	155

1-PHASE LED COB BRIDGELUX Driver included

Power	Beam	Driver	Lumen	CCT	Finish		Code	€
25 W	20-55°	On-Off	2900 lm	3000 K	Black		342740	85




CEILING CONNECTION

Model	Required	Beam	Driver	Finish		Code	€
3-Phase	No		On/Off	White		170145	23
	No			Black		170152	23



Light beam: from SPOT to WIDE




CRI≥90 25W 20-55° 2500lm 3000K






Pov

Source	LED COB	CRI	≥95
Power	22W	LED life	30.000 h
Driver included	On/Off	Insulation class	II
Drivers available	No	IP	20
Track	Link 3-Phase	Material	Aluminum
MacAdam	SDCM 3	Warranty	5 years
CCT	3000 K		





3-PHASE LED COB CREE Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
22 W	36°	2000 lm	3000 K	White		296340	135
				Black		296333	135



3-PHASE LED COB CREE Driver PHILIPS ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
22 W	36°	2000 lm	3000 K	White		296364	135
				Black		296357	135



Link 3-Phase - Page 688



Light beam: **ACCENT**



m	lx	ø m
1	3646	0,65
2	911	1,30
3	405	1,90
4	228	2,60
5	146	3,20




CRI≥95 22W 36° 1750lm 3000K



Play Spot ^{new}




Source	LED COB	CRI	≥90
Power	7W / 13W	LED life	50.000 h
Driver included	On/Off	Insulation class	II
Drivers available	No	IP	20
Track	Link 3-Phase	Material	Aluminum
MacAdam	SDCM 3	Warranty	5 years
CCT	3000 K		



3-PHASE LED COB Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
7 W	16°	520 lm	3000 K	White		364698	70 ^{new}
				Black		370903	70 ^{new}



3-PHASE LED COB Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
13 W	18°	900 lm	3000 K	White		364704	75 ^{new}
				Black		370927	75 ^{new}



CEILING CONNECTION


Required	Driver	Finish		Code	€
No	On/Off	White		170145	23
		Black		170152	23



Link 3-Phase - Page 688



Light beam: SPOT



m	lx	øm
1	5141	0,25
2	1285	0,50
3	571	0,75
4	321	1,00
5	206	1,20



CRI≥95 22W 36° 1750lm 3000K



P. 312




P. 762




Dynamite Spot new

Source	GU10
Power	max 28 W
Track	Link 3-Phase / 1-Phase
Insulation class	II
IP	20
Material	Aluminum




GU10 Not included - Recommended bulb 123943

Power	Track	Finish		Code	€
max 28W	3-Phase	White		274508	36
		Black		274515	36
	1-Phase	White		371443	36 new
		Black		337524	36



GU10 Not included - Recommended bulb 339771

Power	Track	Finish		Code	€
max 28W	3-Phase	White		371450	25 new
		Black		371474	25 new



GU10 Not included - Recommended bulb 123943

Power	Track	Finish		Code	€
max 28W	3-Phase	White		371498	38 new
		Black		371528	38 new



CEILING
CONNECTION

Model	Required	Beam	Driver	Finish		Code	€
3-Phase	No		On/Off	White		170145	23
	No			Black		170152	23



Link 3-Phase - Page 688



Link 1-Phase - Page 694



P. 100



P. 310




P. 412





Spike Spot



GX53 Bulbs LED GX53 9W 3000K CRI80 included. Code **123936**



Power	Track	Finish		Code	€
max 9W	3-Phase	White		344942	60
		Black		336626	60



CEILING
CONNECTION

Required	Driver	Finish		Code	€
No	On/Off	White		170145	23
		Black		170152	23




P. 308



Link 3-Phase - Page 688



Look Track



0,930 Kg/0,0033 m³

GU10 Bulbs LED GU10 7W 3000 K included. Code **123943**



Power	Track	Finish	Code	€
max 28W	3-Phase	White	231662	80
		Black	231631	80



**CEILING
CONNECTION**

Required	Driver	Finish	Code	€
No	On/Off	White	170145	23
		Black	170152	23



Link 3-Phase - Page 688



P. 082



P. 296



P. 372



P. 506

Display ^{new}

Linear projector in painted aluminium for LINK 3-phase track, white or black finish, PMMA diffusers. Available in the WIDE model with flat and diffusing optics, in the UGR model with microprismatic diffuser and in the ACCENT model with recessed optics (UGR < 16). The integrated power driver is allocated inside the track to minimise the visible footprint of the product. Light source with integrated COB LED technology in colour temperatures of 3000 K and 4000 K with high colour rendering CRI ≥ 90; initial binning SDCM ≤ 3; LED useful life 50.000 h L70B50. Suitable for lighting OFFICES, COMMERCIAL spaces and EXHIBITION areas, also ideal in combination with other focused light projectors.

PRO

High-tech product with high quality materials, intended for professional use.

UGR

Product with UGR < 16 (Accent), < 22 (UGR).

Source	LED SMD
Power	14W / 42W
Driver included	On/Off / DALI
Drivers available	No
Track	Link 3-Phase
MacAdam	SDCM 3
CCT	3000 K / 4000 K
CRI	≥ 90
UGR	< 16 (Accent) / < 22 (UGR)
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years




Link 3-Phase - Page 688






Display Accent



0,681 Kg/0,0028 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <16


Power	Beam	Driver	Lumen	CCT	Finish		Code	€
14 W	60°	On-Off	1400 lm	3000 K	White		283593	170
					Black		283609	170
			1550 lm	4000 K	White		283616	170
					Black		283623	170
		DALI	1400 lm	3000 K	White		375267	225 new
					Black		375243	225 new
			1550 lm	4000 K	White		375304	225 new
					Black		375281	225 new



1,120 Kg/0,0072 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <16

Power	Beam	Driver	Lumen	CCT	Finish		Code	€
28 W	60°	On-Off	2800 lm	3000 K	White		283524	265
					Black		276267	265
			3100 lm	4000 K	White		283531	265
					Black		283548	265
		DALI	2800 lm	3000 K	White		375342	305 new
					Black		375328	305 new
			3100 lm	4000 K	White		375373	305 new
					Black		375359	305 new




1,570 Kg/0,0100 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <16


Power	Beam	Driver	Lumen	CCT	Finish		Code	€
42 W	60°	On-Off	4200 lm	3000 K	White		283555	370
					Black		283562	370
			4650 lm	4000 K	White		283579	370
					Black		283586	370



Light beam: ACCENT



m	lx	øm
1	1330	1,20
2	332	2,40
3	148	3,50
4	83	4,70
5	53	5,90




m	lx	øm
1	3598	1,30
2	900	2,50
3	400	3,80
4	225	5,00
5	144	6,30



CRI≥90 14W 60° 1350lm 3000K

CRI≥90 42W 60° 3750lm 3000K



Display Accent 535 mm




Display Accent 1065 mm



Display Accent 1595 mm




Display Wide



0,430 Kg/0,0026 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included

Power	Beam	Driver	Lumen	CCT	Finish		Code	€
21W	125°	On-Off	2550 lm	3000 K	White		283753	140
					Black		283760	140
			2900 lm	4000 K	White		276274	140
					Black		283777	140
		DALI	2550 lm	3000 K	White		375335	190 new
					Black		375311	190 new
			2900 lm	4000 K	White		375380	190 new
					Black		375366	190 new




0,770 Kg/0,0050 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included


Power	Beam	Driver	Lumen	CCT	Finish		Code	€
40 W	125°	On-Off	5500 lm	3000 K	White		283722	215
					Black		283050	215
			5800 lm	4000 K	White		283739	215
					Black		283746	215
		DALI	5500 lm	3000 K	White		375410	260 new
					Black		375403	260 new
			5800 lm	4000 K	White		375458	260 new
					Black		375434	260 new



Light beam: WIDE



m	lx	Øm
1	473	5,20
2	118	6,50
3	53	9,70
4	30	13,00
5	19	16,00




m	lx	Øm
1	897	3,10
2	224	6,10
3	100	9,20
4	56	12,00
5	36	15,00



CRI≥90 21W 125° 2550lm 3000K

CRI≥90 40W 125° 4600lm 3000K




Display Wide 565 mm



Display Wide 1125 mm












Display UGR



0,650 Kg/0,0028 m³









3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <22


Power	Beam	Driver	Lumen	CCT	Finish		Code	€	
14 W	70°	On-Off	1900 lm	3000 K	White		283685	150	
					Black		283692	150	
			2000 lm	4000 K	White		283708	150	
					Black		283715	150	
		DALI	1900 lm	3000 K	White		375427	210	new
					Black		375397	210	new
			2000 lm	4000 K	White		375465	210	new
					Black		375441	210	new



1,120 Kg/0,0050 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <22

Power	Beam	Driver	Lumen	CCT	Finish		Code	€
25 W	70°	On-Off	3800 lm	3000 K	White		283647	235
					Black		283630	235
			4000 lm	4000 K	White		276281	235
					Black		283258	235
		DALI	3800 lm	3000 K	White		375250	280 new
					Black		375236	280 new
			4000 lm	4000 K	White		375298	280 new
					Black		375274	280 new




1,570 Kg/0,0173 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <22

Power	Beam	Driver	Lumen	CCT	Finish		Code	€
40 W	70°	On-Off	5700 lm	3000 K	White		283654	330
					Black		283067	330
			6000 lm	4000 K	White		283661	330
					Black		283678	330




Light beam: WIDE



m	lx	ø m
1	854	1,40
2	213	2,80
3	95	4,20
4	53	5,70
5	34	7,10




CRI≥90 14W 70° 17501m 3000K



m	lx	ø m
1	1636	1,40
2	409	2,80
3	182	4,20
4	102	5,70
5	65	7,10





CRI≥90 25W 70° 35501m 3000K



m	lx	ø m
1	2419	1,40
2	605	2,80
3	269	4,20
4	151	5,70
5	97	7,10



CRI≥90 40W 70° 53501m 3000K



Display UGR 535 mm



Display UGR 1065 mm



Display UGR 1595 mm



Link 3-Phase


Three-phase electrified track with extruded aluminum profile; black or white powder coated, optimized for standard 3-Phase or equivalent projectors; available in ceiling, suspension or recessed versions with edge for installation on plasterboard ceilings; suitable for continuous lines systems, standard modules of 1000mm, 2000mm or 3000mm modules length. Ideal for installation in big spaces where flexibility and long connection distances are required, for example MUSEUM, COMMERCIAL and RETAIL spaces.

Insulation class	I
IP	20





Link 3-Phase Trimless On/Off



TRACK

Length	Weight	Volume	Finish	Code	€
1000 mm	0,91 Kg	0,0016 m³	White	243269	30
			Black	243252	30
2000 mm	1,81 Kg	0,0025 m³	White	187976	60
			Black	187983	60
3000 mm	2,71 Kg	0,0037 m³	White	187990	95
			Black	188003	95



CEILING MOUNTING KIT



SUSPENSION KIT



END CAP


Required	N° Cables	Cables Length	Finish	Code	€
Yes - 1 Kit x 1000 mm			White	169972	5
			Black	169989	5
Yes - 1 Kit x 1000 mm	1	3000 mm	White	242705	13
			Black	243283	13
	1	5000 mm	White	243245	15
			Black	243238	15
Yes			White	169613	2
			Black	169620	2



POWER SUPPLY END

0,060 Kg/0,0001 m³


169583	L	€ 9
169576	L	€ 9
169590	R	€ 9
169606	R	€ 9



POWER SUPPLY CENTRAL JOINT

0,120 Kg/0,0002 m³


227580	€ 17
227597	€ 17



L-JOINT EXTERNAL (L) INTERNAL (R)

0,120 Kg/0,0003 m³


169705	L	€ 17
169712	L	€ 17
169736	R	€ 17
169729	R	€ 17



LINEAR JOINT

0,030 Kg/0,0001 m³

169637	€ 7
169644	€ 7





TRACK ADAPTOR 3 POLES

0,080 Kg/0,0004 m³

194257	€ 9
194301	€ 9

Link 3-Phase Trimless DALI - 1-10V



TRACK

Length	Weight	Volume	Finish	Code	€
1000 mm	0,94 Kg	0,0016 m³	White	246468	38
			Black	246451	38
2000 mm	1,93 Kg	0,0032 m³	White	247007	80
			Black	246901	80
3000 mm	2,87 Kg	0,0048 m³	White	247625	115
			Black	247618	115



CEILING MOUNTING KIT




SUSPENSION KIT



END CAP


Required	N° Cables	Cables Length	Finish	Code	€
Yes - 1 Kit x 1000 mm			White	169972	5
			Black	169989	5
Yes - 1 Kit x 1000 mm	1	3000 mm	White	242705	13
			Black	243283	13
	1	5000 mm	White	243245	15
			Black	243238	15
Yes			White	169613	2
			Black	169620	2



POWER SUPPLY END

0,080 Kg/0,0003 m³


246529	White	€ 13
246512	Black	€ 13
246543	White	€ 13
246536	Black	€ 13



POWER SUPPLY CENTRAL JOINT

0,130 Kg/0,0003 m³


246581	White	€ 25
246574	Black	€ 25



L-JOINT EXTERNAL (L) INTERNAL (R)

0,130 Kg/0,0005 m³


246604	White	€ 25
246598	Black	€ 25
246628	White	€ 25
246611	Black	€ 25



LINEAR JOINT

0,050 Kg/0,0001 m³

246567	White	€ 9
246550	Black	€ 9





TRACK ADAPTOR 5 POLES

0,070 Kg/0,0002 m³

246505	White	€ 15
246499	Black	€ 15

Link 3-Phase Trim On/Off




TRACK

Length	Weight	Volume	Finish	Code	€
2000 mm	1,92 Kg	0,0050 m³	White	188010	60
			Black	188027	60



RECESSED MOUNTING KIT END CAP


Required	Finish	Code	€
Yes - 1 Kit x 1000 mm	Aluminum	188195	5
Yes	White	169613	2
	Black	169620	2



POWER SUPPLY END

0,070 Kg/0,0002 m³


188072	L	€ 7
188089	L	€ 7
188058	R	€ 7
188065	R	€ 7



POWER SUPPLY CENTRAL JOINT

0,220 Kg/0,0005 m³


227689	€ 15
227672	€ 15



L-JOINT EXTERNAL (L) INTERNAL (R)

0,130 Kg/0,0006 m³


188119	L	€ 15
188126	L	€ 15
188096	R	€ 15
188102	R	€ 15



LINEAR JOINT

0,030 Kg/0,0001 m³

169637	€ 7
169644	€ 7





TRACK ADAPTOR 3 POLES

0,080 Kg/0,0004 m³

194257	€ 9
194301	€ 9

Link 3-Phase Trim DALI - 1-10V




TRACK

Length	Weight	Volume	Finish	Code	€
2000 mm	2,11 Kg	0,0042 m³	White	246895	75
			Black	249629	75



RECESSED MOUNTING KIT END CAP


Required	Finish	Code	€
Yes - 1 Kit x 1000 mm	Aluminum	188195	5
Yes	White	169613	2
	Black	169620	2



POWER SUPPLY END

0,090 Kg/0,0003 m³


256085	White	€ 10
256078	Black	€ 10
256146	White	€ 10
256122	Black	€ 10



POWER SUPPLY CENTRAL JOINT

0,150 Kg/0,0005 m³


256115	White	€ 25
256092	Black	€ 25



L-JOINT EXTERNAL (L) INTERNAL (R)

0,150 Kg/0,0005 m³


256030	White	€ 25
255996	Black	€ 25
256061	White	€ 25
256047	Black	€ 25



LINEAR JOINT

0,050 Kg/0,0001 m³

246567	White	€ 9
246550	Black	€ 9



TRACK ADAPTOR 5 POLES

0,070 Kg/0,0002 m³

246505	White	€ 15
246499	Black	€ 15

Link 1-Phase



Single-phase electrified track with extruded aluminum profile; black powder coated; available in ceiling or recessed versions with edge for installation on plasterboard ceilings; suitable for continuous lines systems, standard modules of 1000mm, 2000mm or 3000mm length. Ideal for installation in environments where flexibility and compactness are required, for example RESIDENTIAL, COMMERCIAL and RETAIL spaces.

Insulation class	I
IP	20








Link 1-Phase Surface On/Off




TRACK No mounting kit required, direct ceiling installation.

Length	Weight	Volume	Finish		Code	€
1000 mm	0,42 Kg	0,0012 m³	Black		337371	13
2000 mm	0,83 Kg	0,0024 m³	Black		342801	24
3000 mm	1,22 Kg	0,0036 m³	Black		344973	35




END CAP

Required	Finish	Code	€
Yes	Black	337395	3




**POWER SUPPLY
END**

0,060 Kg/0,0001 m³
337388 ■ € 3




**POWER SUPPLY
CENTRAL JOINT**

0,070 Kg/0,0001 m³
337425 ■ € 5



LINEAR JOINT


0,040 Kg/0,0001 m³
337418 ■ € 3




L-JOINT

0,060 Kg/0,0001 m³
337401 ■ € 3

Link 1-Phase Recessed On/Off



TRACK




Length	Weight	Volume	Finish		Code	€
1000 mm	0,49 Kg	0,0012 m³	Black		342818	14
2000 mm	0,94 Kg	0,0024 m³	Black		342825	28
3000 mm	1,39 Kg	0,0036 m³	Black		344966	42




RECESSED MOUNTING KIT END CAP

Required	Finish	Code	€
Yes - 1 Kit x 1000 mm	Aluminum	188195	5
Yes	Black	337395	3




POWER SUPPLY END

0,070 Kg/0,0001 m³
342832 € 5




LINEAR JOINT

0,040 Kg/0,0001 m³
342856 € 3



L-JOINT

0,100 Kg/0,0003 m³
342849 € 4



Recessed lights

Indoors

Alphabetical index

Basic	754
Bento	708
Beyond	764
Blues	796
Deep	752
Dynamic	714
Funky	794
Game	722
Groove	760
Infinity	742
Jazz	794
Led panel	774
Lika	778
Nova	770
Off	748
Play	762
Polka	797
Quark	738
Room-65	795
Samba	790
Swing	794
Tag	734
Virus	736
Walky	792
Zephyr	788
Zeus	700

Typology index

				
Zeus 700	Bento 708	Dynamic 714	Game 722	Tag 734
				
Virus 736	Quark 738	Infinity 742	Off 748	Deep 752
				
Basic 754	Groove 760	Play 762	Beyond 764	Nova 770
				
Led Panel 774	Lika 778	Zephyr 788	Samba 790	Walky 792
				
Jazz 794	Swing 794	Funky 794	Room-65 795	Blues 796
				
Polka 797				

Zeus

Modular system of recessed elements consisting of an adjustable source, reflector and round or square ring, with optional shielding lenses and accessories; white and black finish; ring available in TRIM version with frame or TRIMLESS without frame for installation in plasterboard false ceilings; two different emission angles to choose from. Light source with integrated COB LED technology, available with a color temperature of 2700 K, 3000 K or 4000K and high color rendering CRI ≥ 90 ; insulation class II; LED useful life 50.000 h L70B50. Also available in dimmable 1-10V, DALI and PUSH versions. Suitable for installations in indoor environments in the SERVICES and RETAIL sectors.

PRO

High-tech product with high quality materials, intended for professional use.

UGR

Product with UGR <19.


DIY

Modular product

Source	LED COB
Power	13W / 21W
Driver included	On/Off
Drivers available	1-10V / DALI / Push
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥ 90
UGR	<19
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years













LENS 20°



HONEYCOMB

Required	Model	Finish		Code	€
No	13 W	Clear		323688	4
	21 W	Clear		323985	6
No	13 W	Black		323671	4
	21 W	Black		323961	6

Zeus - Source



0,300 Kg/0,0015 m³

LED COB CITIZEN Required - Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
13W	40°	1000 lm	2700 K	Grey		324807	66
		1050 lm	3000 K	Grey		324814	66
		1150 lm	4000 K	Grey		324821	66

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V	21W	350 mA	125 x 26 x 45 mm	324906	26
DALI/Push	20 W	350 mA	120 x 29 x 51 mm	324913	46



0,590 Kg/0,0032 m³

LED COB CITIZEN Required - Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
21W	40°	2000 lm	2700 K	Grey		324838	106
		2100 lm	3000 K	Grey		324845	106
		2300 lm	4000 K	Grey		324852	106

DIMMABLE DRIVER* Optional


	Power	Output	Measure (LxHxW)	Code	€
1-10V/Push	20 W	500 mA	110 x 22 x 52 mm	324920	61
DALI/Push	20 W	500 mA	120 x 29 x 51 mm	324937	71



Light beam: ACCENT



CRI≥90 13W 40° 10201m 3000K




CRI≥90 21W 40° 20001m 3000K





* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. ** Lens 40° included.


Zeus Round





TRIM ROUND FRAME


13 W

Finish		Code	€
White		324869	15
Black		323527	15




21 W


Finish		Code	€
White		324883	18
Black		324005	18




TRIMLESS ROUND FRAME


13 W

Finish		Code	€
White		323541	18






21 W


Finish		Code	€
White		323725	35






ROUND REFLECTOR Required

13 W

Finish		Code	€
White		323589	8
Black		323619	8
Gold		323602	8



21 W


Finish		Code	€
White		323763	12
Black		323770	12
Gold		323794	12





Zeus Square


TRIM SQUARE FRAME



13 W



Finish		Code	€
White		324876	15
Black		323534	15


21W



Finish		Code	€
White		324890	18
Black		323718	18


TRIMLESS SQUARE FRAME

13 W



Finish		Code	€
White		323558	18


21W






Finish		Code	€
White		323732	35


SQUARE REFLECTOR Required




13 W



Finish		Code	€
White		323633	8
Black		323657	8
Gold		323640	8

21W



Finish		Code	€
White		323800	12
Black		323817	12
Gold		323831	12



Bento

Modular recessed lighting system consisting of adjustable light sources, reflector and frame; white and black finish; recessed frame available in single round or square shape, or rectangular in double or triple version for the installation of multiple independent light sources. Light source with integrated COB LED technology in 3000 K colour temperature with high colour rendering CRI ≥ 90 ; initial binning SDCM ≤ 3 ; insulation class II; LED lifetime 50.000 h L70B50. Available in 1-10V, DALI and PUSH dimmable versions. Its compact size and great versatility make it ideal for installation in DOMESTIC, OFFICE and RETAIL interiors.

PRO High-tech product with high quality materials, intended for professional use.

UGR Product with UGR <19.



DIY Modular product

Source	LED COB
Power	9W / 13W
Driver included	On/Off
Drivers available	1-10V / DALI / Push
MacAdam	SDCM 3
CCT	3000 K
CRI	≥ 90
UGR	<19
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years





Bento - Source




LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
9W	36°	700 lm	3000 K	Black	■	279596	46

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V	12 W	250 mA	122 x 25 x 40 mm	287843	35
DALI / Push	20 W	250 mA	120 x 29 x 51 mm	287850	87



LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
13 W	36°	1000 lm	3000 K	Black	■	279602	51

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V / Push	20 W	350 mA	108 x 22 x 52 mm	287867	75
DALI / Push	20 W	350 mA	120 x 29 x 51 mm	287874	90




Light beam: ACCENT



m	lx	øm
1	1312	0,71
2	328	1,40
3	146	2,10
4	82	2,80
5	52	3,50



CRI≥90 9W 36° 750lm 3000K



m	lx	øm
1	1846	0,65
2	461	1,30
3	205	1,90
4	115	2,60
5	74	3,20




CRI≥90 13W 36° 1000lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.






Bento - Frame and Reflector



0,020 Kg/0,0001 m³



ROUND REFLECTOR Required


Finish		Code	€
White		279633	6
Black		279640	6



0,060 Kg/0,0002 m³



SINGLE ROUND FRAME Required


Finish		Code	€
White		287898	12
Black		287881	12



0,020 Kg/0,0001 m³



SQUARE REFLECTOR Required


Finish		Code	€
White		279671	8
Black		279688	8



0,050 Kg/0,0002 m³



SINGLE SQUARE FRAME Required


Finish		Code	€
White		287911	14
Black		287904	14



0,110 Kg/0,0008 m³



DOUBLE SQUARE FRAME Required

Finish		Code	€
White		287935	24
Black		280233	24



0,300 Kg/0,0014 m³

TRIPLE SQUARE FRAME Required

Finish		Code	€
White		287928	30
Black		280240	30



Dynamic

Modular system of recessed aluminium elements consisting of a light source, reflector and round or square frame, available in white or black finishes.

Light source with integrated COB LED technology 3000 K or 4000 K with high colour rendering CRI ≥ 90 , initial binning SDCM ≤ 3 ; IP54 front protection when installed; insulation class II; LED useful life 50.000 h L70B50. Ideal for indoor RESIDENTIAL installations with humidity.

PRO

High-tech product with high quality materials, intended for professional use.

UGR

Product with UGR <19.

IP54

Protection degree IP54.


DIY

Modular product

Source	LED COB
Power	9W / 10W / 15W
Driver included	On/Off
Drivers available	No
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥ 90
UGR	<19
LED life	50.000 h
Insulation class	II
IP	54
Material	Aluminum
Warranty	5 years




Dynamic - Source



0,180 Kg/0,0030 m³

LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
9 W	35°	880 lm	3000 K	Black	■	252988	46
		920 lm	4000 K	Black	■	252995	46



0,150 Kg/0,0030 m³

LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
10 W	35°	1050 lm	3000 K	Black	■	208558	66
		1100 lm	4000 K	Black	■	208565	66




0,350 Kg/0,0030 m³

LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
15 W	35°	1400 lm	3000 K	Black	■	208589	91
		1500 lm	4000 K	Black	■	208596	91




Light beam: ACCENT



m	lx	ø m
1	1653	0,72
2	413	1,44
3	184	2,16
4	103	2,88
5	66	3,60




CRI≥90 9W 35° 9501m 3000K



m	lx	ø m
1	1643	0,66
2	410	1,32
3	182	1,98
4	102	2,64
5	65	3,30



CRI≥90 10W 35° 10501m 3000K





m	lx	ø m
1	2294	0,64
2	573	1,29
3	254	1,93
4	143	2,58
5	91	3,23



CRI≥90 15W 35° 15501m 3000K




Dynamic Round



0,020 Kg/0,0002 m³

REFLECTOR Required

Finish		Code	€
White		211787	8
Black		211794	8



① 80 mm



0,060 Kg/0,0004 m³

FRAME Required

Finish		Code	€
White		208695	17
Black		208701	17




Dynamic Square



REFLECTOR Required

Finish		Code	€
White		211817	8
Black		211824	8



FRAME Required

Finish		Code	€
White		208725	20
Black		208732	20



Game

Die-cast aluminum recessed spotlight with round or square ring, suitable for installation on plasterboard or paneled ceilings. Available finishes: matt silver, matt white RAL 9001, matt black RAL 9011 and matt gold RAL 1032. Available versions: with external frame (TRIM), retractable without frame for plasterboard (TRIMLESS), or with frame and improved frontal protection (IP65). COB LED technology; available in 2700K, 3000K or 4000K color temperature; SMD LED technology, CCT 2700K, 3000K or 4000K; color rendering index CRI \geq 90, starting binning \leq 3Step MacAdam; IP20 protection; insulation class II; LED useful life 50,000 h L70B50. Dimmable 1-10V, DALI and PUSH versions available. Due to its compact size and great versatility it is ideal for installations in RESIDENTIAL, COMMERCIAL and RETAIL indoor environments.




Product with UGR <19.

Source	LED COB
Power	5W / 11W / 20W
Driver included	On/Off
Drivers available	1-10V/Push / DALI/Push
CCT	2700 K / 3000 K / 4000 K
CRI	\geq 90
UGR	<19
LED life	50.000 h
Insulation class	II
IP	20 / 65
Material	Aluminum
Warranty	5 years






Game Trim Round



⌀ 50 mm
0,200 Kg/0,0009 m³

LED COB CREE Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
5 W	36°	650 lm	3000 K	White	+	337142	35
				Gold	+	349084	35




⌀ 50 mm
0,200 Kg/0,0010 m³

LED COB CREE Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
5 W	36°	650 lm	3000 K	Black	+	349060	35
				Gold	+	349077	35



Light beam: ACCENT



m	lx	Øm
1	1125	0,72
2	281	1,40
3	125	2,20
4	70	2,90
5	45	3,60




CRI≥90 5W 36° 650lm 3000K



Game Trim Round


LED COB CREE Driver ON/OFF included



Ø 75 mm
0,350 Kg/Ø,0016 m³

Power	Beam	Lumen	CCT	Finish		Code	€
11 W	36°	900 lm	2700 K	White	+	285429	45
				White	+	192291	45
				Black	+	192277	45
		1100 lm	4000 K	Gold	+	192307	45
				White	+	267975	45
				Gold	+	341361	45

LED COB CREE Driver ON/OFF included



Ø 75 mm
0,350 Kg/Ø,0016 m³

Power	Beam	Lumen	CCT	Finish		Code	€
11 W	36°	900 lm	2700 K	Black	+	285412	45
				White	+	192338	45
				Black	+	192314	45
		1100 lm	4000 K	Gold	+	192345	45
				Black	+	267968	45
				Gold	+	341354	45

IP65


Power	Beam	Lumen	CCT	Finish		Code	€
11 W	36°	950 lm	3000 K	White	+	313191	75
				Black	+	327754	75

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V/Push	20 W	250 mA	111x22x52 mm	217253	60
DALI/Push	12 W	250 mA	132x20x30 mm	202396	60



Light beam: ACCENT



m	lx	Øm
1	1545	0,69
2	386	1,38
3	171	2,07
4	96	2,77
5	61	3,46




CRI≥90 11W 36° 950lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



Game Trim Round




① 110 mm

0,660 Kg/0,0016 m³

LED COB BRIDGELUX Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
20W	27°	2250 lm	3000 K	White	+	273174	90
				Gold	+	341422	90



① 110 mm


0,660 Kg/0,0016 m³

LED COB BRIDGELUX Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
20W	27°	2250 lm	3000 K	Black	+	273167	90
				Gold	+	341415	90



Light beam: SPOT




m	lx	Øm
1	8645	0,41
2	2161	0,83
3	961	1,20
4	540	1,70
5	346	2,10



CRI≥90 20W 24° 2250lm 3000K




Game Trim Square



LED COB CREE Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
11W	36°	950 lm	3000 K	White	+	192376	50
				Black	+	192352	50



LED COB CREE Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
11W	36°	950 lm	3000 K	White	+	192406	50
				Black	+	192383	50

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V/Push	20 W	250 mA	111x22x52 mm	217253	60
DALI/Push	12 W	250 mA	132x20x30 mm	202396	60



Light beam: ACCENT



m	lx	ø m
1	1545	0,69
2	386	1,38
3	171	2,07
4	96	2,77
5	61	3,46




CRI≥90 11W 36° 950lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.







Game Trimless




⌀ 75 mm



0,300 Kg/0,0012 m³

LED COB CREE Driver ON/OFF included							
Power	Beam	Lumen	CCT	Finish		Code	€
11 W	36°	950 lm	3000 K	White		319667	50
				Black		319650	50


75 x 75 mm

0,300 Kg/0,0012 m³


LED COB CREE Driver ON/OFF included							
Power	Beam	Lumen	CCT	Finish		Code	€
11 W	36°	950 lm	3000 K	White		319681	50
				Black		319674	50

DIMMABLE DRIVER* Optional


	Power	Output	Measure (LxHxW)	Code	€
1-10V/Push	20 W	250 mA	111x22x52 mm	217253	60
DALI/Push	12 W	250 mA	132x20x30 mm	202396	60



Light beam: **ACCENT**



m	lx	øm
1	1609	0,60
2	402	1,20
3	179	1,80
4	101	2,40
5	64	3,00




CRI≥80 11W 36° 950lm 3000K







* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



Tag


Source	LED SMD	LED life	30.000 h
Power	7W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K	Warranty	5 years
CRI	≥90		



LED DOB							
Power	Beam	Lumen	CCT	Finish		Code	€
7 W	50 °	740 lm	2700 K	White		344850	15
				Black		344843	15
		750 lm	3000 K	White		331263	15
				Black		331256	15
		800 lm	4000 K	White		344874	15
				Black		344867	15



Light beam: ACCENT



m	lx	Øm
1	838	0,98
2	209	2,00
3	93	2,90
4	52	3,90
5	34	4,90




CRI≥90 7W 50° 830lm 3000K



Virus



Source	LED SMD	LED life	50.000 h
Power	3W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K	Warranty	5 years
CRI	≥90		



① 30 mm


0,070 Kg/0,0004 m³

LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
3 W	20°	210 lm	3000 K	White		244808	32
				Black		244846	32



Light beam: SPOT



m	lx	øm
1	1374	0,30
2	344	0,60
3	153	0,91
4	86	1,20
5	55	1,50



CRI≥90 3W 20° 210lm 3000K



244808




244846



Quark

Source	LED COB / SMD	LED life	50.000 h
Power	2,8W / 12W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K	Warranty	5 years
CRI	≥90		




⌀ 18 mm

0,020 Kg/0,0004 m³

LED SMD BRIDGELUX Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
2,8 W	30°	160 lm	3000 K	White		327471	30
				Black		305844	30




⌀ 25 mm

0,070 Kg/0,0004 m³

LED SMD BRIDGELUX Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
3 W	25°	230 lm	3000 K	White		327488	35
				Black		305851	35



⌀ 35 mm


0,140 Kg/0,0005 m³

LED SMD BRIDGELUX Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
5 W	30°	510 lm	3000 K	White		307756	50
				Black		327495	50



Light beam: SPOT




m	lx	Øm
1	1220	0,35
2	305	0,70
3	136	1,00
4	76	1,40
5	49	1,70



CRI≥90 8W 30° 320lm 3000K



Quark




① 45 mm

0,190 Kg/0,0009 m³

LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
9 W	25°	950 lm	3000 K	White		344836	55
				Black		322889	55


LED COB Driver ON/OFF included



20° ① 52 mm

0,210 Kg/0,0009 m³

Power	Beam	Lumen	CCT	Finish		Code	€
9 W	25°	950 lm	3000 K	White		344829	60
				Black		322971	60




① 45 mm

0,190 Kg/0,0009 m³

LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
12 W	25°	1200 lm	3000 K	White		344812	60
				Black		322919	60



20° ① 52 mm

0,250 Kg/0,0009 m³

LED COB Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
12 W	25°	1200 lm	3000 K	White		344805	65
				Black		323008	65



Light beam: SPOT




Light beam: SPOT



m	lx	ø m
1	2760	0,48
2	690	0,97
3	306	1,46
4	172	1,95
5	110	2,92



CRI≥90 9W 25° 950lm 3000K



m	lx	ø m
1	3914	0,48
2	978	0,96
3	434	1,44
4	244	1,92
5	156	2,40



CRI≥90 12W 25° 1200lm 3000K



322971



322971



322919

741

Infinity ^{new}


Recessed spotlight in die-cast aluminium with round ring with trim or trimless with invisible light source, suitable for installation in plasterboard false ceilings. Matt white or matt black finish, COB LED technology; CCT 3000 K, CRI $\geq 90/95$, SDCM ≤ 3 ; LED lifetime 50,000 h L70B50, also available in dimmable 1-10 V, DALI and PUSH versions.

Source	LED COB
Power	7W / 12W
Driver included	On/Off
Drivers available	1-10V / DALI / Push
CCT	3000 K
CRI	$\geq 90 / \geq 95$
UGR	<16
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years



Infinity Trim

Source	LED COB	LED life	50.000 h
Power	7W / 12W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	1-10V / DALI / Push	Material	Aluminum
CCT	3000 K	Warranty	5 years
CRI	≥90 / ≥95		




LED COB Driver ON/OFF included - CRI ≥95

Power	Beam	Lumen	CCT	Finish		Code	€
7 W	28°	530 lm	3000 K	White		356105	26 new
				Black		355702	26 new

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V / Push	12 W	150 mA	122 x 25 x 40 mm	370088	22 new
DALI / Push	20 W	150 mA	40 x 22 x 88 mm	370156	28 new



LED COB Driver ON/OFF included - CRI ≥90


Power	Beam	Lumen	CCT	Finish		Code	€
12 W	36°	1050 lm	3000 K	White		356112	28 new
				Black		368740	28 new

DIMMABLE DRIVER* Optional


	Power	Output	Measure (LxHxW)	Code	€
1-10V / Push	12 W	250 mA	122 x 25 x 40 mm	370088	22 new
DALI / Push	20 W	250 mA	40 x 22 x 88 mm	370156	28 new



Light beam: SPOT




CRI≥90 7W 28° 6201lm 3000K



CRI≥90 12W 36° 10501lm 3000K




* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



Infinity Trimless

Source	LED COB	LED life	50.000 h
Power	7W / 12W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	1-10V / DALI / Push	Material	Aluminum
CCT	3000 K	Warranty	5 years
CRI	≥90 / ≥95		




Ø 60 mm
0,170 Kg/0,0007 m³

LED COB Driver ON/OFF included - CRI ≥95

Power	Beam	Lumen	CCT	Finish		Code	€
7 W	28°	530 lm	3000 K	White		356136	29 new
				Black		356129	29 new

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V / Push	12 W	150 mA	122 x 25 x 40 mm	370088	22 new
DALI / Push	20 W	150 mA	40 x 22 x 88 mm	370156	28 new



Ø 80 mm
0,380 Kg/0,0014 m³

LED COB Driver ON/OFF included - CRI ≥90


Power	Beam	Lumen	CCT	Finish		Code	€
12 W	36°	1050 lm	3000 K	White		356143	32 new
				Black		368764	32 new

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V / Push	12 W	250 mA	122 x 25 x 40 mm	370088	22 new
DALI / Push	20 W	250 mA	40 x 22 x 88 mm	370156	28 new




Light beam: SPOT



m	lx	øm
1	1362	0,44
2	340	0,88
3	151	1,30
4	85	1,80
5	54	2,20



CRI≥90 7W 28° 6201lm 3000K



m	lx	øm
1	2150	0,63
2	538	1,20
3	239	1,80
4	134	2,50
5	86	3,10



CRI≥90 12W 36° 10501lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



Off

Unmovable aluminum recessed fitting with round ring in three different dimensions, suitable for plasterboard ceilings installation. Matt black RAL 9005 and matt white ral 9016 finishes, Passively cooled integrated LED ; COB (Chip on Board) technology for maximum efficiency; UGR < 19; starting binning ≤ 3-Step MacAdam; available with 3000 K and 4000 K color temperature; CRI ≥ 90; front protection IP54 (after installation of the product); insulation class II; dimmable options: 1-10V, DALI and Push; LED useful life 50.000 h L80B50. Suited for OFFICES and MANAGERIAL environments and in general where computers are present and there is the necessity to guarantee a great glare control. The high color rendering level makes it ideal even for exhibiting spaces and for the enhancement of the products in a showroom and sales area of the RETAIL sector.

PRO

High-tech product with high quality materials, intended for professional use.

UGR

Product with UGR <19.

IP54


Protection degree IP54.

Source	LED COB
Power	15W / 28W / 42W
Driver included	On/Off
Drivers available	No
MacAdam	SDCM 3
CCT	3000 K / 4000 K
CRI	≥90
UGR	<19
LED life	50.000 h
Insulation class	II
IP	54
Material	Aluminum
Warranty	5 years





Off




① 100 mm

0,460 Kg/0,0022 m³

LED COB CITIZEN Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
15 W	50°	1300 lm	3000 K	White		266497	87
				Black		266558	87
		1400 lm	4000 K	White		266503	87
				Black		266565	87



① 150 mm


0,990 Kg/0,0046 m³

LED COB CITIZEN Driver TRIDONIC ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
28 W	60°	2650 lm	3000 K	White		266510	130
				Black		266572	130
		3100 lm	4000 K	White		266527	130
				Black		266589	130




Light beam: WIDE




m	lx	ø m
1	1688	0,93
2	422	1,90
3	188	2,80
4	105	3,70
5	68	4,60



CRI≥90 15W 50° 1350lm 3000K



m	lx	ø m
1	2457	1,30
2	614	2,50
3	273	3,80
4	154	5,10
5	98	6,40



CRI≥90 28W 60° 2900lm 3000K



Deep

Source	LED SMD	LED life	50.000 h
Power	10W / 20W / 30W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K / 4000 K	Warranty	5 years
CRI	≥90		




① 90 mm

0,280 Kg/0,0016 m³

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
10 W	70°	1450 lm	3000 K	White		249018	35
		1600 lm	4000 K	White		249025	35




① 145 mm

0,360 Kg/0,0040 m³

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
20 W	77°	3000 lm	3000 K	White		249032	70
		3300 lm	4000 K	White		249049	70



① 200 mm


0,650 Kg/0,0052 m³

LED SMD Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
30 W	77°	4650 lm	3000 K	White		248783	90
		4850 lm	4000 K	White		248790	90




Light beam: WIDE




m	lx	ø m
1	625	1,43
2	156	2,86
3	69	4,30
4	39	5,73
5	25	7,16




CRI≥80 10W 70° 1300lm 3000K




m	lx	ø m
1	1056	1,60
2	264	3,20
3	117	4,81
4	66	6,41
5	42	8,01



CRI≥80 20W 77° 2650lm 3000K



m	lx	ø m
1	1644	1,60
2	411	3,20
3	183	4,81
4	103	6,41
5	66	8,01



CRI≥80 30W 77° 4000lm 3000K



Basic

Die-cast aluminum recessed spotlight with round seal. Suitable for the installation on plasterboard ceiling. Matt white finish; COB Chip on Board and SMD technology; available in different color temperatures 3000 K and with three different optics; CRI ≥ 90 ; front protection IP44 (after installation of the product); insulation class II; LED useful life 30.000 h L70B50.


IP44 Protection degree IP44.

Source	LED COB / SMD
Power	10,5W / 15W / 20W
Driver included	On/Off
Drivers available	No
MacAdam	SDCM 3
CCT	3000 K
CRI	≥ 90
LED life	30.000 h
Insulation class	II
IP	44
Material	Aluminum
Warranty	5 years






Basic Accent



① 90 mm
0,400 Kg/0,0017 m³

LED COB PHILIPS Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
10,5 W	45°	1050 lm	3000 K	White		193458	68




① 125 mm
0,660 Kg/0,0027 m³

LED COB PHILIPS Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
15 W	52°	1450 lm	3000 K	White		193465	85
20 W		1950 lm	3000 K	White		193472	90




Light beam: ACCENT



m	lx	ø m
1	533	0,81
2	133	1,62
3	59	2,44
4	33	3,25
5	21	4,07



CRI≥90 10,5W 45° 950lm 3000K



m	lx	ø m
1	719	0,98
2	179	1,96
3	79	2,95
4	44	3,93
5	28	4,92



CRI≥90 15W 52° 1400lm 3000K



Basic Wide





LED SMD SAMSUNG Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
10 W	85°	1100 lm	3000 K	White		193519	65



LED SMD SAMSUNG Driver PHILIPS ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
15 W	87°	1550 lm	3000 K	White		193526	80
20 W		2150 lm	3000 K	White		193533	85



m	lx	øm
1	188	1,84
2	47	3,69
3	20	5,54
4	11	7,39
5	7	9,24



CRI≥90 10W 85° 1100lm 3000K



m	lx	øm
1	318	1,72
2	79	3,44
3	35	5,17
4	19	6,89
5	12	8,61




CRI≥90 15W 87° 1650lm 3000K



Groove

IP40 CRI ≥80 30.000 h ALUMINUM




① 100 mm

0,220 Kg/0,0012 m³

LED SMD Driver included

Power	Beam	Lumen	CCT	Finish		Code	€
10 W	110°	1250 lm	3000 K	White		123974	29
		1350 lm	4000 K	White		147666	29




① 150 mm

0,410 Kg/0,0024 m³

LED SMD Driver included

Power	Beam	Lumen	CCT	Finish		Code	€
20 W	110°	2600 lm	3000 K	White		123998	35
		2700 lm	4000 K	White		147673	35




① 205 mm

0,660 Kg/0,0036 m³

LED SMD Driver included

Power	Beam	Lumen	CCT	Finish		Code	€
30 W	110°	3800 lm	3000 K	White		124018	46
		4050 lm	4000 K	White		147680	46




① 100 x 100 mm

0,270 Kg/0,0012 m³

LED SMD Driver included

Power	Beam	Lumen	CCT	Finish		Code	€
10 W	110°	1200 lm	3000 K	White		123981	30




① 150 x 150 mm

0,540 Kg/0,0022 m³

LED SMD Driver included

Power	Beam	Lumen	CCT	Finish		Code	€
20 W	110°	2450 lm	3000 K	White		124001	36



① 205 x 205 mm

0,850 Kg/0,0036 m³

LED SMD Driver included

Power	Beam	Lumen	CCT	Finish		Code	€
30 W	110°	3900 lm	3000 K	White		124025	49




Light beam: WIDE




Play new

Source	LED COB	LED life	50.000 h
Power	7W / 13W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	DALI / Push	Material	Aluminum
CCT	3000 K / 4000 K	Warranty	5 years
CRI	≥90		



LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
7 W	16°	520 lm	3000 K	White		258270	61
				Black		268088	61
		560 lm	4000 K	White		364766	61 new
				Black		370835	61 new



LED COB Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
13 W	18°	900 lm	3000 K	White		364674	64 new
				Black		364667	64 new
		1050 lm	4000 K	White		370880	64 new
				Black		370866	64 new

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
DALI/Push	7 W	150 mA	142x20x22 mm	370736	50 new
	12 W	300 mA	85x21x40 mm	370804	55 new




Light beam: SPOT



m	lx	øm
1	2632	0,31
2	658	0,63
3	292	0,94
4	164	1,30
5	105	1,60



CRI≥90 7W 17° 5201lm 3000K



m	lx	øm
1	7506	0,25
2	1876	0,50
3	834	0,75
4	469	1,00
5	300	1,20



CRI≥90 13W 18° 11001lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



Beyond **new**

Recessed or semi-recessed projector consisting of adjustable light sources that can be quickly inserted and removed without tools; trim, trimless or plaster frame available for invisible installation, in single round or square version or in double rectangular version for the installation of multiple and independent light sources. Light source with integrated COB LED technology with a colour temperature of 3000 K and high colour rendering CRI ≥90; initial binning SDCM ≤ 3; insulation class II; LED lifetime 50,000 h L70B50.



DIY

Modular product

Source	LED COB
Power	7W / 10W
Driver included	On/Off
Drivers available	No
MacAdam	SDCM 3
CCT	3000 K
CRI	≥90
LED life	50.000 h
Insulation class	II
IP	40
Material	Aluminum
Warranty	5 years







Beyond 7W



0,070 Kg/0,0004 m³



LED COB BRIDGELUX Driver ON/OFF included



Power	Beam	Lumen	CCT	Finish		Code	€
7 W	36°	700 lm	3000 K	White		355894	65 new
				Black		355887	65 new



0,080 Kg/0,0017 m³


FRAME TRIM Required



Finish		Code	€
White		355863	23 new
Black		355856	23 new




0,080 Kg/0,0017 m³


FRAME TRIMLESS Required


Finish		Code	€
White		355849	23 new




0,150 Kg/0,0031 m³

FRAME GYPSUM Required  GYPSUM

Finish		Code	€
White		355870	37 new




Light beam: SPOT





CRI≥90 7W 36° 700lm 3000K




Beyond 10W






LED COB BRIDGELUX Driver ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish		Code	€
10 W	36°	950 lm	3000 K	White		355986	111 new
				Black		355979	111 new






FRAME TRIM SINGLE Required

Finish		Code	€
White		370064	29 new
Black		355900	29 new




FRAME TRIM TWIN Required

Finish		Code	€
White		355931	57 new
Black		370026	57 new




FRAME TRIMLESS Required

Finish		Code	€
White		355948	37 new



Light beam: SPOT




CRI≥90 10W 36° 950lm 3000K



Nova ^{new}

Source	LED COB	LED life	50.000 h
Power	6W/12W/20W/30W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	1-10V / DALI / Push	Material	Aluminum
CCT	3000 K / 4000 K	Warranty	5 years
CRI	≥90		




LED COB LUMILEDS Driver ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish	Code	€
6W	28°	530 lm	3000 K	White	364339	80 ^{new}
				Black	364360	80 ^{new}
		590 lm	4000 K	White	364353	80 ^{new}
				Black	370132	80 ^{new}

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V	12 W	150 mA	135 x 20 x 30 mm	370040	50 ^{new}
DALI/Push	8 W	150 mA	119 x 20 x 22 mm	364384	55 ^{new}



LED COB LUMILEDS Driver ON/OFF included - UGR <19


Power	Beam	Lumen	CCT	Finish	Code	€
12 W	38°	1300 lm	3000 K	White	248165	85
				Black	248189	85
		1400 lm	4000 K	White	267937	85
				Black	267920	85

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V / Push	15 W	300 mA	111 x 22 x 52 mm	243993	60
DALI/Push	12 W	300 mA	132 x 20 x 30 mm	243986	65




Light beam: **ACCENT**



m	lx	ø m
1	1640	0,48
2	410	0,96
3	182	1,40
4	103	1,90
5	66	2,40



CRI≥90 6W 28° 530lm 3000K



m	lx	ø m
1	1768	0,66
2	442	1,32
3	196	1,97
4	111	2,63
5	71	3,29



CRI≥90 12W 38° 1200lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



364339



364339




248165



248165

771

Nova




90° 360° 140 mm
1,200 Kg/0,0045 m³

LED COB LUMILEDS Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
20 W	56°	1950 lm	3000 K	White		364407	113 new
				Black		364438	113 new
		2100 lm	4000 K	White		364421	113 new
				Black		370187	113 new

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V / Push	20 W	500 mA	108 x 22 x 52 mm	370101	75 new
DALI / Push	35 W	500 mA	135 x 20 x 72 mm	364452	80 new



90° 360° 140 mm
1,160 Kg/0,0039 m³

LED COB LUMILEDS Driver ON/OFF included - UGR<22


Power	Beam	Lumen	CCT	Finish		Code	€
30 W	38°	3000 lm	3000 K	White		248172	125
				Black		248196	125
		3300 lm	4000 K	White		267951	125
				Black		267944	125

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V / Push	36 W	700 mA	167 x 32 x 41 mm	248370	105
DALI / Push	36 W	700 mA	135 x 24 x 72 mm	248592	110




Light beam: ACCENT



m	lx	øm
1	3752	0,63
2	938	1,30
3	417	1,90
4	235	2,50
5	150	3,20



CRI≥90 20W 56° 1950lm 3000K



m	lx	øm
1	4671	0,64
2	1168	1,28
3	519	1,93
4	292	2,57
5	187	3,21




CRI≥90 30W 38° 3150lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



Led Panel new

Source	LED SMD	UGR	<19
Power	31W / 40W	LED life	30.000 h
Driver included	On/Off	Insulation class	II
Drivers available	1-10V / DALI / Push	IP	20
CCT	3000 K / 4000 K	Material	Aluminum
CRI	≥80 / ≥90	Warranty	5 years



1,560 Kg/0,0164 m³


LED SMD Driver ON/OFF included

CRI ≥90

Power	Beam	Lumen	CCT	Finish		Code	€
31W	90°	4550 lm	3000 K	White		363981	35 new
		4750 lm	4000 K	White		363974	35 new

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V	31W	750 mA	50 x 30 x 142 mm	364025	28 new
DALI/Push	31W	750 mA	70 x 30 x 106 mm	364018	61 new



2,200 Kg/0,0144 m³

Purchase Qty. 2 pieces

LED SMD Driver ON/OFF included

CRI ≥90

Power	Beam	Lumen	CCT	Finish		Code	€
40 W	90°	6000 lm	3000 K	White		246390	37
		6450 lm	4000 K	White		244181	37

CRI ≥80

Power	Beam	Lumen	CCT	Finish		Code	€
40 W	90°	6700 lm	3000 K	White		249711	37
		7250 lm	4000 K	White		249728	37

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V	42 W	1000 mA	125 x 26 x 83 mm	247854	29
DALI/Push	45 W	1000 mA	106 x 28 x 69 mm	247847	72




SUSPENSION KIT
RECESSED
MOUNTING KIT
RECESSED FRAME**


	Required	N° Cables	Cables Length	Code	€
No	No	4	1000 mm	244198	10
No	No			244204	10
No	No			267692	20



Light beam: **WIDE**



m	lx	øm
1	1470	1,79
2	367	3,59
3	163	5,38
4	92	7,18
5	59	8,97



CRI≥80 40W 81° 6000lm 3000K


* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.

**RECESSED FRAME 607 x 607 mm



Led Panel

Source	LED SMD	UGR	<19
Power	40W	LED life	50.000 h
Driver included	On/Off	Insulation class	II
Drivers available	1-10V / DALI / Push	IP	20
CCT	3000 K / 4000 K	Material	Aluminum
CRI	≥90	Warranty	5 years



LED SMD Driver ON/OFF included

CRI ≥90

Power	Beam	Lumen	CCT	Finish		Code	€
40 W	90°	6950 lm	3000 K	White		363998	42 new
		6700 lm	4000 K	White		364001	42 new

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V	42 W	1000 mA	125 x 26 x 83 mm	247854	29
DALI/Push	45 W	1000 mA	106 x 28 x 69 mm	247847	72




SUSPENSION KIT
RECESSED MOUNTING KIT
RECESSED FRAME**

	Required	N° Cables	Cables Length	Code	€
	No	4	1000 mm	244198	10
	No			244204	10
	No			377773	23 new



Light beam: WIDE



m	lx	ø m
1	1769	2,10
2	442	4,30
3	197	6,40
4	111	8,50
5	71	11,00



CRI≥90 40W 90° 6700lm 4000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.

**RECESSED FRAME 327 x 1227 mm



Lika ^{new}

Recessed LED spotlight in black or white painted die-cast aluminium, with black polycarbonate reflector. Available in a range from 2 to 10 lights, in TRIMLESS versions with concealed recessed edge for installation on plasterboard ceilings, or in TRIM and SLIM versions with frame for installation on panels or ceilings. The smaller SLIM version comes in linear or square (SQUARE) models, while the TRIM version also includes a model for asymmetrical lighting of vertical walls (WALLWASHER). Specially designed to avoid glare (UGR optics < 16), it is best suited for use in OFFICES and COMMERCIAL spaces or in minimalist RESIDENTIAL environments. Integrated LED light sources with colour temperatures of 3000 K and 4000 K; high colour rendering CRI ≥ 90, initial binning SDCM ≤ 3; IP20 protection, insulation class II; LED lifetime 50,000 h L70B50. Also available in DALI and PUSH dimmable versions.




Product with UGR <16.

Source	LED COB / SMD
Power	6W / 8W / 12W / 20W
Driver included	On/Off
Drivers available	DALI / Push
CCT	2700 K / 3000 K / 4000 K
CRI	≥90
UGR	<16
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years






Lika Trim



68 x 37 mm
0,130 Kg/0,0009 m³

LED SMD OSRAM Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
6 W	29°	400 lm	3000 K	Black	+	206196	45
		460 lm	4000 K	Black	+	267869	45



100 x 38 mm
0,250 Kg/0,0129 m³

LED SMD OSRAM Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
8 W	29°	500 lm	3000 K	Black	+	367309	58 new
		540 lm	4000 K	Black	+	367316	58 new



140 x 37 mm
0,320 Kg/0,0014 m³

LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
12 W	29°	1000 lm	3000 K	Black	+	206219	70
		1150 lm	4000 K	Black	+	267876	70



273 x 37 mm
0,480 Kg/0,0022 m³

LED SMD OSRAM Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
20 W	29°	2000 lm	3000 K	Black	+	206233	110
		2250 lm	4000 K	Black	+	267883	110

DIMMABLE DRIVER* Optional

Model	Control	Power	Output	Measure (LxHxW)	Code	€
6/8/12W	DALI	12 W	700 mA	132x20x30 mm	267982	56
20 W	DALI/Push	25 W	600 mA	135x24x72 mm	268002	75



Light beam: ACCENT



m	lx	øm
1	2091	0,58
2	523	1,16
3	232	1,74
4	131	2,32
5	70	2,90




CRI≥90 12W 29° 880lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.




Lika Trimless



75 x 70 mm
0,220 Kg/0,0009 m³

LED SMD OSRAM Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
6 W	29°	400 lm	3000 K	Black	■	206202	60
		460 lm	4000 K	Black	■	267890	60



105 x 70 mm
0,360 Kg/0,0129 m³

LED SMD OSRAM Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
8 W	29°	500 lm	3000 K	Black	+ ■	367347	75 new
		540 lm	4000 K	Black	+ ■	369747	75 new



145 x 70 mm
0,390 Kg/0,0014 m³

LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
12 W	29°	1000 lm	3000 K	Black	■	206226	95
		1150 lm	4000 K	Black	■	267906	95



278 x 70 mm
0,720 Kg/0,0022 m³

LED SMD OSRAM Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
20 W	29°	2000 lm	3000 K	Black	■	206240	150
		2250 lm	4000 K	Black	■	267913	150

DIMMABLE DRIVER* Optional

Model	Control	Power	Output	Measure (LxHxW)	Code	€
6/8/12W	DALI	12 W	700 mA	132x20x30 mm	267982	56
20 W	DALI/Push	25 W	600 mA	135x24x72 mm	268002	75



Light beam: ACCENT



m	lx	ø m
1	2786	0,58
2	696	1,16
3	309	1,74
4	174	2,32
5	111	2,90




CRI≥90 12W 29° 8801lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.




Lika Slim



60 x 60 mm
0,200 Kg/0,0011 m³

LED SMD Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
10 W	32°	1050 lm	3000 K	White		367286	98 new
				Black		369518	98 new



117 x 23 mm
0,180 Kg/0,0014 m³

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
10 W	32°	1000 lm	3000 K	White		327501	66
				Black		305813	66




231 x 23 mm
0,300 Kg/0,0022 m³

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
20 W	32°	2000 lm	3000 K	White		327518	110
				Black		305837	110




Light beam: ACCENT



m	lx	øm
1	1958	0,55
2	489	1,10
3	218	1,70
4	122	2,20
5	78	2,80



CRI≥90 10W 32° 1000lm 3000K



m	lx	øm
1	1745	0,68
2	436	1,40
3	194	2,00
4	109	2,70
5	70	3,40



CRI≥90 10W 32° 1000lm 3000K



367286




305813



785


Lika Wallwasher



140 x 38 mm
0,310 Kg/0,0129 m³

LED SMD Driver ON/OFF included

Power	Lumen	CCT	Finish		Code	€
12,5 W	800 lm	3000 K	White		367323	66 new



273 x 38 mm
0,600 Kg/0,0022 m³

LED SMD Driver ON/OFF included


Power	Lumen	CCT	Finish		Code	€
21 W	1400 lm	3000 K	White		367330	109 new

DIMMABLE DRIVER* Optional

Model	Control	Power	Output	Measure (LxHxW)	Code	€
12,5W	DALI	10 W	700 mA	132x20x30 mm	267982	56
21W	DALI/Push	25 W	600 mA	135x24x72 mm	268002	75




Light beam: ASYMMETRICAL



CRI≥90 10W 32° 1000lm 3000K


* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.






GU10 Not included - Recommended bulb 108292

Power	Finish	Code	€
max 35W	White	150284	11



GU10 Not included - Recommended bulb 108292


Power	Finish	Code	€
max 35W	White	155722	30



LED COB CREE Driver ON/OFF included

CRI ≥ 90 50.000 h

Power	Lumen	CCT	Finish	Code	€
12 W	1200 lm	3000 K	White	331225	75



LED COB CREE Drivers ON/OFF included

CRI ≥ 90 50.000 h


Power	Lumen	CCT	Finish	Code	€
24 W	2400 lm	3000 K	White	361307	145 new

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V	15 W	300 mA	125 x 26 x 45 mm	376820	31 new
DALI/Push	21 W	300 mA	97 x 33 x 44 mm	376837	59 new



Light beam: ACCENT



m	lx	Øm
1	1596	1,10
2	399	2,20
3	177	3,20
4	100	4,30
5	64	5,40



CRI ≥ 90 12W 56° 1200lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.




155722



331225

Samba

IP20 GYPSUM




GU10 Not included - Recommended bulb 108292

Power	Weight	Volume	Finish	Code	€
max 35W	0,360 Kg	0,0016 m³	White	230580	8

Power	Weight	Volume	Finish	Code	€
max 35W	0,240 Kg	0,0011 m³	White	150307	9

Power	Weight	Volume	Finish	Code	€
max 35W	0,450 Kg	0,0032 m³	White	150130	10

Power	Weight	Volume	Finish	Code	€
max 50W	0,420 Kg	0,0017 m³	White	139012	11



GU10 Not included - Recommended bulb 108292


Power	Weight	Volume	Finish	Code	€
max 35W	0,330 Kg	0,0018 m³	White	229997	9


Power	Weight	Volume	Finish	Code	€
max 35W	0,330 Kg	0,0020 m³	White	150291	10

Power	Weight	Volume	Finish	Code	€
max 50W	0,430 Kg	0,0017 m³	White	139029	11

Power	Weight	Volume	Finish	Code	€
max 35W	0,600 Kg	0,0017 m³	White	150116	12

Glass diffuser






100 x 100mm
0,580 Kg/0,0033 m³

LED SMD Driver included

Power	Lumen	CCT	Finish		Code	€
1W	55 lm	3000 K	White		249834	47



81 x 166 mm
0,580 Kg/0,0027 m³

LED SMD Driver included

Power	Lumen	CCT	Finish		Code	€
1W	55 lm	3000 K	White		249827	47




Light beam: ASYMMETRICAL



Jazz

IP20 ZINC




GU10 Not included - Recommended bulb 108292

Power	Finish		Code	€
max 50W	White		083117	7
	Ant. Brass		083124	7
	Chrome		083070	7
	Black		243818	7
	Nickel		083087	7

Swing

IP20 ZINC




GU10 Not included - Recommended bulb 108292

Power	Finish		Code	€
max 28W	White		083179	10
	Ant. Brass		083186	10
	Chrome		083131	10
	Black		243825	10
	Nickel		083148	10

Funky

IP20 IRON




GU10 Not included - Recommended bulb 108292

Power	Finish		Code	€
max 50W	Aluminum		083223	17
	White		083230	17
	Ant. Brass		083247	17
	Chrome		083193	17
	Black		243849	17



Room-65

IP65 CRI ≥90 50.000 h ALUMINUM




① 68 mm

0,220 Kg/0,0013 m³

LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
7,5 W	38°	750 lm	3000 K	White		252025	77
				Black		252032	77



① 68 mm

0,240 Kg/0,0018 m³

LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
7,5 W	38°	750 lm	3000 K	White		252049	77
				Black		252056	77



Light beam: ACCENT



Blues

 IP20 GLASS






① 60 mm


0,280 Kg/0,0007 m³

Purchase Qty. 3 pieces

GU10 Not included - Recommended bulb 108292

Power	Finish		Code	€
max 50W	Clear		083254	25
	White		113999	25
	Smoky Grey		113982	25





① 60 mm

0,340 Kg/0,0007 m³

Purchase Qty. 3 pieces


GU10 Not included - Recommended bulb 108292

Power	Finish		Code	€
max 50W	Clear		114019	25



Polka

□ △ IP20



0,250 Kg/0,0010 m³

GU10 Not included - Recommended bulb 108292

Power	Material	Finish	Code	€
max 50W	Gypsum	White	115597	16
	Aluminum	Brass	115610	16
	Aluminum	Ant. Brass	115580	16



115597



115610



115580



Suspensions and ceiling

Outdoors

Alphabetical index

Bubble	810
Clio	804
Fiesta	811
Gun	808
Luna	802
Mib	810
Snow	803
Sole	800
Techo	806
Urano	809

Typology index



Sole 800



Luna 802



Snow 803



Clio 804



Clio 804



Techo 806



Gun 808



Urano 809



Bubble 810



Mib 810




Fiesta 811



Sole

Plastic opal color diffuser.
Aluminum base for the suspended
model. PVC electrical wire.



2,970 Kg / 0,1379 m³
E27 max 1x 42W


€ 180

136011 White



4000 K
1020 lm

151991 € 2,00



1,690 Kg / 0,0723 m³
E27 max 1x 42W


€ 110

136004 White



4000 K
1020 lm

151991 € 2,00



1,360 Kg / 0,0338 m³
E27 max 1x 42W


€ 95

135991 White



4000 K
1020 lm

151991 € 2,00



1,300 Kg / 0,0101 m³
E27 max 1x 42W

€ 90

318837 White



4000 K
580 lm

151960 € 2,00



P. 877




Luna

Turned die-cast aluminum body with powder coating. Opal color plastic diffuser.



Bulbs LED G9 3W 4000 K included in **213200** model. Cod. **209036**




1,470 Kg / 0,0126 m³
E27 max 1x 42W

€ 115

213194 White

4000 K
1000 lm
151991 € 2,00



0,400 Kg / 0,0021 m³
G9 max 1x 5W

€ 100

213200 White

4000 K
530 lm
307879 € 6,10




P. 878



Snow

White polycarbonate base and diffuser. Jointed fixing, without visible screws. Color: white.

LED LED source 3000 K / 4000 K,
50.000 h life.



■ ■ ■ IP65

0,790 Kg / 0,0073 m³
LED 18W / 1950/2050 lm

€ 60

326238	White	3000K
326245	White	4000K



P. 855



P. 856

P. 908

Clio

Modular fitting with turned die-cast aluminum frame, finished with anthracite, white, black and coffee powder coating. Plastic diffuser with matt white finish.

116716



145068



145020



144252



136073



144245




326801



0,200 Kg / 0,0021 m³
E27 max 1x 42W

€ 56


148847 White
148861 Anthracit.
148878 Black
326795 Coffee



0,580 Kg / 0,0021 m³
E27 max 1x 42W

€ 75


144252 White
136073 Anthracit.
144245 Black
326801 Coffee



0,540 Kg / 0,0177 m³

€ 40


145068 White



0,520 Kg / 0,0147 m³

€ 40

116716 White



0,610 Kg / 0,0221 m³

€ 40

145020 White



151960

4000 K
580 lm


€ 2,00



151960



4000 K
580 lm

€ 2,00



Techo

Powder-coated die-cast aluminum body. Frosted clear tempered glass diffuser. Colors: anthracite, white, coffee or black.



1,700 Kg / 0,0065 m³
GU10 max 1x20W


€ 115

251523 White
326887 Grey
251516 Anthracit.
251530 Black
251547 Coffee



4000 K
780 lm

253398 € 11,00



0,600 Kg / 0,0021 m³
GU10 max 1x20W


€ 64

251561 White
326894 Grey
251554 Anthracit.
251578 Black
251592 Coffee



4000 K
430 lm

253497 € 2,50



1,500 Kg / 0,0065 m³
GU10 max 1x20W


€ 115

342689 White
342702 Grey
318103 Anthracit.
342719 Black
342696 Coffee



4000 K
780 lm

253398 € 11,00



0,550 Kg / 0,0019 m³
GU10 max 1x20W

€ 64

318127 White
342726 Grey
318110 Anthracit.
318141 Black
318134 Coffee



4000 K
430 lm

253497 € 2,50



Gun

Aluminum body with brushed natural finish or with varnish or various finishes. Pyrex glass diffuser.



122663 092324 163642 236865 122687 163666



0,490 Kg / 0,0030 m³
GU10 max 1x28W

€ 54

122663 White
092324 Aluminum
163642 Grey
236865 Anthracit.
122687 Black
163666 Coffee

4000 K
430 lm
253497 € 2,50



P. 832



Urano


Powder painted turned aluminum body with anthracite or white matt finish. Satin and clear acrylic diffuser.



168050



168135



1,200 Kg / 0,0035 m³
GX53 max 1x15W


€ 95

168050 ■ White
168135 ■ Anthracit.

4000 K
1000 lm

154008

€ 5,00



0,630 Kg / 0,0020 m³
GX53 max 1x15W

€ 70

168036 ■ White
168111 ■ Anthracit.

4000 K
1000 lm

154008

€ 5,00

Bubble

Turned die-cast aluminum body with powder coating. Matt white plastic diffuser.



1,730 Kg / 0,0246 m³

E27 max 1x 60W

€ 125

135250 White



4000 K
580 lm



151960

€ 2,00

P. 854



Mib

White powder coated aluminum base. Opal color plastic diffuser. Integrated LED source.



LED source 3000/4000 K, 35.000 h life.



1,620 Kg / 0,0086 m³

LED 18W / 1850/2150 lm


€ 150

269115 White

3000K

202945 White

4000K



1,820 Kg / 0,0092 m³

LED 18W / 1950/2250 lm

€ 150

269122 White

3000K

202921 White


4000K





Fiesta


Black plastic electric cable, bulb socket and grapping eyelets.
Supplied with plug for outdoor.



1,530 Kg / 0,0066 m³
E27 max 10 x 15W

€ 100

246796 ■ Black




101286 € 2,00



0,600 Kg / 0,0049 m³
E27 max 5 x 15W

€ 65

159836 ■ Black



101286 € 2,00



Wall lamps

Outdoors

Alphabetical index

Andromeda	847	Snow	855
Apollo	830	Style	824
Argo	844	Swipe	823
Atom	840	Terra	820
Base	831	Tetris	845
Bubble	854	Toffee	835
Cima	857	Tronco	826
Clio	856	Twin	846
Cometa	852	Up	844
Dafne	857	Xeno	822
Dedra	859		
Down	858		
Elio	818		
Etere	827		
Febe	858		
Felix	849		
Gas	821		
Giove	848		
Gun	832		
Iko	838		
Keope	830		
Linea	836		
Litio	819		
Omega	817		
O-zone	816		
Polar	853		
Post-it	842		
Punto	834		
Rex	850		
Sirio	839		
Snif	828		



Post-it

Pag 842



O-zone 816



Omega 817



Tronco 826



Etere 827



Linea 836



Iko 838



Andromeda 847



Giove 848


































Cima 857



Dafne 857

Outdoors

Typology index


						
Elio 818	Litio 819	Terra 820	Gas 821	Xeno 822	Swipe 823	Style 824
						
Snif 828	Keope 830	Apollo 830	Base 831	Gun 832	Punto 834	Toffee 835
	<small>new</small> 	<small>new</small> 				
Sirio 839	Atom 840	Post-it 842	Up 844	Argo 844	Tetris 845	Twin 846
	<small>new</small> 					
Felix 849	Rex 850	Cometa 852	Polar 853	Bubble 854	Snow 855	Clio 856
						
Down 858	Febe 858	Dedra 859				



O-zone

Powder coated die-cast aluminum body. Adjustable diffuser with clear tempered glass diffuser. Color: black.

LED LED source 3000 K, 50.000 h life.



IP66

0,800 Kg / 0,0066 m³
LED 13W / 1100 lm

€ 135

337548 ■ Black




P. 916

Omega Round

Powder painted aluminum body. Reclinable diffuser with glass screen. Available finishes: anthracite, white, coffee or black.



LED source 3000/4000 K, 25.000 h life.



0,500 Kg / 0,0012 m³
LED 7W / 560/610 lm

€ 90

285474	White	3000K
285481	White	4000K
285450	Anthracit.	3000K
285467	Anthracit.	4000K
285504	Black	4000K
285498	Coffee	4000K




Omega Square

Powder painted aluminum body. Reclinable diffuser with glass screen. Available finishes: anthracite, white or black.



LED source 4000 K, 25.000 h life.



0,600 Kg / 0,0012 m³
LED 7W / 610 lm

€ 90

285528	White
285511	Anthracit.
285535	Black





Elio

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.




096483

096476



Bulbs LED GU10 3,5W included.
Settable CCT: 2700 K, 4000 K.



0,500 Kg / 0,0027 m³
GU10 max 1x6W

€ 82

096483 White

096476 Black

4000 K
430 lm

253497 € 2,50



P. 926



Litio

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.




145303



145327



145341



Bulbs LED GX53 7W included. Settable
CCT: 3000 K, 4000 K, 6500 K.

0,690 Kg / 0,0043 m³
GX53 max 1x10W

€ 100

145303 ■ White
145327 ■ Grey
145341 ■ Black



P. 926

4000 K
1000 lm


154008

€ 5,00



Terra

Cast aluminum painted frame.
Adjustable body. Transparent
Pyrex glass diffuser.



■ IP65


1,140 Kg / 0,0058 m³
E27 max 1x 42W

€ 85

046167 ■ Anthracit.

4000 K
580 lm

151960 € 2,00



■ IP65

0,530 Kg / 0,0040 m³
GU10 max 1x 28W

€ 45

046181 ■ Anthracit.

4000 K
430 lm

253497 € 2,50




P. 925



Gas

Powder coated die-cast aluminum body. Tempered and sandblasted clear glass diffuser. Available finishes: anthracite, white, coffee or black.



IP43

0,320 Kg / 0,0020 m³
GU10 max 1x28W

€ 50

091518 White
091525 Anthracit.
020228 Black
213095 Coffee

4000 K
430 lm
253497 € 2,50



091518

091525

020228

213095



P. 891



Xeno

Aluminum base with matt powder coating. Tempered clear glass adjustable diffusers. Available finishes: white, grey or black.




129488



129471



129464



IP44

0,360 Kg / 0,0014 m³
GU10 max 1x28W

€ 40

129488 ■ White
129471 ■ Grey
129464 ■ Black

4000 K
430 lm
253497 € 2,50



Swipe


Powder-coated aluminium body. Adjustable diffuser with shiny opal color polycarbonate screen. Available with twilight and motion sensor. Available finishes: anthracite, white, grey, coffee or black.



LED source 3000 K, 50.000 h life.




Lamp with presence detector included PIR (Passive InfraRed).



1,200 Kg / 0,0057 m³
LED 20,5W / 2300 lm

€ 122

287690 White
326863 Grey
287683 Anthracite
287706 Black
307169 Coffee



1,300 Kg / 0,0057 m³
LED 21W / 2300 lm

€ 132

287720 White
326870 Grey
287713 Anthracite
287737 Black
307176 Coffee

Style

Powder coated aluminum body.
Opal color plastic shade. Integrated
LED source. AP Sensor model
with PIR sensor. Available finishes:
anthracite, white, coffee, grey or
black.




LED source 3000/4000 K, 30.000 h
life.



Lamp with presence detector included
PIR (Passive InfraRed).

Source	LED SMD	LED life	30.000 h
Power	8,5W / 9W	Insulation class	I
Driver included	On/Off	IP	54
Drivers available	No	Material	Aluminum
MacAdam	SDCM 3		
CCT	3000 K/ 4000 K		
CRI	≥90		


LED SMD Driver included



0,390 Kg / 0,0019 m³

Power	Driver	Lumen	CCT	Finish		Code	€
8,5W	On-Off	950 lm	3000 K	White		269139	128
				Grey		322650	128
				Anthracit		246857	128
				Black		322636	128
				Coffee		322704	128
		1050 lm	4000 K	White		221502	128
				Grey		322643	128
				Anthracit		209845	128
				Black		322629	128
				Coffee		322681	128

LED SMD Driver included



0,400 Kg / 0,0018 m³

Power	Driver	Lumen	CCT	Finish		Code	€
9W	On-Off	950 lm	3000 K	White		269146	157
				Anthracit		246864	157
		1050 lm	4000 K	White		209852	157
				Anthracit		221519	157





269146

269139

322650

246857


322636

322704



Tronco

Varnished die-cast aluminum body with different finishes: anthracite, white, coffee, grey or black. Pyrex glass diffuser with aluminum elements inside.



■  IP44

1,110 Kg / 0,0103 m³
E27 max 1x 42W

€ 65

118659  White
026978  Grey
027005  Anthracit.
004716  Black
326962  Coffee

 4000 K
490 lm
153957 € 2,00




Etere

Powder coated die-cast aluminum body. Satin opal polycarbonate glass diffusers. Black PVC cables. Colors: anthracite, coffee or black.



LED source 3000/4000 K, 25.000 h life.



0,590 Kg / 0,0027 m³
LED 9,5W / 1000/1100 lm

€ 90

246925	■ Anthracit.	3000K
172408	■ Anthracit.	4000K
322193	■ Black	3000K
322209	■ Black	4000K
269153	■ Coffee	3000K
246949	■ Coffee	4000K




P. 904



Snif Round





Varnished die-cast aluminum body.
Transparent Pyrex glass up-and-down double diffuser. Available finishes: anthracite, white, grey or black.




■  IP54

0,750 Kg / 0,0027 m³
G9 max 1x40W

€ 50

144283  White
061474  Grey
061467  Anthracit.
061450  Black

 4000 K
530 lm
307879 € 6,10



Snif Square

Varnished die-cast aluminum body. Transparent Pyrex glass up-and-down double diffuser. Available finishes: anthracite, white, grey or black.

121963




144276



118666



123080



0,600 Kg / 0,0023 m³
G9 max 1x 40W

€ 50

144276 White
118666 Grey
121963 Anthracit.
123080 Black


4000 K
530 lm
307879 € 6,10

Keope

High performance resin body and diffuser: resistant to corrosion caused by atmospheric agents; colors stabilized during U.V. treatment; thermal shock resistance from -60°C to +90°C. Transparent satin acrylic diffusers.

LED


Bulbs LED GU10 3,5W included.
Settable CCT: 2700 K, 4000 K.




0,450 Kg / 0,0034 m³
GU10 max 2x6W

€ 66

147772 ■ White
147796 ■ Grey
147819 ■ Black




108292 € 2,50



0,350 Kg / 0,0034 m³
GU10 max 1x6W

€ 44

147765 ■ White



108292 € 2,50



Apollo

Die-cast aluminum reflecting body with matt black powder coating. Up-and-down light emission.

LED

LED source 4000 K, 30.000 h life.



0,540 Kg / 0,0010 m³
LED 6W / 800lm

€ 90

137391 ■ Black






Base

Powder coated die-cast aluminum body. Clear tempered glass diffusers. Colors: black or white.



129457

129433



IP44

0,610 Kg / 0,0017 m³
GU10 max 2 x 28W

€ 40

129457 ■ White
129433 ■ Black

4000 K
430 lm

253497 € 2,50



Gun

Aluminum body with brushed natural finish or with varnish or various finishes. Pyrex glass diffuser. Up-and-down light emission.



100388



033013



163628




236841



100395




163635



1,350 Kg / 0,0067 m³
E27 max 2 x 60W

€ 72


092300 White
033020 Aluminum
163604 Grey
236858 Anthracit.
092317 Black
163611 Coffee



0,720 Kg / 0,0021 m³
GU10 max 2 x 35W

€ 65

100388 White
033013 Aluminum
163628 Grey
236841 Anthracit.
100395 Black
163635 Coffee



4000 K
580 lm
151960 € 2,00



4000 K
430 lm
253497 € 2,50






Punto

Powder coated aluminum base and body. Glass diffusers. Indirect light emission. Finishes: anthracite, white, coffee, black.

LED


LED source 3000 K, 30.000 h life.



2,090 Kg / 0,0095 m³
LED 16W / 1750 lm

€ 152


328553 White
313566 Anthracit.
328577 Black
328560 Coffee



1,280 Kg / 0,0049 m³
LED 12W / 1250 lm

€ 127

328522 White
313559 Anthracit.
328546 Black
328539 Coffee



0,820 Kg / 0,0018 m³
LED 9W / 950 lm

€ 66

313528 White
313511 Anthracit.
313542 Black
313535 Coffee



313528

313511

313542


313535



Toffee

Powder-coated aluminum base and body. Clear tempered glass diffuser. Indirect light emission. Colors: anthracite, white, coffee or black.

LED LED source 3000 K, 50.000 h life.



IP65

0,400 Kg / 0,0014 m³
LED 8W / 900 lm

€ 75

347738 White
321189 Anthracit.
321202 Black
321196 Coffee



347738

321189

321202


321196



P. 866



P. 866



Linea

Powder coated aluminum base and body. Glass diffusers. Indirect light emission. Finishes: anthracite, white, coffee, black.



LED source 3000 K, 30.000 h life.



IP54	IP54
1,750 Kg / 0,0165 m³ LED 23W / 2400 lm	1,430 Kg / 0,0088 m³ LED 20W / 1950 lm
€ 188	€ 147
328584 White 313504 Anthracit. 328607 Black 328591 Coffee	313474 White 313467 Anthracit. 313498 Black 313481 Coffee



Iko

Powder coated die-cast aluminum body. Tempered and frosted clear glass up-and-down double diffuser. Available finishes: anthracite, white or grey.



018515



092218



018522



0,600 Kg / 0,0042 m³
E27 max 1x60W

€ 50


018522 White
092218 Grey
018515 Anthracit.

4000 K
580 lm
151960 € 2,00



Sirio

Powder coated die-cast aluminum body. Clear tempered glass diffuser. GX53 source. Colors: anthracite, white, coffee, gray or black.



■ IP65

0,820 Kg / 0,0018 m³
GX53 max 1x9W

€ 80

318226 White
345611 Grey
318202 Anthracit.
318219 Black
318196 Coffee

4000 K
1000 lm
154008 € 5,00



318226

318196

345611

318219

318202



P. 886



P. 924

Atom new

Powder coated aluminum body.
Glass diffusers. Double light beam,
up and down with adjustable width
and movable wings.











LED LED source 3000/4000 K,
30.000 h life.


Source	LED COB	LED life	30.000 h
Power	12W / 25W	Insulation class	I
Driver included	On/Off	IP	54
Drivers available	No	Material	Aluminum
MacAdam	SDCM 3		
CCT	3000 K/ 4000 K		
CRI	≥90		



0,650 Kg / 0,0013 m³











LED COB Driver included


Power	Driver	Lumen	CCT	Finish		Code	€
12 W	On-Off	1050 lm	3000 K	White		313436	71
				Grey		366821	71 new
				Anthracit		313429	71
				Black		313450	71
				Coffee		313443	71
		1100 lm	4000 K	White		366807	71 new
				Grey		366838	71 new
				Anthracit		366791	71 new
				Black		366845	71 new
				Coffee		366814	71 new



1,160 Kg / 0,0025 m³

LED COB Driver included

Power	Driver	Lumen	CCT	Finish		Code	€
25 W	On-Off	2100 lm	3000 K	White		328652	137
				Grey		366883	137 new
				Anthracit		313412	137
				Black		328676	137
				Coffee		328669	137
		2250 lm	4000 K	White		366869	137 new
				Grey		366890	137 new
				Anthracit		366852	137 new
				Black		366906	137 new
				Coffee		366876	137 new



313436



366821



313429



313450



313443





Post-it ^{new}

Light body in solid powder-coated or plated aluminum. Single light source protected by clear polycarbonate diffuser. Remote driver. Available colours; White, Black, Coffee, Steel, Brass.

LED LED source 3000 K, 50.000 h life.



369372



369273




369419



335933



369396




■ IP65

0,450 Kg / 0,0009 m³
LED 6W / 750 lm

€ 60

369372 White new
369419 Black new
369396 Coffee new




■ IP65

1,400 Kg / 0,0009 m³
LED 6W / 750 lm

€ 130

369273 Steel new
335933 Brass new




■ IP65

0,200 Kg / 0,0005 m³
LED 3W / 370 lm

€ 40

335957 White new
335919 Black new
335896 Coffee new



■ IP65

0,500 Kg / 0,0005 m³
LED 3W / 370 lm

€ 90

335865 Steel new
335926 Brass new

Driver
Not included
Required

€ 30 / 35 / 42

369143 18W new
369099 30W new
373041 60W new

Up

Powder coated die-cast aluminum body. Clear Pyrex glass diffusers. Available finishes: anthracite, white, coffee or black.



0,520 Kg / 0,0019 m³
G9 max 2x15W

€ 40

115320 White
115337 Anthracit.
115344 Black
213354 Coffee



0,320 Kg / 0,0011 m³
G9 max 1x15W

€ 25

115290 White
115306 Anthracit.
115313 Black
213347 Coffee

4000 K
530 lm

307879 € 6,10

4000 K
530 lm

307879 € 6,10




Argo

Powder coated die-cast aluminum body. Clear tempered glass diffuser with white inner reflector. Available in anthracite or white finish.




LED source 3000/4000 K, 30.000 h life.



0,600 Kg / 0,0011 m³
LED 11W / 1000/1150 lm

€ 81

268309 White 3000K
268316 White 4000K
250946 Anthracit. 3000K
268293 Anthracit. 4000K



0,600 Kg / 0,0011 m³
LED 6W / 550/570 lm


€ 71

317564 White 3000K
321691 White 4000K
321646 Anthracit. 3000K
317571 Anthracit. 4000K



Tetris-1






Aluminum body with matt powder coating. Clear tempered glass diffuser. Available finishes: anthracite, white, coffee, grey or black.




■  IP44

0,390 Kg / 0,0017 m³
G9 max 1x 15W

€ 82

114293  White
113760  Grey
113753  Anthracit.
326955  Black
213323  Coffee


 4000 K
530 lm

307879 € 6,10



Tetris-2

Aluminum body with matt anthracite or white powder coating. Clear tempered glass diffuser. Up-and-down light emission.




■  IP44

0,520 Kg / 0,0011 m³
G9 max 2 x 15W

€ 91

269221  White
113791  Anthracit.

 4000 K
530 lm


307879 € 6,10





Twin






Anthracite, white, coffee, grey or black powder coated die-cast aluminum body. Double, top and bottom, clear frosted Pyrex glass diffuser.




■  IP44

0,510 Kg / 0,0029 m³
G9 max 1x28W

€ 55

115351  White
326979  Grey
115368  Anthracit.
115375  Black
213330  Coffee

 4000 K
530 lm
307879 € 6,10



Andromeda

Die-cast aluminum body light with varnish finish. Double frosted Pyrex glass, up-and-down. Available finishes: anthracite, white, coffee, grey or black.

100364



163543



092355



100371



163550



IP55

1,630 Kg / 0,0052 m³
E27 max 2x60W

€ 85

100364 White
163543 Grey
092355 Anthracit.
100371 Black
163550 Coffee

4000 K
580 lm
151960 € 2,00

IP55

1,000 Kg / 0,0039 m³
E27 max 1x60W

€ 55

066868 White
158822 Grey
061580 Anthracit.
061597 Black
163536 Coffee

4000 K
580 lm
151960 € 2,00



Giove

Powder coated die-cast aluminum body. Double, top and bottom, frosted tempered clear glass diffuser. Available finishes: anthracite, white, coffee or black.



092195




092188



092201



163598



IP54

0,900 Kg / 0,0043 m³
E27 max 1x60W

€ 70

092195 White
092188 Anthracit.
092201 Black
163598 Coffee

4000 K
580 lm
151960 € 2,00



Felix

High performance resin body: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C.

LED

Bulbs LED E27 8W Goccia included in **123745** model. Settable CCT: 2700 K, 4000 K, 6500 K.





123776



123769



123783



0,520 Kg / 0,0050 m³
E27 max 1x23W

0,610 Kg / 0,0048 m³
E27 max 1x23W

€ 52


€ 35

123745 ■ White

123776 ■ White

123769 ■ Grey

123783 ■ Black



151960

151960


€ 2,00

€ 2,00



Rex ^{new}

Powder coated die-cast aluminum body available in different colors: anthracite, white, coffee, grey or black. White acrylic diffuser.




■ IP44

0,600 Kg / 0,005 m³
E27 max 1x60W

€ 42

092393 White
322735 Grey
092409 Anthracit.
322728 Black
213217 Coffee

4000 K
1020 lm
151991 € 2,00




■ IP44

0,600 Kg / 0,0065 m³
E27 max 1x60W

€ 42

092416 White
370965 Grey ^{new}
092423 Anthracit.
118635 Black ^{new}
370941 Coffee ^{new}

4000 K
1020 lm
151991 € 2,00



■ IP44

0,600 Kg / 0,0065 m³
E27 max 1x60W

€ 42


092430 White
370972 Grey ^{new}
092447 Anthracit.
118642 Black ^{new}
213224 Coffee ^{new}

4000 K
1020 lm
151991 € 2,00



Cometa

Powder coated die-cast aluminum body. White PVC diffuser. It is not recommended to expose the article to direct contact with sunlight.
Color: anthracite



1,500 Kg / 0,0115 m³
E14 max 3x28W

€ 100

082240 ■ Anthracit.

3000 K
420 lm

101217 € 2,00



Polar


High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C.

IP66	IP66	IP66	IP66
0,800 Kg / 0,0109 m³ E27 max 1x 23W	0,800 Kg / 0,0109 m³ E27 max 1x 23W	0,800 Kg / 0,0106 m³ E27 max 1x 23W	0,800 Kg / 0,0106 m³ E27 max 1x 23W
€ 26	€ 26	€ 37	€ 37
096711 White 096704 Black	096735 White 096728 Black	096667 White 096674 Black	096681 White 096698 Black
4000 K 1020 lm	4000 K 1020 lm	4000 K 1020 lm	4000 K 1020 lm
151991 € 2,00	151991 € 2,00	151991 € 2,00	151991 € 2,00



Bubble

Turned die-cast aluminum body with powder coating. Matt white plastic diffuser.



0,480 Kg / 0,0036 m³
G9 max 2x15W

€ 72

158907 White

4000 K
530 lm
307879 € 6,10




P. 810



Snow

White polycarbonate base and diffuser. Jointed fixing, without visible screws. Color: white.

LED LED source 3000 K / 4000 K,
50.000 h life.



■ ■ □ IP65

0,170 Kg / 0,0013 m³
LED 6W / 600/660 lm

€ 27

326214	White	3000K
326221	White	4000K




P. 803



Clio


Modular fitting with turned die-cast aluminum frame, finished with anthracite, white, black and coffee powder coating. Plastic diffuser with matt white finish.



0,680 Kg / 0,0035 m³
E27 max 1x42W

€ 80


146775 White
145228 Anthracit.
146799 Black
326788 Coffee



0,540 Kg / 0,0171 m³

€ 40


145068 White



0,520 Kg / 0,0144 m³

€ 40

116716 White



0,610 Kg / 0,0231 m³

€ 40

145020 White




P. 804 P. 804 P. 908

4000 K
580 lm
151960 € 2,00

Cima

Totally die-cast aluminum frame.
Anthracite, coffee or black and gold finish.
Transparent acrylic diffuser.




■  IP43

1,840 Kg / 0,0516 m³
E27 max 1x52W

€ 61

246819 ■ Anthracit.
024134 ■ Black
246826 ■ Coffee



153964 € 3,50




P. 910



Dafne

High performance resin body:
resistant to corrosion, colours
stabilized during UV rays
treatment, thermal shock
resistance from -60° to +90°C.
Methacrylate non-yellowing
diffuser.




■  IP55


1,000 Kg / 0,0106 m³
E27 max 1x23W

€ 35

120423 ■ White
101491 ■ Black



153964 € 3,50




■  IP55

0,600 Kg / 0,0118 m³
E27 max 1x23W

€ 29

120430 ■ White
101552 ■ Black



153964 € 3,50




P. 911



Down

Die-cast aluminum body light with anthracite or white powder coat finish. Acrylic diffuser.




■  IP44

0,270 Kg / 0,0012 m³
G9 max 1x28W

€ 30

115382 ■ White
122045 ■ Anthracit.

 4000 K
530 lm

307879 € 6,10



115382




122045

Febe

Surface-mounted luminaire with powder-coated die-cast aluminum body. Clear tempered glass diffuser. Color: anthracite.

LED

LED source 3000 K, 30.000 h life.




■  IP65

0,760 Kg / 0,0012 m³
LED 6W / 550lm

€ 76

250854 ■ Anthracit.



■  IP65

0,760 Kg / 0,0013 m³
LED 6W / 550 lm

€ 76

268354 ■ Anthracit.



268354



Dedra

Powder coated die-cast aluminum body. Clear acrylic diffuser. Indirect light emission. Finishes: white, anthracite, coffee.

LED

LED source 3000 K, 20.000 h life.


316901



328645



316895




■ □ IP65

0,200 Kg / 0,0005 m³
LED 1,5W / 160 lm

€ 48

328638 ■ White
316871 ■ Anthracit.
328621 ■ Coffee



■ □ IP65

0,170 Kg / 0,0007 m³
LED 1,5W / 160 lm

€ 44

316901 ■ White
328645 ■ Anthracit.
316895 ■ Coffee



Bollard and Table lamps

Outdoors

Alphabetical index

Acqua	902	Toffee	866
Agos	882	Torre	906
Arcadia	880	Tronco	898
Atena	900	Twiggy	874
Boeing	896	Vega	893
Cima	910		
Clio	908		
Cosmo	907		
Cute	868		
Dafne	911		
Doris	876		
Edo	901		
Enya	872		
Etere	904		
Gas	891		
Hub	891		
Ipotesi	873		
Jedi	894		
Kurt	889		
Lolita	870		
Luna	878		
Mercurio	902		
Pulsar	903		
Pure	864		
Sasso	879		
Sirio	886		
Sole	877		
Style	884		
Tesla	890		
Tifone	892		
Titano	888		



Arcadia

Pag 872

Pure 864	Toffee 866	Cute 868	Lolita 870
new			
Arcadia 880	Agos 882	Style 884	Sirio 886
new			
Jedi 894	Boeing 896	Tronco 898	Atena 900

Outdoors

Typology index



Enya 872



Ipotesi 873



Twiggy 874



Doris 876



Sole 877



Luna 878



Sasso 879



Titano 888



Kurt 889



Tesla 890



Gas 891



Hub 891



Tifone 892



Vega 893



Edo 901



Acqua 902



Mercurio 902



Pulsar 903



Etere 904



Torre 906



Cosmo 907



Clio 908



Cima 910



Dafne 911





Pure


Matt varnished metal base, stem and shade. Acrylic diffuser. Table lamp with rechargeable battery and integrated touch switch. Finishes: white, coffee, black. Battery charging time 5 hours.


LED LED source 3000 K, 30.000 h life.

ON OFF Lamp with integrated switch.

 Lamp with dimmer.

 Lamp with touch dimmer.


 Lamp with rechargeable battery included. 6 hours life.



1,580 Kg / 0,0058 m³
LED 1,5W / 220 lm

€ 117

311708 ■ White
328515 ■ Black
328508 ■ Coffee



0,840 Kg / 0,0056 m³
LED 1,5W / 220 lm

€ 86

311685 ■ White
311678 ■ Black
311661 ■ Coffee



Toffee


Rechargeable battery-operated table lamp. Powder coated aluminum body. Acrylic diffuser. Colors: white, coffee or black.

LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.
Cod. **328614, 311715, 347868**

Hand icon Lamp with touch dimmer.
Cod. **328614, 311715, 347868**

Battery icon Lamp with rechargeable battery included. 8 hours life.
Cod. **328614, 311715, 347868**




IP65

1,400 Kg / 0,0263 m³
LED 11W / 1200 lm

€ 106

347837 ■ Anthracit.
347851 ■ Black
347844 ■ Coffee



IP65

1,220 Kg / 0,0394 m³
LED 11W / 1200 lm

€ 102

347806 ■ Anthracit.
347820 ■ Black
347813 ■ Coffee




IP65

0,950 Kg / 0,0240 m³
LED 8W / 900 lm

€ 84

347776 ■ Anthracit.
347790 ■ Black
347783 ■ Coffee




IP65

0,830 Kg / 0,0153 m³
LED 8W / 800 lm

€ 80

347745 ■ Anthracit.
347769 ■ Black
347752 ■ Coffee



IP54

0,460 Kg / 0,0051 m³
LED 2W / 320 lm

€ 90

311715 ■ White
328614 ■ Black
347868 ■ Coffee



Cute

Rechargeable lamp with a refill base. Powder coated metal frame. Acrylic diffuser with downward light emission. Colors: white, black, coffee, chrome and gold.



LED source 2200 K / 2700 K, 50.000 h life.



Lamp with integrated switch.





Lamp with dimmer.



Lamp with touch dimmer.



Lamp with rechargeable battery included. 9,5 hours life.



0,440 Kg / 0,0026 m³
LED 2,5W / 220 lm

€ 86

346892 ■ White
346908 ■ Black
346915 ■ Coffee
346939 ■ Gold



1,920 Kg / 0,0092 m³

€ 183

348377 ■ Black



Lolita

Table lamp with rechargeable battery with white, grey, black or coffee finish. Plastic base. Metal frame. Plastic diffuser. The table lamp has 8 hours autonomy. Battery charging time 4 hours.



LED source 3000 K, 25.000 h life.



Lamp with integrated switch.




Lamp with dimmer.



Lamp with touch dimmer.



Lamp with rechargeable battery included. 8 hours life.



0,550 Kg / 0,0080 m³
LED 1,8W / 200 lm

€ 56

286723 White
286730 Grey
286716 Black
286747 Coffee



Enya


Portable lamp with rechargeable battery. Powder coated aluminum body. Black rubber handle. Tempered glass diffuser. Downward light emission. Switch with dimmer. Colors: white, black, coffee.

LED LED source 3000 K, 35.000 h life.

ON OFF Lamp with integrated switch.

Hand icon Lamp with touch dimmer.

Battery icon Lamp with rechargeable battery included. 12 hours life.



IP54 **Hand icon** **Battery icon**

1,490 Kg / 0,0092 m³
LED 5W / 300 Lm

€ 117


323251 **White**
323237 **Black**
323244 **Coffee**



Ipotesi

Total powder painted aluminium frame. Opal polycarbonate diffuser. Black rubber cable with switch, external incorporated driver and plug. Colours: black.

LED LED source 3000 K, 30.000 h life.




IP44

5,100 Kg / 0,1027 m³
LED 16W / 1700 Lm

€ 335

282251 ■ Black



IP44

4,940 Kg / 0,1432 m³
LED 16W / 1700 Lm

€ 435

300658 ■ Black



Twiggy


Powder coated aluminum frame.
Satin acrylic diffuser. Equipped
with spike. Colors: black and coffee.

LED LED source 3000 K, 30.000 h life.



347905

347875




IP65

0,290 Kg / 0,0031 m³
LED 1,5W / 110 lm

€ 52

348346 ■ Black
348339 ■ Coffee




IP65

0,031 Kg / 0,0033 m³
LED 1,5W / 110 lm

€ 63

348360 ■ Black
348353 ■ Coffee




IP65

0,210 Kg / 0,0033 m³
LED 1,5W / 110 lm

€ 47

347882 ■ Black
347875 ■ Coffee




IP65

0,230 Kg / 0,0020 m³
LED 1,5W / 110 lm

€ 58

347905 ■ Black
347899 ■ Coffee



Driver
Not included
Required


€ 12

276205



Doris


Multi-greys plastic diffuser with granite effect. Supplied with plug and spike for ground installation.




7,600 Kg / 0,5447 m³
E27 max 1x60W

€ 545

195506 White




151991 € 2,00




4,050 Kg / 0,2422 m³
E27 max 1x60W

€ 325

195490 White




151991 € 2,00




3,000 Kg / 0,1339 m³
E27 max 1x60W

€ 215

195483 White




151991 € 2,00



1,210 Kg / 0,0327 m³
E27 max 1x60W

€ 127

214009 White




151991 € 2,00



Sole

Opal color plastic diffuser. Supplied with cable, plug and picket for the installation on the ground.



4,500 Kg / 0,1379 m³
E27 max 1x 42W


€ 225

191614 White



4000 K
1020 lm

151991 € 2,00



3,900 Kg / 0,0741 m³
E27 max 1x 42W


€ 150

191621 White



4000 K
1020 lm

151991 € 2,00



2,700 Kg / 0,0371 m³
E27 max 1x 42W


€ 120

191638 White



4000 K
1020 lm

151991 € 2,00



1,200 Kg / 0,0144 m³
E27 max 1x 42W

€ 110

318820 White



4000 K
580 lm

151960 € 2,00




P. 800



Luna

Opal colour plastic frame-diffuser.
Supplied with power cable, plug
and picket for installation on the
ground.



6,700 Kg / 0,1639 m³
E27 max 1x 60W

€ 290


191607 White



4000 K
1020 lm

151991

€ 2,00



4,700 Kg / 0,1005 m³
E27 max 1x 60W

€ 210


191584 White



4000 K
1020 lm

151991

€ 2,00



2,700 Kg / 0,0416 m³
E27 max 1x 60W

€ 150

191577 White



4000 K
1020 lm

151991

€ 2,00




P. 802



Sasso

Opal color plastic diffuser. Supplied with power cable, plug and picket for installation on the ground.



1,500 Kg / 0,0444 m³
E27 max 1x 40W


€ 205

161778 White



4000 K
1020 lm

151991 € 2,00



0,900 Kg / 0,0209 m³
E27 max 1x 40W


€ 145

161761 White



4000 K
1020 lm

151991 € 2,00



0,710 Kg / 0,0134 m³
G9 max 1x 15W

€ 105

161754 White




4000 K
530 lm

307879 € 6,10



Arcadia ^{new}

Powder coated metal base and stem. PMMA white diffuser.
Neoprene cable with plug. Finish: white, anthracite.



6,500 Kg / 0,0525 m³
E27 max 1x 42W

€ 152


365749 White ^{new}
298610 Anthracit.



4000 K
1020 lm

151991

€ 2,00



2,940 Kg / 0,0247 m³
E27 max 1x 42W

€ 117

365756 White ^{new}
298597 Anthracit.



4000 K
1020 lm

151991

€ 2,00



Agos

Powder coated die-cast aluminum body. Satin clear acrylic diffuser. Anthracite, coffee or black color.


LED LED source 3000 K, 25.000 h life.



254388

326696

326689




IP54

1,100 Kg / 0,0179 m³
LED 6,5W / 670 lm

€ 102

254319 ■ Anthracit.
326733 ■ Black
326726 ■ Coffee



IP54

0,950 Kg / 0,0127 m³
LED 6,5W / 670 lm

€ 81


254388 ■ Anthracit.
326696 ■ Black
326689 ■ Coffee

Style new

Powder coated aluminum body.
Opal color plastic shade. Integrated
LED source. Available finishes:
anthracite, white, coffee, grey or
black.

LED LED source 3000/4000 K, 30.000 h
life.


Source	LED SMD	LED life	30.000 h
Power	8,5W	Insulation class	I
Driver included	On/Off	IP	54
Drivers available	No	Material	Aluminum
MacAdam	SDCM 3		
CCT	3000 K/ 4000 K		
CRI	≥90		



0,620 Kg / 0,0074 m³

LED SMD Driver included


Length	Power	Driver	Lumen	CCT	Finish		Code	€
300 mm	8,5 W	On-Off	950 lm	3000 K	White		369594	129 new
					Grey		369648	129 new
					Anthracit		364841	129 new
					Black		369662	129 new
					Coffee		369624	129 new



1,200 Kg / 0,0122 m³

LED SMD Driver included

Length	Power	Driver	Lumen	CCT	Finish		Code	€
500 mm	8,5 W	On-Off	950 lm	3000 K	White		318691	138
					Grey		322551	138
					Anthracit		322612	138
					Black		322537	138
					Coffee		322575	138
			1050 lm	4000 K	White		322582	138
					Grey		322544	138
					Anthracit		322599	138
					Black		322506	138
					Coffee		322568	138



1,680 Kg / 0,0241 m³

LED SMD Driver included

Length	Power	Driver	Lumen	CCT	Finish		Code	€
500 mm	8,5 W	On-Off	950 lm	3000 K	White		318707	180
					Grey		322384	180
					Anthracit		246871	180
					Black		322230	180
					Coffee		322452	180
			1050 lm	4000 K	White		322483	180
					Grey		322353	180
					Anthracit		209906	180
					Black		322216	180
					Coffee		322438	180



P. 824



318691



322551



322612



322537



322575






Sirio ^{new}

Powder painted aluminum body.
Clear tempered glass diffuser
for the integrated LED version,
sandblasted for the model with
bulb. Available in anthracite, white,
coffee, grey, or black finishes.

LED source 3000 K, 30.000 h life.

LED


Cod. **365404, 365411, 339634,**
365398, 365428, 365367, 365374,
339627, 365350, 365381



2,300 Kg / 0,0170 m³
LED 13W / 1100 lm


€ 200

365404	White	new	365367	White	new
365411	Grey	new	365374	Grey	new
339634	Anthracit.	new	339627	Anthracit.	new
365398	Black	new	365350	Black	new
365428	Coffee	new	365381	Coffee	new



1,760 Kg / 0,0128 m³
LED 13W / 1100 lm

€ 190




1,880 Kg / 0,0179 m³
GX53 max 1x9W

€ 150

115085	White
246963	Grey
115061	Anthracit.
115108	Black
213262	Coffee

4000 K
1000 lm
154008 € 5,00




1,550 Kg / 0,0136 m³
GX53 max 1x9W

€ 130

115092	White
246970	Grey
115078	Anthracit.
115115	Black
213279	Coffee

4000 K
1000 lm
154008 € 5,00



0,400 Kg / 0,0066 m³
GX53 max 1x9W

€ 100

365671	White	new
369891	Grey	new
369860	Anthracit.	new
369914	Black	new
369884	Coffee	new

4000 K
1000 lm
154008 € 5,00




Titano

Porous resin body. Matt black varnished metal base and diffuser's detail. Downward light emission. Integrated LED source.




LED source 3000/4000 K, 50.000 h life.



9,220 Kg / 0,0540 m³
LED 8,5W / 560/580 lm

€ 350

246987 ■ Granite 3000K
187327 ■ Granite 4000K



6,800 Kg / 0,0363 m³
LED 8,5W / 560/580 lm

€ 275

246994 ■ Granite 3000K
157856 ■ Granite 4000K



Kurt

Powder-coated aluminum base and body. Clear tempered glass diffuser. Downward lights emission. Colors: anthracite, white, coffee or black.



LED source 3000/4000 K, 30.000 h life.



85



1,930 Kg / 0,0066 m³
LED 11W / 1050/1100 lm

€ 127



306841



306834



306872



306858



















306841	White	3000K
294049	White	4000K
306834	Anthracit.	3000K
294025	Anthracit.	4000K

306872	Black	3000K
293172	Black	4000K
306858	Coffee	3000K
294001	Coffee	4000K




Tesla

Powder painted aluminum body.
White plastic screen diffuser.
Downward light emission. Available
finishes: anthracite, white, coffee or
black.

 153193	 326917		
		 IP44	 IP44
		3,000 Kg / 0,0366 m³ G9 max 4 x 15W	2,560 Kg / 0,0278 m³ G9 max 4 x 15W
		€ 155	€ 145
 153209	 316048	153179  White	153209  White
		153162  Anthracit.	153193  Anthracit.
		316055  Black	326917  Black
		326924  Coffee	316048  Coffee
		 4000 K 530 lm	 4000 K 530 lm
		307879 € 6,10	307879 € 6,10

Gas


Powder coated die-cast aluminum body. Tempered and sandblasted clear glass diffuser. Available finishes: anthracite, white, coffee, grey or black.



1,790 Kg / 0,0214 m³
GU10 max 1x35W

€ 116

139470 ■ Anthracit.
322421 ■ Black
213101 ■ Coffee



253497

€ 2,50

P. 821




Hub

Powder coated aluminum base, pole and body. Orientable diffuser with clear tempered glass screen. Supplied with picket for installation on the ground. Available finish: anthracite.

LED


LED source 3000 K, 30.000 h life.



0,850 Kg / 0,0065 m³
LED 4,5W / 390 lm

€ 134

251257 ■ Anthracit.



0,720 Kg / 0,0076 m³
LED 4,5W / 390 lm

€ 122

251226 ■ Anthracit.



Base
Not included
Optional

€ 32

251295 ■ Anthracit.






Tifone

Powder coated die-cast aluminum base and frame with anthracite finish. Clear tempered glass diffuser. Downward light emission.



LED source 3000 K, 20.000 h life.



1,250 Kg / 0,0066 m³
LED 8,5W / 710 Lm

€ 124

250953 ■ Anthracit.



1,010 Kg / 0,0029 m³
LED 8,5W / 710 Lm

€ 106

250977 ■ Anthracit.




Vega

Aluminum body with matt powder coating. Clear tempered glass diffuser. Available finishes: anthracite, white, coffee, grey or black.



136035 136042 136028 136059 213361




IP44

1,150 Kg / 0,0098 m³
G9 max 1x15W

€ 180

136035 White
136042 Grey
136028 Anthracit.
136059 Black
213361 Coffee

4000 K
530 lm
307879 € 6,10



Jedi ^{new}

Powder-coated aluminium base and body. Shiny opal color polycarbonate diffuser. Supplied with piquet for ground installation. Available finishes: anthracite, black, coffee.


LED LED source 3000 K, 50.000 h life.



306803


293202

372297




1,280 Kg / 0,0065 m³
LED 25W / 2600 Lm
€ 163

306803 ■ Anthracit.
293202 ■ Black
372297 ■ Coffee ^{new}




1,030 Kg / 0,0050 m³
LED 19W / 2050 Lm
€ 131

306797 ■ Anthracit.
293196 ■ Black
372280 ■ Coffee ^{new}



0,760 Kg / 0,0036 m³
LED 12W / 1250 Lm
€ 95

306780 ■ Anthracit.
293189 ■ Black
372273 ■ Coffee ^{new}



0,440 Kg / 0,0022 m³
LED 7W / 720 Lm
€ 74

363721 ■ Anthracit. ^{new}
372266 ■ Black ^{new}
372259 ■ Coffee ^{new}



Base
Not included
Optional

308227 ■ Anthracit.
308234 ■ Black
372242 ■ Coffee ^{new}




Boeing

Powder coated die-cast aluminum body. Diffuser made of an external smoked clear polycarbonate protection and satin opal acrylic inner element which orientate the light downward. Colors: anthracite, coffee, black.

LED

LED source 3000 K, 50.000 h life.



4,000 Kg / 0,0203 m³
LED 14W / 1700 lm

€ 210


327266 ■ Anthracit.
346731 ■ Black
346724 ■ Coffee



3,100 Kg / 0,0164 m³
LED 14W / 1700 lm

€ 180

327259 ■ Anthracit.
346717 ■ Black
346700 ■ Coffee



2,200 Kg / 0,0090 m³
LED 14W / 1700 lm

€ 160

327242 ■ Anthracit.
346694 ■ Black
346687 ■ Coffee



1,350 Kg / 0,0037 m³
LED 14W / 1700 lm


€ 140

346656 ■ Anthracit.
346670 ■ Black
346663 ■ Coffee



Tronco ^{new}

Varnished die-cast aluminum body with different finishes: anthracite, white, coffee, grey or black. Pyrex glass diffuser with aluminum elements inside.



2,490 Kg / 0,0254 m³
E27 max 1x 42W


€ 160

109138 White
026961 Grey
026992 Anthracit.
004723 Black
163741 Coffee



4000 K
490 lm

153957 € 2,00



1,970 Kg / 0,0185 m³
E27 max 1x 42W


€ 138

109145 White
026954 Grey
026985 Anthracit.
004730 Black
163758 Coffee



4000 K
490 lm

153957 € 2,00



0,590 Kg / 0,0124 m³
E27 max 1x 42W

€ 125

248264 White
248288 Grey
248257 Anthracit.
248295 Black
248271 Coffee



4000 K
490 lm

153957 € 2,00



1,200 Kg / 0,0078 m³
E27 max 1x 42W

€ 109

366050 White ^{new}
369815 Grey ^{new}
369761 Anthracit. ^{new}
369846 Black ^{new}
369792 Coffee ^{new}



4000 K
490 lm

153957 € 2,00



P. 826



Atena

High performance resin body and diffuser: resistant to corrosion, colors stabilized during U.V. rays treatment, resistant to temperatures between -60° C and +90° C.

LED

Bulbs LED E27 8W Goccia included.
Settable CCT: 2700 K, 4000 K, 6500 K.


198644



198637



198620



IP55

1,070 Kg / 0,0220 m³
E27 max 1x23W

€ 87

198644 White
198637 Grey
198620 Black



4000 K
1020 lm

151991

€ 2,00



Edo

Die-cast aluminum structure finished with anthracite, white or coffee powder coating. White polycarbonate diffuser.




142999



135762



213071




IP65

1,600 Kg / 0,0257 m³
GX53 max 1x15W

€ 139

135755 White
138510 Anthracit.
213071 Coffee

4000 K
1000 lm
154008 € 5,00



IP65

2,670 Kg / 0,0243 m³
GX53 max 1x15W


€ 139

142999 White
135762 Anthracit.
213088 Coffee

4000 K
1000 lm
154008 € 5,00

Acqua

Turned aluminum reflecting body with matt paint, available finishes: anthracite or coffee. Tempered glass diffuser.



1,500 Kg / 0,0142 m³
G9 max 1x15W

€ 160

135205 ■ Anthracit.
246918 ■ Coffee


4000 K
530 lm

307879 € 6,10



Mercurio

Powder coated aluminum body with anthracite finish. Clear Pyrex glass diffuser.



1,540 Kg / 0,0056 m³
G9 max 1x15W

€ 160

114347 ■ Anthracit.

4000 K
530 lm


307879 € 6,10





Pulsar

Cast aluminum body with powder coating. Satin opal polycarbonate diffuser. Colors: anthracite.



IP44

1,900 Kg / 0,0118 m³
E27 max 1x42W

€ 200

135908 ■ Anthracit.

4000 K
580 lm

151960

€ 2,00



Etere

Powder coated die-cast aluminum body. Satin opal polycarbonate glass diffusers. Black PVC cables. Colors: anthracite, coffee or black.




LED source 3000/4000 K, 25.000 h life.

322261

269160

246932



1,100 Kg / 0,0099 m³
LED 9,5W / 1000/1100 lm

€ 121

246932	■ Anthracit.	3000K
172439	■ Anthracit.	4000K
322261	■ Black	3000K
322278	■ Black	4000K
269160	■ Coffee	3000K
246956	■ Coffee	4000K





Torre

Turned powder painted aluminum body with anthracite, white, coffee, grey or black. Plastic diffuser with opal effect.



321950 158891 186979 321981



2,600 Kg / 0,0306 m³
E27 max 1x 15W


€ 180

321851 Grey
321882 Anthracit.
321639 Black
321868 Coffee



4000 K
580 lm

151960 € 2,00



2,100 Kg / 0,0242 m³
E27 max 1x 15W


€ 168

321905 Grey
162492 Anthracit.
186955 Black
321929 Coffee



4000 K
580 lm

151960 € 2,00



0,870 Kg / 0,0056 m³
E27 max 1x 15W

€ 144

321950 Grey
158891 Anthracit.
186979 Black
321981 Coffee



4000 K
580 lm

151960 € 2,00



Cosmo

Resin body resistant to corrosion, UV and temperature between -60° and +90° C. Anti-yellowing transparent diffuser.




Bulbs LED GX53 10W included.
Settable CCT: 3000 K, 4000 K, 6500 K.



187877

187884


187891



2,150 Kg / 0,0220 m³
GX53 max 1x10W

€ 121

187877 White
187884 Grey
187891 Black



154008






€ 5,00



Clio

Modular fitting with turned die-cast aluminum frame, finished with anthracite, white, black and coffee powder coating. Plastic diffuser with matt white finish.



 <p>135 600</p> <p>⚡ IP44</p> <p>1,360 Kg / 0,0081 m³ E27 max 1x42W</p> <p>€ 95</p> <p>249469 White 249452 Anthracit. 249483 Black 328829 Coffee</p> <p>4000 K 580 lm</p> <p>151960 € 2,00</p>	 <p>575 200 1970</p> <p>⚡ IP44</p> <p>7,250 Kg / 0,0403 m³ E27 max 2x42W</p> <p>€ 285</p> <p>249506 White 249490 Anthracit. 249520 Black 328836 Coffee</p> <p>4000 K 580 lm</p> <p>151960 € 2,00</p>	 <p>280 190</p> <p>0,540 Kg / 0,0171 m³</p> <p>€ 40</p> <p>145068 White</p>	 <p>230 245</p> <p>0,520 Kg / 0,0144 m³</p> <p>€ 40</p> <p>116716 White</p>	 <p>300 210</p> <p>0,610 Kg / 0,0231 m³</p> <p>€ 40</p> <p>145020 White</p>
---	---	--	--	---



Cima

Totally die-cast aluminum frame.
Anthracite, coffee or black and gold
finish. Transparent acrylic diffuser.




246833



024097



246840



IP43

3,340 Kg / 0,1443 m³
E27 max 2 x 52W

€ 330

246833 ■ Anthracit.
024097 ■ Black
246840 ■ Coffee

4000 K
980 lm
153964 € 3,50



P. 857



Dafne

High performance resin body: resistant to corrosion, colours stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Methacrylate non-yellowing diffuser.


LED Bulbs LED E27 8W Goccia included.
Settable CCT: 2700 K, 4000 K, 6500 K.



120454



101514



2,500 Kg / 0,0464 m³
E27 max 1x 23W

€ 89

120454 ■ White
101514 ■ Black



4000 K
980 lm

153964

€ 3,50



P. 857



Spotlights

Outdoors

Alphabetical index

Elio	926
Inside	927
Koala	920
Litio	926
O-zone	916
Sirio	924
Starlight	918
Terra	925
Thor	914
Ulex	922

Typology index



Thor 914



O-zone 916



Starlight 918



Koala 920



Ulex 922



Sirio 924



Terra 925



Elio 926



Litio 926



Inside 927

Thor


Adjustable linear projector for surface installation with oblique light effect. Die-cast aluminum body, clear glass diffuser, 24 Vdc power supply DC, IP65 protection index, IK06 impact resistance. SMD LED technology; CCT 3000 K, CRI ≥ 90, SDCM ≤ 3; LED useful life 50.000 h L70B50. Optionally available with anti-glare visor.



High-tech product with high quality materials, intended for professional use.

Source	LED SMD	LED life	50.000 h
Power	20W / 40W	Insulation class	III
Driver included	No	IP	65
Drivers available	On/Off	Material	Aluminum
MacAdam	SDCM 3		
CCT	3000 K		
CRI	≥90		


LED SMD OSRAM Driver not included



1,490 Kg/0,0088 m³
Cable lenght 500 mm

Power	Beam	Lumen	CCT	Finish		Code	€
20 W	28°	2100 lm	3000 K	Anthracite		261331	218

LED SMD OSRAM Driver not included



2,460 Kg/0,0176 m³
Cable lenght 500 mm

Power	Beam	Lumen	CCT	Finish		Code	€
40 W	28°	4200 lm	3000 K	Anthracite		261355	330

OPTIONAL Not included



		Finish		Code	€
Visor	20W	Anthracite		261362	18
	40W	Anthracite		261379	30

ON/OFF DRIVER Not included/Required

Power	Output	Measure	Code	€
40 W	24 Vdc	171 x 37 x 61 mm	272108	100
100 W	24 Vdc	220 x 39 x 68 mm	226200	190
185 W	24 Vdc	220 x 39 x 68 mm	226217	210








O-zone

Powder coated die-cast aluminum body. Adjustable diffuser with clear tempered glass diffuser. Color: black.

LED LED source 3000 K, 50.000 h life.




325019



1,200 Kg / 0,0058 m³
LED 19W / 1700 lm

€ 203

337531 ■ Black



0,800 Kg / 0,0060 m³
LED 13W / 1100 lm

€ 137

325019 ■ Black



0,090 Kg / 0,0013 m³

€ 10

345673 ■ Black




Starlight

Aluminum adjustable tracklight with ceiling or peg installation; dark gray anodized and powder coated surface; integrated energy-efficient LED source with high color rendering; available with 3000k and 4000k color temperature; LED useful life 50.000 h. Optional anti-glare screen.

PRO

High-tech product with high quality materials, intended for professional use.


Source	LED COB	LED life	50.000 h
Power	5,5W / 10W	Insulation class	III
Driver included	No	IP	67
Drivers available	On/Off	Material	Aluminum
MacAdam	SDCM 3		
CCT	3000 K / 4000 K		
CRI	≥90		



0,280 Kg/0,0011 m³

LED COB CREE Driver not included

Power	Beam	Lumen	CCT	Finish		Code	€
5,5 W	30°	470 lm	3000 K	Dark Gray		248394	122
		560 lm	4000 K	Dark Gray		245041	122



0,950 Kg/0,0019 m³

LED COB BRIDGELUX Driver not included

Power	Beam	Lumen	CCT	Finish		Code	€
10 W	30°	1050 lm	3000 K	Dark Gray		248387	254
		1250 lm	4000 K	Dark Gray		245072	254

OPTIONAL Not included



		Finish		Code	€
Visor	5,5W	Dark Gray		245096	35
	10W	Dark Gray		245102	35

	Finish		Code	€
Peg	Dark Gray		245089	18

ON/OFF DRIVER Not included/Required

Power	Output	Measure	Code	€
20 W	24 Vdc	118 x 26 x 35 mm	226187	75
40 W	24 Vdc	148 x 30 x 40 mm	226194	80
100 W	24 Vdc	220 x 39 x 68 mm	226200	190
185 W	24 Vdc	220 x 39 x 68 mm	226217	210




Koala

Powder coated die-cast aluminum body. Clear tempered glass diffuser. Available with base for wall and floor fixing and with strap for trees and poles fixing. Color: black.

LED LED source 3000 K, 35.000 h life.

Source	LED SMD/COB	LED life	35.000 h
Power	3W / 7W	Insulation class	III
Driver included	No	IP	65
Drivers available	On/Off	Material	Aluminum
MacAdam	SDCM 3		
CCT	3000 K		
CRI	≥90		



0,520 Kg/0,0014 m³

LED SMD Driver not included

Power	Beam	Lumen	CCT	Finish		Code	€
3W	32°	250 lm	3000 K	Black	■	331355	66



0,640 Kg/0,0014 m³

LED COB Driver not included


Power	Beam	Lumen	CCT	Finish		Code	€
7W	35°	630 lm	3000 K	Black	■	345666	81



0,600 Kg/0,0014 m³

LED COB Driver not included

Power	Beam	Lumen	CCT	Finish		Code	€
7W	35°	630 lm	3000 K	Black	■	349596	76



0,600 Kg/0,0014 m³

LED COB Driver not included


Power	Beam	Lumen	CCT	Finish		Code	€
7W	35°	630 lm	3000 K	Black	■	331386	76

ON/OFF DRIVER Not included/Required

Power	Output	Measure	Code	€
20 W	24 Vdc	118 x 26 x 35 mm	226187	75
40 W	24 Vdc	148 x 30 x 40 mm	226194	80
100 W	24 Vdc	220 x 39 x 68 mm	226200	190
185 W	24 Vdc	220 x 39 x 68 mm	226217	210



331355 / 345666



349596


Ulex

Orientable projector for surface installation, suited for a general or accent outdoor lighting. Die-cast aluminum body, clear glass diffuser. Light source with integrated led available in two different powers. Protection index IP65, resistance to impact IK06, 3000 K color temperature; LED useful life 50.000 h. Optionally available with wiring base, piquet for ground installation and anti-glare installation.

PRO

High-tech product with high quality materials, intended for professional use.


Source	LED SMD	Insulation class	I
Power	8,5W / 15W	IP	65
Driver included	On/Off	Material	Aluminum
Drivers available	No		
CCT	3000 K		
CRI	≥90		
LED life	50.000 h		



0,660 Kg/0,0030 m³
Cable lenght 2000 mm

LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
8,5 W	30°	550 lm	3000 K	Anthracite		261287	147



1,190 Kg/0,0036 m³
Cable lenght 2000 mm

LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
15 W	30°	1150 lm	3000 K	Anthracite		261294	223

OPTIONAL Not included




		Finish		Code	€
Peg	8,5 W	Anthracite		268163	14
	15 W	Anthracite		268194	17
		Finish		Code	€
Visor	8,5 W	Anthracite		268170	17
	15 W	Anthracite		268200	25





Sirio

Adjustable powder-coated die-cast aluminum body. Clear tempered glass diffuser. GX53 source. Colors: anthracite, white, coffee, gray or black.



IP65

1,070 Kg / 0,0025 m³
GX53 max 1x9W

€ 100

345628 White
345642 Grey
318233 Anthracit.
345659 Black
345635 Coffee

4000 K
1000 lm
154008 € 5,00



345628

345635

345642

345659

318233



P. 839



P. 886



Terra

Cast aluminum painted frame.
Adjustable body. Transparent
Pyrex glass diffuser.



106205




033037



163727



046211




1,230 Kg / 0,0094 m³
E27 max 1x42W

€ 96

033044 Anthracit.
321622 Coffee

4000 K
580 lm
151960 € 2,00



0,520 Kg / 0,0042 m³
GU10 max 1x28W

€ 59

106205 White
033037 Anthracit.
046211 Black
163727 Coffee

4000 K
430 lm
253497 € 2,50




P. 820

Elio

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.



Bulbs LED GU10 3,5W included.
Settable CCT: 2700 K, 4000 K.



0,360 Kg / 0,0027 m³
GU10 max 1x6W

€ 82

120218 White
120201 Black



4000 K
430 lm



253497

€ 2,50

P. 818




Litio

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.



Bulbs LED GX53 10W included.
Settable CCT: 3000 K, 4000 K, 6500 K.



0,730 Kg / 0,0046 m³
GX53 max 1x10W

€ 94

145310 White
145334 Grey
145358 Black



4000 K
1000 lm



154008

€ 5,00

P. 819





Inside

Powder coated cast aluminum frame with anthracite, coffee or grey finish. Adjustable body. Clear Pyrex glass diffuser. Provided with peg to plant in the ground.


115412



115429



247045



IP54

0,370 Kg / 0,0019 m³
G9 max 1x 15W

€ 40

115412 ■ Anthracit.
115429 ■ Black
247045 ■ Coffee

4000 K
530 lm

307879

€ 6,10



Downlights

Outdoors

Alphabetical index

Bit	930
Floor	933
Indio	931
Park	936
Rocket	940
Taurus	934
Thor	932
Way	938
Wire	930

Typology index



Bit 930



Wire 930



Indio 931



Thor 932



Floor 933



Taurus 934

new



Park 936

new



Way 938

new




Rocket 940

Bit

Recessed body made of powder coated die-cast aluminum. Clear tempered glass diffuser. Available in anthracite or white finish.

LED LED source 3000 K, 35.000 h life.



IP65

0,300 Kg / 0,0006 m³
LED 3W / 450 lm


€ 55

269023 White
269009 Anthracit.

Driver
Not included
Required

€ 12


276205



Wire

Recessed body made of powder coated die-cast aluminum. Clear tempered glass diffuser. Available in anthracite or white finish.

LED LED source 3000 K, 20.000 h life.



IP65

0,460 Kg / 0,0018 m³
LED 4W / 180 lm

€ 57

268989 White
255514 Anthracit.

IP65

0,220 Kg / 0,0009 m³
LED 1,5W / 90 lm

€ 39

268996 White
255521 Anthracit.





Indio

Recessed body made of powder coated die-cast aluminum.
Tempered white screen-printed glass diffuser.

LED LED source 3000 K, 35.000 h life.

190	105
75	70
85	80
1,090 Kg / 0,0024 m³ LED 8W / 920 lm	0,540 Kg / 0,0012 m³ LED 5W / 420 lm
€ 144	€ 95
255804 White	255781 White




Thor

Linear projector for floor recessed installation. Die-cast aluminum body, 316L stainless steel ring, glass diffuser, IP67 protection index, IK08 impact resistance, formwork included. Optical block adjustable by +/- 20° for asymmetric light effect. SMD LED technology; CCT 3000K, CRI ≥ 90, SDCM ≤ 3; LED useful life 50.000 h L70B50.




LED source 3000 K, 50.000 h life.



3,100 Kg / 0,0144 m³
LED 19W / 1700 lm

€ 415

351285 Steel



2,000 Kg / 0,0072 m³
LED 10W / 850 lm

€ 250

351278 Steel















P. 914



Floor

Outdoor unmovable recessed fitting made of die cast aluminum with round ring available in three dimensions. Suitable for ground and floor installation. Anodized aluminum finish with extra-clear tempered glass diffuser. Integrated LED passively cooled with 30° optics; available color temperature of 3000 k and CRI ≥ 80 ; protection degree IP 67; IK10.

LED LED source 3000 K, 25.000 h life.

		
		
 IP67	 IP67	 IP67
0,960 Kg / 0,0049 m³ LED 12W / 1340 Lm	0,640 Kg / 0,0025 m³ LED 6W / 670 Lm	0,390 Kg / 0,0016 m³ LED 3,5W / 330 Lm
€ 106	€ 73	€ 55
255682  Steel	255668  Steel	255651  Steel


Taurus

Recessed projector for floor, wall or ceiling installation. Die-cast aluminum body, 316L stainless steel ring, glass diffuser, walkable (IP67, IK10), formwork included. Light modules individually adjustable +/- 30° using an external pin to narrow or direct the light beam. SMD LED technology; CCT 3000K, CRI ≥ 90, SDCM ≤ 3; LED useful life 50.000 h L70B50.

S316

Item made of stainless steel 316.


Source	LED SMD	Insulation class	I
Power	6W / 20W	IP	67
Driver included	On/Off	Material	Aluminum
Drivers available	No		
CCT	3000 K		
CRI	≥90		
LED life	50.000 h		



1,460 Kg/0,0067 m³

LED SMD OSRAM Driver ON/OFF included


Power	Lumen	CCT	Finish	Code	€
6 W	450 lm	3000 K	Steel	277004	210



1,980 Kg/0,0082 m³

LED SMD OSRAM Driver ON/OFF included


Power	Lumen	CCT	Finish	Code	€
11 W	900 lm	3000 K	Steel	277011	320



3,250 Kg/0,0142 m³

LED SMD OSRAM Driver ON/OFF included

Power	Lumen	CCT	Finish	Code	€
12 W	1350 lm	3000 K	Steel	277028	405



3,500 Kg/0,0169 m³

LED SMD OSRAM Driver ON/OFF included

Power	Lumen	CCT	Finish	Code	€
20 W	2000 lm	3000 K	Steel	277035	530





Park new

Recessed spotlight. PVC external body. Aluminum reflecting parabola. Glazed steel glass-setting frame. Clear glass. Walkable.

1,210 Kg / 0,0064 m³ E27 max 1x28W	0,580 Kg / 0,0026 m³ GU10 max 1x20W	0,600 Kg / 0,0022 m³ GU10 max 1x20W	0,900 Kg / 0,0031 m³ G9 max 1x15W	0,650 Kg / 0,0022 m³ GU10 max 1x20W
€ 85	€ 57	€ 51	€ 80	€ 59
032825 Steel	032832 Steel	351780 Steel	117881 Steel	351797 Steel
4000 K 980 lm	4000 K 430 lm	4000 K 430 lm	4000 K 530 lm	4000 K 430 lm
153964 € 3,50	253497 € 2,50	253497 € 2,50	307879 € 6,10	253497 € 2,50

Way new


Family of recessed floor projectors for outdoor use, walkable or driveable, suitable for harsh environmental conditions. Body and diffuser in high-performance, anti-corrosion and UV-stabilised resin. Resistance to temperature changes from -60 °C to +90 °C; class II, IP67.

Source	G9 / GU10 / GX53
Power	max 1,7 / 6 / 10 W
CCT	Settable
Insulation class	II
IP	67
Material	Resin

LED

Bulbs LED GU10 3,5W, LED GX53 10W and LED G9 1,7W included.
Settable CCT for GU10 and GX53 LED bulbs.

50mm Recommended bulb: 270104, 3000 K, 150 lm € 6,5
270111, 4000 K, 160 lm € 6,5




Shape	Optics	Power	Weight	Volume	Finish		Code	€
Round	Wide	G9 max1x1,7W	0,10 Kg	0,0006 m³	Black	■	269726	32
	Single	G9 max1x1,7W	0,08 Kg	0,0005 m³	Black	■	269504	32
	Double	G9 max1x1,7W	0,08 Kg	0,0006 m³	Black	■	269702	32
Square	Wide	G9 max1x1,7W	0,08 Kg	0,0006 m³	Black	■	351513	32 new

90mm Recommended bulb: 253497, 4000 K, 430 lm € 2,50




Shape	Optics	Power	Weight	Volume	Finish		Code	€
Round	Wide	GU10 max1x6W	0,27 Kg	0,0019 m³	Black	■	120249	65
	Double	GU10 max1x6W	0,26 Kg	0,0018 m³	Black	■	120287	65
	Triple	GU10 max1x6W	0,27 Kg	0,0019 m³	Black	■	351575	65 new
Square	Wide	GU10 max1x6W	0,27 Kg	0,0018 m³	Black	■	120317	65

120mm Recommended bulb: 154008, 4000 K, 1000 lm € 5,00



Shape	Optics	Power	Weight	Volume	Finish		Code	€
Round	Wide	GX53 max1x3W	0,37 Kg	0,0023 m³	Black	■	351544	72 new
	Double	GX53 max1x3W	0,35 Kg	0,0022 m³	Black	■	351551	72 new
	Triple	GX53 max1x3W	0,37 Kg	0,0022 m³	Black	■	351582	72 new
Square	Wide	GX53 max1x3W	0,36 Kg	0,0022 m³	Black	■	351537	72 new

160mm Recommended bulb: 154008, 4000 K, 1000 lm € 5,00



Shape	Optics	Power	Weight	Volume	Finish		Code	€
Round	Wide	GX53 max1x10W	0,67 Kg	0,0044 m³	Black	■	120324	95
	Double	GX53 max1x10W	0,75 Kg	0,0044 m³	Black	■	351568	115 new
	Triple	GX53 max1x10W	0,74 Kg	0,0042 m³	Black	■	120362	115
Square	Wide	GX53 max1x10W	0,70 Kg	0,0042 m³	Black	■	120386	95



WIDE



SINGLE



DOUBLE



TRIPLE


Rocket new

Light body in steel (diameters 92 and 55) or aluminum (diameters 40 and 28). Diffuser in tempered glass. Walkable. Colour: brushed Steel.



LED source 3000/4000 K, 30.000 h life.


Source	LED SMD / COB	Insulation class	I-III
Power	1,3W / 3W	IP	67
Driver included	No	Material	Aluminum
Drivers available	On/Off		
CCT	3000 K / 4000 K		
CRI	≥90		
LED life	30.000 h		



0,210 Kg / 0,0006 m³

28mm Driver not included


Power	Optics	Lumen	CCT	Finish		Code	€
1,3W	Wide	100 lm	3000 K	Steel		325132	45
		110 lm	4000 K	Steel		371061	45 new



0,210 Kg / 0,0006 m³

40mm Driver not included


Power	Optics	Lumen	CCT	Finish		Code	€
2,5W	Wide	180 lm	3000 K	Steel		325156	65
		200 lm	4000 K	Steel		371085	65 new



Wide 0,360 Kg / 0,0008 m³
Single 0,400 Kg / 0,0008 m³
Double 0,380 Kg / 0,0008 m³

55mm Driver not included

Power	Optics	Lumen	CCT	Finish		Code	€
2W	Wide	130 lm	3000 K	Steel		370989	100 new
		160 lm	4000 K	Steel		212647	100
	Single	130 lm	3000 K	Steel		371016	130 new
		160 lm	4000 K	Steel		222820	130
	Double	130 lm	3000 K	Steel		371047	150 new
		160 lm	4000 K	Steel		222837	150



Wide 1,250 Kg / 0,0038 m³
Single 0,560 Kg / 0,0034 m³
Double 0,560 Kg / 0,0034 m³

92mm Driver not included in models: 370996, 371009

Power	Optics	Lumen	CCT	Finish		Code	€
3W	Wide	900 lm	3000 K	Steel		370996	150 new
		930 lm	4000 K	Steel		371009	150 new
	Single	260 lm	3000 K	Steel		247144	153
		280 lm	4000 K	Steel		122014	153
	Double	260 lm	3000 K	Steel		247151	158
		280 lm	4000 K	Steel		122021	158



ON/OFF DRIVER Not included/Required



Power	Output	Measure	Code	€
3 W	24 Vdc	47 x 23 x 21 mm	325163	10
3,5 W	24 Vdc	45 x 21 x 23 mm	276205	12
20 W	24 Vdc	118 x 26 x 35 mm	226187	75
40 W	24 Vdc	148 x 30 x 40 mm	226194	80
100 W	24 Vdc	220 x 39 x 68 mm	226200	190
185 W	24 Vdc	220 x 39 x 68 mm	226217	210



Light bulbs* and accessories



E14 944



E27 946



G4 952

new



G9 952



GX53 953



R7s 953



GU10 954

new



Kit Emergency 955

new



Ceiling Cups 956



Bulb Holders 960




Cables 960




Cables Holders 960

* No further promotions can be applied to bulbs recommended prices.


Bulbs E14




Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
E14	4 W	480 lm	3000 K	80	TRIAC	25.000 h	10	101200	2,00
E14	4 W	400 lm	3000 K	80		15.000 h	10	188935	2,50
E14	4 W	520 lm	4000 K	80		25.000 h	10	153926	2,00
E14	4 W	440 lm	3000 K	90		25.000 h	10	271620	2,00




E14	4 W	340 lm	2200 K	80		15.000 h	10	151656	2,00
-----	-----	--------	--------	----	--	----------	----	--------	------




E14	4 W	410 lm	3000 K	80	TRIAC	25.000 h	10	101217	2,00
E14	4 W	340 lm	3000 K	80		25.000 h	10	289229	2,50
E14	4 W	480 lm	4000 K	80		25.000 h	10	253411	2,00
E14	4 W	340 lm	3000 K	90		25.000 h	10	289212	2,00



E14	6 W	550 lm	3000 K	80		25.000 h	10	151731	2,00
E14	6 W	580 lm	4000 K	80		25.000 h	10	151946	2,00




E14	4 W	370 lm	3000 K	80		25.000 h	10	101262	2,00
-----	-----	--------	--------	----	--	----------	----	--------	------




E14	4 W	350 lm	3000 K	80		25.000 h	10	101255	2,50
-----	-----	--------	--------	----	--	----------	----	--------	------


Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
-------------	-------	------	-----	-----	----------	------	----------	------	---



E14	4 W	470 lm	3000 K	80	TRIAC	25.000 h	10	101248	2,00
E14	4 W	420 lm	3000 K	80		15.000 h	10	188911	2,50
E14	4 W	490 lm	4000 K	80		25.000 h	10	153940	2,00




E14	4 W	400 lm	2200 K	80		15.000 h	10	151663	2,00
-----	-----	--------	--------	----	--	----------	----	--------	------




E14	4 W	440 lm	3000 K	80		25.000 h	10	151793	2,00
-----	-----	--------	--------	----	--	----------	----	--------	------


Bulbs E14




Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
E14	4W	470 lm	2700 K	80	TRIAC	25.000 h	10	270944	2,00
E14	4W	480 lm	3000 K	80		25.000 h	10	101224	2,00
E14	4W	440 lm	3000 K	90		25.000 h	10	271644	2,00
E14	4W	320 lm	3000 K	80		15.000 h	10	188928	2,50
E14	4W	490 lm	4000 K	80		25.000 h	10	153933	2,00




E14	4W	400 lm	2200 K	80		15.000 h	10	151649	2,00
-----	----	--------	--------	----	--	----------	----	--------	------



E14	4W	440 lm	3000 K	80		25.000 h	10	101231	2,00
-----	----	--------	--------	----	--	----------	----	--------	------



E14	4W	430 lm	3000 K	80		15.000 h	10	326610	2,00
-----	----	--------	--------	----	--	----------	----	--------	------



E14	6W	540 lm	3000 K	80		25.000 h	10	151748	2,00
E14	6W	560 lm	4000 K	80		25.000 h	10	151953	2,00



Plastic 151731



Glass 101217



Glass 151793





















Plastic 151748









Glass satin 326610

Bulbs E27

		Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
		E27	4 W	470 lm	2700 K	80	TRIAC	25.000 h	10	271637	2,00
		E27	4 W	470 lm	3000 K	80		25.000 h	10	101279	2,00
		E27	4 W	400 lm	3000 K	80		15.000 h	10	188942	2,50
		E27	4 W	490 lm	4000 K	80		25.000 h	10	153957	2,00
		E27	4 W	340 lm	2200 K	80		15.000 h	10	151861	2,50
		E27	4 W	400 lm	3000 K	80		25.000 h	10	101286	2,00
		E27	6 W	550 lm	3000 K	80		25.000 h	10	151755	2,00
		E27	6 W	580 lm	4000 K	80		25.000 h	10	151960	2,00
		E27	4 W	490 lm	3000 K	80	TRIAC	25.000 h	10	101293	2,00
		E27	4 W	520 lm	4000 K	80		25.000 h	10	253428	2,00
		E27	8 W	1060 lm	2700 K	80		25.000 h	10	270951	3,50
		E27	8 W	1080 lm	3000 K	80		25.000 h	10	119571	3,50
		E27	8 W	710 lm	3000 K	80		15.000 h	10	188973	5,00
		E27	8 W	980 lm	4000 K	80		25.000 h	10	153964	3,50
		E27	8 W	880 lm	3000 K	90		25.000 h	10	271613	3,50
		E27	10 W	1350 lm	3000 K	80		25.000 h	10	256528	4,50
		E27	10 W	1400 lm	4000 K	80		25.000 h	10	270920	4,50
		E27	10 W	1200 lm	2700 K	90		25.000 h	10	342870	4,50
		E27	4 W	500 lm	3000 K	80		25.000 h	1	335261	2,50
		E27	4 W	370 lm	2200 K	80		15.000 h	10	151687	2,50
		E27	8 W	820 lm	3000 K	80	TRIAC	25.000 h	10	123899	3,50
		E27	8 W	820 lm	3000 K	80		25.000 h	10	252209	5,00
		E27	8 W	840 lm	4000 K	80		25.000 h	10	253459	3,50
		E27	9 W	970 lm	3000 K	80		25.000 h	10	151762	2,00
		E27	9 W	1020 lm	4000 K	80		25.000 h	10	151991	2,00

Bulbs E27

		Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
		E27	8 W	920 lm	3000 K	80		25.000 h	10	305622	5,00
		E27	10 W	1200 lm	3000 K	80		25.000 h	10	305639	4,50
		E27	8 W	810 lm	3000 K	80		25.000 h	10	123882	3,50
		E27	14 W	1450 lm	2700 K	90		25.000 h	10	345857	15,50
		E27	14 W	1650 lm	3000 K	90		25.000 h	10	337135	15,50
		E27	14 W	1750 lm	4000 K	90		25.000 h	10	345864	15,50



Glass 101286

Plastic 151755

















Glass 123899

Plastic 151762

Glass 335261

Satin 305622

Bulbs E27

		Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
		E27	8 W	1100 lm	3000 K	80	TRIAC	25.000 h	10	101323	4,50
		E27	8 W	1050 lm	3000 K	90		25.000 h	10	271606	4,50
		E27	8 W	710 lm	3000 K	80		15.000 h	10	188966	6,50
		E27	8 W	1150 lm	4000 K	80		25.000 h	10	153971	4,50
		E27	4 W	550 lm	3000 K	80		25.000 h	10	345840	6,00
		E27	4 W	400 lm	2200 K	80	TRIAC	15.000 h	10	151717	5,00
		E27	4 W	330 lm	2200 K	80		15.000 h	10	223933	6,00
		E27	8 W	950 lm	3000 K	80	TRIAC	25.000 h	10	101330	4,50
		E27	8 W	860 lm	3000 K	80		25.000 h	10	252186	7,00
		E27	8 W	1060 lm	4000 K	80		25.000 h	10	253442	4,50
		E27	14 W	1630 lm	3000 K	80		25.000 h	10	151779	4,00
		E27	14 W	1820 lm	4000 K	80		25.000 h	10	151977	4,00
		E27	8 W	900 lm	3000 K	80	TRIAC	15.000 h	10	277790	8,00
		E27	8 W	1100 lm	3000 K	80		25.000 h	10	157597	8,00
		E27	8 W	930 lm	3000 K	80		25.000 h	10	135526	6,00



Glass 101323



Glass 345840



Plastic 101330



Plastic 151779






Glass satin 277790



Glass satin 157597

Bulbs E27



Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
E27	8 W	950 lm	2700 K	90		25.000 h	10	342863	7,00
E27	8 W	1100 lm	3000 K	80		25.000 h	10	101347	6,00
E27	8 W	860 lm	3000 K	90		25.000 h	10	271590	6,00
E27	8 W	680 lm	3000 K	80	TRIAC	15.000 h	10	188959	7,00
E27	8 W	1150 lm	4000 K	80		25.000 h	10	153988	6,00
E27	4 W	480 lm	2200 K	80		15.000 h	10	151724	6,00
E27	4 W	330 lm	2200 K	80	TRIAC	15.000 h	10	223926	7,00
E27	8 W	950 lm	3000 K	80		25.000 h	10	101354	6,00
E27	8 W	1050 lm	4000 K	80		25.000 h	10	253435	6,00
E27	18 W	2210 lm	3000 K	80		25.000 h	10	151786	6,00
E27	18 W	2300 lm	4000 K	80		25.000 h	10	152004	6,00
E27	8 W	900 lm	3000 K	80	TRIAC	15.000 h	10	277813	10,00
E27	8 W	1050 lm	3000 K	80		25.000 h	10	157580	10,00



Glass 101347



Glass 101354



Plastic 151786










Glass satin 277813















Glass satin 157580

Bulbs E27

		Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
		E27	4 W	330 lm	2200 K	80		15.000 h	10	151700	4,00
		E27	4 W	440 lm	2200 K	80		15.000 h	10	151694	4,00
		E27	4 W	330 lm	2200 K	80	TRIAC	15.000 h	10	223919	5,00
		E27	4 W	360 lm	1800 K	80		15.000 h	10	201283	5,00
		E27	4 W	360 lm	1800 K	80		15.000 h	10	201269	9,50
		E27	4 W	360 lm	1800 K	80		15.000 h	10	201290	10,00
		E27	4 W	360 lm	1800 K	80		15.000 h	10	201276	10,00



Bulbs E27

		Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
		E27	6 W	450 lm	1800 K	80		15.000 h	10	201252	11,00
		E27	4 W	320 lm	1800 K	80		15.000 h	1	130170	33,00
		E27	4 W	320 lm	1800 K	80		15.000 h	1	129877	33,00
		E27	4 W	330 lm	2200 K	80	TRIAC	15.000 h	1	223940	33,00
		E27	4 W	400 lm	2200 K	80		25.000 h	1	130187	25,00
		E27	4 W	330 lm	2200 K	80	TRIAC	15.000 h	1	223834	30,00
		E27	4 W	320 lm	2200 K	80		25.000 h	1	237251	22,50
		E27	8 W	800 lm	2200 K	80		25.000 h	1	130163	25,00



201252

130170



129877

130187

237251




130163

Bulbs G4



Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
G4	1,5 W	160 lm	3000 K	80		15.000 h	20	188980	4,50
G4	2 W	200 lm	3000 K	80		20.000 h	20	222257	4,00
G4	2 W	200 lm	3000 K	80	Phase-cut	20.000 h	20	266282	5,00

Bulbs G9





Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
G9	1,7 W	150 lm	3000 K	80		15.000 h	1	270104	6,50
G9	1,7 W	160 lm	4000 K	80		15.000 h	1	270111	6,50
G9	2,5 W	170 lm	3000 K	80		25.000 h	20	122168	3,60
G9	2,5 W	180 lm	4000 K	80		25.000 h	20	253381	3,60
G9	3 W	350 lm	2700 K	80		15.000 h	20	270968	3,60
G9	3 W	370 lm	3000 K	80		15.000 h	20	209043	3,60
G9	3 W	350 lm	3000 K	80	TRIAC	25.000 h	20	288215	5,10
G9	3 W	390 lm	4000 K	80		15.000 h	20	209036	3,60
G9	3,5 W	310 lm	3000 K	90		15.000 h	20	288208	3,60
G9	4 W	500 lm	2700 K	90		15.000 h	20	342887	6,10
G9	4 W	510 lm	3000 K	80		15.000 h	20	305486	6,10
G9	3,5 W	420 lm	3000 K	80	TRIAC	15.000 h	20	305431	8,60
G9	4 W	530 lm	4000 K	80		15.000 h	20	307879	6,10
G9	3,5 W	440 lm	4000 K	80	TRIAC	15.000 h	20	307886	8,60

Bulbs GX53

101385

123936





Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
GX53	7 W	730 lm	3000 K	80		25.000 h	10	101385	5,00
GX53	7 W	760 lm	4000 K	80		25.000 h	10	253404	5,00
GX53	9 W	910 lm	3000 K	80		25.000 h	10	123936	5,00
GX53	9 W	890 lm	3000 K	80	TRIAC	25.000 h	10	252551	9,00
GX53	9 W	1000 lm	4000 K	80		25.000 h	10	154008	5,00
GX53	9 W	900 lm	4000 K	80	TRIAC	25.000 h	10	252568	9,00
GX53	9 W	800 lm	2700 K	90		25.000 h	10	342900	5,00
GX53	9 W	940 lm	3000 K	90		25.000 h	10	288383	5,00

Bulbs R7s







189109

307862



Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
R7s	5 W	560 lm	3000 K	80		20.000 h	10	189109	11,00
R7s	6 W	450 lm	3000 K	80	TRIAC	20.000 h	10	266770	12,00
R7s	7 W	580 lm	4000 K	80		20.000 h	10	272375	11,00
R7s	6 W	480 lm	4000 K	80	TRIAC	20.000 h	10	272382	12,00
R7s	13 W	760 lm	3000 K	80		20.000 h	10	189093	14,00
R7s	8 W	580 lm	3000 K	80	TRIAC	20.000 h	10	266763	15,00
R7s	13 W	830 lm	4000 K	80		20.000 h	10	253480	14,00
R7s	8 W	640 lm	4000 K	80	TRIAC	20.000 h	10	266756	15,00
R7s	14 W	1700 lm	3000 K	80		15.000 h	10	307862	11,00
R7s	14 W	2100 lm	3000 K	80	TRIAC	15.000 h	10	307855	11,00
R7s	14 W	1700 lm	4000 K	80		15.000 h	10	296869	11,00
R7s	14 W	2450 lm	4000 K	80	TRIAC	15.000 h	10	296876	11,00

Bulbs GU10

		Lamp socket	Power	Flux	CCT	CRI	Beam	Dimm.	Life	Min Qty.	Code	€	
		GU10	4 W	250 lm	3000 K	90	38°	TRIAC	15.000 h	10	356532	4,50	new
		GU10	4 W	280 lm	3000 K	90	60°		25.000 h	10	339771	2,50	
		GU10	6 W	430 lm	3000 K	90	50°	TRIAC	25.000 h	10	266251	4,50	
		GU10	5 W	430 lm	4000 K	90	50°		25.000 h	10	253497	2,50	
		GU10	6 W	450 lm	4000 K	90	50°	TRIAC	25.000 h	10	285566	4,50	
		GU10	7 W	540 lm	3000 K	90	50°		25.000 h	10	123943	2,50	
		GU10	7 W	460 lm	3000 K	90	50°	TRIAC	25.000 h	10	288239	4,50	
		GU10	7 W	620 lm	3000 K	90	108°		25.000 h	10	101378	2,50	
		GU10	7 W	650 lm	4000 K	90	108°		25.000 h	10	117652	2,50	
		GU10	8 W	580 lm	3000 K	90	56°		25.000 h	10	189062	3,00	
		GU10	8 W	620 lm	4000 K	90	56°		25.000 h	10	270975	3,00	
		GU10	5 W	380 lm	2700 K	95	50°		25.000 h	10	307619	2,50	
		GU10	5 W	410 lm	3000 K	90	50°		25.000 h	10	108292	2,50	
		GU10	7 W	540 lm	4000 K	90	50°		25.000 h	10	224367	2,50	
		GU10	7 W	600 lm	2700 K	95	108°		25.000 h	10	307626	2,50	



108292



101378



189062









307619



307626

Bulbs GU10

	Lamp socket	Power	Flux	CCT	CRI	Beam	Dimm.	Life	Min Qty.	Code	€
 	GU10	12 W	1030 lm	3000 K	90	40°		25.000 h	10	327037	11,00
	GU10	12 W	790 lm	3000 K	90	22°	TRIAC	25.000 h	10	326290	12,00
	GU10	12 W	970 lm	4000 K	90	20°		25.000 h	10	327051	11,00
 	GU10	12 W	1050 lm	2700 K	90	40°		25.000 h	10	342894	11,00
	GU10	12 W	1050 lm	3000 K	90	40°		25.000 h	10	327044	11,00
	GU10	12 W	1000 lm	3000 K	90	40°	TRIAC	25.000 h	10	327075	12,00
	GU10	12 W	1120 lm	4000 K	90	40°		25.000 h	10	327068	11,00
 	GU10	10 W	750 lm	3000 K	80	22°		15.000 h	10	189031	11,00
	GU10	10 W	720 lm	3000 K	80	22°	TRIAC	15.000 h	10	288543	12,00
	GU10	10 W	780 lm	4000 K	80	22°		15.000 h	10	253398	11,00



327037



342894



189031

Kit emergency


Emergency kit for LED modules.
Includes inverter and battery.
From two to three hours autonomy
and recharging time respectively
of 12 and 24 hours. It operates for
emergency only or as continuous
light (continuous light combined
with electronic power supply and
dimmable electronic power supply).
Insulation class II.

€ 135

221595 White




INVERTER



0,185 Kg / 0,0009 m³

52 mm

GROUP BATTERY




0,305 Kg / 0,0010 m³

65 mm

For further information please contact the technical office.


Ceiling roses

Magnetic Ceiling roses




1 cable

				
244235 € 13,00	244259 € 13,00	249315 € 15,00	249308 € 15,00	244242 € 13,00




1 cable

				
311265 € 14,00	328683 € 14,00	328706 € 16,00	328690 € 16,00	311272 € 14,00




6 cables

				
303390 € 14,50	303406 € 14,50	307091 € 21,00	307084 € 21,00	307077 € 14,50



8 cables


				
272429 € 16,50	272436 € 16,50	272443 € 23,50	272450 € 23,50	272467 € 16,50



12 cables


				
370729 € 26,00	new 370743 € 26,00	new 370798 € 35,00	new 370781 € 35,00	new 370767 € 26,00

All in linear ceiling roses



4 cables

				
304038 € 60,00	328713 € 60,00	328744 € 70,00	328737 € 70,00	328720 € 60,00




6 cables

				
328751 € 90,00	304045 € 90,00	328782 € 110,00	328775 € 110,00	328768 € 90,00

Ceiling roses


Standard Ceiling roses



1 cable




122823	€ 10,00	122830	€ 10,00	249278	€ 11,00	249261	€ 11,00	123295	€ 10,00
--------	---------	--------	---------	--------	---------	--------	---------	--------	---------



3 cables



285580	€ 33,00	285597	€ 33,00	285627	€ 50,00	285610	€ 50,00	285603	€ 33,00
--------	---------	--------	---------	--------	---------	--------	---------	--------	---------




5 cables



285634	€ 60,00	285641	€ 60,00	285672	€ 80,00	285665	€ 80,00	285658	€ 60,00
--------	---------	--------	---------	--------	---------	--------	---------	--------	---------


Standard linear ceiling roses



3 cables



122854	€ 33,00	122861	€ 33,00	249292	€ 55,00	249285	€ 55,00	123301	€ 33,00
--------	---------	--------	---------	--------	---------	--------	---------	--------	---------







































5 cables



285689	€ 60,00	285696	€ 60,00	285726	€ 75,00	285719	€ 75,00	285702	€ 60,00
--------	---------	--------	---------	--------	---------	--------	---------	--------	---------

Ceiling roses


Drop Ceiling roses

	    
3 cables	344171 € 61,00 new344188 € 61,00 new344218 € 65,00 new344201 € 65,00 new344195 € 61,00 new
	    
5 cables	344225 € 83,00 new344232 € 83,00 new344249 € 98,00 new364865 € 98,00 new364858 € 83,00 new
	    
7 cables	344256 € 120,00 new344287 € 120,00 new344294 € 125,00 new364889 € 125,00 new364872 € 120,00 new
	    
9 cables	344300 € 139,00 new344317 € 139,00 new344324 € 165,00 new364919 € 165,00 new364902 € 139,00 new
	    
13 cables	344331 € 242,00 new344348 € 242,00 new344355 € 253,00 new364940 € 253,00 new364933 € 242,00 new
	    
25 cables	370613 € 467,00 new370644 € 467,00 new370705 € 480,00 new370682 € 480,00 new370675 € 467,00 new



Ceiling roses

Recessed Ceiling roses



1 cable



301594 € 5,00



307107 € 5,00



307138 € 5,00




307121 € 5,00




307114 € 5,00

Accessories

Bulb holders




				
249186 € 13,00	249193 € 13,00	249223 € 13,00	249216 € 13,00	249209 € 13,00



				
242569 € 5,00	249230 € 5,00	249254 € 5,00	249247 € 5,00	242576 € 5,00

Cables

2x0,75 mm²
FEP T180°
PVC T90°
*only PVC



				
301624 € 11,00	301662* € 15,00	301655 € 12,00	301648 € 12,00	301631 € 11,00

2x0,75 mm²
FEP T180°
PVC T90°
*only PVC



				
301679 € 22,00	301716* € 30,00	301709 € 24,00	301693 € 24,00	301686 € 22,00

2x0,75 mm²
FEP T180°
PVC T90°
*only PVC



				
303062 € 30,00	306421 € 30,00	303093 € 32,00	303086 € 32,00	303079 € 30,00

Cable holders



				
143200 € 5,00	143224 € 5,00	249339 € 5,00	249322 € 5,00	143217 € 5,00



				
285887 € 5,00	285894 € 5,00	285924 € 5,00	285917 € 5,00	285900 € 5,00




Dorica

Pag 504



Families' index

Angolo



328

471

495

Arizona



152

152




283

283


283

Atlas



106

106




326

326

422

Axel



473

524



330

330

330

330

330

Binomio



426

426

466

466

496

496



107


324

420

469

494

Birds



142

142

142

142







































































288

288

Bloom

Families' index

Indoor, outdoor


						
						
Bloom	 385	 385	 462	 462	 499	
						
Bubble	 810	 854				
						
Candy	 154	 154	 285	 464		
						
Cantina	 136	 424		Carlton	 199	 199
						
	 343	 435				
						
Carta	 174	 174	 174	 174	 287	 386
						
	 386	 464	 464	Cima	 857	 910
						
Chalet	 226	 226	 226	 440		



Clio 804 804 856 908 908



Corte 209 209 209 437



Cotton 155 155 155 286 286 286



384 384 384 Cylinder 191 528



Craft 098 358 515



Dafne 857 857 911



Desk 098 358



Diamond 105 105 105 460

Families' index

Indoor, outdoor

Diesis							Dodo		
Dorica									
Driftwood									
Dubai									
Dynamite									
Easy									
						Ego			




Elio

818



926



Equinoxe


112



112



112



112



112



112



112



423



491



096



096



390



390



390



390

Essence



390



390



451



451



502



502



502



Etere

827



904



222



222



440



478



530

Firenze



214



214



214



438

Florian



122



418

Frida



456



































































514

Futura

Families' index

Indoor, outdoor

					
Frame	 078	 078	 078	 242	 242
					
	 242	 500		Gas  821	 891
					
Gemini	 060	 060	 060	 060	 276
					
	 276	 276		Gioconda  213	 213
					
	 213	 439		Glory  151	 151
					
	 151	 280	 280	 280	
					
Gun	 808	 832	 832		
					
Harem	 225	 225	 442		



Koala

920

920

920

920



Lika

306

306

306

780

780

780



780

782

782

782

782



784

784

784

786

786



Lingotto

102

102

102

329

329

329



469

469

Litio

819

926



London

474

525

Lumiere

180

180

180






































































































































































459

490

Families' index













































































Indoor, outdoor

Look						
	 082	 082	 082	 082	 082	 082
						
	 082	 082	 296	 296	 296	 296
						
	 296	 372	 372	 372	 372	
						
	 506	 679				
						
					 802	 802
						
	 878	 878	 878			
						
					 200	 343
						
	 158	 287	 382	 382	 382	 382
Mapa						
	 465	 465	 465	 465		
						
	 130	 292	 507		 424	 516
Mix Up				Newton		

				
Negresco	 211	 211	 438	
				
				
Ninfea	 333	 333	 428	 472
				
				
Nodi	 110	 110	 321	 321
				
				
Nordik	 191	 191	 432	 475
				
				
Oby	 312	 312	 417	 417
				
				
Opera	 198	 198	 198	 436
				
	 480	 529		
				
				
Ovalino	 153	 153	 290	 290
				 380

Families' index

Indoor, outdoor

						
Oracle Slim	 070	 070	 070	 070	 074	 074
						
	 074	 234	 234	 234	 234	
						
Oz	 064	 064	 064	 064		
						
	 238	 238	 238	 238	 350	 448
						
O-Zone	 816	 916	Pashà	 202	 202	 202
						
	 337	 337	 337	 434		
						
Pegaso	 206	 206	 206	 436	 480	 480
						
Pure	 864	 864				



Perlage

■ 108 ■ 108 ■ 108 ■ 108 ■ 108 ■ 108



■ 322 ■ 322 ■ 322 ■ 322 ■ 421 ■ 421



■ 470 ■ 470 ■ 492



Play

■ 312 ■ 674 ■ 674 ■ 762 ■ 762



Queen

■ 481 ■ 481 ■ 481 ■ 529



Rudy

■ 316 ■ 316 ■ 316 ■ 415



Set Up

■ 192 - 194 - 196 ■ 192 - 194 - 196 ■ 192 - 194 - 196





■ 264 - 266 - 268 ■ 264 - 266 - 268 ■ 264 - 266 - 268


Families' index

Indoor, outdoor


Set Up



Sirio





























































Smarties





Snow



Sole						
	 800	 800	 800	 800	 877	 877
Spike						
	 308	 308	 308	 678		
Steel						
	 359	 359	 618	 618	 620	 620
Strauss						
	 218	 218	 218	 439		
Style						
	 824	 824	 884	 884	 884	
Terra						
	 820	 820	 925	 925		







Families' index

Indoor, outdoor









				
Thor	 914	 914	 932	 932

				
Toffee	 835	 866	 866	 866







	
 866	 866

			
Topico	 145	 289	 289

				
Triumph	 102	 320	 422	 422

				
Tronco	 826	 898	 898	 898

		
Winery	 314	 416

			
Yoko	 097	 501	 501



Mapa

Pag 158



Code index

SKU	Pag	019734	151	032368	474	052809	176	075389	338	087870	336
		019741	151	032382	525	052816	176	075402	338	088266	357
000206	465	019758	280	032825	936	057187	209	075419	338	088273	357
000657	336	019765	280	032832	936	057194	209	077734	481	090481	153
002880	530	020228	821	033013	832	057200	437	077741	481	091129	357
003528	516	020822	222	033020	832	059211	436	077758	481	091136	357
004716	826	020839	222	033037	925	059235	206	077765	529	091518	821
004723	898	020846	440	033044	925	059242	206	077796	341	091525	821
004730	898	020853	478	034546	355	059259	480	077802	341	092188	848
005386	396	020877	530	035574	208	059266	480	077819	341	092195	848
005881	209	022222	340	035581	208	059679	147	080932	341	092201	848
005898	209	022239	340	035604	214	059808	382	081526	210	092218	838
005911	224	024097	910	035611	214	059815	382	082059	110	092300	832
007021	396	024134	857	035628	214	059822	382	082073	110	092317	832
007045	396	025438	191	035635	214	059839	287	082158	202	092324	808
007960	294	026473	387	035642	438	060491	439	082172	202	092355	847
007977	294	026480	387	035659	438	060507	213	082196	202	092393	850
007984	294	026558	387	035666	137	060514	213	082240	852	092409	850
007991	294	026787	137	035680	137	061115	517	082257	202	092416	850
008608	295	026954	898	035697	137	061122	517	082264	434	092423	850
008615	295	026961	898	035710	137	061139	517	082288	434	092430	850
008622	295	026978	826	035727	148	061191	457	082783	341	092447	850
009087	158	026985	898	035949	433	061450	828	082790	341	093659	134
009131	465	026992	898	035956	433	061467	828	083070	794	093697	134
009148	158	027005	826	038025	380	061474	828	083087	794	093963	290
009155	465	027081	388	041742	520	061580	847	083117	794	093994	223
009223	282	027098	388	044255	219	061597	847	083124	794	094007	223
010861	294	027104	388	044279	274	066448	206	083131	794	094014	290
012865	222	027852	424	044286	274	066868	847	083148	794	094137	176
012872	222	027876	424	044293	274	068169	148	083179	794	094182	372
012889	478	028460	437	044910	439	068268	436	083186	794	094229	176
012902	440	030326	137	044927	213	068275	529	083193	794	094236	176
013046	443	030784	340	044934	213	068299	198	083223	794	094649	341
013060	443	031361	357	045030	458	068305	480	083230	794	094663	341
013657	458	031460	401	045627	389	073187	338	083247	794	094786	224
014166	357	031477	401	045634	389	073255	338	083254	796	095226	152
014609	525	031743	189	046167	820	073262	338	086736	154	095998	372
014814	386	031750	189	046181	820	073712	321	086743	154	096018	372
015286	516	031996	150	046211	925	074139	153	086781	285	096476	818
016399	424	032009	150	046471	520	074245	138	086804	464	096483	818
016863	188	032016	150	046723	520	074313	138	087368	443	096667	853
017303	397	032023	282	049229	357	074337	138	087375	443	096674	853
017310	397	032030	282	049236	357	074702	468	087757	438	096681	853
017518	356	032047	282	051444	356	074726	468	087764	211	096698	853
018508	294	032078	461	051741	523	075150	214	087771	211	096704	853
018515	838	032122	158	051765	523	075181	214	087818	184	096711	853
018522	838	032139	158	052786	148	075211	441	087863	336	096728	853

Code index

SKU	Pag	111896	208	119502	419	129457	831	142708	400	151977	946
		111902	176	119571	946	129464	822	142906	82	151991	946
096735	853	111919	176	120201	926	129471	822	142913	82	152004	946
097183	398	112305	187	120218	926	129488	822	142999	901	153162	890
097190	398	112312	187	120249	938	129570	478	143200	960	153179	890
097206	398	112336	187	120287	938	129877	946	143217	960	153193	890
097664	209	112343	187	120317	938	130163	946	143224	960	153209	890
097671	209	112626	424	120324	938	130170	946	144245	804	153926	944
098616	152	112695	424	120362	938	130187	946	144252	804	153933	944
100364	847	112701	136	120386	938	133393	321	144276	828	153940	944
100371	847	112732	136	120423	857	135205	902	144283	828	153957	946
100388	832	113302	122	120430	857	135250	810	144917	397	153964	946
100395	832	113319	122	120454	911	135526	946	145020	804	153971	946
100746	337	113753	845	120898	187	135755	901	145068	804	153988	946
100784	337	113760	845	120904	187	135762	901	145228	856	154008	953
100791	337	113791	845	121130	396	135908	903	145303	819	155142	314
100807	337	113975	226	121147	396	135991	800	145310	926	155227	314
101125	151	113982	796	121154	396	136004	800	145327	819	155722	788
101132	280	113999	796	121161	396	136011	800	145334	926	155791	296
101200	944	114019	796	121178	396	136028	893	145341	819	155869	296
101217	944	114170	210	121338	396	136035	893	145358	926	155968	118
101224	944	114293	845	121352	401	136042	893	146775	856	156026	118
101231	944	114347	902	121963	828	136059	893	146799	856	156033	118
101248	944	114729	205	122014	940	136073	804	147666	760	156682	82
101255	944	114736	205	122021	940	137391	830	147673	760	156699	82
101262	944	114743	205	122045	858	137681	133	147680	760	157580	946
101279	946	115061	886	122083	122	138237	98	147765	830	157597	946
101286	946	115078	886	122106	122	138251	358	147772	830	157856	888
101293	946	115085	886	122168	952	138305	176	147796	830	158242	432
101323	946	115092	886	122663	808	138510	901	147819	830	158822	847
101330	946	115108	886	122687	808	138596	270	148151	119	158891	906
101347	946	115115	886	122823	956	138602	270	148175	119	158907	854
101354	946	115290	844	122830	956	138619	270	148502	119	159423	389
101378	954	115306	844	122854	956	138633	270	148847	804	159508	389
101385	953	115313	844	122861	956	138640	270	148861	804	159522	389
101491	857	115320	844	123080	828	138657	270	148878	804	159836	811
101514	911	115337	844	123295	956	139012	790	148939	524	159843	121
101552	857	115344	844	123301	956	139029	790	149585	176	159850	121
103204	433	115351	846	123745	849	139425	122	149592	176	159867	121
103983	188	115368	846	123769	849	139470	891	149622	321	159942	220
104928	82	115375	846	123776	849	140179	295	150116	790	159973	220
104935	82	115382	858	123783	849	140186	295	150130	790	159997	417
104942	82	115412	927	123882	946	140193	295	150284	788	160214	422
105710	380	115429	927	123899	946	140599	439	150291	790	160245	422
105727	380	115498	226	123936	953	140605	218	150307	790	160269	102
106205	925	115504	226	123943	954	140612	218	151649	944	160313	320
108292	954	115511	440	123974	760	140629	218	151656	944	161648	191
109138	898	115580	797	123981	760	140841	307	151663	944	161662	191
109145	898	115597	797	123998	760	140872	307	151687	946	161686	475
110233	525	115610	797	124001	760	140902	307	151694	946	161716	528
110240	525	115962	442	124018	760	140933	307	151700	946	161754	879
110356	522	115979	225	124025	760	141794	82	151717	946	161761	879
110363	522	116006	225	124070	632	141800	82	151724	946	161778	879
110417	124	116112	294	124087	632	141817	82	151731	944	162492	906
110424	124	116716	804	124117	632	141855	82	151748	944	162737	203
110431	124	117652	954	125503	335	142241	406	151755	946	162751	203
110462	124	117737	199	125510	335	142258	406	151762	946	163321	418
110530	474	117881	936	126883	372	142265	395	151779	946	163338	418
110554	474	118635	850	126890	372	142272	395	151786	946	163536	847
111452	528	118642	850	126906	82	142289	395	151793	944	163543	847
111841	184	118659	826	126913	82	142296	395	151861	946	163550	847
111858	184	118666	828	129082	124	142579	406	151946	944	163598	848
111865	184	119427	419	129099	124	142586	406	151953	944	163604	832
111872	208	119465	419	129433	831	142692	400	151960	946	163611	832

163628	832	174402	190	189741	650	192642	608	200248	315	209852	824
163635	832	179292	366	189758	650	192666	608	200255	315	209906	884
163642	808	179308	366	189765	650	192673	608	200484	321	211381	76
163666	808	179315	366	189772	650	192697	608	200491	110	211398	76
163727	925	179322	366	189789	650	192703	608	200996	342	211404	76
163741	898	179643	425	189796	650	192710	608	201016	342	211787	714
163758	898	179681	389	189802	650	192741	608	201023	435	211794	714
164823	372	179858	175	189819	650	192758	608	201252	946	211817	714
164847	372	180298	416	189826	650	193458	754	201269	946	211824	714
164953	213	180304	416	189833	650	193465	754	201276	946	212647	940
164960	213	180922	227	189840	650	193472	754	201283	946	213071	901
164977	202	180946	524	189857	650	193519	754	201290	946	213088	901
164984	202	182179	198	189864	650	193526	754	202396	722	213095	821
164991	337	186955	906	189871	650	193533	754	202921	810	213101	891
165004	337	186979	906	189888	650	193991	457	202945	810	213194	802
165011	198	187327	888	189895	650	194189	82	203072	640	213200	802
166247	199	187365	357	189901	650	194202	82	203089	640	213217	850
166285	343	187877	907	189918	650	194257	688	203102	640	213224	850
166360	200	187884	907	189925	650	194301	688	203126	640	213262	886
167121	416	187891	907	189932	650	194806	82	203171	398	213279	886
167152	416	187976	688	189949	650	195483	876	203188	398	213323	845
167244	216	187983	688	189956	650	195490	876	203195	398	213330	846
167251	216	187990	688	189963	650	195506	876	204581	640	213347	844
167268	216	188003	688	189970	650	195704	352	204598	640	213354	844
167398	216	188010	688	189987	650	195711	352	204611	640	213361	893
167404	216	188027	688	189994	650	195728	352	204635	640	213491	435
167411	216	188058	688	190006	650	195735	352	204888	456	213507	343
167497	119	188065	688	190013	650	195742	352	204895	456	213521	199
168036	809	188072	688	190020	650	195759	352	204949	514	213569	343
168050	809	188089	688	190037	650	195766	352	204956	514	213583	200
168111	809	188096	688	190044	650	195773	352	205281	120	214009	876
168135	809	188102	688	190051	650	196688	417	205298	120	214474	152
168753	212	188119	688	190068	650	196695	417	205304	120	214481	152
168777	212	188126	688	190075	650	196701	312	205311	120	214498	283
168913	435	188195	688	190082	650	196718	312	205977	302	214504	283
168920	343	188911	944	190099	650	197319	116	205984	302	214511	283
168937	343	188928	944	190105	650	197333	116	205991	302	214672	370
169576	688	188935	944	191171	608	197654	189	206004	302	214689	370
169583	688	188942	946	191188	608	197661	189	206011	302	214696	370
169590	688	188959	946	191508	608	197708	436	206028	302	215693	433
169606	688	188966	946	191577	878	197715	206	206035	302	215709	433
169613	688	188973	946	191584	878	197722	206	206042	302	215761	274
169620	688	188980	952	191607	878	197739	206	206196	778	215778	274
169637	688	189031	954	191614	877	197753	480	206202	778	215785	274
169644	688	189062	954	191621	877	198095	140	206219	778	215969	204
169705	688	189093	953	191638	877	198125	102	206226	778	216270	608
169712	688	189109	953	191997	608	198132	329	206233	778	216287	608
169729	688	189574	650	192277	722	198149	329	206240	778	217253	722
169736	688	189581	650	192291	722	198156	329	207155	435	219875	190
169972	688	189598	650	192307	722	198620	900	207162	342	220826	608
169989	688	189604	650	192314	722	198637	900	207186	342	221502	824
170145	688	189611	650	192338	722	198644	900	207216	204	221519	824
170152	688	189628	650	192345	722	199375	221	208558	714	221595	955
170589	82	189635	650	192352	722	199382	221	208565	714	222097	76
170923	357	189642	650	192376	722	199405	221	208589	714	222103	76
172408	827	189659	650	192383	722	199412	221	208596	714	222110	76
172439	904	189666	650	192406	722	200118	112	208695	714	222257	952
173245	98	189673	650	192437	608	200125	112	208701	714	222820	940
173252	358	189680	650	192482	608	200132	423	208725	714	222837	940
174204	146	189697	650	192505	608	200149	423	208732	714	223155	554
174211	146	189703	650	192550	608	200194	315	208794	434	223162	554
174228	146	189710	650	192567	608	200200	315	209036	952	223179	554
174235	146	189727	650	192604	608	200217	315	209043	952	223186	254
174396	190	189734	650	192628	608	200231	315	209845	824	223193	254

Code index

SKU	Pag	231570	127	243450	307	246871	884	249292	956	253589	78
		231631	679	243498	342	246895	688	249308	956	253596	78
223209	254	231662	679	243528	204	246901	688	249315	956	253664	64
223216	254	232041	133	243566	342	246918	902	249322	960	253671	64
223223	254	232690	126	243597	204	246925	827	249339	960	253688	238
223230	254	232713	126	243665	608	246932	904	249452	908	253695	350
223742	640	232720	126	243818	794	246949	827	249469	908	253886	632
223759	640	232744	126	243825	794	246956	904	249483	908	253893	632
223766	640	233062	296	243849	794	246963	886	249490	908	254272	244
223834	946	233079	296	243924	307	246970	886	249506	908	254289	244
223919	946	233192	296	243931	307	246987	888	249520	908	254319	882
223926	946	233215	296	243948	307	246994	888	249629	688	254388	882
223933	946	233321	296	243986	770	247007	688	249711	774	255019	242
223940	946	233352	296	243993	770	247045	927	249728	774	255514	930
224275	554	233765	296	244181	774	247144	940	249827	792	255521	930
224367	954	233772	296	244198	774	247151	940	249834	792	255651	933
224541	141	233826	296	244204	774	247229	60	250106	405	255668	933
224930	394	233833	296	244235	956	247236	60	250113	405	255682	933
224954	394	233840	359	244242	956	247243	60	250120	405	255781	931
224985	394	233970	296	244259	956	247250	60	250311	176	255804	931
224992	394	234007	296	244549	632	247267	60	250328	176	255996	688
225005	394	235455	103	244556	632	247274	60	250359	176	256030	688
225029	394	235486	103	244563	632	247281	60	250403	658	256047	688
226026	174	235516	103	244570	632	247618	688	250410	658	256061	688
226033	174	235547	103	244587	632	247625	688	250427	658	256078	688
226040	174	236841	832	244594	632	247779	334	250434	658	256085	688
226187	940	236858	832	244624	100	247847	774	250441	658	256092	688
226194	940	236865	808	244648	100	247854	774	250458	658	256115	688
226200	940	237251	946	244662	412	248165	770	250854	858	256122	688
226217	940	237398	186	244808	736	248172	770	250946	844	256146	688
227580	688	237428	186	244846	736	248189	770	250953	892	256528	946
227597	688	237442	186	244884	306	248196	770	250977	892	257235	353
227672	688	237497	186	245041	918	248257	898	251127	469	257242	353
227689	688	237510	186	245072	918	248264	898	251226	891	257617	554
229010	415	237794	201	245089	918	248271	898	251257	891	257624	554
229027	415	237800	201	245096	918	248288	898	251295	891	257631	554
229034	415	238104	135	245102	918	248295	898	251516	806	257648	554
229041	415	238135	135	245331	479	248370	770	251523	806	257655	554
229058	316	238173	135	245348	479	248387	918	251530	806	257662	554
229065	316	238210	135	245393	479	248394	918	251547	806	257686	554
229072	316	238944	429	246390	774	248530	306	251554	806	257709	554
229089	316	238975	429	246451	688	248554	186	251561	806	257716	554
229461	70	239521	432	246468	688	248592	770	251578	806	257730	554
229478	70	239576	432	246499	688	248783	752	251592	806	257747	554
229485	70	240367	270	246505	688	248790	752	252025	795	257792	554
229492	70	240374	270	246512	688	249018	752	252032	795	257839	554
229508	70	241012	110	246529	688	249025	752	252049	795	257846	554
229515	70	241036	110	246536	688	249032	752	252056	795	257877	554
229997	790	241050	321	246543	688	249049	752	252186	946	257990	554
230580	790	241296	342	246550	688	249056	135	252209	946	258027	554
230702	242	241968	616	246567	688	249063	135	252551	953	258140	554
230726	242	241975	616	246574	688	249070	135	252568	953	258171	554
231228	123	241982	616	246581	688	249087	135	252988	714	258232	554
231259	123	241999	616	246598	688	249186	960	252995	714	258256	554
231273	123	242002	616	246604	688	249193	960	253381	952	258270	762
231297	123	242019	359	246611	688	249209	960	253398	954	258287	312
231341	100	242569	960	246628	688	249216	960	253404	953	258300	636
231372	100	242576	960	246796	811	249223	960	253411	944	258751	76
231396	100	242705	688	246819	857	249230	960	253428	946	258768	76
231433	100	243238	688	246826	857	249247	960	253435	946	258775	76
231471	412	243245	688	246833	910	249254	960	253442	946	258874	501
231495	412	243252	688	246840	910	249261	956	253459	946	258898	97
231556	127	243269	688	246857	824	249278	956	253480	953	258904	501
231563	127	243283	688	246864	824	249285	956	253497	954	258928	97

259154	70	261287	922	267913	778	270036	430	271637	946	277288	264
259161	70	261294	922	267920	770	270043	192	271644	944	277370	112
259178	70	261331	914	267937	770	270050	192	271712	616	277387	112
259185	70	261355	914	267944	770	270104	952	271750	616	277394	112
259192	70	261362	914	267951	770	270111	952	272030	399	277417	308
259208	70	261379	914	267968	722	270173	616	272078	456	277790	946
259222	469	263434	82	267975	722	270180	616	272085	514	277813	946
259239	82	263519	290	267982	778	270197	616	272108	914	277912	608
259345	354	263663	82	268002	778	270203	616	272139	174	277929	608
259352	354	263670	82	268071	359	270210	616	272238	473	277967	492
259376	554	263687	82	268088	762	270241	244	272245	524	278704	308
259765	430	263700	82	268095	359	270258	244	272375	953	279596	708
259772	430	264523	147	268101	312	270265	244	272382	953	279602	708
259796	430	264547	147	268118	616	270272	244	272429	956	279633	708
259802	430	265278	457	268149	616	270289	244	272436	956	279640	708
259819	430	265575	390	268163	922	270296	244	272443	956	279671	708
259826	430	265643	390	268170	922	270302	244	272450	956	279688	708
259833	430	265803	284	268194	922	270319	244	272467	956	279770	128
259857	430	265827	284	268200	922	270326	244	272474	632	279794	128
259864	476	265841	284	268217	616	270333	244	272481	632	279800	511
259871	476	265896	554	268231	616	270340	244	272498	632	280233	708
259895	476	265957	70	268293	844	270357	244	272504	632	280240	708
259901	476	265971	234	268309	844	270364	244	272511	632	280998	407
259918	476	265988	234	268316	844	270371	244	272528	632	281001	407
259925	476	265995	234	268354	858	270388	244	272535	632	281568	132
259949	476	266008	234	268989	930	270395	244	272542	632	281582	132
259956	476	266015	234	268996	930	270401	244	273167	722	282084	524
259963	526	266022	234	269009	930	270449	640	273174	722	282091	473
259970	526	266121	554	269023	930	270463	640	273631	324	282107	107
259994	526	266145	554	269115	810	270517	640	273648	107	282114	107
260006	526	266183	554	269122	810	270524	640	273655	420	282121	366
260013	192	266251	954	269139	824	270531	640	273662	494	282138	366
260020	192	266282	952	269146	824	270548	640	273679	469	282251	873
260044	192	266497	748	269153	827	270586	244	273693	327	282633	554
260051	192	266503	748	269160	904	270593	244	273709	327	282640	554
260068	430	266510	748	269221	845	270661	242	274508	676	282657	554
260075	430	266527	748	269337	78	270678	242	274515	676	282664	554
260082	430	266558	748	269351	78	270715	244	275178	112	282671	554
260136	526	266565	748	269375	78	270876	608	275215	112	282688	554
260235	526	266572	748	269382	78	270920	946	275369	97	282695	554
260242	526	266589	748	269399	350	270937	608	275376	97	282701	554
260327	430	266756	953	269405	350	270944	944	275543	185	282718	554
260334	430	266763	953	269412	238	270951	946	275567	185	282725	554
260341	430	266770	953	269429	238	270968	952	275581	185	282749	554
260358	430	267128	616	269436	64	270975	954	276182	666	282756	554
260433	430	267135	616	269443	64	271002	244	276205	930	282770	554
260440	430	267142	616	269450	64	271187	628	276243	666	282787	554
260457	192	267159	616	269467	64	271194	628	276267	680	282824	554
260464	192	267203	554	269474	448	271200	628	276274	680	282848	554
260471	192	267210	554	269481	448	271217	628	276281	680	282862	554
260488	192	267227	554	269498	448	271316	144	276304	616	282879	554
260600	402	267234	554	269504	938	271385	108	276311	616	282886	554
260617	402	267241	554	269702	938	271392	108	276328	554	282893	554
260624	402	267258	554	269726	938	271408	108	276335	608	282909	554
260631	402	267692	774	269825	242	271422	108	276342	608	282916	554
260648	402	267777	658	269832	60	271439	421	277004	934	282923	554
260655	402	267784	658	269849	60	271446	658	277011	934	282930	554
260662	402	267791	658	269856	70	271453	658	277028	934	282947	554
260679	402	267807	658	269863	70	271538	313	277035	934	282954	554
260853	554	267869	778	269870	70	271545	313	277219	366	282961	554
260860	554	267876	778	269986	430	271590	946	277226	366	282978	554
261164	281	267883	778	270005	430	271606	946	277233	366	282985	554
261188	281	267890	778	270012	192	271613	946	277240	366	282992	554
261195	175	267906	778	270029	192	271620	944	277257	366	283029	554

Code index

SKU	Pag	285153	132	286297	554	287935	708	293776	260	302294	636
		285160	132	286303	554	287959	632	293783	260	302348	554
283036	554	285184	147	286310	554	287966	632	293790	260	302355	554
283043	554	285191	147	286327	554	288208	952	294001	889	302362	554
283050	680	285207	290	286334	554	288215	952	294025	889	302379	554
283067	680	285214	296	286341	554	288239	954	294049	889	302539	658
283104	554	285238	308	286358	554	288260	332	294766	415	302546	658
283111	554	285320	399	286365	554	288277	332	294803	415	302553	658
283258	680	285337	511	286372	554	288383	953	294810	316	302560	658
283333	455	285344	511	286389	554	288390	130	294827	316	302577	658
283524	680	285351	658	286396	554	288406	130	295213	498	302584	658
283531	680	285368	658	286402	554	288420	130	295473	510	302591	658
283548	680	285375	658	286419	554	288437	130	295497	510	302607	658
283555	680	285382	658	286426	554	288444	130	295503	510	302614	658
283562	680	285399	658	286433	554	288451	130	295510	454	302621	658
283579	680	285405	658	286440	554	288475	130	295534	454	302744	658
283586	680	285412	722	286495	554	288543	954	295541	454	302751	658
283593	680	285429	722	286501	554	289151	450	296302	554	302768	658
283609	680	285450	817	286518	554	289168	450	296333	672	302942	666
283616	680	285467	817	286525	554	289212	944	296340	672	302959	666
283623	680	285474	817	286532	554	289229	944	296357	672	302966	666
283630	680	285481	817	286549	554	289298	554	296364	672	302973	666
283647	680	285498	817	286594	666	289304	554	296678	512	302980	666
283654	680	285504	817	286600	666	289489	325	296685	512	302997	666
283661	680	285511	817	286662	520	289496	325	296746	108	303000	666
283678	680	285528	817	286679	520	289786	158	296753	108	303017	666
283685	680	285535	817	286686	520	289861	158	296869	953	303062	960
283692	680	285566	954	286716	870	289878	158	296876	953	303079	960
283708	680	285580	956	286723	870	289908	158	297101	291	303086	960
283715	680	285597	956	286730	870	289915	158	297149	291	303093	960
283722	680	285603	956	286747	870	289939	158	297743	286	303314	306
283739	680	285610	956	287072	366	290614	554	297767	155	303321	306
283746	680	285627	956	287300	411	290959	491	297781	155	303390	956
283753	680	285634	956	287317	411	290966	491	298597	880	303406	956
283760	680	285641	956	287560	356	291093	455	298610	880	303499	554
283777	680	285658	956	287577	356	291109	455	299402	302	303505	554
283784	421	285665	956	287584	356	291345	77	299419	302	303512	554
283791	108	285672	956	287591	362	291376	77	299617	500	303529	554
283807	108	285689	956	287607	362	291406	77	299624	500	303574	554
283814	108	285696	956	287614	362	291789	410	300504	554	303598	554
283821	108	285702	956	287621	362	291796	410	300528	554	303604	554
283920	658	285719	956	287638	362	292205	244	300535	554	303611	554
283937	658	285726	956	287645	362	292236	244	300658	873	303628	554
283944	658	285887	960	287652	396	292250	244	300764	554	303635	554
284002	99	285894	960	287669	396	292403	421	301051	502	303642	554
284019	99	285900	960	287676	396	292410	421	301068	502	303659	554
284286	328	285917	960	287683	823	292441	470	301075	502	303666	554
284309	495	285924	960	287690	823	292458	470	301594	956	303673	554
284316	471	285993	554	287706	823	292465	470	301624	960	303680	554
284330	328	286006	554	287713	823	292472	470	301631	960	303697	554
284354	495	286051	554	287720	823	292830	292	301648	960	303703	554
284361	471	286068	554	287737	823	292847	292	301655	960	303710	554
284460	98	286075	554	287768	388	292922	554	301662	960	303727	554
284477	358	286082	554	287775	388	292939	632	301679	960	303741	554
284484	515	286099	554	287782	388	292953	632	301686	960	303789	554
285061	70	286105	554	287843	708	293004	430	301693	960	303796	554
285078	70	286112	554	287850	708	293172	889	301709	960	303802	554
285085	96	286129	554	287867	708	293189	894	301716	960	303819	554
285092	96	286167	554	287874	708	293196	894	302225	395	303826	554
285108	390	286204	554	287881	708	293202	894	302232	395	303833	554
285115	390	286211	554	287898	708	293646	428	302256	636	303895	60
285122	128	286228	554	287904	708	293653	333	302263	636	304038	956
285139	132	286259	554	287911	708	293660	333	302270	636	304045	956
285146	132	286266	554	287928	708	293769	260	302287	636	304113	430

304120	526	306636	244	308227	894	313771	117	318233	924	321714	554
304137	329	306643	244	308234	894	313788	117	318264	256	321738	270
304144	102	306650	244	309262	322	314099	414	318325	472	321745	270
304151	469	306667	244	309279	322	314105	414	318691	884	321752	270
304168	518	306674	244	309286	322	314129	414	318707	884	321769	270
304366	70	306681	244	309798	181	314136	414	318820	877	321776	270
304373	70	306698	244	309804	181	314143	180	318837	800	321783	82
304380	70	306780	894	309811	181	314167	180	319568	302	321806	554
304397	70	306797	894	310138	390	314174	180	319575	302	321813	82
304403	70	306803	894	310145	390	314198	490	319582	302	321844	554
304410	70	306810	410	310152	390	314204	459	319650	722	321851	906
304427	70	306827	410	310589	129	314716	318	319667	722	321868	906
304434	70	306834	889	310596	129	314723	318	319674	722	321882	906
304441	70	306841	889	310602	129	314921	68	319681	722	321905	906
304458	70	306858	889	310664	426	314938	68	319797	302	321929	906
304465	70	306872	889	310671	330	314945	141	319803	302	321950	906
304472	70	306940	428	310688	330	314952	141	320373	264	321967	554
304489	350	306957	333	310787	382	314969	141	320434	554	321981	906
304496	350	306964	333	310800	158	315805	339	320441	554	321998	554
304502	350	306988	492	310817	465	315812	339	320458	554	322056	554
304519	238	306995	107	310886	308	316048	890	320465	554	322070	554
304526	238	307008	107	310893	308	316055	890	320472	554	322087	666
304533	238	307015	362	311265	956	316307	554	320489	554	322094	666
304540	64	307022	362	311272	956	316680	332	320496	554	322100	666
304557	64	307039	362	311319	426	316697	332	320502	554	322124	666
304564	64	307046	362	311340	326	316789	362	320519	554	322193	827
304571	64	307053	362	311357	326	316871	859	320526	554	322209	827
304588	64	307060	362	311364	326	316895	859	320533	554	322216	884
304595	64	307077	956	311661	864	316901	859	320540	554	322230	884
304601	430	307084	956	311678	864	317007	332	320557	554	322261	904
304618	430	307091	956	311685	864	317090	386	320564	554	322278	904
304625	192	307107	956	311708	864	317106	386	320571	554	322322	658
304632	192	307114	956	311715	866	317113	287	320588	554	322339	658
304649	518	307121	956	311760	390	317151	464	320595	554	322346	658
304694	60	307138	956	311777	390	317168	464	320601	554	322353	884
304700	60	307145	640	311784	390	317243	112	320618	554	322360	658
304717	60	307152	640	312323	262	317250	112	320625	554	322377	658
304724	60	307169	823	312330	262	317267	117	320717	554	322384	884
304731	60	307176	823	312347	262	317274	117	320724	554	322391	658
304748	60	307206	260	312354	262	317281	117	320731	554	322421	891
304915	506	307213	260	312361	262	317489	308	320748	554	322438	884
304922	506	307244	244	312378	262	317496	308	321042	94	322452	884
305431	952	307404	130	313191	722	317502	308	321172	104	322476	554
305486	952	307411	130	313252	330	317564	844	321189	835	322483	884
305608	554	307428	130	313283	330	317571	844	321196	835	322490	554
305615	554	307510	554	313290	330	317793	108	321202	835	322506	884
305622	946	307527	554	313313	496	317809	421	321462	136	322513	554
305639	946	307534	554	313320	466	317816	492	321479	136	322537	884
305813	778	307541	554	313412	840	317823	470	321509	415	322544	884
305837	778	307558	554	313429	840	317908	260	321516	316	322551	884
305844	738	307565	554	313436	840	317953	554	321523	316	322568	884
305851	738	307572	554	313443	840	317960	554	321530	415	322575	884
306421	960	307589	554	313450	840	317977	554	321547	356	322582	884
306452	512	307596	554	313467	836	317984	554	321554	356	322599	884
306469	512	307602	554	313474	836	317991	554	321561	356	322612	884
306537	112	307619	954	313481	836	318103	806	321615	260	322629	824
306544	112	307626	954	313498	836	318110	806	321622	925	322636	824
306551	112	307695	60	313504	836	318127	806	321639	906	322643	824
306575	244	307701	60	313511	834	318134	806	321646	844	322650	824
306582	244	307756	738	313528	834	318141	806	321653	554	322667	332
306599	244	307855	953	313535	834	318196	839	321660	270	322674	332
306605	244	307862	953	313542	834	318202	839	321684	270	322681	824
306612	244	307879	952	313559	834	318219	839	321691	844	322698	332
306629	244	307886	952	313566	834	318226	839	321707	270	322704	824

Code index

SKU	Pag	325163	940	327600	256	328454	330	330730	554	336534	426
		325750	554	327686	256	328461	330	330754	554	336626	678
322711	302	325767	554	327693	256	328478	426	331225	788	336664	426
322728	850	325804	69	327716	428	328485	327	331256	734	336671	426
322735	850	325828	69	327754	722	328492	339	331263	734	336770	408
322742	421	325835	69	327778	390	328508	864	331355	920	336787	408
322759	470	325934	632	327785	390	328515	864	331386	920	336794	408
322766	108	325941	632	327792	390	328522	834	331690	395	336800	408
322773	108	325958	632	327808	322	328539	834	332062	554	336817	408
322780	108	325965	632	327815	322	328546	834	332079	554	337104	554
322797	108	325972	632	327822	322	328553	834	332086	554	337135	946
322803	136	325989	632	327853	329	328560	834	332093	554	337142	722
322810	554	326214	855	327860	329	328577	834	332109	554	337371	688
322841	554	326221	855	327877	469	328584	836	332116	554	337388	688
322858	554	326238	803	327884	155	328591	836	332239	632	337395	688
322889	738	326245	803	327891	286	328607	836	332246	632	337401	688
322919	738	326290	954	327907	461	328614	866	332406	275	337418	688
322971	738	326351	112	327914	461	328621	859	332413	275	337425	688
323008	738	326368	112	327921	414	328638	859	332420	275	337524	676
323237	872	326610	944	327938	414	328645	859	332451	554	337531	916
323244	872	326658	508	327945	390	328652	840	332475	534	337548	816
323251	872	326665	508	328010	276	328669	840	332482	534	337579	666
323527	700	326672	508	328027	276	328676	840	332499	534	338767	149
323534	700	326689	882	328034	276	328683	956	332512	534	338774	149
323541	700	326696	882	328041	276	328690	956	332529	534	339047	176
323558	700	326726	882	328058	276	328706	956	332536	534	339054	176
323589	700	326733	882	328065	276	328713	956	332581	534	339061	176
323596	554	326788	856	328072	276	328720	956	332628	534	339139	68
323602	700	326795	804	328089	276	328737	956	332635	534	339146	68
323619	700	326801	804	328096	276	328744	956	332659	534	339252	192
323633	700	326863	823	328102	117	328751	956	332703	534	339269	192
323640	700	326870	823	328119	117	328768	956	332710	534	339283	192
323657	700	326887	806	328126	117	328775	956	332734	534	339290	192
323671	700	326894	806	328133	117	328782	956	332758	534	339313	192
323688	700	326917	890	328140	262	328799	308	332765	534	339337	192
323718	700	326924	890	328157	262	328812	308	332789	534	339368	534
323725	700	326955	845	328164	507	328829	908	332802	534	339375	534
323732	700	326962	826	328171	507	328836	908	332819	534	339382	534
323763	700	326979	846	328188	318	328942	276	332833	534	339399	534
323770	700	327037	954	328195	318	328959	276	332840	534	339405	534
323794	700	327044	954	328201	326	328966	276	332864	534	339412	534
323800	700	327051	954	328218	326	328973	276	332871	534	339429	534
323817	700	327068	954	328225	326	328980	276	332895	534	339627	886
323831	700	327075	954	328232	330	329260	276	332901	534	339634	886
323961	700	327242	896	328249	330	329444	594	332925	534	339696	112
323985	700	327259	896	328256	330	329451	594	332932	534	339702	112
324005	700	327266	896	328263	330	329468	594	332949	534	339726	82
324807	700	327402	158	328270	330	329475	594	333007	289	339733	82
324814	700	327419	158	328287	330	329505	594	333014	289	339740	82
324821	700	327426	158	328294	466	329512	594	333045	145	339771	954
324838	700	327433	158	328300	466	329529	594	335261	946	339788	640
324845	700	327440	158	328317	496	329536	594	335865	842	339795	640
324852	700	327457	158	328324	496	329574	594	335896	842	339863	554
324869	700	327471	738	328331	129	329581	594	335919	842	340043	554
324876	700	327488	738	328348	129	329598	594	335926	842	340067	554
324883	700	327495	738	328355	129	329604	594	335933	842	340081	554
324890	700	327501	778	328379	322	329635	594	335957	842	340104	554
324906	700	327518	778	328386	322	329642	594	336008	308	340180	554
324913	700	327525	554	328393	322	329666	594	336176	616	340197	554
324920	700	327532	554	328409	322	329673	594	336183	616	340241	554
324937	700	327549	554	328416	322	329703	594	336190	616	340265	554
325019	916	327556	554	328423	322	329710	594	336206	616	340364	554
325132	940	327563	256	328430	330	330358	594	336220	512	340388	554
325156	940	327570	256	328447	330	330365	594	336510	362	340401	554



































340425	554	341613	60	342658	366	344881	636	345673	916	346663	896
340562	554	341620	60	342665	366	344898	636	345765	632	346670	896
340586	554	341637	60	342689	806	344904	636	345772	632	346687	896
340609	554	341781	302	342696	806	344911	636	345789	632	346694	896
340623	554	341798	302	342702	806	344928	636	345796	632	346700	896
340647	554	341880	234	342719	806	344935	636	345840	946	346717	896
340791	666	341897	234	342726	806	344942	678	345857	946	346724	896
340807	666	341903	234	342740	666	344966	688	345864	946	346731	896
340814	666	341910	234	342757	554	344973	688	345918	192	346762	640
340821	666	341927	234	342788	302	344980	594	345925	192	346779	640
340838	658	341934	234	342795	302	344997	594	345932	192	346847	192
340845	658	341941	234	342801	688	345000	594	345970	192	346854	82
340876	658	341958	234	342818	688	345017	594	345987	192	346892	868
340883	658	341965	234	342825	688	345024	594	345994	192	346908	868
340937	658	341972	234	342832	688	345031	594	346007	192	346915	868
340944	658	341989	234	342849	688	345048	594	346014	192	346939	868
340999	390	341996	234	342856	688	345055	594	346038	192	347462	404
341002	390	342009	70	342863	946	345062	594	346045	192	347479	404
341019	390	342016	70	342870	946	345079	594	346052	192	347486	404
341026	390	342023	70	342887	952	345086	594	346069	192	347493	404
341033	96	342030	70	342894	954	345093	594	346083	192	347639	412
341040	96	342047	70	342900	953	345130	395	346090	192	347646	412
341095	82	342054	70	342993	104	345147	395	346113	192	347653	412
341101	82	342061	70	343310	82	345154	362	346120	192	347738	835
341118	502	342078	70	343402	68	345161	362	346137	192	347745	866
341125	502	342108	70	343457	105	345178	362	346144	192	347752	866
341132	502	342115	70	343464	105	345185	362	346151	192	347769	866
341149	244	342122	70	343471	105	345192	362	346168	192	347776	866
341156	244	342139	70	343488	460	345208	362	346175	192	347783	866
341163	244	342160	70	343501	594	345215	58	346182	192	347790	866
341170	244	342177	70	343518	594	345222	58	346205	192	347806	866
341187	244	342184	70	343525	594	345239	58	346212	640	347813	866
341194	244	342191	70	343532	594	345246	58	346229	640	347820	866
341200	244	342221	350	344171	956	345253	58	346236	640	347837	866
341217	244	342238	350	344188	956	345260	58	346243	640	347844	866
341224	244	342245	350	344195	956	345277	58	346250	640	347851	866
341231	244	342252	350	344201	956	345284	58	346267	640	347868	866
341248	244	342269	350	344218	956	345291	58	346274	640	347875	874
341255	244	342276	350	344225	956	345307	512	346281	640	347882	874
341309	242	342283	238	344232	956	345314	508	346298	640	347899	874
341316	242	342290	238	344249	956	345321	423	346304	640	347905	874
341323	242	342306	238	344256	956	345338	423	346328	632	348193	192
341354	722	342313	238	344287	956	345345	112	346335	632	348209	192
341361	722	342320	238	344294	956	345352	112	346342	632	348216	192
341415	722	342337	238	344300	956	345369	112	346359	632	348223	192
341422	722	342344	64	344317	956	345376	112	346366	632	348230	192
341439	276	342351	64	344324	956	345383	112	346373	632	348247	192
341446	276	342368	64	344331	956	345390	112	346380	632	348254	192
341453	276	342375	64	344348	956	345406	112	346397	632	348261	192
341460	276	342382	64	344355	956	345413	112	346403	632	348278	264
341477	276	342399	64	344591	155	345420	112	346410	632	348285	491
341484	276	342405	64	344751	554	345437	112	346427	632	348292	491
341491	276	342412	64	344768	554	345468	308	346434	632	348308	658
341507	276	342429	64	344775	486	345475	308	346441	632	348315	658
341514	276	342436	64	344782	554	345482	408	346458	632	348322	658
341521	60	342443	64	344799	554	345499	408	346465	632	348339	874
341538	60	342450	64	344805	738	345505	408	346472	632	348346	874
341545	60	342467	448	344812	738	345512	94	346489	632	348353	874
341552	60	342474	448	344829	738	345611	839	346496	632	348360	874
341569	60	342481	448	344836	738	345628	924	346502	632	348377	868
341576	60	342498	448	344843	734	345635	924	346519	632	348384	616
341583	60	342504	448	344850	734	345642	924	346526	472	348391	616
341590	60	342511	448	344867	734	345659	924	346533	428	348407	616
341606	60	342641	366	344874	734	345666	920	346656	896	348414	616

Code index

SKU	Pag	352671	95	357126	362	364353	770	366142	504	366968	82
		352688	95	359465	182	364360	770	366159	504	366975	82
348674	158	352848	462	359526	182	364384	770	366166	504	366982	82
348681	158	352961	372	359540	182	364407	770	366203	504	366999	82
348698	158	353203	466	359571	182	364421	770	366210	504	367019	616
349060	722	353210	496	359588	182	364438	770	366227	504	367064	96
349077	722	353258	466	359618	182	364452	770	366234	504	367149	451
349084	722	353265	496	359632	182	364520	366	366241	504	367156	451
349121	658	353302	466	359663	182	364667	762	366258	371	367163	502
349138	658	353319	296	359670	182	364674	762	366265	371	367170	502
349145	658	353326	296	359694	182	364698	674	366326	371	367286	778
349190	156	353333	372	359724	182	364704	674	366333	371	367309	778
349206	156	353340	372	359748	182	364766	762	366357	371	367316	778
349213	156	353357	372	359779	182	364810	402	366364	371	367323	778
349220	156	353364	372	359793	182	364827	112	366371	371	367330	778
349237	156	353616	182	359816	182	364834	112	366388	80	367347	778
349596	920	353623	138	359861	182	364841	884	366401	80	367354	306
350233	402	353630	138	359885	182	364858	956	366418	80	367361	306
350240	402	353647	138	359915	182	364865	956	366425	80	367378	412
350264	402	353821	296	359939	182	364872	956	366432	80	367385	412
350523	361	353838	296	359960	182	364889	956	366449	80	367392	412
350554	361	353845	296	359984	182	364896	64	366456	80	367408	310
350752	361	353852	296	360003	182	364902	956	366463	80	367415	310
351278	932	353869	94	360027	182	364919	956	366470	80	367422	310
351285	932	353883	94	360034	182	364926	64	366487	80	367439	310
351346	554	353890	94	360041	182	364933	956	366494	80	367446	310
351513	938	353937	372	360058	182	364940	956	366500	462	367453	100
351537	938	353944	372	360065	182	364957	64	366517	462	367460	100
351544	938	354149	452	360072	182	364964	68	366524	462	367552	296
351551	938	354163	371	360089	182	364971	64	366531	385	367576	359
351568	938	354217	80	361192	82	364988	68	366548	385	367590	616
351575	938	354545	360	361307	788	364995	238	366555	385	367606	616
351582	938	354552	360	361918	366	365008	68	366562	385	367965	158
351629	82	354637	381	361925	366	365015	68	366579	288	368238	158
351636	82	354644	381	361932	366	365022	238	366586	288	368245	158
351643	82	354651	381	361949	366	365039	238	366593	288	368252	158
351650	82	354668	504	362496	82	365046	238	366609	288	368269	158
351773	262	355702	742	362502	371	365053	238	366616	499	368276	158
351780	936	355740	296	362533	452	365060	238	366623	142	368641	488
351797	936	355757	296	362540	452	365077	422	366630	142	368658	488
352008	422	355764	296	362557	452	365084	422	366647	142	368665	488
352046	106	355771	296	362564	452	365091	106	366654	142	368672	488
352053	106	355849	764	362861	499	365107	106	366661	142	368733	158
352114	82	355856	764	363370	108	365114	106	366678	142	368740	742
352121	82	355863	764	363387	108	365121	106	366685	142	368757	158
352152	509	355870	764	363721	894	365350	886	366692	142	368764	742
352237	82	355887	764	363974	774	365367	886	366739	362	368771	616
352244	82	355894	764	363981	774	365374	886	366746	362	368788	158
352251	82	355900	764	363998	774	365381	886	366753	362	368795	616
352268	82	355931	764	364001	774	365398	886	366760	362	368801	158
352312	384	355948	764	364018	774	365404	886	366777	362	368818	616
352329	384	355979	764	364025	774	365411	886	366791	840	368825	158
352336	384	355986	764	364063	594	365428	886	366807	840	368832	616
352411	64	356105	742	364070	594	365671	886	366814	840	368849	616
352428	238	356112	742	364087	594	365749	880	366821	840	368856	158
352435	64	356129	742	364094	594	365756	880	366838	840	368863	616
352442	238	356136	742	364100	594	366050	898	366845	840	368870	158
352459	238	356143	742	364117	594	366074	452	366852	840	368887	359
352572	178	356532	954	364124	594	366081	452	366869	840	368894	359
352589	178	356679	366	364131	594	366098	452	366876	840	368900	158
352619	178	356686	366	364148	594	366104	452	366883	840	368917	359
352640	178	356693	366	364155	594	366111	504	366890	840	368924	158
352657	178	357096	362	364162	594	366128	504	366906	840	368931	616
352664	95	357119	362	364339	770	366135	504	366944	158	368948	158

368955	616	369686	158	370354	372	371030	82	371689	390	372730	594
368962	158	369709	158	370361	234	371047	940	371696	82	373041	158
368979	616	369716	362	370378	534	371054	82	371702	82	373058	158
368986	616	369730	158	370392	372	371061	940	371719	390	373065	158
368993	158	369747	778	370408	70	371078	82	371726	390	373515	628
369006	616	369754	158	370415	70	371085	940	371733	158	373522	628
369013	158	369761	898	370422	509	371108	82	371740	502	374291	594
369020	616	369778	362	370439	372	371115	82	371757	158	374307	594
369037	158	369785	158	370446	70	371122	82	371764	158	375236	680
369044	616	369792	898	370453	594	371139	82	371771	502	375243	680
369068	158	369808	158	370460	372	371146	82	371788	158	375250	680
369099	158	369815	898	370477	509	371153	82	371795	96	375267	680
369112	628	369822	362	370484	70	371160	412	371801	158	375274	680
369129	628	369839	158	370491	594	371177	82	371818	158	375281	680
369136	628	369846	898	370514	70	371184	82	371825	96	375298	680
369143	158	369853	158	370538	70	371191	412	371832	158	375304	680
369150	628	369860	886	370545	594	371207	296	371849	158	375311	680
369167	360	369877	306	370552	372	371214	412	371856	96	375328	680
369174	158	369884	886	370569	70	371221	412	371863	158	375335	680
369204	158	369891	886	370583	108	371238	412	371870	451	375342	680
369228	158	369907	534	370590	372	371245	412	371887	158	375359	680
369242	158	369914	886	370606	262	371252	310	371894	158	375366	680
369266	158	369921	594	370613	956	371269	310	371900	451	375373	680
369273	842	369938	534	370620	372	371276	310	371917	158	375380	680
369280	158	369945	306	370637	262	371283	310	371924	658	375397	680
369297	158	369952	594	370644	956	371290	310	371931	158	375403	680
369303	158	369969	594	370651	372	371306	310	371948	158	375410	680
369310	158	369976	534	370668	262	371313	310	371955	158	375427	680
369327	496	369983	594	370675	956	371320	310	371962	158	375434	680
369334	158	369990	372	370682	956	371337	310	371979	158	375441	680
369341	158	370002	110	370699	372	371344	310	371986	158	375458	680
369358	158	370019	534	370705	956	371351	310	371993	158	375465	680
369365	158	370026	764	370712	372	371368	310	372006	158	376820	788
369372	842	370033	372	370729	956	371375	310	372013	158	376837	788
369389	158	370040	770	370736	762	371382	100	372020	158		
369396	842	370057	534	370743	956	371399	100	372037	276		
369402	158	370064	764	370750	372	371405	296	372044	276		
369419	842	370071	372	370767	956	371412	100	372051	276		
369426	158	370088	742	370774	372	371429	100	372068	276		
369433	366	370095	534	370781	956	371436	296	372075	276		
369440	158	370101	770	370798	956	371443	676	372082	276		
369457	366	370118	372	370804	762	371450	676	372099	276		
369464	158	370125	372	370811	296	371467	296	372105	276		
369471	366	370132	770	370828	594	371474	676	372112	276		
369488	158	370149	534	370835	762	371481	296	372129	60		
369495	366	370156	742	370842	296	371498	676	372136	60		
369501	362	370163	372	370859	594	371504	296	372143	60		
369518	778	370170	534	370866	762	371511	296	372150	60		
369525	158	370187	770	370873	296	371528	676	372167	60		
369532	366	370194	372	370880	762	371535	296	372174	60		
369549	158	370200	616	370897	296	371542	82	372181	60		
369556	366	370217	234	370903	674	371559	82	372198	60		
369563	362	370224	534	370910	82	371566	82	372204	60		
369570	366	370231	372	370927	674	371573	82	372211	60		
369587	158	370248	234	370934	82	371580	82	372228	60		
369594	884	370255	372	370941	850	371597	82	372235	60		
369600	158	370262	534	370958	82	371603	82	372242	894		
369617	362	370279	234	370965	850	371610	82	372259	894		
369624	884	370286	616	370972	850	371627	82	372266	894		
369631	158	370293	372	370989	940	371634	82	372273	894		
369648	884	370309	534	370996	940	371641	82	372280	894		
369655	158	370316	234	371009	940	371658	82	372297	894		
369662	884	370330	234	371016	940	371665	390	372686	158		
369679	362	370347	534	371023	82	371672	82	372693	158		

List of finishes

						
Clear	White	Opal	Iridescent	Fade Chrome	Steel	Silver
						
Chrome	Concrete	Aluminum	Grey	Bronze	Nickel	Smoky Grey
						
Shaded Smoky Gray	Granite	Lead	Anthracite	Black		
						
Ivory	Amber	Shaded Amber	Alabaster	Beige	Canvas	Wood
						
Dove Grey	Rope	Gold	Brass	Copper	Coffee	Antique Brass
						
Rust						

Notes

The finishes represented are for illustrative purpose only. The tones are subjected to variations due to the material type used and to its manufacturing which can modify the output, as a consequence the items classified under the same finish can present some differences concerning color perception.

Technical icons



Class I Electrical safety guaranteed by main insulation and additional protective conductor (earthing) connected with metal lamp frame. Earthing is obligatory.



Class II Electrical safety guaranteed by main insulation and double or reinforced insulation. Earthing not necessary.



Class III Electrical safety guaranteed by very low power supply (less than 50 Volt). Earthing excluded.



Item not appropriate for direct or recessed installation on normally flammable surfaces.



Mark of conformity to European Community Safety regulations.

Symbols



Bulb included.



Items with LED lights: very low consumption, highly bright and focused light, strength and durability.



Integrated switch button.



Lamp with touch switch: switching on and dimming by touching the base with a finger.



Luminaire with dimmer.



Lamp with integrated USB socket.



Up-light included.



Modular product



High-tech product with high quality materials, intended for professional use.



Product with UGR.



Item suitable for painting and varnishing.



Protection degree.



Item made of stainless steel 316.



Lamp with presence detector included PIR (Passive InfraRed).



Lamp with rechargeable battery included

Notes

-The indicated prices are public prices VAT excluded.

-Ideal lux s.r.l. reserves the right to make, at any time and without notice, all the changes necessary to improve the quality of the items included in this catalogue. For the most updated features, please check the documentation available on our website (www.ideal-lux.com).

-Our products with Class I and II work with nominal Voltage of 220-240 Vac 50/60 Hz. All our products comply with EU legislation.

-Whenever purchased separately as "optional", the DIMMABLE DRIVER will be already included in the product as replacement for the default on-off driver: only one driver will be supplied.

-The Watt indicated in the catalogue express the NOMINAL power of the lighting fitting including source and driver, when present. The Lumen measures referred to the lighting fittings with integrated LED source are nominal, namely referred to the source. We kindly invite you to check

photometry files for the actual Lumen of the single lighting fittings. For further information and updates.

-The UGR rate is not a characteristic of the fitting itself, but of the installation. The UGR values reported in this catalogue are calculated taking into consideration an ideal installation and are regrouped into blocks <10 <13 <16 <19 <22. It is recommended to calculate the specific UGR according to your installation.

-The useful life of the LED sources of all the products in the catalogue refers, when it is not differently declared, to the L70B50 value.

Ideal Lux s.r.l.

Headquarter

Via Taglio Destro, 32
30035 Mirano — Venezia
P.I. / C.F. 02420040277
8.00 - 12.00 / 13.30 - 17.30

Warehouse

Via delle Industrie, 8/D
30036 Santa Maria di Sala — Venezia
8.00 - 12.00 / 13.00 - 17.00

E info@ideal-lux.com

T +39 041 5790500

F +39 041 8872349

📧 [ideal.lux](https://www.ideal-lux.com)

📘 Ideal Lux

www.ideal-lux.com

Community Design Pending Nr. 001996372 002943449 003734342 004558609 006083655
Copyright 2026 © IDEAL LUX S.r.l. – All rights reserved – Tutti i diritti sono riservati



IUX



