



# **kdl<sup>ni</sup>**

**2025 PRICE LIST**





**EN. For Kdln, light is poetry and beauty, a refined simplicity, an energy that shapes interiors and enhances their identity, making them welcoming, expressive, and harmonious. The result of aesthetic research carried out together with renowned international designers and emerging talents, in perfect balance between tradition and modernity, we transform creative insights into ever-original projects, with a universal language that is accessible and immediately comprehensible.**

**IT. Per Kdln la luce è poesia e bellezza, è sofisticata semplicità, è energia che disegna gli interni e ne esalta l'identità rendendoli accoglienti, espressivi e armoniosi. Frutto della ricerca estetica condotta assieme a designer internazionali affermati e talenti emergenti, in equilibrio tra tradizione e modernità, trasformiamo le intuizioni in progetti sempre inediti dal linguaggio universale, accessibile e di immediata comprensione.**

**FR. Pour Kdln, la lumière est poésie et beauté, une simplicité sophistiquée, une énergie qui dessine les intérieurs et en exalte l'identité, les rendant accueillants, expressifs et harmonieux. Fruit d'une recherche esthétique menée avec des designers internationaux de renom et des talents émergents, dans un équilibre entre tradition et modernité, nous transformons les intuitions en projets toujours inédits, porteurs d'un langage universel, accessible et immédiatement compréhensible.**

**D. Für Kdln ist Licht Poesie und Schönheit, eine raffinierte Schlichtheit, eine Energie, die Innenräume gestaltet und deren Identität hervorhebt, sodass sie einladend, ausdrucksstark und harmonisch wirken. Das Ergebnis einer ästhetischen Forschung, die gemeinsam mit renommierten internationalen Designern und aufstrebenden Talenten betrieben wird, in einem ausgewogenen Zusammenspiel von Tradition und Moderne. Wir verwandeln kreative Eingebungen in stets neue Projekte mit einer universellen, zugänglichen und unmittelbar verständlichen Sprache.**

**ES. Para Kdln, la luz es poesía y belleza, una sofisticada sencillez, una energía que da forma a los interiores y realza su identidad, haciéndolos acogedores, expresivos y armoniosos. Resultado de una investigación estética desarrollada junto a diseñadores internacionales consagrados y talentos emergentes, en equilibrio entre tradición y modernidad, transformamos las intuiciones en proyectos siempre inéditos, con un lenguaje universal, accesible e inmediatamente comprensible.**

## FLOOR

p. 8

### BIRD FLOOR

p. 8

### EVITA

p. 8

### E.T.A.

p. 8

### KUSHI FLOOR

p. 9

### KUSHI XL FLOOR

p. 9

### KYUDO

p. 9

### MODEL T

p. 10

### OPYO FLOOR

p. 10

### POISE FLOOR

p. 10

### SHAKTI

p. 11

### TRATTO FLOOR

p. 11

### TRIPOD FLOOR

p. 11

### TYLA

p. 12

## TABLE

p. 13

### ATOMIUM

p. 13

### BIRD TABLE

p. 13

### HIVE

p. 13

### KUSHI 10<sup>TH</sup>

p. 14

### KUSHI MOBILE

p. 14

### KUSHI 16 TABLE

p. 14

### KUSHI 33 TABLE

p. 15

### KUSHI XL TABLE

p. 15

### LANNÀ TABLE

p. 15

### POISE

p. 16

### TATU

p. 16

### TRATTO TABLE

p. 16

## CEILING & SUSPENSION

p. 17

### ATOMIUM SUSPENSION

p. 17

### BIRD CEILING

p. 17

### BOLHA

p. 18

### DALA

p. 18

### DALA LINEAR

p. 19

### DEW

p. 20

### DEW CANOPIES

p. 21

### E.T.A. SAT

p. 22

### FLOED

p. 22

### FLOED 2

p. 22

### FLOW

p. 23

### FLOW CEILING

p. 23

### GIASS

p. 24

### KATE

p. 25

### KATE SUSPENSION

p. 25

### KOOI

p. 26

### KUSHI 16 CEILING

p. 26

### KUSHI 33 CEILING

p. 26

### KUSHI XL CEILING

p. 27

### KUSHI 16 SUSPENSION

p. 27

### KUSHI 33 SUSPENSION

p. 27

### KUSHI XL SUSPENSION

p. 28

### LANNÀ SUSPENSION

p. 28

### LILLI

p. 28

### MINIMAL

p. 29

### MITOS

p. 29

### MOTUS

p. 30

### NAMI

p. 30

### OPYO SUSPENSION

p. 30

### POISE CEILING

p. 31

### POLAR 15

p. 31

### POLAR 20

p. 32

### SLING

p. 32

### TRATTO SUSPENSION

p. 33

### TRIPOD SUSPENSION

p. 33

### VICEVERSA

p. 34

### YUMA

p. 34

# WALL

p. 35

## ATOMIUM WALL

p. 35

## AZOU

p. 35

## FRAME

p. 36

## NAMI WALL

p. 36

## PASTILLA

p. 36

## TRATTO WALL

p. 37

## TUA

p. 37

# ACCESSORIES

p. 38

# SPECIAL CANOPIES

p. 39

# PACKAGING

p. 40-43

# FAMILY COLLECTION

ATOMIUM p. 13  
ATOMIUM SUSPENSION p. 17  
ATOMIUM WALL p. 35

BIRD FLOOR p. 8  
BIRD TABLE p. 13  
BIRD CEILING p. 17

DALA p. 18  
DALA LINEAR p. 19

E.T.A. p. 8  
E.T.A. SAT p. 22

FLOW p. 23  
FLOW CEILING p. 23

KATE p. 25  
KATE SUSPENSION p. 25

KUSHI FLOOR p. 9  
KUSHI XL FLOOR p. 9  
KUSHI 10<sup>TH</sup> p. 14  
KUSHI 16 MOBILE p. 14  
KUSHI 16 TABLE p. 14  
KUSHI 33 TABLE p. 15  
KUSHI XL TABLE p. 15  
KUSHI 16 CEILING p. 26  
KUSHI 33 CEILING p. 26  
KUSHI XL CEILING p. 27  
KUSHI 16 SUSPENSION p. 27  
KUSHI 33 SUSPENSION p. 27  
KUSHI XL SUSPENSION p. 28

LANNÀ TABLE p. 15  
LANNÀ SUSPENSION p. 28

NAMI p. 30  
NAMI WALL p. 36

OPYO FLOOR p. 10  
OPYO SUSPENSION p. 30

POISE FLOOR p. 10  
POISE p. 16  
POISE CEILING p. 31

TRATTO FLOOR p. 11  
TRATTO TABLE p. 16  
TRATTO SUSPENSION p. 33  
TRATTO WALL p. 37

TRIPOD FLOOR p. 11  
TRIPOD SUSPENSION p. 33

# TECHNICAL INFO

## GLOSSARY

bulbs . lampadine . ampoules . Leuchtmittel . bombillas  
cable length . lunghezza cavo . longueur de câble . Kabellänge . longitud del cable  
canopy . rosone . rosace . Baldachin . plafón  
certifications . certificazioni . certifications . Zertifizierungen . certificaciones  
colours . colori . couleurs . Farben . colores  
code . codice . code . Artikelnummer . código  
description . descrizione . description . Beschreibung . descripción  
dimensions . dimensioni . dimensions . Größe . dimensiones  
dimnable . dimmerabile . dimmable . dimmbar . regulable  
dimmer . dimmer . variateur . Dimmer . dimmer  
feeding . alimentazione . alimentation . Spannung . tensión de red  
finish . finitura . finitions . Oberflächen . acabados  
materials . materiali . matériaux . Materialien . materiales  
packaging . imballo . emballage . Verpackung . embalaje  
price vat excl . prezzo iva esc . prix ht . Preis ohne MwSt . precio iva excluida

## LIGHT DIRECTION



Direct and indirect lighting  
Luce diretta e indiretta  
Lumière directe et indirecte  
Direktes und indirektes Licht  
Luz directa y indirecta



Indirect lighting  
Luce indiretta  
Lumière indirecte  
Indirektes Licht  
Luz indirecta



Direct lighting  
Luce diretta  
Lumière directe  
Direktes Licht  
Luz directa



Indirect and spot lighting  
Luce indiretta e spot  
Lumière indirecte et spot  
Indirektes und fokussiertes Licht  
Luz indirecta y puntual



Direct and spot lighting  
Luce diretta e spot  
Lumière directe et spot  
Direktes und fokussiertes Licht  
Luz directa y puntual



Diffused lighting  
Luce diffusa  
Lumière diffuse  
Verbreitetes Licht  
Luz difusa



amber  
ambra  
ambre  
Bernstein  
ámbar



black  
nero  
noir  
Schwarz  
negro



black marble  
marmo nero  
marbre noir  
schwarz Marmor  
mármol negro



black nickel  
nickel nero  
nickel noir  
schwarzes Nickel  
níquel negro



black tin  
stagno nero  
étain noir  
schwarzem Zinn  
estaño negro



brass  
ottone  
laiton  
Messing  
latón



bronze  
bronzo  
bronze  
Bronze  
bronce



chrome  
cromo  
chrome  
Chrom  
cromado



copper  
rame  
cuivre  
Kupfer  
cobre



coral  
corallo  
corail  
Koralle  
coral



dark blue  
blu scuro  
bleu foncé  
dunkel Blau  
azul oscuro



dark grey + concrete finish  
grigio scuro + finitura cemento  
gris foncé + finition ciment  
dunkel Grau + Zementoberfläche  
gris oscuro + acabado de cemento



dark grey + copper  
grigio scuro + rame  
gris foncé + cuivre  
dunkel Grau + Kupfer  
gris oscuro + cobre



dark grey + wood finish  
grigio scuro + finitura legno  
gris foncé + finition bois  
dunkel Grau + Holzoberfläche  
gris oscuro + acabado de madera



dove-grey  
grigio tortora  
gris tourterelle  
Taubengrau  
gris paloma



ecrù  
ecrù  
écru  
Ecrù  
ecru



gold leaf  
foglia oro  
feuille d'or  
Gold Blatt  
hoja de oro



green onyx  
onice verde  
onyx vert  
grüner Onyx  
ónix verde



inox  
inox  
inox  
Inox  
inox



orange  
arancione  
orange  
Orange  
naranja



pop  
pop  
pop  
Pop  
pop



red  
rosso  
rouge  
Rot  
rojo



sand + copper  
sabbia + rame  
sable + cuivre  
Sand + Kupfer  
arena + cobre



sand + concrete finish  
sabbia + finitura cemento  
sable + finition ciment  
Sand + Zementoberfläche  
arena + acabado de cemento



sand + wood finish  
sabbia + finitura legno  
sable + finition bois  
Sand + Holzoberfläche  
arena + acabado de madera



smokey grey  
grigio fumè  
gris fumé  
Rauchgrau  
gris ahumado



warm white  
bianco caldo  
blanc chaud  
Warmweiß  
blanco roto



white  
bianco  
blanc  
Weiß  
blanco



white marble  
marmo bianco  
marbre blanc  
weiss Marmor  
mármol blanco

## CODES

<sup>EN</sup> The codes in this price list are referred to devices with voltage feeding 220-240 V and are produced according to the standards in compliance with **CE** directives. Where the abbreviation / GB is mentioned it states the possibility to order devices with plug adaptor suitable for the UK market (type G, standard IEC). The devices without plug do not require any different fitting from **CE** standard for being used in the UK market.

<sup>FR</sup> I codici riportati in questo listino si riferiscono ad apparecchi funzionanti con tensioni di alimentazione a 220- 240 V realizzati secondo gli standard in conformità alle direttive comunitarie **CE**.

Ove presente la sigla / GB si indica la possibilità di ordinare apparecchi dotati di spine adatte per il mercato UK (tipo G, standard IEC). Gli apparecchi non dotati di spina non richiedono allestimenti diversi dagli standard **CE** per essere utilizzati nel mercato UK.

<sup>FR</sup> Les codes dans ce tarif font référence aux luminaires à tension 220-240 V uniquement, qui sont fabriqués en conformité des normes **CE**.

Le paragraphe / GB signale la possibilité de commander des lampes sur pied avec des fiches appropriées pour le marché britannique (type G, standard IEC). Les appareils sans fiches sont utilisables en Grande Bretagne sans modifications par rapport aux standards **CE**.

<sup>D</sup> Die in dieser Preisliste aufgeführten Artikelnummer beziehen sich auf Geräte mit der Versorgungsspannung von 220-240 V, die unter der Einhaltung des **CE** Standards hergestellt wurden.

Die Abkürzung / GB ermöglicht die Bestellung der Geräte mit den Steckern, die für den britischen Markt (Typ G, Standard IEC) bestimmt sind. Geräte ohne Stecker erfordern für den britischen Markt keine besondere Ausrüstung, die unterschiedlich vom **CE** Standard ist.

<sup>ES</sup> Los códigos que aparecen en esta tarifa, se refieren a aparatos que funcionan con tensión de alimentación a 220-240 V realizados según los standards con conformidad a las directivas comunitarias de la **CE**.

Donde esté presente las siglas / GB se indica la posibilidad de pedir aparatos dotados de enchufe adaptado para el mercado UK (tipo G, standard IEC). Los aparatos que no están dotados con enchufe no necesitan complementos diversos a los estándares **CE** para ser utilizados en el mercado UK.

## NOTES

<sup>EN</sup> Goods delivery have to be considered Ex Factory.

Goods are carefully and accurately packaged, Kdln S.r.l. declines all responsibilities for any damage caused by the transport.

All merchandise is shipped at the dealer's risk, even if free of carriage.

Any claim related to apparent and occult defects has to be communicated to Kdln by mail or fax within 8 days from the date of receipt of the goods.

Kdln reserves the right to alter any of the above conditions, at its own discretion and without notice.

The cable length specified for pendant lamps refers to its visible part, external to the lamp body.

Different cable lengths can be produced on demand. The company reserves the right to change the design of the canopies and the cable length without notice.

The dimmability of suspension and wall lamps with E27 (E26) and E14 (E12) bulb sockets depends on the dimmability of the chosen light source.

Product colors can differ from what is shown in the catalogue and from batch to batch.

The listed light emission in Lumen is nominal.

For any disputes the involved Forum is Milan (Italy).

<sup>FR</sup> La merce si intende franco fabbrica.

La merce è attentamente e accuratamente imballata, Kdln S.r.l. declina ogni responsabilità per danni causati dal trasporto.

La merce viaggia a rischio e pericolo del committente, anche se spedita in porto franco.

Reclami per difetti apparenti ed occulti devono essere comunicati via mail o fax entro 8 giorni dal ricevimento della merce.

Kdln si riserva il diritto di modificare qualsiasi delle suddette condizioni, a propria discrezione e senza alcun preavviso.

La lunghezza dei cavi riportata per le lampade a sospensione fa riferimento alla sua parte visibile, esterna al corpo lampada.

Eventuali misure diverse dei cavi possono essere prodotte su richiesta. La società si riserva comunque il diritto di variare il disegno dei rosoni e la lunghezza dei cavi senza alcun preavviso.

La dimmerabilità delle lampade a sospensione e delle lampade da parete con attacco E27 (E26) e E14 (E12) dipende dalla dimmerabilità della sorgente luminosa scelta.

I colori dei prodotti possono variare rispetto a quanto rappresentato nel catalogo e da lotto a lotto.

I lumen indicati sono da considerarsi nominali.

Per qualsiasi controversia sarà competente il Foro di Milano, Italia.

<sup>FR</sup> La marchandise est livrée à la condition 'départ usine'.

Toutes les marchandises voyagent aux risques et périls du revendeur, même si elles sont rendues franco de port.

Les réclamations pour défauts apparents et occultes doivent être notifiés par mail ou fax dans les 8 jours suivant la réception de la marchandise.

Kdln se réserve le droit de modifier n'importe laquelle des clauses précédentes sans préavis, en fonction de ses exigences.

La longueur des câbles indiquée pour les suspensions fait référence à leur partie visible, extérieure à la structure de la lampe.

D'éventuelles autres mesures des câbles peuvent être produites sur demande.

La société se réserve toutefois le droit de modifier le dessin des rosaces et la longueur des câbles sans aucun préavis.

La variation de lumière des suspensions et appliques E27 (E26) et E14 (E12) dépend de la source lumineuse choisie.

Les couleurs des produits peuvent varier par rapport à ce qui est présenté dans le catalogue ainsi que de lot à lot.

Les lumens indiqués s'entendent nominaux.

Le Tribunal de Milan (Italie) sera le seul compétent pour toutes contestations.

<sup>D</sup> Die Ware wird ab Werk verkauft.

Die Ware wird sorgfältig und gründlich verpackt. Kdln S.r.l. lehnt jegliche Haftung für Transportschäden ab.

Sämtliche Waren werden auf Risiko und Gefahr des Einzelhändlers transportiert, auch im Falle von Verschickung frei Bestimmungsort.

Jegliche Reklamationen der Waren müssen innerhalb von 8 Tagen nach Erhalt der Lieferung per Post oder Fax mitgeteilt werden.

Kdln behält sich das Recht vor, alle oben genannten Bedingungen nach eigenem Ermessen und ohne vorherige Ankündigung zu ändern. Die angegebene Kabellänge für Pendelleuchten bezieht sich auf den sichtbaren Teil, der sich außerhalb des Lampenkörpers befindet.

Eventuelle andere Kabellängen können auf Anfrage produziert werden. Das Unternehmen behält sich in jedem Falle das Recht vor, das Design der Rosetten und die Länge der Kabel ohne Vorankündigung zu ändern.

Die Dimmbarkeit der Pendel- und Wandleuchten mit den E27-Fassungen (E26) und E14-Fassungen (E12) ist von der Dimmbarkeit der gewählten Lichtquelle abhängig.

Die Farben der Produkte können sich von den Abbildungen im Katalog unterscheiden und von einem Fertigungslos zum anderen variieren.

Die angegebenen Lumen sind Nominalwerte.

Der zuständige Gerichtshof ist Mailand (Italien).



**ES.** La mercancía se entiende a portes debidos.

La mercancía está atentamente y cuidadosamente embalada, Kdln srl declina cualquier responsabilidad por los daños causados por el transporte.

Todas las mercancías viajan a riesgo del comerciante aunque se hayan franqueado por el destinatario.

Las reclamaciones por defectos aparentes y ocultos tienen que ser comunicados por mail o por fax dentro de 8 días del recibo de la mercancías.

Kdln se reserva el derecho de modificar cualquiera de las cláusulas precedentes sin aviso previo en caso de necesidades, decisiones o exigencias propias.

La longitud de los cables indicada para las lámparas colgantes se refiere a su parte visible, externa al cuerpo de la lámpara.

Bajo petición, se pueden producir diversas medidas de cables.

De todas formas, la sociedad se reserva el derecho de cambiar el diseño de los florones y la longitud de los cables sin previo aviso.

La dimabilidad de las lámparas a suspensión y de las lámparas a pared con enchufe E27 (E26) y E14 (E12) depende de la dimabilidad de la fuente de luz elegida.

Los lúmenes indicados son nominales.

Los colores de los productos pueden variar respecto a lo que se muestra en el catálogo y de un lote a otro. Para toda pendencia el Forum implicado es Milán (Italia).

## MARKING



Class I luminaire: it's necessary to connect the device to the yellow/green protective conductor (earthing).

Apparecchio in Classe I: è obbligatoria la connessione al conduttore di protezione giallo/verde (messa a terra).

Classe I: il est obligatoire de relier l'appareil à la terre.

Schutzklasse I: alle berührbaren Metallteile sind elektrisch leitend miteinander verbunden und werden mit dem Netzschutzleiter verbunden.

Aparato en clase I: es obligatoria la conexión al conductor de protección amarillo/verde (toma de tierra).



Class II luminaire: appliance with double insulation.

Apparecchio in Classe II: apparecchio in doppio isolamento.

Classe II: appareil doté de double isolation.

Schutzklasse II: Gerät mit doppelter Isolierung.

Aparato en clase II: aparato provisto de aislamiento doble.



Class III luminaire: appliance in which protection against electrical shock is guaranteed by the extremely low voltage power supply.

Apparecchio in Classe III: apparecchio in cui la protezione contro la scossa elettrica si basa sulla alimentazione a bassissima tensione di sicurezza.

Classe III: appareil avec protection contre les décharges électriques basée sur l'alimentation à une tension de sécurité très basse.

Schutzklasse III: Zum Schutz vor elektrischen Schlägen mit Niedervolt gespeistes Gerät.

Aparato en clase III: aparato en el cual la protección contra la descarga eléctrica se debe a la alimentación a muy baja tensión.

## IP20

Device protected against the penetration of solid objects greater than 12mm.

Apparecchio protetto contro la penetrazione di corpi solidi di dimensioni maggiori a 12mm.

Protégé contre la pénétration des corps solides aux dimensions supérieures à 12mm.

Gegen das Eindringen von Festkörpern größer als 12mm geschützt.

Protección contra la penetración de cuerpos sólidos de un tamaño superior a 12mm.

## CE

It certifies the conformity of the product to the European community directives.

Attesta la conformità del prodotto alle disposizioni della Comunità Europea.

Il atteste la conformité du produit aux directives de la Communauté Européenne.

Das Zeichen bescheinigt die Konformität des Produktes mit den Bestimmungen der Europäischen Gemeinschaft.

Certifica la conformidad del producto con las disposiciones de la Comunidad Europea.

## EAC

It certifies the conformity of the product to the Eurasian Customs Union directives.

Attesta la conformità del prodotto alle disposizioni dell'Unione doganale eurasiatica.

Il atteste la conformité du produit aux directives de l'union douanière eurasiatique.

Das Zeichen bescheinigt die Konformität des Produktes mit den Bestimmungen der Eurasischen Zollunion.

Certifica la conformidad del producto con las disposiciones de la Unión Aduanera Euroasiática.



It certifies the conformity of the product to the North American market directives.

Attesta la conformità del prodotto alle disposizioni del mercato nordamericano.

Il atteste la conformité du produit aux directives du marché nord-américain.

Das Zeichen bescheinigt, dass das Produkt den Vorschriften des nordamerikanischen Marktes entspricht.

Certifica la conformidad del producto con las disposiciones del mercado norteamericano. Marca de conformidad U.S.A. y Canada.




# BIRD FLOOR

Jordi Pla / 2024

code	colour	PRICE vat excl.
514439NEU	● black RAL9005	470 €
514439BEU	● white RAL9010	
514439REU	● brick red	

feeding	dimmer	certifications	materials
100-240 V	yes	◇ IP20 CE	metal
light source included			light direction
board LED 1x6 W 2700 K - 660 lm - CRI>90			




# EVITA

AquiliAlberg / 2011

code	colour	PRICE vat excl.
K155061B	● warm white RAL1013	1860 €
K155061N	● black RAL9005	
K155061T	● dove-grey RAL7006	
K155061R	● red RAL3003	

feeding	dimmer	certifications	materials
100-240 V	yes	⊕ IP20 CE ENEC	metal + technopolymers
light source included			light direction
board LED 1x55 W 2700 K - 6.000 lm - CRI>90			




# E.T.A.

Guglielmo Berchicci / 1997

code	colour	PRICE vat excl.
0171596BIEU / GB	● white	1600 €
0171596AREU / GB	● orange	

feeding	dimmer	certifications	materials
220-240 / 120 V	yes	□ IP20 CE ENEC	fiberglass + metal
light source not included			light direction
3x40 W max - E14 (E12) + 1x100 W max - E27 (E26)			





## KUSHI FLOOR

Alberto Saggia & Valerio Sommella / 2016


code	colour	PRICE vat excl.	
K2281059N / GB	● black RAL9005	1330 €	
K2281059O / GB	● brass		
K2281059R / GB	● copper		

feeding	dimmer	certifications	materials
100-240 V	yes	□ IP20 CE ENEC	glass + metal

light source included	light direction
board LED 3x4.6W 2700 K - 1900 lm - CRI>90	



## KUSHI XL FLOOR

Alberto Saggia & Valerio Sommella / 2019


code	colour	PRICE vat excl.	
K219105N / GB	● black RAL9005	1280 €	
K219105O / GB	● brass		
K219105R / GB	● copper		

feeding	dimmer	certifications	materials
220-240 / 120 V	yes	□ IP20 CE ENEC	glass + metal

light source not included	light direction
2x70 W max - E27 - Ø 6cm max	



## KYUDO

Hansandfranz / 2009


code	colour	PRICE vat excl.	
K048133BIEU	● white RAL9016	1750 €	
K048133NEEU	● black RAL9005		
K048133AREU	● orange RAL2007		

feeding	dimmer	certifications	materials
100-240 V	yes	□ IP20 CE ENEC	aluminium

light source included	light direction
strip LED 1x36 W 2700 K - 4515 lm - CRI>90	








## MODEL T

Francesca Smiraglia / 2023

code	colour	PRICE vat excl.
K511435N	● black RAL9005	1260 €
K511435POP	● pop	
K511435INOX	● inox	1380 €

feeding	dimmer	certifications	materials
100-240 V	yes	□ IP20 CE	metal + plexiglass
<b>light source</b> included			<b>light direction</b>
board LED 1x65W 2700 K - 6600 lm - CRI>90			



## OPYO FLOOR

Cristina Celestino / 2019

code	colour	PRICE vat excl.
K350355B / GB	● white RAL9010	920 €
K350355C / GB	● coral RAL3012	
K350355O / GB	● brass	

feeding	dimmer	certifications	materials
220-240 / 120 V	yes	□ IP20 CE ENEC	glass + metal
<b>light source</b> not included			<b>light direction</b>
1x70 W max - E27 (E26)			




## POISE FLOOR

Robert Dabi / 2022

code	colour	PRICE vat excl.
505425N / GB	● black RAL9005	580 €







feeding	dimmer	certifications	materials
220-240 / 120 V	yes	□ IP20 CE	metal
<b>light source</b> included			<b>light direction</b>
strip LED 1x28 W 2700 K - 3600 lm - CRI>90			






## SHAKTI






Marzio Rusconi Clerici / 2001


code	colour		PRICE vat excl.
SHAKTI 200			
KSA110BIEU / GB		white + satin base	890 €
KCR110BIEU / GB		white + polished base	940 €
SHAKTI 250			
KSA111BIEU / GB		white + satin base	1075 €
feeding	dimmer	certifications	materials
220-240 / 120 V	yes	 IP20  ENEC	plexiglass + metal
light source not included			light direction
2x100 W max - E27 (E26)			



## TRATTO FLOOR







Oliver Schick / 2025

code	colour		PRICE vat excl.
K513444N27		black RAL9005	1350 €
K513444O27		brass	1460 €
feeding	dimmer	certifications	materials
100-240 V	yes	 IP20 	glass + metal
light source included			light direction
board LED 3x15W 2700 K - 4350 lm - CRI>90			



## TRIPOD FLOOR

Christophe Pillet / 2002




code	colour		PRICE vat excl.
K947BIEU / GB		white	1100 €
K947BEEU / GB		ecrù	
feeding	dimmer	certifications	materials
220-240 / 120 V	yes	 IP20  	metal + fabric
light source not included			light direction
3x70 W max - E27 (E26)			






# TYLA

Marc Sadler / 2021

code	colour	PRICE vat excl.
K501418B / GB	 white RAL9010	935 €
K501418BLU / GB	 dark blue RAL5004	
K501418RO / GB	 red RAL3004	

feeding	dimmer	certifications	materials
220-240 / 120 V	yes	 IP20   	glass + metal

light source	not included	light direction
1x70W max - E27 (E26)		








## ATOMIUM

Hopf&Wortmann - Büro Für Form / 2006


code	colour	PRICE vat excl.	
011890BIEU / GB	white	660 €	
feeding	dimmer	certifications	materials
220-240 / 120 V	no	IP20   EAC	polyethylene
light source not included			light direction
6x40 W max - E14 (E12)			



## BIRD TABLE

Jordi Pla / 2024


code	colour	PRICE vat excl.	
514438NEU	black RAL9005	350 €	
514438BEU	white RAL9010		
514438REU	brick red		
feeding	dimmer	certifications	materials
100-240 V	yes	IP20   EAC	metal
light source included			light direction
board LED 1x6 W max 2700 K - 660 lm - CRI>90			



## HIVE

Ini Archibong / 2017

code	colour	PRICE vat excl.	
K390325B / GB	white	580 €	
K390325N / GB	black		
K390325R / GB	red		
feeding	dimmer	certifications	materials
220-240 / 120 V	no	IP20   EAC	glass + ceramic
light source not included			light direction
1x30 W max - E27			






## KUSHI 10<sup>TH</sup>

Alberto Saggia & Valerio Sommella / 2025

code	colour	PRICE vat excl.
K216105N	● black RAL9005	350 €
K216105O	● brass	
K216105R	● copper	

feeding	dimmer	certifications	materials
100-240 V	yes	□ IP20 <b>CE</b>	glass + metal

light source included	light direction
board LED 1x7W tunable white from 1.800 to 3.000 K - 840 lm - CRI>90	




## KUSHI 16 MOBILE

Alberto Saggia & Valerio Sommella / 2016

code	colour	PRICE vat excl.
K2291059N	● black RAL9005	340 €
K2291059O	● brass	
K2291059R	● copper	

feeding	dimmer	certifications	materials
rechargeable battery 5 V min 500 mA	no	◇ IP20 <b>CE ENEC</b>	glass + metal

light source included	battery life	light direction
board LED 1x1.3W 2700 K - 150 lm - CRI>90	5h 30min	




## KUSHI 16 TABLE

Alberto Saggia & Valerio Sommella / 2015

code	colour	PRICE vat excl.
K227105N / GB	● black RAL9005	270 €
K227105O / GB	● brass	
K227105R / GB	● copper	

feeding	dimmer	certifications	materials
220-240 / 120 V	no	□ IP20 <b>CE ENEC</b>	glass + metal

light source not included	light direction
1x25 W max - G9	






## KUSHI 33 TABLE

Alberto Saggia & Valerio Sommella / 2015


code	colour	PRICE vat excl.	
K222105N / GB	● black RAL9005	540 €	
K222105O / GB	● brass		
K222105R / GB	● copper		
feeding	dimmer	certifications	materials
220-240 / 120 V	yes	□ IP20 <b>CE</b> ENEC	glass + metal
light source not included			light direction
1x30 W max - E27			



## KUSHI XL TABLE

Alberto Saggia & Valerio Sommella / 2019


code	colour	PRICE vat excl.	
K223105N / GB	● black RAL9005	730 €	
K223105O / GB	● brass		
K223105R / GB	● copper		
feeding	dimmer	certifications	materials
220-240 / 120 V	yes	□ IP20 <b>CE</b> ENEC	glass + metal
light source not included			light direction
1x70 W max - E27			



## LANNÀ TABLE

Noé Duchaufour Lawrance / 2017

code	colour	PRICE vat excl.	
K385320N / GB	● black RAL9005	540 €	
K385320 / GB	● brass		
feeding	dimmer	certifications	materials
220-240 / 120 V	no	□ IP20 <b>CE</b> ENEC	glass + metal
light source not included			light direction
1x20 W max - E27 Ø 6cm max			







## POISE



Robert Dabi / 2021

code	colour	PRICE vat excl.
505424N / GB	● black RAL9005	380 €

feeding	dimmer	certifications	materials
220-240 / 120 V	yes	□ IP20 <b>CE</b> ENEC	metal

light source included	light direction
strip LED 1x17.5 W 2700 K - 1050 lm - CRI>90	

### movement options




## TATU

MrSmith Studio / 2019

code	colour	PRICE vat excl.
K360375N / GB	● black RAL9005	780 €
K360375O / GB	● brass	

feeding	dimmer	certifications	materials
220-240 / 120 V	yes	□ IP20 <b>CE</b> ENEC	glass + metal

light source not included	light direction
1x105 W max - E27 (E26)	




## TRATTO TABLE

Oliver Schick / 2025

code	colour	PRICE vat excl.
K513443N27	● black RAL9005	445 €
K513443O27	● brass	490 €

feeding	dimmer	certifications	materials
100-240 V	yes	□ IP20 <b>CE</b>	glass + metal

light source included	light direction
board LED 1x15 W max 2700 K - 1450 lm - CRI>90	






# ATOMIUM SUSPENSION

Hopf&Wortmann - Büro Für Form / 2006

code	colour		PRICE vat excl.		
011892BIEU	white		650 €		
feeding	dimmable	certifications	materials		
220-240 / 120 V	yes	⊕ IP20  ENEC	polyethylene		
light source not included		canopy	cable length	light direction	
6x40 W max - E14 (E12)		white	175cm		




# BIRD CEILING


Jordi Pla / 2024

code	colour		PRICE vat excl.		
514440NEU	black RAL9005 - 2 tiges included		250 €		
514440BEU	white RAL9010 - 2 tiges included				
514440REU	brick red - 2 tiges included				
514-AC1N	black RAL9005 - tige 50.5 cm		35 €		
514-AC1B	white RAL9010 - tige 50.5 cm				
514-AC1R	brick red - tige 50.5 cm				
514-AC2N	black RAL9005 - tige 110.5 cm		50 €		
514-AC2B	white RAL9010 - tige 110.5 cm				
514-AC2R	brick red - tige 110.5 cm				
feeding	dimmable	certifications	materials		
220-240 / 120 V	phase cut	⊕ IP20	metal		
light source included				light direction	
board LED 1x6 W max 2700 K - 660 lm - CRI>90					


BIRD STANDARD LENGTHS  
2 TIGES INCLUDED



BIRD +  
TIGE 50.5 CM



BIRD +  
TIGE 110.5 CM








## BOLHA

Valerio Sommella & Anonima Luci / 2021

code	colour	PRICE vat excl.
K502419A	 <b>amber</b>	<b>1450 €</b>

feeding	dimnable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 <b>CE</b> ENEC	glass + aluminium
light source included	canopy	cable length	light direction
board LED 1x22W 2700 K - 2200 lm - CRI>90	brown	215 cm	




## DALA

Francesca Smiraglia / 2021

code	colour	PRICE vat excl.
------	--------	-----------------


### DALA 2700 K

K503420GL	 <b>dark grey + wood finish</b>	<b>950 €</b>
K503420SL	 <b>sand + wood finish</b>	
K503420GC	 <b>dark grey + concrete finish</b>	
K503420SC	 <b>sand + concrete finish</b>	
K503420GR	 <b>dark grey + copper</b>	
K503420SR	 <b>sand + copper</b>	

K503420BB	 <b>white</b>	<b>840 €</b>
-----------	--	--------------

### DALA 3000 K

K503420GL30	 <b>dark grey + wood finish</b>	<b>950 €</b>
K503420SL30	 <b>sand + wood finish</b>	
K503420GC30	 <b>dark grey + concrete finish</b>	
K503420SC30	 <b>sand + concrete finish</b>	
K503420GR30	 <b>dark grey + copper</b>	
K503420SR30	 <b>sand + copper</b>	

K503420BB30	 <b>white</b>	<b>840 €</b>
-------------	--	--------------

feeding	dimnable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 <b>CE</b> ENEC	metal + polyethylene


light source included	light direction
-----------------------	-----------------

DALA 2700 K:

board LED 1x42W - 2700 K - 4200 lm - CRI>90

DALA 3000 K:

board LED 1x42W - 3000 K - 4350 lm - CRI>90


















# DALA LINEAR

Francesca Smiraglia / 2022

code	colour	PRICE vat excl.
DALA LINEAR 2700 K		
K503427GL	 dark grey + wood finish	980 €
K503427SL	 sand + wood finish	
K503427GC	 dark grey + concrete finish	
K503427SC	 sand + concrete finish	
K503427GR	 dark grey + copper	
K503427SR	 sand + copper	

DALA LINEAR 3000 K		
K503427GL30	 dark grey + wood finish	980 €
K503427SL30	 sand + wood finish	
K503427GC30	 dark grey + concrete finish	
K503427SC30	 sand + concrete finish	
K503427GR30	 dark grey + copper	
K503427SR30	 sand + copper	




feeding	dimmmable	certifications	materials	
220-240 / 120 V	phase cut	⊕ IP20 CE ENEC	metal	
light source included		canopy	cable length	light direction
DALA LINEAR 2700 K: board LED 1x43 W 2700 K - 5150 lm - CRI>90		dark grey or sand	250 cm	
DALA LINEAR 3000 K: board LED 1x43 W 3000 K - 5300 lm - CRI>90				








# DEW

Emmanuel Babled / 2009

code	colour	PRICE vat excl.
0451381CREU	 chrome	350 €
0451381NEU	 black RAL9005	365 €
0451381OEU	 brass	

feeding	dimmable	certifications	materials
220-240 / 120 V	phase cut	 IP20  	glass + metal


## special requests

It is possible to ask for quotes for different shapes, sizes and finishing according to your needs.

## Dew + Dew Canopies

Dew must be sold together with one of the Dew Canopies



















light source included	cable length	light direction
board LED 1x5 W 2700 K - 440 lm - CRI>90	250 cm	









ø 11 cm



# DEW CANOPIES

code	colour	PRICE vat excl.
CANOPY x 1 LAMP		
500500CR	 chrome	75 €
500500N	 black RAL9005	
500500O	 brass	
500501CR	 chrome - false ceiling canopy	50 €
500501N	 black RAL9005 - false ceiling canopy	
500501O	 brass - false ceiling canopy	
CANOPY x 3 LAMPS		
500524MI	 mirrored	120 €
500524N	 black RAL9005	
500524O	 brass finish	
CANOPY x 5 LAMPS		
500502MI	 mirrored	550 €
500502N	 black RAL9005	
500502O	 brass finish	
CANOPY x 7 LAMPS		
500503MI	 mirrored	750 €
500503N	 black RAL9005	
500503O	 brass finish	
CANOPY x 9 LAMPS		
500504MI	 mirrored	1350 €
500504N	 black RAL9005	
500504O	 brass finish	



## materials

metal (black or chrome) or  
metal + plexiglass (mirrored or brass finish)

## certifications

⊕ IP20 **CE**

## Dew + Dew Canopies

Dew Canopies must be sold together with Dew

## special requests

It is possible to ask for quotes for different shapes, sizes and finishing according to your needs.





## E.T.A. SAT

Guglielmo Berchicci / 1997

code	colour	PRICE vat excl.
017106BIEU	white	1200 €
017106AREU	orange	

feeding	dimnable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	fiberglass + polycarbonate + metal
<b>light source</b> not included		<b>canopy</b>	<b>cable length</b> <b>light direction</b>
1x40 W max - E14 (E12) + 1x100 W max - E27 (E26)		white	180 cm




## FLOED

StorageMilano / 2020

code	colour	PRICE vat excl.
K375416BR	bronze	845 €

feeding	dimnable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal
<b>light source</b> not included			<b>light direction</b>
1x70 W max - E27 (E26) - L 10.5cm max			




## FLOED 2

StorageMilano / 2020

code	colour	PRICE vat excl.
K375417BR	bronze	1450 €


feeding	dimnable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal
<b>light source</b> not included			<b>light direction</b>
2x70 W max - E27 (E26) - L 10.5cm max			








# FLOW


Chris Basias / 2022



code	colour	PRICE vat excl.		
506428N	● black RAL9005	250 €		
500500N	● black RAL9005 - canopy	75 €		
500501N	● black RAL9005 - false ceiling canopy	50 €		
500517N	● black RAL9005 - multiple canopy max 8 lamps	230 €		
LEAF				
506430N	● black RAL9005 - accessory	160 €		
feeding	dimmmable	certifications	materials	
120-240 V	yes	⊕ IP20 CE ENEC	glass + metal	
light source not included			cable length	light direction
1x25W max - G9			168 cm	



# FLOW CEILING

Chris Basias / 2022

code	colour	PRICE vat excl.	
506429N	● black RAL9005	260 €	
LEAF			
506430N	● black RAL9005 - accessory	160 €	
feeding	dimmable	certifications	materials
120-240 V	yes	⊕ IP20 CE ENEC	glass + metal
light source not included			light direction
1x25W max - G9			







# GIASS

Sebastian Herkner / 2017

code	colour	PRICE vat excl.
------	--------	-----------------

## GIASS 25

K395330S	white	1500 €
----------	-------	--------

K395330G	smokey grey	
----------	-------------	--

## GIASS 30

K396330S	white	1660 €
----------	-------	--------

K396330G	smokey grey	
----------	-------------	--

## GIASS 40

K397330S	white	1830 €
----------	-------	--------

K397330G	smokey grey	
----------	-------------	--

## GIASS 50

K398330S	white	2150 €
----------	-------	--------

K398330G	smokey grey	
----------	-------------	--

feeding	dimnable	certifications	materials
220-240 / 120 V	0-10V	⊕ IP20 CE ENEC	glass + metal

### multiple composition

Giass can be installed in multiple compositions fed by one single light point

### light source included

#### GIASS 25:

board LED 1x21.5W - 2700 K - 1700 lm - CRI>90

#### GIASS 30:

board LED 1x27.5W - 2700 K - 2250 lm - CRI>90





#### GIASS 40:

board LED 1x35W - 2700 K - 3100 lm - CRI>90

#### GIASS 50:

board LED 1x44W - 2700 K - 3950 lm - CRI>90









### light direction





## KATE







Francesca Smiraglia / 2023





code	colour		PRICE vat excl.
KATE 2700K			
K510434B27		white	940 €
510434-60227		gold leaf	1850 €
510434-XXX27		colours on request	1150 €
KATE 3000K			
K510434B30		white	940 €
510434-60230		gold leaf	1850 €
510434-XXX30		colours on request	1150 €
feeding	dimmable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE 	metal + polyethylene
light source included			light direction
KATE 2700 K: board LED 1x65W - 2700 K - 6856 lm - CRI>90			
KATE 3000 K: board LED 1x65W - 3000 K - 6956 lm - CRI>90			




## KATE SUSPENSION

Francesca Smiraglia / 2024

code	colour		PRICE vat excl.
KATE SUSPENSION 2700K			
K510437B27		white	1100 €
510437-60227		gold leaf	1970 €
510437-XXX27		colours on request	1270 €
KATE SUSPENSION 3000K			
K510437B30		white	1100 €
510437-60230		gold leaf	1970 €
510437-XXX30		colours on request	1270 €

feeding	dimmable	certifications	materials	
220-240 / 120 V	phase cut	 IP20  	metal + polyethylene	
light source included		canopy	cable length	light direction
KATE SUSPENSION 2700 K: board LED 1x65W 2700 K - 6856 lm - CRI>90		white or gold leaf or colours on request	230 cm	
KATE SUSPENSION 3000 K: board LED 1x65W 3000 K - 6956 lm - CRI>90				






## KOOL

Studio Shuu / 2023

code	colour	PRICE vat excl.
509433N	● black RAL9005	680 €


feeding	dimnable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE	glass + metal
light source included	canopy	cable length	light direction
board LED 1x26W 2700 K - 2179 lm - CRI>90	black	350 cm	




## KUSHI 16 CEILING

Alberto Saggia & Valerio Sommella / 2015

code	colour	PRICE vat excl.
K225105N	● black RAL9005	270 €
K225105O	● brass	
K225105R	● copper	

feeding	dimmable	certifications	materials
220-240 V	yes	⊕ IP20 CE ENEC	glass + metal
light source not included			light direction
1x25 W max - G9			




## KUSHI 33 CEILING

Alberto Saggia & Valerio Sommella / 2015

code	colour	PRICE vat excl.
K220105N	● black RAL9005	450 €
K220105O	● brass	
K220105R	● copper	

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal
light source not included			light direction
1x30 W max - E27 (E26)			





## KUSHI XL CEILING

Alberto Saggia & Valerio Sommella / 2022


code	colour	PRICE vat excl.	
K217105N	● black RAL9005	580 €	
K217105O	● brass		
K217105R	● copper		

feeding	dimnable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal

light source	not included	light direction
2x70 W max - E27 (E26)		



## KUSHI 16 SUSPENSION

Alberto Saggia & Valerio Sommella / 2015



code	colour	PRICE vat excl.	
K226105N	● black RAL9005	290 €	
K226105O	● brass		
K226105R	● copper		

feeding	dimnable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal

light source	not included	canopy	cable length	light direction
1x25 W max - G9		white	240 cm	



## KUSHI 33 SUSPENSION

Alberto Saggia & Valerio Sommella / 2015



code	colour	PRICE vat excl.	
K221105N	● black RAL9005	560 €	
K221105O	● brass		
K221105R	● copper		

feeding	dimnable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal

light source	not included	canopy	cable length	light direction
1x30 W max - E27 (E26)		white	175 cm	








## KUSHI XL SUSPENSION

Alberto Saggia & Valerio Sommella / 2019

code	colour	PRICE vat excl.
K218105N	● black RAL9005	780 €
K218105O	● brass	
K218105R	● copper	

feeding	dimmable	certifications	materials	
220-240 / 120 V	yes	⊕ IP20 C E ENEC	glass + metal	
light source not included		canopy	cable length	light direction
2x70 W max - E27 (E26)		white	160 cm	




## LANNÀ SUSPENSION

Noé Duchaufour Lawrance / 2017

code	colour	PRICE vat excl.
K386320N	● black RAL9005	540 €
K386320	● brass	





feeding	dimmable	certifications	materials	
220-240 / 120 V	yes	⊕ IP20 C E ENEC	glass + metal	
light source not included		canopy	cable length	light direction
1x20 W max - E27 (E26) Ø 6cm max		black or brass	200 cm	





## LILLI

Cristina Celestino / 2019

code	colour	PRICE vat excl.
K355365O	● brass	730 €

feeding	dimmable	certifications	materials	
220-240 / 120 V	yes	⊕ IP20   	glass + metal	
light source not included		canopy	cable length	light direction
3x42W max - E14 (E12)		white	165 cm	







# MINIMAL

David Pompa / 2017

code	colour	PRICE vat excl.
380315R *	copper	265 €
380315N *	black nickel	
ALI-CC350_8W	driver - not dimmable	30 €
500500N	black RAL9005 - canopy	75 €

\*driver not included - false ceiling canopy included

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	◇ IP20 <b>CE ENEC</b> Minimal □ IP20 <b>CE ENEC</b> Minimal + Driver ALI-CC350_8W ⊕ IP20 <b>CE ENEC</b> Minimal + Canopy 500500N	pottery + metal
light source included	canopy	cable length	light direction
board LED 1x3.15W 2700 K - 346 lm - CRI>90	black	180 cm	



# MITOS

Chris Basias / 2022

code	colour	PRICE vat excl.
507431N	black RAL9005 - spot	210 €
507-ALIEU-DIM	black RAL9005 - driver kit dimmable phase cut - max 5 spot	250 €
507-ALIEU	black RAL9005 - driver kit not dimmable - max 9 spot	220 €
507-CAV10	copper - cable L 10m	64 €
507-CAV30	copper - cable L 30m	165 €
507-AC1	black RAL9005 - cable holder plate	15 €

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	◇ IP20 <b>CE ENEC</b> spot ⊕ IP20 <b>CE ENEC</b> spot + driver kit	aluminium + technopolymer

## multiple composition system capability

spot n°: max 9 (dimmable max 5 spots) - cable length: max 2 x 30m






light source not included

GU 5.3

light direction



## installation options







## MOTUS

Shulab / 2023



code	colour	PRICE vat excl.
K512436B	white RAL9010	470 €
K512436N	black RAL9005	
K512436R	red RAL3016	

feeding	dimmbable	certifications	materials
220-240 V	phase cut	⊕ IP20 CE	glass + metal

### sliding mechanism

press the button - slide up or slide down - release the button to fix the lamp at the desired height

light source included	canopy	cable length	light direction
board LED 1x22 W 2700 K - 2346 lm - CRI>90	white or black or red	~300 cm	





## NAMI

Alberto Saggia & Valerio Sommella / 2017

code	colour	PRICE vat excl.
K405340N	black RAL9005	1970 €
K405340	brass	

feeding	dimmbable	certifications	materials
100-240 V	1-10V	⊕ IP20 CE ENEC	glass + metal

light source included	canopy	cable length	light direction
strip LED 60 W 2700 K - 6020 lm - CRI>90	black or brass	275 cm	




## OPYO SUSPENSION

Cristina Celestino / 2019

code	colour	PRICE vat excl.
K350356B	white RAL9010	420 €
K350356C	coral RAL3012	
K350356O	brass	

feeding	dimmbable	certifications	materials
220-240 V	yes	⊕ IP20 CE ENEC	glass + metal





light source not included	canopy	cable length	light direction
1x70 W max - E27 (E26)	white	210 cm	






# POISE CEILING


Robert Dabi / 2021


code	colour		PRICE vat excl.
505426N		black RAL9005	480 €
feeding	dimmable	certifications	materials
220-240 / 120 V	phase cut	 IP20 	metal
light source included			light direction
strip LED 1x28 W 2700 K - 3148 lm - CRI>90			



# POLAR 15

Yonoh Creative Studio / 2025

code	colour		PRICE vat excl.	
POLAR 15.1				
K515151N27EU	●	black RAL9005	1750 €	
POLAR 15.2				
K515152N27EU	●	black RAL9005	1750 €	
POLAR 15.3				
K515153N27EU	●	black RAL9005	1750 €	
feeding	dimmable	certifications	materials	
220-240 / 120 V	0/1-10V or PUSH or DALI	⊕ IP20 CE	ABS polymer + metal	
light source included		canopy	cable length	light direction
board LED 15x3.5 W 2700 K - 6600 lm - CRI>90		black	180 cm	





## POLAR 20

Yonoh Creative Studio / 2025

code	colour	PRICE vat excl.
------	--------	-----------------

POLAR 20.1

K515201N27EU

● black RAL9005

2100 €

POLAR 20.2

K515202N27EU

● black RAL9005

2100 €

POLAR 20.3

K515203N27EU

● black RAL9005

2100 €

feeding

220-240 / 120 V

dimmable

0/1-10V or  
PUSH or DALI

certifications

⊕ IP20 CE

materials

ABS polymer + metal

light source included

board LED 20x3.5 W  
2700 K - 8800 lm - CRI>90





canopy

black

cable length

180 cm

light direction



## SLING

Chris Basias / 2023

code	colour	PRICE vat excl.
------	--------	-----------------

508432N27

● black RAL9005 - spot - 2700 K

110 €

508432N30

● black RAL9005 - spot - 3000 K

508-ALIEU

● black RAL9005 - driver kit  
(from 2 to 9 spots max)

240 €

feeding

220-240 / 120 V

dimmable

0/1-10V or  
PUSH

certifications

⊕ IP20 CE spot  
⊕ IP20 CE spot + driver kit

materials

metal



light source included

SLING 2700 K:  
board LED 1x5 W  
2700 K - 500 lm - CRI>90  
SLING 3000 K:  
board LED 1x5 W  
3000 K - 520 lm - CRI>90


cable length included

4 m for each spot  
10 m for each driver kit

light direction




installation options






## TRATTO SUSPENSION

Oliver Schick / 2025


code	colour		PRICE vat excl.	
K513441N27	●	black RAL9005	345 €	
K513441O27	●	brass	395 €	
feeding	dimnable	certifications	materials	
220-240 / 120 V	phase cut	⊕ IP20 <b>CE</b>	glass + metal	
light source included		canopy	light direction	
board LED 1x15 W 2700 K - 1450 lm - CRI>90		black or brass		


TRATTO STANDARD LENGTHS  
2 TIGES INCLUDED



## TRIPOD SUSPENSION

Christophe Pillet / 2002

code	colour		PRICE vat excl.	
223945BIEU	●	white	790 €	
223945ECEU	●	ecrù		
feeding	dimnable	certifications	materials	
220-240 / 120 V	yes	⊕ IP20 <b>CE ENEC</b>	metal + fabric	
light source	not included	canopy	cable length	light direction
3x70 W max - E27 (E26)		white	210 cm	






# VICEVERSA

Noé Duchaufour Lawrance / 2019


code	colour	PRICE vat excl.
VICEVERSA		
K370280GA	● amber	1290 €
K370280GF	● smokey grey	

VICEVERSA 2		
K370281GA	● amber	2290 €
K370281GF	● smokey grey	


feeding	dimnable	certifications	materials
110-240 V	1-10V or push	⊕ IP20* <b>CE ENE</b>	glass + metal
light source included	canopy	cable length	light direction
VICEVERSA: board LED 9 W 2700 K - 990 lm - CRI>90	dark grey	400 cm	
VICEVERSA 2: board LED 16.5 W 2700 K - 1815 lm - CRI>90	* canopy IP20 structure built in compliance with IP54 specifications		



VICEVERSA 2



VICEVERSA





# YUMA

David Pompa / 2017

code	colour	PRICE vat excl.
370310EU	● brass	380 €

feeding	dimnable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 <b>CE ENE</b>	glass + metal
light source not included	canopy	cable length	light direction
1x20W max - E27 (E26)	brass	190 cm	






# ATOMIUM WALL

Hopf&Wortmann - Büro Für Form / 2006

code	colour	PRICE vat excl.	
011891BIEU	white	440 €	
feeding	dimmable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 <b>CE</b> ENEC	polyethylene
light source not included			light direction
3x40 W max - E14 (E12)			






# AZOU

Chris Basias / 2019

code	colour	PRICE vat excl.	
345410MB	lamp - white marble	240 €	
345410MN	lamp - black marble		
345410MO	lamp - green onyx	380 €	
345-PLUGEU / GB	black - plug kit - dimmer included	250 €	
345-ALIEU	driver - dimmable 1-10V or push	165 €	
500515N	black - canopy - driver not included	130 €	

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	◆ IP20 <b>CE</b> ENEC lamp ⊕ IP20 <b>CE</b> ENEC lamp + driver □ IP20 <b>CE</b> ENEC lamp + plug kit	metal + marble or onyx
light source included		n° lamps	light direction
board LED 1x4.2 W 2700 K - 450 lm - CRI>90		from 1 to 14	

## installation options









## FRAME

Benjamin Hubert / 2011


code	colour	PRICE vat excl.
145050B	 white RAL9010	285 €
145050C	 chrome	340 €

feeding	dimnable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 <b>CE</b> ENEC	aluminium

light source not included



1x150 W max - R7s - L 78 mm

light direction



## NAMI WALL

Alberto Saggia & Valerio Sommella / 2020

code	colour	PRICE vat excl.
K340406N	 black RAL9005	350 €
K340406O	 brass	


feeding	dimnable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 <b>CE</b> ENEC	glass + aluminium

light source included

board LED 1x14 W



2700 K - 1320 lm - CRI>90

light direction



## PASTILLA

Patricia Urquiola / 2000


code	colour	PRICE vat excl.
218970BIAEU	 white RAL9016	390 €
218970BREU	 bronze	

feeding	dimnable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 <b>CE</b> ENEC 	glass + metal

light source not included

2x42 W max - E14 (E12)

light direction






## TRATTO WALL

Oliver Schick / 2025


code	colour	PRICE vat excl.	
K513442N27	● black RAL9005	285 €	
K513442O27	● brass	325 €	
feeding	dimmbable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE	glass + metal
light source included			light direction
board LED 1x15 W 2700 K - 1450 lm - CRI>90			
















## TUA


Behurt / 2014

code	colour	PRICE vat excl.	
100266SNNL	● black tin	450 €	
feeding	dimmbable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal
light source not included			light direction
1x100 W max - R7s - L 78 mm			



# ACCESSORIES




code	colour	PRICE vat excl.
2 HOLES CANOPY		
500521CR	 chrome	85 €
500521N	 black	
500521O	 brass	
500521B	 white	
DECENTRALIZER		
500518CR	 chrome	26 €
500518N	 black	
500518O	 brass	
500518B	 white	
DECENTRALIZER HOOK		
500519N	 black	15 €
500519B	 white	
WIRE GRIPLOCK		
500520CR	 chrome	15 €
500520N	 black	
500520B	 white	



# SPECIAL CANOPIES

---

It is possible to ask for quotes for different shapes, sizes and finishing according to your needs. Thanks to the technical and commercial support of the company, all needs can be met, customising each and every aspect of the project with great flexibility.



# PACKAGING

lamp	packaging
FLOOR	
BIRD FLOOR	box 1 - 136x7x26 cm - 0.022 m <sup>3</sup> - 3.40 kg
EVITA	box 1 - 26x25x202 cm - 0.131 m <sup>3</sup> - 12.50 kg box 2 - 40x40x4 cm - 0.006 m <sup>3</sup> - 6.40 kg
E.T.A.	box 1 - 45x45x202 cm - 0.409 m <sup>3</sup> - 14.40 kg
KUSHI FLOOR	box 1 - 45x33x140 cm - 0.208 m <sup>3</sup> - 7.60 kg
KUSHI XL FLOOR	box 1 - 51x51x42 cm - 0.109 m <sup>3</sup> - 4.80 kg box 2 - 170x20x20 cm - 0.068 m <sup>3</sup> - 3.25 kg box 3 - 47x47x4.5 cm - 0.010 m <sup>3</sup> - 11.20 kg
KYUDO	box 1 - 46x10x164 cm - 0.075 m <sup>3</sup> - 6.90 kg box 2 - 50x50x6 cm - 0.015 m <sup>3</sup> - 7.90 kg
MODEL T	box 1 - 18x18x190 cm - 0.062 m <sup>3</sup> - 5.00 kg box 2 - 30x30x85 cm - 0.077 m <sup>3</sup> - 8.30 kg
OPYO FLOOR	box 1 - 17.5x17.5x23 cm - 0.007 m <sup>3</sup> - 12.00 kg box 2 - 18.5x15x165 cm - 0.046 m <sup>3</sup> - 2.50 kg box 3 - 30x30x36 cm - 0.032 m <sup>3</sup> - 1.60 kg box 4 - 21x21x24 cm - 0.011 m <sup>3</sup> - 1.25 kg
POISE FLOOR	box 1 - 65x65x8 cm - 0.034 m <sup>3</sup> - 5.60 kg
SHAKTI 200	box 1 - 220x23x23 cm - 0.116 m <sup>3</sup> - 5.50 kg box 2 - 36x32x5.5 cm - 0.006 m <sup>3</sup> - 3.40 kg
SHAKTI 250	box 1 - 267x26x25 cm - 0.174 m <sup>3</sup> - 6.80 kg box 2 - 40x36x5 cm - 0.007 m <sup>3</sup> - 4.80 kg
TRATTO FLOOR	box 1 - n°3 x 35x34.5x11 cm - 0.013 m <sup>3</sup> - 1.65 kg box 2 - 49x49x155 cm - 0.372 m <sup>3</sup> - 21.10 kg
TRIPOD FLOOR	box 1 - 60x60x33 cm - 0.119 m <sup>3</sup> - 3.50 kg box 2 - 18.5x18.5x176 cm - 0.060 m <sup>3</sup> - 4.50 kg
TYLA	box 1 - 51x51x42 cm - 0.109 m <sup>3</sup> - 7.00 kg box 2 - 18x18x180 cm - 0.058 m <sup>3</sup> - 10.00 kg
TABLE	
ATOMIUM	box 1 - 65x59x52 cm - 0.199 m <sup>3</sup> - 8.00 kg
BIRD TABLE	box 1 - 20.5x7x51.5 cm - 0.007 m <sup>3</sup> - 1.80 kg
HIVE	box 1 - 32x32x32 cm - 0.033 m <sup>3</sup> - 2.20 kg box 2 - 32x32x32 cm - 0.033 m <sup>3</sup> - 2.70 kg
KUSHI 10 <sup>th</sup>	box 1 - 24x24x20 cm - 0.012 m <sup>3</sup> - 0.90 kg box 2 - 18x18x30 cm - 0.010 m <sup>3</sup> - 1.80 kg
KUSHI 16 MOBILE	box 1 - 24x24x20 cm - 0.012 m <sup>3</sup> - 0.90 kg box 2 - 14x14x23 cm - 0.005 m <sup>3</sup> - 0.50 kg

lamp	packaging
KUSHI 16 TABLE	box 1 - 24x24x20 cm - 0.012 m <sup>3</sup> - 0.90 kg box 2 - 14x14x23 cm - 0.005 m <sup>3</sup> - 0.40 kg
KUSHI 33 TABLE	box 1 - 40x40x33 cm - 0.053 m <sup>3</sup> - 3.50 kg box 2 - 18.5x18.5x34 cm - 0.012 m <sup>3</sup> - 0.85 kg
KUSHI XL TABLE	box 1 - 40x40x33 cm - 0.053 m <sup>3</sup> - 3.50 kg box 2 - 25x25x56 cm - 0.035 m <sup>3</sup> - 3.95 kg
LANNÀ TABLE	box 1 - 26x26x33 cm - 0.022 m <sup>3</sup> - 2.00 kg box 2 - 44.5x29.5x20 cm - 0.026 m <sup>3</sup> - 2.00 kg
POISE	box 1 - 69x54x16 cm - 0.060 m <sup>3</sup> - 3.70 kg
TATU	box 1 - 40x40x40 cm - 0.064 m <sup>3</sup> - 4.00 kg box 2 - 35x35x73 cm - 0.089 m <sup>3</sup> - 2.40 kg
TRATTO TABLE	box 1 - 35x34.5x11 cm - 0.013 m <sup>3</sup> - 1.65 kg box 2 - 38x26x16 cm - 0.016 m <sup>3</sup> - 3.85 kg
CEILING&SUSPENSION	
ATOMIUM SUSPENSION	box 1 - 69x59x52 cm - 0.199 m <sup>3</sup> - 8.00 kg
BIRD CEILING	box 1 - 24x8x27 cm - 0.005 m <sup>3</sup> - 1.15 kg box 2 - 4x4x55 cm - 0.001 m <sup>3</sup> - 0.50 kg box 3 - 4x4x115 cm - 0.002 m <sup>3</sup> - 0.70 kg
BOLHA	box 1 - 46x46x36 cm - 0.076 m <sup>3</sup> - 2.60 kg box 2 - 41x28x15 cm - 0.017 m <sup>3</sup> - 2.00 kg
DALA	box 1 - 61x61x18 cm - 0.067 m <sup>3</sup> - 7.70 kg box 2 - 61x27x9 cm - 0.015 m <sup>3</sup> - 1.00 kg
DALA LINEAR	box 1 - 148x16x9 cm - 0.021 m <sup>3</sup> - 2.60 kg box 2 - 131x11x18 cm - 0.026 m <sup>3</sup> - 3.20 kg box 3 - 133x11x11 cm - 0.016 m <sup>3</sup> - 2.50 kg
DEW	box 1 - 18.5x16x29 cm - 0.009 m <sup>3</sup> - 2.40 kg
DEW CANOPY x 1	box 1 - 13x13x5 cm - 0.001 m <sup>3</sup> - 0.25 kg
DEW CANOPY x 3	box 1 - 25x25x7 cm - 0.004 m <sup>3</sup> - 1.20 kg
DEW CANOPY x 5	box 1 - 39x39x10 cm - 0.015 m <sup>3</sup> - 2.50 kg
DEW CANOPY x 7	box 1 - 38.5x38.5x10 cm - 0.015 m <sup>3</sup> - 2.50 kg
DEW CANOPY x 9	box 1 - 60x60x10 cm - 0.036 m <sup>3</sup> - 4.00 kg
E.T.A. SAT	box 1 - 67x76x62 cm - 0.316 m <sup>3</sup> - 8.00 kg
FLOED	box 1 - 32x32x25 cm - 0.026 m <sup>3</sup> - 2.50 kg box 2 - 89x29x20 cm - 0.052 m <sup>3</sup> - 2.90 kg
FLOED 2	box 1 - n°2 x 32x32x25 cm - 0.026 m <sup>3</sup> - 2.50 kg box 2 - 162x34x20 cm - 0.110 m <sup>3</sup> - 5.10 kg

lamp	packaging
FLOW	box 1 - 39x43x17 cm - 0.029 m <sup>3</sup> - 2.50 kg
FLOW CEILING	box 1 - 39x43x17 cm - 0.029 m <sup>3</sup> - 2.70 kg
FLOW LEAF	box 1 - 43x37.5x8.5 cm - 0.014 m <sup>3</sup> - 1.60 kg
GIASS 25	box 1 - 30.5x30.5x10 cm - 0.009 m <sup>3</sup> - 2.30 kg box 2 - 31.5x31.5x56 cm - 0.056 m <sup>3</sup> - 6.20 kg
GIASS 30	box 1 - 34.5x34.5x10 cm - 0.012 m <sup>3</sup> - 3.00 kg box 2 - 36.5x36.5x50 cm - 0.067 m <sup>3</sup> - 6.00 kg
GIASS 40	box 1 - 44x44x10 cm - 0.019 m <sup>3</sup> - 4.00 kg box 2 - 47x47x42 cm - 0.093 m <sup>3</sup> - 4.50 kg
GIASS 50	box 1 - 54.5x54.5x10 cm - 0.030 m <sup>3</sup> - 7.00 kg box 2 - 57x57x31 cm - 0.101 m <sup>3</sup> - 7.50 kg
KATE	box 1 - 101x101x32 cm - 0.326 m <sup>3</sup> - 16.60 kg
KATE SUSPENSION	box 1 - 101x101x32 cm - 0.326 m <sup>3</sup> - 17.60 kg
KOOI	box 1 - 34x34x62 cm - 0.072 m <sup>3</sup> - 6.00 kg
KUSHI 16 CEILING	box 1 - 24x24x20 cm - 0.012 m <sup>3</sup> - 0.90 kg box 2 - 14x14x23 cm - 0.005 m <sup>3</sup> - 0.50 kg
KUSHI 33 CEILING	box 1 - 40x40x33 cm - 0.053 m <sup>3</sup> - 3.50 kg box 2 - 18.5x18.5x34 cm - 0.012 m <sup>3</sup> - 1.00 kg
KUSHI XL CEILING	box 1 - 51x51x42 cm - 0.109 m <sup>3</sup> - 4.80 kg box 2 - 22x22x34 cm - 0.016 m <sup>3</sup> - 1.00 kg
KUSHI 16 SUSPENSION	box 1 - 24x24x20 cm - 0.012 m <sup>3</sup> - 0.90 kg box 2 - 14x14x23 cm - 0.005 m <sup>3</sup> - 0.57 kg
KUSHI 33 SUSPENSION	box 1 - 40x40x33 cm - 0.053 m <sup>3</sup> - 3.50 kg box 2 - 18.5x18.5x34 cm - 0.012 m <sup>3</sup> - 1.00 kg
KUSHI XL SUSPENSION	box 1 - 51x51x42 cm - 0.109 m <sup>3</sup> - 4.80 kg box 2 - 14.5x14.5x34 cm - 0.007 m <sup>3</sup> - 1.00 kg box 3 - 8x6x24 cm - 0.001 m <sup>3</sup> - 1.40 kg
LANNÀ SUSPENSION	box 1 - 26x26x33 cm - 0.022 m <sup>3</sup> - 2.00 kg box 2 - 45x30x20 cm - 0.027 m <sup>3</sup> - 1.82 kg
LILLI	box 1 - 39x39x32 cm - 0.049 m <sup>3</sup> - 4.00 kg box 2 - 16x16x42 cm - 0.011 m <sup>3</sup> - 1.60 kg
MINIMAL	box 1 - 9x9x40 cm - 0.003 m <sup>3</sup> - 0.80 kg
MITOS	box 1 - 11x11x23 cm - 0.003 m <sup>3</sup> - 1.20 kg box 2 - 28x28x17 cm - 0.013 m <sup>3</sup> - 2.30 kg box 3 - 14x14x5 cm - 0.001 m <sup>3</sup> - 0.60 or 1.30 kg
MOTUS	box 1 - 26x26x33 cm - 0.022 m <sup>3</sup> - 1.60 kg box 2 - 44.5x29.5x20 cm - 0.026 m <sup>3</sup> - 1.90 kg
NAMI	box 1 - 130x19x30 cm - 0.074 m <sup>3</sup> - 7.50 kg box 2 - 160x17x7 cm - 0.019 m <sup>3</sup> - 12.50 kg



lamp	packaging
OPYO SUSPENSION	box 1 - 30x30x36 cm - 0.032 m <sup>3</sup> - 1.60 kg box 2 - 22.5x22.5x5 cm - 0.003 m <sup>3</sup> - 0.80 kg
POISE CEILING	box 1 - 65x65x8 cm - 0.034 m <sup>3</sup> - 3.40 kg
POLAR 15	box 1 - 65x25x10 cm - 0.016 m <sup>3</sup> - 3.50 kg
POLAR 20	box 1 - 65x25x10 cm - 0.016 m <sup>3</sup> - 4.00 kg
SLING	box 1 - 28x21x32 cm - 0.019 m <sup>3</sup> - from 0.94 to 5.82 kg
TRATTO SUSPENSION	box 1 - 35x34.5x11 cm - 0.013 m <sup>3</sup> - 1.65 kg box 2 - 79x30.5x17.5 cm - 0.042 m <sup>3</sup> - 3.65 kg
TRIPOD SUSPENSION	box 1 - 60x60x33 cm - 0.119 m <sup>3</sup> - 5.30 kg
VICEVERSA	box 1 - 83x33x10 cm - 0.027 m <sup>3</sup> - 3.90 kg box 1 - 29x28x38 cm - 0.031 m <sup>3</sup> - 3.00 kg
VICEVERSA 2	box 1 - n°2 x 83x33x10 cm - 0.027 m <sup>3</sup> - 3.90 kg box 1 - n°2 x 29x28x38 cm - 0.031 m <sup>3</sup> - 3.00 kg
YUMA	box 1 - 30.5x25.5x15.5 cm - 0.012 m <sup>3</sup> - 1.80 kg
WALL	
ATOMIUM WALL	box 1 - 59.5x54.5x30.5 cm - 0.099 m <sup>3</sup> - 5.20 kg
AZOU	box 1 - 16.5x16.5x12 cm - 0.003 m <sup>3</sup> - 0.70 kg
FRAME	box 1 - 40.5x36x5 cm - 0.007 m <sup>3</sup> - 1.40 kg
NAMI WALL	box 1 - 35x24x12.5 cm - 0.011 m <sup>3</sup> - 1.00 kg box 2 - 20x13x10 cm - 0.003 m <sup>3</sup> - 1.10 kg
PASTILLA	box 1 - 21x19.5x28 cm - 0.011 m <sup>3</sup> - 2.10 kg
TRATTO WALL	box 1 - 35x34.5x11 cm - 0.013 m <sup>3</sup> - 1.65 kg box 2 - 27x20x17.5 cm - 0.009 m <sup>3</sup> - 1.60 kg
TUA	box 1 - 22x22x24.5 cm - 0.012 m <sup>3</sup> - 1.30 kg

**GRAPHIC PROJECT**

VZNstudio

Printed in Italy

Grafiche Antiga, April 2025

KdIn is a registered trademark

Copyright © 2025 KdIn Srl

All Rights Reserved.

Reproduction in whole or in part of texts and images  
without express written permission is prohibited.





