



Functional novelties 2026

Table of contents



New in 2026

Discover all of our novelties for 2026, including beautiful new bathroom lights and our expanded batten assortment for both indoor and outdoor use.

Page 4-5



Inspiration & data

Get inspired by our ambience pictures, see the products come to life in ambience videos and access all the data you need.

Page 6-39



Content package

Find marketing packages with all relevant sales material - including images, videos, sales texts and exciting content for your social media platform.

Page 40-41



Product index




We have made it easy for you to find all products right here.

Page 42-43






Novelties overview 2026

 	 	 	 	 
Cavara Wall light Black 2610201003	Cavara Wall light Brass 2610201035	Explore Link Track Light White 2610189901	Explore Link Track Light Black 2610189903	Halyna Ceiling light White 2610136001
 	 	 	 	 
Manacor 12 Downlight White 2610010001	Manacor 18 Downlight White 2610020001	Nivora 36 Ceiling light White 2610156001	Nivora 45 Ceiling light White 2610166001	Penelopa Ceiling light White 2610106001
 	 	 	 	 
Penelopa Ceiling light White 2610116001	Serenova 28 Ceiling light White 2610056001	Serenova 36 Ceiling light White 2610066001	Serenova 41 Ceiling light White 2610076001	Virelle 32 Wall light Black 2610221003
 	 	 		
Virelle 32 Wall light Brass 2610221035	Virelle 50 Wall light Black 2610241003	Virelle 50 Wall light Brass 2610241035		

*Bathroom
lights*



Cavara



- Exclusive art deco style
- Suitable for the bathroom (IP44)
- Choose between 3000K and 4000K when mounting
- High light quality (RA90)
- Long LED lifespan (35,000 hours)

Cavara is a decorative wall light with an exclusive art deco-inspired design. With its IP44 rating, it's suitable for use in bathrooms. Choose between white (3000K) or cold white light (4000K) light during installation - depending on the mood you want to create. High light quality (RA90) ensures accurate colour rendering.


Cavara | Wall light



Black 2610201003
PMMA



Brass 2610201035
PMMA



Integrated LED



3000-4000 kelvin



IP44



800 lumen



Dimmable



Ra 90



Class 2



Masterbox qty. 3

Measurements	Dimmable	LED W	Lifespan
H: 35 cm, W: 8 cm, L: 8 cm, D: 5 cm	Yes, has built-in dimmable light source for wall dimmer	11W	35000 hours

WATCH VIDEO





Serenova 28 | Ceiling light

A

G

D



White 2610056001

Plastic

Integrated LED

3000-4000-5700 kelvin

IP65

1800 lumen


Dimmable

Ra 80

Class 2

Masterbox qty. 3

Measurements	Dimmable	LED W	Lifespan
H: 6,5 cm, L: 28 cm, shade Ø: 28 cm, Ø: 28 cm, D: 28 cm	Yes, has built-in dimmable light source for wall dimmer	15W	30000 hours



Serenova 36 | Ceiling light

A

G

D



White 2610066001

Plastic

Integrated LED

3000-4000-5700 kelvin

IP65

2100 lumen


Dimmable

Ra 80

Class 2

Masterbox qty. 3

Measurements	Dimmable	LED W	Lifespan
H: 6,5 cm, L: 36 cm, shade Ø: 36 cm, Ø: 36 cm, D: 36 cm	Yes, has built-in dimmable light source for wall dimmer	18W	30000 hours



Serenova

- Suitable for the bathroom (IP55)
- Choose between 22 and 32 watt and 3000K, 4000K and 5700K when mounting
- Dimmable
- Parallel connection possible
- Long LED lifespan (30,000 hours)



The simple and streamlined Serenova ceiling light is IP65-rated, making it ideal for bathrooms. Choose between 12 and 18 watt and 3000K, 4000K or 5700K during installation to match your preferred light temperature. Supports parallel connection for easy installation in series.

Serenova 41 | Ceiling light

A


D



White 2610076001
Plastic

- Integrated LED
- 3000-4000-5700 kelvin
- IP65
- 3800 lumen
- Dimmable
- Ra 80
- Class 2
- Masterbox qty. 3

Measurements	Dimmable	LED W	Lifespan
H: 6,5 cm, W: 41 cm, Ø: 41 cm, D: 41 cm	Yes, has built-in dimmable light source for wall dimmer	32W	30000 hours



WATCH VIDEO



Virelle



- Suitable for the bathroom (IP44)
- Choose between 3000K and 4000K when mounting
- High light quality (RA90)
- Dimmable
- Long LED lifespan (35,000 hours)

This decorative Virelle wall light has a ribbed diffuser that softens the light and adds subtle texture. With an IP44 rating, it’s suitable for bathroom use. Choose between white light (3000K) or cold white light (4000K) during installation. High light quality (RA90) ensures accurate colour rendering.


Virelle 32 | Wall light



Brass 2610221035
PMMA



Black 2610221003
PMMA



Integrated LED



3000-4000 kelvin



IP44



800 lumen



Dimmable



Ra 90



Class 2



Masterbox qty. 3

Measurements	Dimmable	LED W	Lifespan
H: 32 cm, Ø: 5,5 cm, D: 10 cm	Yes, has built-in dimmable light source for wall dimmer	8W	35000 hours


Virelle 50 | Wall light



Black 2610241003
PMMA



Brass 2610241035
PMMA



Integrated LED



3000-4000 kelvin



IP44



800 lumen



Dimmable



Ra 90



Class 2




Masterbox qty. 3

Measurements	Dimmable	LED W	Lifespan
H: 50 cm, Ø: 5,5 cm, D: 10 cm	Yes, has built-in dimmable light source for wall dimmer	12W	35000 hours

WATCH VIDEO



*Ceiling
lights*



Nivora 36 | Ceiling light



White 2610156001
Metal



E27
(excl.)



IP20



Dimmable




Class 2



Masterbox
qty. 3

Measurements	Dimmable	Max. W
H: 10,5 cm, Ø: 36 cm, D: 10,5 cm	Yes, can be dimmed by choosing a dimmable bulb	10W



Nivora 45 | Ceiling light



White 2610166001
Metal



E27
(excl.)



IP20



Dimmable




Class 2



Masterbox
qty. 3

Measurements	Dimmable	Max. W
H: 12 cm, Ø: 45 cm, D: 12 cm	Yes, can be dimmed by choosing a dimmable bulb	10W



Nivora



- Decorative large shade
- Diffuser ensures a soft, pleasant light

The Nivora ceiling light has a wide, curved shade with a soft matte finish. The built-in diffuser creates a gentle, even light without glare. Perfect for living rooms, bedrooms or hallways.



Halyna | Ceiling light

A

D



White 2610136001
Metal



Integrated LED



2700-3000-4000 kelvin



IP20



2100 lumen



Dimmable



Ra 80




Class 1



Masterbox qty. 3


Measurements	Dimmable	LED W	Lifespan
H: 5,5 cm, Ø: 39,5 cm	Yes, has built-in dimmable light source for wall dimmer	24W	30000 hours



- Choose between 2700K, 3000K and 4000K when mounting
- Dimmable
- Long LED lifespan (30,000 hours)

Halyna is a modern ceiling light that offers practical functionality and a clean, circular design. During installation you can choose your preferred colour temperature - warm white (2700K), white (3000K) or cold white light (4000K) - to suit any room or atmosphere.

Penelopa



- Minimalistic and simple design
- Cable access from top or side
- Long LED lifespan (30,000 hours)
- Choose between 2700K and 4000K when mounting*
- Dimmable*
- High light quality (RA90)*


Penelopa has a clean, minimalistic design that fits naturally into modern interiors. It provides very high light quality (RA90) and offers flexible installation with cable access from the top or side. Choose between warm white light (2700K) and cold, white light (4000K) during installation to match your preferred light temperature.

*Specifications apply only to Penelopa Switch Dim

Penelopa | Ceiling light



White 2610106001
Metal



Integrated
LED



2700
kelvin



IP20



2400
lumen



Not
dimmable



Ra 80



Class 2




Masterbox
qty. 3

Measurements	Dimmable	LED W	Lifespan
H: 9 cm, Ø: 42 cm	No, cannot be dimmed	24W	30000 hours

Penelopa 2700/4000K | Ceiling light*



White 2610116001
Metal



Integrated
LED



2700-4000
kelvin



IP20



3200
lumen



Dimmable



Ra 90



Class 2




Masterbox
qty. 6

Measurements	Dimmable	LED W	Lifespan
H: 9 cm, Ø: 42 cm	Yes, has built-in dimmable light source for wall dimmer	36W	30000 hours



Downlights

Manacor



- Flat ceiling installation
- Suitable for the bathroom (IP44)
- Choose between 3000K and 4000K when mounting
- High light quality (RA90)
- Long LED lifespan (50,000 hours)

This slim recessed downlight, Manacor, offers a flat ceiling installation for a clean, modern look. With an IP44 rating, it's suitable for bathroom use. Choose between white light (3000K) and cold, white light (4000K) during installation to match your preferred light temperature. The high light quality (RA90) ensures accurate colour rendering in any setting.

Manacor 12 | Downlight



White 2610010001
Metal



Integrated
LED



3000-4000
kelvin



600
lumen



Dimmable



Ra 90





Class 2



Masterbox
qty. 3

3,5 cm



12,5 cm

Measurements	Dimmable	LED W	Lifespan
H: 3,5 cm, Ø: 12 cm	Yes, has built-in dimmable light source for wall dimmer	6W	50000 hours

Manacor 18 | Downlight



White 2610020001
Metal



Integrated
LED



3000-4000
kelvin



1100
lumen



Dimmable



Ra 90





Class 2



Masterbox
qty. 3

3,5 cm



18 cm

Measurements	Dimmable	LED W	Lifespan
H: 3,5 cm, Ø: 17,5 cm	Yes, has built-in dimmable light source for wall dimmer	10W	50000 hours



*Link
system*

Explore



- Fits the Nordlux Link system
- Minimalist and classic design

The Explore series is an elegant light series with a simple and streamlined design. The flexible swivel light head emits a precise light that can be directed wherever you need it. Fits the Nordlux Link system where it is easily and quickly installed and moved.


Explore Link Short | Track Light



White 2610189901
Metal



Black 2610189903
Metal



GU10
(excl.)



IP20



Dimmable



90°



Class 1



Masterbox
qty. 6

Measurements	Dimmable	Max. W
H: 14 cm, shade Ø: 5,5 cm, D: 8 cm	Yes, can be dimmed by choosing a dimmable bulb	35W




Content package

This year, we have made it easy for you to retrieve all the marketing material you need for our outdoor novelties. You will find ready-to-use ambience photos, pack shots and texts right here.



Download package 



Model	Item number	Material	Color	EAN	Page
Cavara Wall light	2610201003	Plastic	Black	5704924025945	9
Cavara Wall light	2610201035	Plastic	Brass	5704924025952	9
Explore Link Short Track Light	2610189901	Metal	White	5704924025884	37
Explore Link Short Track Light	2610189903	Metal	Black	5704924025891	37
Halyna Celing light	2610136001	Metal	White	5704924025983	26
Manacor 12 Downlight	2610010001	Metal	White	5704924025822	33
Manacor 18 Downlight	2610020001	Metal	White	5704924025839	33
Nivora 36 Celing light	2610156001	Metal	White	5704924025907	22
Nivora 45 Celing light	2610166001	Metal	White	5704924026010	22
Penelopa Celing light	2610106001	Metal	White	5704924025921	29
Penelopa 2700/4000K Celing light	2610116001	Metal	White	5704924025938	29
Serenova 28 Celing light	2610056001	Plastic	White	5704924025853	12
Serenova 36 Celing light	2610066001	Plastic	White	5704924025860	12
Serenova 41 Celing light	2610076001	Plastic	White	5704924025877	14
Virelle 32 Wall light	2610221035	Plastic	Brass	5704924025969	17
Virelle 32 Wall light	2610221003	Plastic	Black	5704924025976	17
Virelle 50 Wall light	2610241003	Plastic	Black	5704924025990	17
Virelle 50 Wall light	2610241035	Plastic	Brass	5704924026003	17

Der tages forbehold for ændringer m.h.t. tekniske specifikationer, design og collistørrelser.
Vi förbehåller oss för ändring med hänsyn till tekniske specifikationer, design och collistorlek.
We reserve the right to changes as to technical specifications, design and number of packages.
Wir nehmen Vorbehalt für Änderungen bezgl. technischer Spezifikationen, Design und Verpackungseinheiten.
Nous nous réservons le droit de modifier toute documentation technique, design et colisage.
We behouden ons het recht om technische specificaties, ontwerp en verpakingsaantal te wijzigen zonder voorafgaande kennisgeving.



Showroom & Headquarters

Østre Havnegade 34
DK 9000 Aalborg
T + 45 98 18 16 11
Denmark: salg@nordlux.com
Other markets: export@nordlux.com
nordlux.com

BeLux Office

Mouterij 14
BE-2550 Kontich
T +32 (0)15 25 76 40
info@nordlux.com

Netherlands Showroom

De Woonindustrie
Nordlux NL | Stand C013
Symfonielaan 1
3438 EW - Nieuwegein - The Netherlands
T +31(0)183 89 03 50
netherlands@nordlux.com

France

T +33 320 479 346
france@nordlux.com

Germany

T +49 (0) 21 52 89 87 37
F +49 (0) 21 52 14 85 54
germany@nordlux.com

Norway

T +47 51 88 63 00
norway@nordlux.com

Sweden

+46 (0)52-64 56 110
sweden@nordlux.com

UK & Eire

T +44 (0) 12 00 42 27 77
salesuk@nordlux.com

Portugal

T +351 917563792
export@nordlux.com



