



Pantaya
Design: Patricia Urquiola

Pablo
2026|27
PRODUCT GUIDE

ABOUT PABLO DESIGNS

Pablo’s designs have been propelled to the forefront of American contemporary lighting by an uncompromising devotion to simplicity and utility. By fusing the highest technical sensibilities with the most appropriate material palette, Pablo is able to create unique, timeless designs with the power to transform any environment. Pablo was founded in San Francisco in 1993 by Venezuelan born industrial designer Pablo Pardo. Embracing a less-is-more ideology, Pablo frequently challenges traditional design metaphors, developing more practical solutions distilled down to their essence, form and light. A common thread links all of its creations, valuing permanence and sustainability, discarding the disposable mindset so prevalent today. Its mission is to create designs that deepen the relationship between objects, their users, and their environments.

FOUNDER / CREATIVE DIRECTOR

Pablo Pardo

With the creation of his first product in 1993, Pablo established a powerful and generative design philosophy. Since then, his core principles have informed the development of every light in the studio’s 33-year history. These products continue to move with culture while withstanding trends in design and each one carries the underlying uniqueness that is distinctly “Pablo.”



DESIGN COLLABORATIONS



Brad Ascalon

Brad Ascalon’s multidisciplinary Manhattan studio was founded in 2006. With a reductive approach to his craft, Ascalon believes in design that is uncomplicated, rational and manages to find the perfect balance of form, function and concept. Ascalon’s work has been exhibited around the world, and in 2013 he was singlehandedly invited to represent American design with an installation at Moscow Design Week. Ascalon earned a Masters’ degree for Industrial Design from New York’s Pratt Institute in 2005, and that same year was recognized by Wallpaper magazine as one of the “Ten Most Wanted” emerging designers in the world. He attributes his passion for design to the two generations before him who instilled the value of craftsmanship and rigor.



Carmine Deganello

Based in Amsterdam and Milan, Deganello’s creative process begins with materiality and an empirical approach that is highly experimental. Research on materials and the ways in which they can unexpectedly drive the productive process is essential to his work. His lamp, Solis, is a product of Carmine’s shared sensibilities and long-term collaboration with Pablo. Deganello has worked extensively in Europe as well as the United States, his projects have been presented, among others, at the Triennale Design Museum as part of the New Italian Design collection. He is a graduate of Florence’s Instituto Superiore per la Industrie Artistiche.



Fernando Pardo

Since lending his craftsmanship to companies such as Sony, Dell, Embraer, Compaq, Pablo, BMW, and others, Pardo has been internationally recognized as a leading design thinker. His “Gina” car for BMW won the “Concept Car of the Year” award in 2008, and, in addition to being showcased in the BMW Museum in Munich, continues to serve as the foundation for the company’s contemporary auto designs. Most recently Pardo received a 2012 Red Dot Award for his lamp, PIXO, which he created with his twin brother, Pablo founder Pablo Pardo. Fernando is a graduate of the design program at the University of Cincinnati.



John August

As an accomplished craftsmen and machinist he employs a hands-on approach to the design and engineering of objects, always in pursuit of the space between art and function. Equally at home with traditional hand tools, 3D modeling software, or advanced CNC machinery, August explores the stillpoint between the deep soul of the hand-made with the precision of quality mass-production. “As long as I can remember, I have always been fascinated by the unfolding harmonies of geometric forms as they are applied to sculpture and design. As the idea of a circle takes on mass in the form of a sphere, a cylinder, or a tube, a physical form is realized.” August’s designs revel in that translation from ideation to materialization.



Patricia Urquiola

Patricia Urquiola is an acclaimed architect and designer, and Art Director of Cassina since 2015. She studied in Madrid before graduating from the Politecnico di Milano under Achille Castiglioni. In 2001, she founded her Milan-based studio, specializing in product design, architecture, and consulting. Known for a human-centered philosophy, Urquiola blends advanced technology with warmth, tactility, and emotional resonance. Her work merges architecture, craft, and material innovation with timeless elegance. She has received numerous honors, including Spain’s Gold Medal for Merit in Fine Arts and the 2025 National Design Award. Her work is held in collections including MoMA New York and Triennale Milano.



Peter Stathis

Fascinated by the social and cultural dimensions of objects, Stathis’ work seeks to foster meaningful relationships through today’s sophisticated, mass-produced environment. He executes this goal by working in both the high-minded and popular realms, having designed for brands ranging from the Museum of Modern Art to Lava Lite. Stathis’ original 2006 Tube Top lamp represents one of several contributions to Pablo.



Pablo Studio

The Pablo Studio is a small group of makers and inventors with a diverse background in industrial design and craft, and a deep understanding of manufacturing, materials and technology. They aim to foster a sense of discovery and deeply personal utility in people’s interaction with objects. In beginning a new project, the team isolates a concept, meticulously refines it, and then reduces it to its central principle. The studio requires each design element to contribute to the essence of an object, following the Pablo philosophy of “less is more.” Pablo Studio works together to develop products that offer people unique experiences and broaden the field of lighting design.



BEL OCCHIO
8-11



BELMONT
12-15



BOLA BELL
16-25



CAROUSEL
76-85



CIELO
86-97



CIRCA
98-109



BOLA DISC
26-41



BOLA FELT
42-45



BOLA SPHERE
46-59



CIRO
110-119



CONTOUR
120-125



CORTINA
126-131



BOLA LANTERN
60-65



BRAZO
66-71



CANDÉL
72-75



ELISE
132-137



LIM
138-143



LINK
144-147



LUCI TABLE AND FLOOR
148-155



NIVÉL COLLECTION
156-173



PANTAYA
174-185



SUPERLIGHT
244-249



SWELL
250-261



TALIA
262-267



PICCOLA
186-189



PILAR
191-195



PIXO
196-201



T.O TABLE AND FLOOR
268-277



T.O PENDANT
278-285



TOTEM COLLECTION
286-319



SKY COLLECTION
202-217



SOLIS
218-233



STELLA
234-243



TOTEM WALL
320-343



TUBE TOP
346-351




UMA
352-361

BEL OCCHIO

"Bel Occhio is a study in weightlessness and transparency," notes designer Pablo Pardo on his inspiration for this luminaire. "It evokes nature's transformative light." His piece manifests the celestial through a hybrid design: its suspended, inner column creates focused illumination while its surrounding shell produces a transformative ambient glow. These symbiotic elements enable Bel Occhio to act as a multi-position spotlight and a source of atmospheric tenor. They also serve dynamic purposes: Bel Occhio is built as an infinitely adjustable table lamp and a suspended pendant model. Both elements serve to illuminate with comfort and fascinate the imagination.

Designer:
Pablo Pardo 2005




BEL OCCHIO

DESCRIPTION
“Bel Occhio is a study in weightlessness and transparency,” notes designer Pablo Pardo on his inspiration for this luminaire. “It evokes nature’s transformative light.” His piece manifests the celestial through a hybrid design: its suspended, inner column creates focused illumination while its surrounding shell produces a transformative ambient glow. These symbiotic elements enable Bel Occhio to act as a multi-position spotlight and a source of atmospheric tenor. They also serve dynamic purposes: Bel Occhio is built as an infinitely adjustable table lamp and a suspended pendant model. Both elements serve to illuminate with comfort and fascinate the imagination. Bel Occhio lamps are outfitted with a braided silver power cable, pendant lamps are paired with a white canopy.

FIXTURE TYPE

Pendant
Table

US LIGHT FIXTURE	
8W LED	
2700K	
E26/BT-15	
800Lm	

LIGHT CONTROL
Fully dimmable (Pendant)
Dali compatability upon request
in-line slide dimmer (Table)

FEATURES
Compatible with TRIAC/ELV dimmers (Pendant)
360° rotation (Table)

SPECIFICATIONS
Voltage: 120-240V
Cable length: 8' (243.8cm)
Color Rendition Index: 90 CRI

CERTIFICATIONS
UL listed components

PRODUCT CODES	
Bel Occhio Pendant (Clear/White):	BELO 16 WHT PEN
Bel Occhio Pendant (Clear/Orange):	BELO 16 ORG PEN
Bel Occhio 3 Pendant (Clear/White):	BELO 16/3 WHT
Bel Occhio 3 Pendant (Clear/Orange):	BELO 16/3 ORG
Bel Occhio 5 Pendant (Clear/White):	BELO 16/5 WHT
Bel Occhio 5 Pendant (Clear/Orange):	BELO 16/5 ORG
Bel Occhio Table (Clear/White):	BELO 16 WHT TBL
Bel Occhio Table (Clear/Orange):	BELO 16 ORG TBL


PACKAGING WEIGHT AND DIMENSIONS		
Bel Occhio:	11.7LBS	18.5" X 19" X 21"
(Pendant)	5.3KGS	47cm X 48cm X 53cm
BEL OCCHIO:	11.7LBS	18.5" X 19" X 21"
(Table)	5.3KGS	47cm X 48cm X 53cm

NOTES
Custom tube colors available on volume orders.




FINISHES

LAMP




CLEAR/WHITE




CLEAR/ORANGE

CANOPY



WHITE


DIMENSIONS
BEL OCCIO PENDANT AND TABLE



BELMONT

The Belmont Collection was a collaborative creation with designer Brad Ascalon. Re-envisioning the traditional fabric shade lamp, but with the warmth and preciousness of hand crafted furniture. Belmont's iconic, yet reductive form creates a natural canvas for displaying an exquisite array of textiles from premium wool to colorful woven fabrics that can be paired with a solid crafted oak wood armature. Belmont Pendant can be hung individually or in stunning groupings to provide warm and comfortable illumination to complement any residential, contract, or hospitality setting. Belmont is also available in stunning table and floor standing models to bring warmth and beauty to any environment.

Designer:
Brad Ascalon 2018 + Pablo Studio 2019





BELMONT

DESCRIPTION

The Belmont Collection was a collaborative creation with designer Brad Ascalon re-envisioning the traditional fabric shade lamp but with the warmth and preciousness of hand crafted furniture. Belmont pendant is fitted with Oak accessories including its canopy faceplate.

FIXTURE TYPE

Pendant, Table, Floor

US		EU	
Brand: FEIT		Brand: PHILIPS	
15W LED		5.9W LED	
2700K		2700K	
E26/A19		E27/A60	
1600Lm		806Lm	

LIGHT CONTROL

Hard-Wired, dimmable
Compatible with TRIAC/ELV dimmers
Dali compatability upon request
In-line dimmer (Table & Floor)

FEATURES

Full range dimming

SPECIFICATIONS

Voltage: 120 or 240V 50/60Hz
Power Consumption: 30W (2x 15W LED bulbs)
Color Temperature: 2700K
Luminosity: 3200 Lumens
Luminaire efficacy: 106 Lumens/Watt
Color Rendition Index: 95 CRI
Cable Length: 10' (3m) Field Cuttable

CERTIFICATIONS



PRODUCT CODES

Belmont 22 (Silverdale):	BELM 22 GRY
Belmont 22 (Charcoal):	BELM 22 GPT
Belmont 22 (White):	BELM 22 WHT
Belmont Table (Charcoal/Oak):	BELM TBL GPT/OAK
Belmont Table (Charcoal/Walnut):	BELM TBL GPT/WAL
Belmont Table (Silverdale/Oak):	BELM TBL GRY/OAK
Belmont Table (Silverdale/Walnut):	BELM TBL GRY/WAL
Belmont Table (White/Oak):	BELM TBL WHT/OAK
Belmont Table (White/Walnut):	BELM TBL WHT/WAL
Belmont Floor (Charcoal/Oak):	BELM FLR GPT/OAK
Belmont Floor (Charcoal/Walnut):	BELM FLR GPT/WAL
Belmont Floor (Silverdale/Oak):	BELM FLR GRY/OAK
Belmont Floor (Silverdale/Walnut):	BELM FLR GRY/WAL
Belmont Floor (White/Oak):	BELM FLR WHT/OAK
Belmont Floor (White/Walnut):	BELM FLR WHT/WAL

PACKAGING WEIGHT AND DIMENSIONS

Belmont Pendant	8.75LBS	22.5" X 18"
	4KG	57cm X 45.5cm
Belmont Table	11LBS	22.5" X 17" X 8.5"
	5KG	57.2cm X 43cm X 17.8cm
Belmont Floor (Shade)	7.7LBS	22.5" X 17" X 8.5"
	3.5KG	57.2cm X 43cm X 17.8cm
Belmont Floor (Legs)	5.7LBS	28.9" X 4.1" X 3.9"
	2.4KG	73.5cm X 10.3cm X 10cm

NOTES

Custom requests can be considered on volume orders



FINISHES

WOOD



OAK



WALNUT

FABRIC



CHARCOAL




SILVERDALE



WHITE

DIMENSIONS

BELMONT PENDANT, TABLE, FLOOR



BOLA


COLLECTION

Bola is a comprehensive lighting family defined by the poetic relationship between globe and reflector, uniting sculptural form with warm, atmospheric illumination. Expanding across pendant, chandelier, wall, ceiling, table, floor, and portable categories, the collection includes Bola Bell alongside the signature Bola Disc, Sphere, Felt, Lantern, and related derivatives, each sharing a common visual language rooted in balance, lightness, and material clarity. At the heart of Bola is the dialogue between opaline glass globes and finely crafted surrounding forms, creating a distinctive interplay of reflection, diffusion, and shadow. From highly reflective mirrored finishes and soft matte tones to tactile acoustic felt shades and refined spun metal forms, each model offers its own character while remaining unmistakably Bola. The collection ranges from architectural multi-light compositions and elegant pendants to acoustic statement pieces, versatile table lamps, and portable lanterns designed for movement between spaces. Whether used to create intimate pools of light, dramatic feature installations, or adaptable everyday illumination, Bola brings cohesion, flexibility, and timeless modern presence to residential, hospitality, and contract environments.

BOLA BELL

Bola Bell reimagines the familiar glow of the Bola collection through a gently flared silhouette where light meets surface in a more tactile way. Its spun-metal shade, punctuated by a constellation of fine perforations, softly diffuses illumination while revealing a quiet interplay of light and shadow. The result is both atmospheric and precise. With an integrated tilt that allows the light to shift and respond to its environment, Bola Bell offers a dynamic presence, equally suited to intimate settings or expansive spaces.

Designer:
Pablo Pardo + Pablo Studio 2026



BOLA BELL

DESCRIPTION
Bola Bell reimagines the familiar glow of the Bola collection through a gently flared silhouette where light meets surface in a more tactile way. Its spun-metal shade, punctuated by a constellation of fine perforations, softly diffuses illumination while revealing a quiet interplay of light and shadow. The result is both atmospheric and precise. With an integrated tilt that allows the light to shift and respond to its environment, Bola Bell offers a dynamic presence, equally suited to intimate settings or expansive spaces.

FIXTURE TYPE
Pendant

LIGHT SOURCE
Custom integrated LED, high-output chip on board

LIGHT CONTROL
Hard-wired, dimmable
Compatible with TRIAC/ELV and 0-10V dimmers
Dali compatability upon request

FEATURES
Warm Dim

SPECIFICATIONS
Voltage: 120V-277V 50/60Hz
Power Consumption: 12W (12), 20W (20,30)
Color Temperature: 2700K-1800K (Warm Dim), 3000K, 3500K
Luminosity: 800Lm (12), 1625Lm (20,30)
Luminaire Efficacy: 66Lm/W (12), 80 Lm/W (20,30)
Color Rendition Index: 95 CRI
50K hour lifespan
Cord Length: 8.9' (2.9m) (Field cuttable)

CERTIFICATIONS



PRODUCT CODES (ENTER BELL SIZE IN BLANK SPACE)			
Bola Bell	(Sand/Black):	Bola Bell	SND BLK DTW
Bola Bell	(Sand/White):	Bola Bell	SND WHT DTW
Bola Bell	(Sand/Chrome):	Bola Bell	SND CRM DTW
Bola Bell	(Taupe/Black):	Bola Bell	TPE BLK DTW
Bola Bell	(Taupe/White):	Bola Bell	TPE WHT DTW
Bola Bell	(Taupe/Chrome):	Bola Bell	TPE CRM DTW
Bola Bell	(Clay/Black):	Bola Bell	CLY BLK DTW
Bola Bell	(Clay/White):	Bola Bell	CLY WHT DTW
Bola Bell	(Clay/Chrome):	Bola Bell	CLY CRM DTW
Bola Bell	(Moss/Black):	Bola Bell	MOS BLK DTW
Bola Bell	(Moss/White):	Bola Bell	MOS WHT DTW
Bola Bell	(Moss/Chrome):	Bola Bell	MOS CRM DTW

PACKAGING WEIGHT AND DIMENSIONS			
Bola Bell 12	4.5LBS	24" X 14" X 8"	
	2KG	61cm X 35.5cm X 20cm	
Bola Bell 20	3.5LBS	23" X 23" X 16"	
(Shade + Lamp)	1.6KG	58cm X 58cm X 40cm	
Bola Bell 20	3LBS	12" X 12" X 12.5"	
(Globe)	1.3KG	30cm X 30cm X 32cm	
Bola Bell 30	4.9LBS	35" X 35" X 18"	
(Shade + Lamp)	3.9KG	89cm X 89cm X 46cm	
Bola Bell 30	8LBS	20" X 20" X 20"	
(Globe)	3.6KG	50cm X 50cm X50cm	

NOTES
Custom requests can be considered on volume orders.



FINISHES

BELL SHADE

SAND

TAUPE

CLAY

MOSS

POST AND CANOPY


BLACK

WHITE


CHROME

DIMENSIONS

BOLA BELL 12, 20, 30



Bola Bell can be tilted up to 35 degrees in any direction for a more focused light spill.





BOLA BELL MULTILIGHT

DESCRIPTION

Bola's elegant shade and globe design can be suspended in a variety of custom arrangements in both round and linear configurations. With Bola Bell Multi-Light, up to 11 lamps can be grouped together in a variety of mixed disc sizes to form stunning luminaire displays. Both size and shape of the grouping is controlled by lamp quantity and positioning relative to the Multi-Light canopy. Swag mounts are provided to extend the lights out into space along with an ample cord length of 8.9' (2.7m) to offer a wide array of unique solutions.

FIXTURE TYPE

Pendant

LIGHT SOURCE

Custom integrated LED, high-output chip on board

PRODUCT CODES

Multi-Light Canopy 9" (White):	BOLA CAN 9 WHT
Multi-Light Canopy 9" (Black):	BOLA CAN 9 BLK
Multi-Light Canopy 12" (White):	BOLA CAN 12 WHT
Multi-Light Canopy 12" (Black):	BOLA CAN 12 BLK

CERTIFICATIONS



PACKAGING WEIGHTS AND DIMENSIONS

Multi-Light Canopy 9"	4.3LBS	12" X 12" X 6"
	2KG	30.5cm X 30.5cm X 15cm
Multi-Light Canopy 12"	6.6LBS	12" X 12" X 6"
	3KG	30.5cm X 30.5cm X 15cm

NOTES

Custom requests can be considered on volume orders.

BOLA Multi-Light Canopy
Small (Ø9" OD) Up to 6



or




BOLA Multi-Light Canopy
Large (Ø12" OD) 7 to 11




2, 3, 4, 5, 6... 11

MULTI-LIGHT CANOPY DIMENSIONS



9"
(22.8cm)



12"
(30.5cm)

FINISHES

CANOPY



WHITE



BLACK


LINEAR



BOLA DISC

Bola Disc is a uniquely expressive LED lighting system defined by its distinctive disc reflector, creating an illusion of weightlessness through its interaction with light and surrounding space. At its core, integrated LED light is paired with an opaline glass globe and a precisely formed metal disc, an elemental composition of clarity and control. Through finish, Bola Disc expands its expression. Reflective surfaces amplify and mirror their environment, while matte surfaces absorb and diffuse light, offering a softer, more atmospheric presence. Spanning flush mount, pendant, multi-drop, linear, and chandelier configurations, Bola Disc functions as both a singular object and a scalable system.

Designer:
Pablo Pardo + Pablo Studio 2018



BOLA DISC PENDANT

CLASSIC FINISHES

DESCRIPTION

Bola Disc is a uniquely expressive LED lighting system featuring chromated disc reflectors that create an illusion of weightlessness by mirroring their surroundings. An opaline glass globe is paired with polished stainless steel or aluminum discs in chrome, brass, rose gold, gunmetal, matte white, and matte black, delivering a refined, highly reflective surface expression. Fully dimmable, Bola provides warm, ambient illumination and can be configured across flush mount, pendant, multi-drop, linear, and chandelier typologies for residential, contract, and hospitality settings.

FIXTURE TYPE

Pendant

LIGHT SOURCE

Custom integrated LED, high-output chip on board

LIGHT CONTROL

Hard-wired, dimmable
Compatible with TRIAC/ELV and 0-10V dimmers
Dali compatability upon request

FEATURES

Warm Dim

SPECIFICATIONS

Voltage: 120V-277V 50/60Hz
Power Consumption: 6W (12", 18"), 12W (22"), 20W (32")
Color Temperature: 2700K-1800K (Warm Dim), 3000K, 3500K
Luminosity: 290Lm (12"), 290Lm (18"), 800Lm (22"), 1625Lm (32")
Luminaire Efficacy: 48Lm/W (12",18"), 66Lm/W (22"), 80 Lm/W (32")
Color Rendition Index: 95 CRI
50K hour lifespan
Cord Length: 8.9' (2.9m) (Field cuttable)

CERTIFICATIONS



PRODUCT CODES (ENTER DISC SIZE IN BLANK SPACE)		
Bola Disc (Chrome):	BOLA	CRM
Bola Disc (Brass):	BOLA	BRA
Bola Disc (Rose Gold):	BOLA	RGD
Bola Disc (Gunmetal):	BOLA	GUN

PACKAGING WEIGHT AND DIMENSIONS		
Bola Disc 12	4LBS	15" X 7"
(Steel Shade)	1.8KG	38cm X 18cm
Bola Disc 12	2.4LBS	15" X 7"
(White Aluminum Shade)	1.1KG	38cm X 18cm
Bola Disc 18	8.6LBS	20.75" X 8"
(Steel Shade)	3.9KG	53cm X 20cm
Bola Disc 18	6.75LBS	20.75" X 8"
(White Aluminum Shade)	3KG	53cm X 20cm
Bola Disc 22	12.25LBS	24" X 10"
(Steel Shade)	5.6KG	61cm X 25cm
Bola Disc 22	9LBS	24" X 10"
(White Aluminum Shade)	4.1KG	61cm X 25cm
Bola Disc 32	23.8LBS	34.5" X 10.5"
(Steel Shade)	10.8KG	87.6cm X 27cm
Bola Disc 32	17.5LBS	34.5" X 10.5"
(White Aluminum Shade)	7.9KG	87.6cm X 27cm

NOTES

Custom requests can be considered on volume orders.



FINISHES

REFLECTOR, POST, AND CANOPY



CHROME



BRASS




ROSE GOLD



GUNMETAL

DIMENSIONS

BOLA DISC 12, 18, 22, 32



BOLA DISC PENDANT

MATTE FINISHES

DESCRIPTION
Bola Disc is a uniquely expressive LED lighting system featuring matte aluminum disc reflectors that create a softer, more atmospheric presence through their interaction with light and surrounding space. An opaline glass globe is paired with finely finished aluminum discs in Sand, Clay, Moss, and Taupe, paired with offering a refined, tactile alternative to its reflective counterparts. Matte shade colors can be paired with Matte Black, Matte White, or Chrome stems and canopies, allowing for a wide range of visual expressions and application styles. Fully dimmable, Bola provides warm, ambient illumination and can be configured across flush mount, pendant, multi-drop, linear, and chandelier typologies for residential, contract, and hospitality settings.



FIXTURE TYPE
Pendant

LIGHT SOURCE
Custom integrated LED, high-output chip on board

LIGHT CONTROL
Hard-wired, dimmable
Compatible with TRIAC/ELV and 0-10V dimmers
Dali compatability upon request

FEATURES
Warm Dim

SPECIFICATIONS
Voltage: 120V-277V 50/60Hz
Power Consumption: 6W (12", 18"), 12W (22"), 20W (32")
Color Temperature: 2700K-1800K (Warm Dim), 3000K, 3500K
Luminosity: 290Lm (12"), 290Lm (18"), 800Lm (22"), 1625Lm (32")
Luminaire Efficacy: 48Lm/W (12",18"), 66Lm/W (22"), 80 Lm/W (32")
Color Rendition Index: 95 CRI
50K hour lifespan
Cord Length: 8.9' (2.9m) (Field cuttable)

CERTIFICATIONS  

PRODUCT CODES (ENTER DISC SIZE IN BLANK SPACE)

Bola Disc ___ (Sand/Black): BOLA ___ SND BLK DTW	Bola Disc ___ (Clay/White): BOLA ___ CLY WHT DTW
Bola Disc ___ (Sand/White): BOLA ___ SND WHT DTW	Bola Disc ___ (Clay/Chrome): BOLA ___ CLY WHT DTW
Bola Disc ___ (Sand/Chrome): BOLA ___ SND WHT DTW	Bola Disc ___ (Moss/Black): BOLA ___ MOS BLK DTW
Bola Disc ___ (Taupe/Black): BOLA ___ TPE BLK DTW	Bola Disc ___ (Moss/White): BOLA ___ MOS WHT DTW
Bola Disc ___ (Taupe/White): BOLA ___ TPE WHT DTW	Bola Disc ___ (Moss/Chrome): BOLA ___ MOS WHT DTW
Bola Disc ___ (Taupe/Chrome): BOLA ___ TPE WHT DTW	Bola Disc ___ (Black): BOLA ___ BLK DTW
Bola Disc ___ (Clay/Black): BOLA ___ CLY BLK DTW	Bola Disc ___ (White): BOLA ___ WHT DTW (18/32 only)

PACKAGING WEIGHT AND DIMENSIONS		
Bola Disc 12	4LBS	15" X 7"
(Steel Shade)	1.8KG	38cm X 18cm
Bola Disc 12	2.4LBS	15" X 7"
(White Aluminum Shade)	1.1KG	38cm X 18cm
Bola Disc 18	8.6LBS	20.75" X 8"
(Steel Shade)	3.9KG	53cm X 20cm
Bola Disc 18	6.75LBS	20.75" X 8"
(White Aluminum Shade)	3KG	53cm X 20cm
Bola Disc 22	12.25LBS	24" X 10"
(Steel Shade)	5.6KG	61cm X 25cm
Bola Disc 22	9LBS	24" X 10"
(White Aluminum Shade)	4.1KG	61cm X 25cm
Bola Disc 32	23.8LBS	34.5" X 10.5"
(Steel Shade)	10.8KG	87.6cm X 27cm
Bola Disc 32	17.5LBS	34.5" X 10.5"
(White Aluminum Shade)	7.9KG	87.6cm X 27cm

NOTES
Custom requests can be considered on volume orders.



FINISHES

REFLECTOR

SAND

TAUPE

CLAY

MOSS

BLACK

WHITE

POST AND CANOPY


BLACK

WHITE

CHROME

DIMENSIONS

BOLA DISC 12, 18, 22, 32





BOLA DISC MULTI-LIGHT

DESCRIPTION

Bola's elegant reflective disc and globe design can be suspended in a variety of custom arrangements in both round and linear configurations. With Bola Disc Multi-Light, up to 11 lamps can be grouped together in a variety of mixed disc sizes to form stunning luminaire displays. Both size and shape of the grouping is controlled by lamp quantity and positioning relative to the Multi-Light canopy. Swag mounts are provided to extend the lights out into space along with an ample cord length of 8.9' (2.7m) to offer a wide array of unique solutions.

FIXTURE TYPE

Pendant

LIGHT SOURCE

Custom integrated LED, high-output chip on board

PRODUCT CODES

Multi-Light Canopy 9" (White):	BOLA CAN 9 WHT
Multi-Light Canopy 9" (Black):	BOLA CAN 9 BLK
Multi-Light Canopy 12" (White):	BOLA CAN 12 WHT
Multi-Light Canopy 12" (Black):	BOLA CAN 12 BLK

CERTIFICATIONS



PACKAGING WEIGHTS AND DIMENSIONS

Multi-Light Canopy 9"	4.3LBS	12" X 12" X 6"
	2KG	30.5cm X 30.5cmX 15cm
Multi-Light Canopy 12"	6.6LBS	12" X 12" X 6"
	3KG	30.5cm X 30.5cm X 15cm

NOTES

Custom requests can be considered on volume orders.

BOLA Multi-Light Canopy
Small (Ø9" OD) Up to 6




or

BOLA Multi-Light Canopy
Large (Ø12" OD) 7 to 11




2, 3, 4, 5, 6... 11

MULTI-LIGHT CANOPY DIMENSIONS



9"
(22.8cm)



12"
(30.5cm)

FINISHES

CANOPY



WHITE



BLACK

LINEAR



ROUND



BOLA DISC FLUSH

CLASSIC FINISHES

DESCRIPTION

A study in refined simplicity, Bola Flush offers a magical combination of mirror and globe refined down to its bare essentials. The objective with the Bola Flush is to provide both direct and reflected light from either ceiling or wall mounted vantage points. Bola Flush brings elegance and refinement with four sizes and five finishes in chrome, brass, rose gold, gunmetal, white, and matte black. An ideal fixture for adding diffused and reflected light in hallway corridors, nooks, dining settings, bedrooms, or living areas. Stunning groupings can also be created by mixing different sizes together to form unique custom light displays.

FIXTURE TYPE

Wall/Ceiling

LIGHT SOURCE

Custom integrated LED, high-output chip on board

LIGHT CONTROL

Hard-wired, dimmable
Compatible with TRIAC/ELV and 0-10V dimmers
Dali compatability upon request

FEATURES

Warm Dim

SPECIFICATIONS

Voltage: 120V-277V 50/60Hz
Power Consumption: 6W (12", 18"), 12W (22"), 20W (32")
Color Temperature: 2700K-1800K (Warm Dim),
3000K, 3500K
Luminosity: 290 Lumens (12"), 290 Lumens (18"), 800 Lumens (22"), 1625 Lumens (32")
Luminaire Efficacy: 48Lm/W(12",18"), 66Lm/W(22"),
80 Lm/W (32")
Color Rendition Index: 95 CRI
50K hour lifespan

CERTIFICATIONS



PRODUCT CODES (ENTER DISC SIZE IN BLANK SPACE)

Bola Disc Flush (Chrome):	BOLA FSH	CRM
Bola Disc Flush (Brass):	BOLA FSH	BRA
Bola Disc Flush (Rose Gold):	BOLA FSH	RGD
Bola Disc Flush (Gunmetal):	BOLA FSH	GUN
Bola Disc Flush Standoff	BOLA FSH	STAND

PACKAGING WEIGHT AND DIMENSIONS

Bola Disc 12	4LBS	15" X 15" X 7"
(Steel Shade)	1.8KG	38cm X 38cm X 18cm
Bola Disc 12	2.4LBS	15" X 15" X 7"
(White Aluminum Shade)	1.1KG	38cm X 38cm X 18cm
Bola Disc 18	8.6LBS	20.75" X 20.75" X 8"
(Steel Shade)	3.9KG	53cm X 53cm X 20cm
Bola Disc 18	6.75LBS	20.75" X 20.75" X 8"
(White Aluminum Shade)	3KG	53cm X 53cm X 20cm
Bola Disc 22	12.25LBS	24" X 24" X 10"
(Steel Shade)	5.6KG	61cm X 61cm X 25cm
Bola Disc 22	9LBS	24" X 24" X 10"
(White Aluminum Shade)	4.1KG	61cm X 61cm X 25cm
Bola Disc 32	23.8LBS	34.5" X 34.5" X 10.5"
(Steel Shade)	10.8KG	87.6cm X 87.6cm X 27cm
Bola Disc 32	17.5LBS	34.5" X 34.5" X 10.5"
(White Aluminum Shade)	7.9KG	87.6cm X 87.6cm X 27cm

NOTES

Custom requests can be considered on volume orders.




FINISHES




DIMENSIONS

BOLA DISC FLUSH 12, 18, 22, 32



AVAILABLE WITH
CORD + DIMMER
SEE PAGE 344



BOLA DISC FLUSH

MATTE FINISHES

DESCRIPTION

Bola Disc Flush will now be available in four painted finishes. The objective with the Bola Flush is to provide both direct and reflected light from either ceiling or wall mounted vantage points. Bola Flush brings elegance and refinement with four sizes and finishes in, sand, taupe, clay, moss, black and white. An ideal fixture for adding diffused and reflected light in hallway corridors, nooks, dining settings, bedrooms, or living areas. Stunning groupings can also be created by mixing different sizes together to form unique custom light displays.

FIXTURE TYPE

Wall/Ceiling

LIGHT SOURCE

Custom integrated LED, high-output chip on board

LIGHT CONTROL

Hard-wired, dimmable
Compatible with TRIAC/ELV and 0-10V dimmers
Dali compatability upon request

FEATURES

Warm Dim

SPECIFICATIONS

Voltage: 120V-277V 50/60Hz
Power Consumption: 6W (12", 18"), 12W (22"), 20W (32")
Color Temperature: 2700K-1800K (Warm Dim),
3000K, 3500K
Luminosity: 290 Lumens (12"), 290 Lumens (18"), 800 Lumens (22"), 1625 Lumens (32")
Luminaire Efficacy: 48Lm/W(12",18"), 66Lm/W(22"), 80 Lm/W (32")
Color Rendition Index: 95 CRI
50K hour lifespan

CERTIFICATIONS



PRODUCT CODES (ENTER DISC SIZE IN BLANK SPACE)


Bola Disc Flush (Sand):	BOLA FSH _ SND
Bola Disc Flush (Taupe):	BOLA FSH _ TPE
Bola Disc Flush (Clay):	BOLA FSH _ CLY
Bola Disc Flush (Moss):	BOLA FSH _ MOS
Bola Disc Flush (Black):	BOLA FSH _ BLK
Bola Disc Flush (White):	BOLA FSH _ WHT
Bola Disc Flush Standoff	BOLA FSH STAND

PACKAGING WEIGHT AND DIMENSIONS


Bola Disc 12	4LBS	15" X 15" X 7"
(Steel Shade)	1.8KG	38cm X 38cm X 18cm
Bola Disc 12	2.4LBS	15" X 15" X 7"
(White Aluminum Shade)	1.1KG	38cm X 38cm X 18cm
Bola Disc 18	8.6LBS	20.75" X 20.75" X 8"
(Steel Shade)	3.9KG	53cm X 53cm X 20cm
Bola Disc 18	6.75LBS	20.75" X 20.75" X 8"
(White Aluminum Shade)	3KG	53cm X 53cm X 20cm
Bola Disc 22	12.25LBS	24" X 24" X 10"
(Steel Shade)	5.6KG	61cm X 61cm X 25cm
Bola Disc 22	9LBS	24" X 24" X 10"
(White Aluminum Shade)	4.1KG	61cm X 61cm X 25cm
Bola Disc 32	23.8LBS	34.5" X 34.5" X 10.5"
(Steel Shade)	10.8KG	87.6cm X 87.6cm X 27cm
Bola Disc 32	17.5LBS	34.5" X 34.5" X 10.5"
(White Aluminum Shade)	7.9KG	87.6cm X 87.6cm X 27cm

NOTES

Custom requests can be considered on volume orders.




FINISHES




DIMENSIONS

BOLA DISC FLUSH 12, 18, 22, 32




AVAILABLE WITH
CORD + DIMMER
SEE PAGE 344




BOLA DISC FLUSH GROUPING

Stunning compositions can be created by mixing or matching different sizes and finishes together to form unique customized light clusters.



1" add-on standoff
allows for overlapping
disc groupings



PRODUCT CODE
BOLA FSH STAND



BOLA FELT

Bola Felt's charmingly expressive felted shade hat features a soft and pliable conical structure with 2 colored layers of undulating wool inside and out. It is available in 4 distinct sizes: 24" (61 cm), 32" (81 cm), 42" (107cm), and 52" (132cm). Its shade rests elegantly over its opaline glass globe diffuser allowing the user to tilt the shade to multiple angles to focus light while taking on various relaxed personalities in the process. Bola Felt casts unparalleled illumination boasting up to 1625 lumens of warm and dimmable LED light that runs cool to the touch. Bola can be suspended individually, or in spectacular groupings to become the centerpieces of any space. Bola's thick felt shade also offers excellent acoustic dampening benefits making them perfectly suited for use over dining applications as well as social gathering areas where sound control is beneficial. Ideal for residential, lounge and hospitality spaces alike.

Designer:
Pablo Pardo + Pablo Studio 2018



BOLA FELT

DESCRIPTION

Bola Felt is a uniquely expressive pendant light that features an undulating 100% wool felt shade that's adjustable to focus light to any desired direction. Bola Felt's acoustic properties provide excellent noise dampening characteristics that are perfectly suited for dining areas or quiet zones in the workplace. The shade is available in 4 distinct sizes: 24" (61cm), 32" (81cm), 42" (106cm), and 52" (132cm) with mating opaline globe diffuser sizes: 6" (15cm), 8" (20cm), 10" (25cm), and 12" (30cm) diameters. Bola Felt casts up to 1625 lumens of warm ambient light and is fully dimmable to set the ambiance. Bola Felt pendants are outfitted with a braided graphite power cable paire with a chrome post and canopy.

FIXTURE TYPE

Pendant

LIGHT SOURCE

Custom integrated LED, high-output chip on board

LIGHT CONTROL

Hard-wired, dimmable
Compatible with TRIAC/ELV and 0-10V dimmers

FEATURES

Adjustable Shade
Acoustic Dampening
Fully Dimmable
Warm Dim

SPECIFICATIONS

Voltage: 120V-277V 50/60Hz
Power Consumption: 12W (24"), 20W (32"/42"/52")
Color Temperature: 2700K-1800K (Warm Dim), 3000K, 3500K
Luminosity: 800 Lumens (24"), 1625 Lumens (32",42",52")
Luminaire efficacy: 66Lm/W (24"), 80 Lm/W (32",42",52")
Color Rendition Index: 95 CRI
50K hour lifespan
Cable Length: 8.9' (2.7m) (Field cuttable)

CERTIFICATIONS



PRODUCT CODES

Bola Felt 24:	BOLA 24 FELT
Bola Felt 32:	BOLA 32 FELT
Bola Felt 42:	BOLA 42 FELT
Bola Felt 52:	BOLA 52 FELT

PACKAGING WEIGHT AND DIMENSIONS

Bola Felt 24	8.75LBS 4KG	25" X 25" X 10" 64cm X 64cm X 25cm
Bola Felt 32	16.5LBS 7.5KG	35" X 35" X 10.5" 89cm X 89cm X 26.7cm
Bola Felt 42	21LBS 9KG	40" X 48" X 36" 101cm X 122cm X 91cm
Bola Felt 52	28.5LBS 13KG	40" X 48" X 36" 101cm X 122cm X 91cm

NOTES

Custom requests can be considered on volume orders.



FINISHES

SHADE



PEBBLE/
GREY


POST AND CANOPY



CHROME

DIMENSIONS


BOLA FELT 24, 32, 42, 52



BOLA SPHERE

Bola Sphere is the basic foundation of the Bola Collection. Bola Sphere Pendant features an elemental interplay between post and sphere with a seductive opal blown glass shade available in 8 distinct sizes: 4" (10cm), 5" (13cm), 6" (15cm), 8" (20cm), 10" (25.5cm), 12" (30.5cm), 16" (40cm), and 24" (60cm) paired with a polished steel post in chrome, brass, rose gold, gunmetal, matte black and white finishes with mating canopies. Bola Sphere Pendant can also be suspended in exquisite Chandelier groupings that allow mixing of globe sizes for stunning displays in any residential, contract or hospitality setting alike. The Bola Sphere Flush brings equal ambiance and elegance to wall and ceiling surfaces combining 7 Globe sizes. Canopies are available in chrome, brass, matte black and white finishes. Bola Sphere Flush offers full range dimming light control to create the perfect setting for hospitality and living areas alike.

Designer:
Pablo Pardo + Pablo Studio 2019



BOLA SPHERE PENDANT

DESCRIPTION

The Bola Sphere pendant is the basic foundation of the Bola Collection, featuring an elemental interplay between post and sphere. Its seductive opal blown glass shade is available 8 distinct sizes (4" (10cm), 5" (13cm), 6" (15cm), 8" (20cm), 10" (25.5cm), 12" (30.5cm), 16"(40cm), and 24"(60cm) paired with a chromated stainless steel post in chrome, brass, rose gold, gunmetal, matte black and white with mating canopies. Bola Disc pendants are outfitted with a braided graphite power cable. Bola Sphere is also available in exquisite chandelier groupings that allow mixing of globe sizes for stunning displays in any residential, contract or hospitality settings alike.

FIXTURE TYPE

Pendant

LIGHT SOURCE

Custom integrated LED, high-output chip on board

LIGHT CONTROL

Hard-wired, dimmable - Compatible with TRIAC/ELV and 0-10V dimmers
Dali compatability upon request

FEATURES

Fully Dimmable
Warm Dim

SPECIFICATIONS

Voltage: 120V-277V 50/60Hz
Power Consumption: 6W (4", 5"), 12W (6"), 20W (8", 10", 12", 16", 24")
Color Temperature: 2700K-1800K (Warm Dim),
3000K, 3500K
Luminosity: 290 Lumens (4"), 305 Lumens (5"), 800 Lumens (6"),
1625 Lumens (8", 10", 12", 16"), 1700 Lumens (24")
Luminaire Efficacy: 62 Lm/W(average)
Color Rendition Index: 95 CRI
50K hour lifespan
Cord Length: 8.9' (2.7m) (Field cuttable)

CERTIFICATIONS



PRODUCT CODES (ENTER GLOBE SIZE IN BLANK SPACE)

Bola Sphere ____ (Chrome):	BOLA SPH ____ CRM
Bola Sphere ____ (Brass):	BOLA SPH ____ BRA
Bola Sphere ____ (Rose Gold):	BOLA SPH ____ RGD
Bola Sphere ____ (Gunmetal):	BOLA SPH ____ GUN
Bola Sphere ____ (Matte Black):	BOLA SPH ____ BLK
Bola Sphere ____ (Matte White):	BOLA SPH ____ WHT

PACKAGING WEIGHT AND DIMENSIONS

Bola Sphere 4	2.6LBS 1.2KG	10" X 9" X 8.5" 25cm X 23cm X 22cm
Bola Sphere 5	3LBS 1.4KG	10" X 9" X 8.5" 25cm X 23cm X 22cm
Bola Sphere 6	3.5LBS 1.6KG	11.5" X 9" X 10.5" 29cm X 23cm X 27cm
Bola Sphere 8	5LBS 2.28KG	12" X 12" X 12.25" 30cm X 30cm X 31cm
Bola Sphere 10	5.5LBS 2.5KG	14" X 14" X 16.5" 36cm X 36cm X 42cm
Bola Sphere 12	7.2LBS 3.3KG	18" X 18" X 18" 46cm X 46cm X46cm
Bola Sphere 16	8LBS 3.6KG	20" X 20" X 20" 50cm X 50cm X50cm
Bola Sphere 24	15LBS 6.8KG	24.5" X 24.5" X 24.5" 62cm X 62cm X 62cm


NOTES

Bola 4-16 : Opal glass globe, Bola 24: Ethylene Polymer globe
Custom requests can be considered on volume orders




FINISHES

POST AND CANOPY



DIMENSIONS

BOLA SPHERE 4, 5, 6, 8, 10, 12, 16, 24





BOLA SPHERE CHANDELIER

DESCRIPTION

The Bola Sphere pendant chandelier is the basic foundation of the Bola Collection, featuring an elemental interplay between post and sphere. Its seductive opal blown glass shade is available 8 distinct sizes (4" (10cm), 5" (13cm), 6" (15cm), 8" (20cm), 10" (25.5cm), 12" (30.5cm), 16"(40cm), and 24"(60cm) paired with a chromated stainless steel post in chrome, brass, rose gold, gunmetal, and matte black. Two sizes of canopy are available to accommodate Bola Sphere is also available in exquisite Chandelier groupings that allow mixing of globe sizes for stunning displays in any residential, contract or hospitality setting alike.

FIXTURE TYPE

Pendant

LIGHT SOURCE

Custom integrated LED, high-output chip on board

LIGHT CONTROL

Hard-wired, dimmable
Compatible with TRIAC/ELV and 0-10V dimmers
Dali compatability upon request

FEATURES

Fully Dimmable
Warm Dim
17" Canopy: Up to 7 lamps
26" Canopy: Up to 13 lamps

CERTIFICATIONS



FINISHES

BOLA SPHERE



CHROME



BRASS



ROSE GOLD



GUNMETAL



MATTE BLACK




MATTE WHITE

DIMENSIONS

CHANDELIER CANOPY 17", 26"


CHANDELIER CANOPY 17"



17"

(43cm)

CHANDELIER CANOPY 26"



26"

(66cm)

PRODUCT CODES

17" Chandelier Canopy:	CHND CAN 17
26" Chandelier Canopy:	CHND CAN 26

PACKAGING WEIGHTS AND DIMENSIONS

Chandelier canopy 17":	15LBS	22" X 22" X 6"
	6.8KGS	56cm X 56cm X 15cm
Chandelier canopy 26":	30LBS	32" X 32" X 6"
	13.6KGS	81cm X 81cm X 15cm

NOTES

Bola 4-16 : Opal glass globe, Bola 24: Ethylene Polymer globe
Custom requests can be considered on volume orders



BOLA SPHERE FLUSH

DESCRIPTION

Flush mount versions are available in the full range of Bola globe sizes (4",5",6",8",10",12",16") paired with up to 4 premium canopy finishes. Lamps can be grouped in multi-axis configurations and sizes to provide delightful dots of illumination throughout any space.

FIXTURE TYPE

Wall/Ceiling

LIGHT SOURCE

Custom integrated LED, high-output chip on board

LIGHT CONTROL

Hard-wired, dimmable - Compatible with TRIAC/ELV and 0-10V dimmers
Dali compatability upon request

FEATURES

Fully Dimmable
Warm Dim

SPECIFICATIONS

Voltage: 120V-277V 50/60Hz
Power Consumption: 6W (4", 5"), 12W (6"), 20W (8", 10", 12", 16")
Color Temperature: 2700K-1800K (Warm Dim), 3000K, 3500K
Luminosity: 290 Lumens (4"), 305 Lumens (5"), 800 Lumens (6"), 1625 Lumens (8", 10", 12", 16")
Luminaire Efficacy: 62 Lm/W(average)
Color Rendition Index: 95 CRI
50K hour lifespan

CERTIFICATIONS



PRODUCT CODES (ENTER GLOBE SIZE IN BLANK SPACE)

Bola Sphere Flush ___ (Chrome):	BOLA SPH FSH ___ CRM
Bola Sphere Flush ___ (Brass):	BOLA SPH FSH ___ BRA
Bola Sphere Flush ___ (Matte Black):	BOLA SPH FSH ___ BLK
Bola Sphere Flush ___ (Matte White):	BOLA SPH FSH ___ WHT

PACKAGING WEIGHT AND DIMENSIONS


Bola Sphere 4	2.6LBS 1.2KG	10" X 9" X 8.5" 25cm X 23cm X 22cm
Bola Sphere 5	3LBS 1.4KG	10" X 9" X 8.5" 25cm X 23cm X 22cm
Bola Sphere 6	3.5LBS 1.6KG	11.5" X 9" X 10.5" 29cm X 23cm X 27cm
Bola Sphere 8	5LBS 2.28KG	12" X 12" X 12.25" 30cm X 30cm X 31cm
Bola Sphere 10	5.5LBS 2.5KG	14" X 14" X 16.5" 36cm X 36cm X 42cm
Bola Sphere 12	7.2LBS 3.3KG	18" X 18" X 18" 46cm X 46cm X 46cm
Bola Sphere 16	8LBS 3.6KG	20" X 20" X 20" 50cm X 50cm X 50cm

NOTES

Custom requests can be considered on volume orders




FINISHES




DIMENSIONS

BOLA SPHERE FLUSH 4, 5, 6, 8, 10, 12, 16



AVAILABLE WITH
CORD + DIMMER
SEE PAGE 344



BOLA SPHERE TABLE



DESCRIPTION

The Bola Sphere Table series fuses an elegant blown opal glass sphere with a mirrored disc base in polished stainless steel to give the illusion of a floating orb in space. Taking its cues from the Bola Family Collection, the new table version brings this magical combination to a table surface, allowing for full range dimming and is available in 4 distinct globe sizes: 8” (20cm), 10” (25.5cm), 12” (30.5cm), and 16”(40cm). Its mating base is available in 3 corresponding diameters : 9.5” (24cm), 12” (30.5cm), and 14” (36cm) in 5 exquisite finishes: chrome, brass, rose gold, gunmetal, and matte black. Each finish provides a distinct personality for any residential, contract, or hospitality environment. The Bola Sphere Table is now available with a larger 16” (40cm) globe!

FIXTURE TYPE

Table

LIGHT SOURCE

US		EU	
Brand: SATCO		Brand: PHILIPS	
8W LED		8.5W LED	
2700K		2700K	
E26/BT-15		E27/A60	
800Lm		806Lm	

LIGHT CONTROL

In-line dimmer

FEATURES

Fully dimmable

SPECIFICATIONS

Voltage: 120V or 240V, 50/60Hz
Power Consumption:
LED Warm Dim Bulb: 9.5W (60W equivalent)
Color Temperature: 2700 - 2200K
Luminosity: 800 Lumens
Luminaire Efficacy: 84 Lumens/Watt MAX
Color Rendition Index: 90 CRI
Cord Length: 6’ (1.8m)

CERTIFICATION



PRODUCT CODES (ENTER GLOBE SIZE IN BLANK SPACE)		
Bola Sphere Table ___ (Chrome):	BOLA SPH TBL ___ CRM	
Bola Sphere Table ___ (Brass):	BOLA SPH TBL ___ BRA	
Bola Sphere Table ___ (Rose Gold):	BOLA SPH TBL ___ RGD	
Bola Sphere Table ___ (Gunmetal):	BOLA SPH TBL ___ GUN	
Bola Sphere Table ___ (Matte Black):	BOLA SPH FSH ___ BLK	

PACKAGING WEIGHTS AND DIMENSIONS


BOLA SPH 8:	4LBS	10” X 10” X 14.5”
	1.8KGS	25cm X 25cm X 37cm
BOLA SPH 10:	4.2LBS	13” X 13” X 18”
	1.9KGS	33cm X 33cm X 46cm
BOLA SPH 12:	5.2LBS	16” X 16” X 21”
	2.4KGS	40cm X 40cm X 53cm
BOLA SPH 16:	8LBS	20” X 20” X 21”
	3.6KGS	50cm X 50cm X 53cm

NOTES

Custom requests can be considered on volume orders




FINISHES



DIMENSIONS


BOLA SPHERE TABLE 8, 10, 12, 16



BOLA LANTERN

Based on the Bola Sphere Table 8, the Bola Lantern adds a premium leather handle and a rechargeable battery that enables a level of portability new to the Bola Family. Bola Lantern's size and stature give a sense of presence that is unfound with portables, while maintaining the lightness associated with the floating orbs that are Bola. Discs are available in chrome, brass, gunmetal, and matte black. The leather handles are available in a natural vegetable tanned leather and black. Battery life ranges from 10 - 400 hours depending on light intensity. Bola Lantern produces 280 lumens of warm ambient light.

Designer:
Pablo Pardo + Pablo Studio 2021



BOLA LANTERN

DESCRIPTION

Based on the Bola Sphere Table 8, the Bola Lantern adds a premium leaher handle and a rechargeable battery that enables a level of portability new to the Bola Family. Bola Lantern’s size and stature gives a sense of presence that’s unfound with portables, while maintaining the lightness associated with the floating orbs that are Bola. Discs are available in brass, chrome, gunmetal, and matte black. The leather handles are available in natural vegetable tanned leather and black.

FIXTURE TYPE

Portable

LIGHT SOURCE

LED High-output Chip-on-board

LIGHT CONTROL

Mechanical push button
Full-range dimming (100-10%)
4-stage dimming (100.40/20/3%)

FEATURES

Portable and rechargeable
10-400hr Battery life
USB Charging cable included
Warm Dim
Surface mountable with M6 Fastener

SPECIFICATIONS

Voltage: 120V or 240V, 50/60Hz
Power Consumption: 3.2W
Color Temperature: 2700-1800K (warm dim)
Luminosity: 280 Lumens
Luminaire Efficacy: 87.5 Lumens/Watt MAX
Color Rendition Index: 95 CRI
Cord Length: 6’ (1.8m)
IP Rating: IP20
6 hr Charge time (using 10W power plug, not included)

CERTIFICATION



FINISHES

DISC



BRASS



CHROME



GUNMETAL



MATTE BLACK

LEATHER HANDLE




VEG TAN



BLACK

DIMENSIONS

BOLA LANTERN



PRODUCT CODES

Bola Lantern (Black/Gunmetal):	BOLA LTN GUN BLK
Bola Lantern (Black/Matte black):	BOLA LTN BLK BLK
Bola Lantern (Black/Brass):	BOLA LTN BRA BLK
Bola Lantern (Tan/Brass):	BOLA LTN BRA TAN
Bola Lantern (Tan/Matte black):	BOLA LTN BLK TAN
Bola Lantern (Tan/Chrome):	BOLA LTN CRM TAN

PACKAGING WEIGHTS AND DIMENSIONS

Bola Lantern:	4LBS	10" X 10" X 14.5"
	1.8KGS	25cm X 25cm X 37cm

NOTES

Custom requests can be considered on volume orders






BRAZO

Fusing breakthrough LED technology with a uniquely tactile and calibrated light control experience, Brazo is an intelligent, precise and effortlessly adjustable task lamp. A user can tune it to any beam spread, brightness and direction, controlling the volume and focus of light. The aluminum shade on the lamp's arm enables much of this adjustability, enabling the user to fluidly dial it around the light source to guide the beam in any direction. Although suitable for any environment, the versatility and 360° adjustability offered in its minimal frame makes Brazo ideal for use in work environments. Brazo transforms from table to floor model with a simple extension post and ships flat-packed for easy transport.

Designer:
Pablo Pardo 2007/2008

Awards:
2008 IDEA Gold Award
2007 Best of Neocon Gold



BRAZO TABLE

DESCRIPTION
Brazo's precision machined aluminum construction allows for optimal task lighting control with 360° adjustability and 90° tilt. Brazo features a luminous and energy-efficient LED light source which can be dialed to any desired beam-spread and brightness depending on the task.

FIXTURE TYPE
Table

LIGHT SOURCE
(108x) High output LED array

LIGHT CONTROL
Full range dim (rotary dimmer)

FEATURES
360° arm rotation
90° arm tilt
Calibrated light focus control
Height adjustable
Advanced LED array eliminates multiple shadows
Ships flat-packed
97% recyclable

SPECIFICATIONS
Voltage: 120-240V 50-60Hz
Power Consumption: 9W
Color temperature: 3000K
Luminosity: 450 Lumens
Luminaire efficacy: 50 Lumens/Watt
Color Rendition Index: 90+ CRI
Title 20 compliant
50K hour lifespan
Cable length: 8' (244cm)
Global multi-plug adapter available

CERTIFICATIONS
 

PRODUCT CODES		
Brazo Table (Silver):	BRAZ TBL SLV	
Brazo Table (Black):	BRAZ TBL BLK	
Brazo Table (White):	BRAZ TBL WHT	

PACKAGING WEIGHT AND DIMENSIONS		
BRAZO TABLE:	14.2LBS	39" X 11" X 5"
	6.4KGS	99cm X 28cm X 13cm

NOTES
Custom requests can be considered on volume orders






FINISHES



DIMENSIONS

BRAZO TABLE



SURFACE MOUNT AVAILABLE FOR 118" (3cm), 2" (5cm) AND 3" (75cm) WORKSURFACES



BRAZO FLOOR

DESCRIPTION
Brazo's precision machined aluminum construction allows for optimal task lighting control with 360° adjustability and 90° tilt. Brazo features a luminous and energy-efficient LED light source which can be dialed to any desired beam-spread and brightness depending on the task.

FIXTURE TYPE
Floor

LIGHT SOURCE
(108x) High output LED array

LIGHT CONTROL
Full range dim (rotary dimmer)

FEATURES
360° arm rotation
90° arm tilt
Calibrated light focus control
Height adjustable
Advanced LED array eliminates multiple shadows
Ships flat-packed
97% recyclable

SPECIFICATIONS
Voltage: 120-240V 50-60Hz
Power Consumption: 9W
Color temperature: 3000K
Luminosity: 450 Lumens
Luminaire efficacy: 50 Lumens/Watt
Color Rendition Index: 90+ CRI
Title 20 compliant
50K hour lifespan
Cable length: 8' (244cm)
Global multi-plug adapter available

CERTIFICATIONS
UL CE

PRODUCT CODES		
Brazo Floor (Silver):	BRAZ FLR SLV	
Brazo Floor (Black):	BRAZ FLR BLK	
Brazo Floor (White):	BRAZ FLR WHT	

PACKAGING WEIGHT AND DIMENSIONS		
BRAZO FLOOR:	15.55LBS	39" X 11" X 5"
	7.1KGS	99cm X 28cm X 13cm


NOTES
Custom requests can be considered on volume orders

FINISHES



DIMENSIONS

BRAZO FLOOR




CANDÉL

Inspired by a cone of light, Candél's graceful vessel-like silhouette is in perfect harmony with its surroundings allowing the environment to filter through. Candél casts a warm, intimate candle-like glow that's sure to seduce and become the central focus of any social gathering. Candél is a fully rechargeable portable LED light designed for both indoors and outdoors. Features a robust PMMA body in clear, bronze, or smoked tint combined with a striking anodized aluminum light module that offers capacitive touch light control to provide up to 4 light levels to set the perfect ambiance. Battery life ranges from 10 to 150+ hours depending on light intensity.

Designer:
Pablo Pardo + Pablo Studio 2020

Awards:
2020 Hospitality Design Product Award
2021 International Design Award



Candél

DESCRIPTION
Candél is a fully rechargeable portable LED light designed for both indoors and outdoors. Features a robust PMMA body in Clear, Bronze or Smoke tint combined with a striking anodized aluminum light module available in anodized silver, black, brass, or matte white paint. Candél uses capacitive touch technology for adjusting light intensity. Battery life: 10-150+ hours depending on light intensity.

FIXTURE TYPE
Portable

LIGHT SOURCE
LED High-Output chip on board

LIGHT CONTROL
Capacitive touch switch
4-stage dimming (100/50/25/5%)

FEATURES
Portable and rechargeable
10-150+hr battery life
USB charging cable included

SPECIFICATIONS
Power Consumption: 2W
Color Temperature: 2500-1800K (Warm Dim)
Luminosity: 110 Lumens
Luminaire Efficacy: 55 Lumens/Watt
Color Rendition Index: 94 CRI
Cable length: 6' (183cm)
IP Rating: IP20. IP54 Available upon request

CERTIFICATIONS


PRODUCT CODES		
Candél (Smoke/Black):	CAND BLK	
Candél (Bronze/Brass):	CAND BRZ	
Candél (Clear/Silver):	CAND CLR	
Candél (Clear/White):	CAND WHT	

PACKAGING WEIGHT AND DIMENSIONS		
Candél:	1.5LBS	4" X 11.8"
	.68KG	10cm X 30cm


NOTES
Custom requests can be considered on volume orders



FINISHES




DIMENSIONS



CAROUSEL

Carousel blurs the line between ambiance and utility combining a low setting wireless charging tray surface for your mobile devices with warm, glare-free illumination. It's low profile LED light module is discreetly concealed below its mating tray and suspended atop a transparent fluted acrylic cylinder diffuser that radiates mesmerizing light patterns onto the table surface below. Perfectly suited for desktop or bedside use, Carousel embodies a uniquely hybrid perspective on what a personal light can be. The base diffuser is offered in both clear and bronze tint and can be paired with a spun steel tray in matte white, terra cotta, and black finishes.

Designer:
Pablo Pardo + Pablo Studio 2022



CAROUSEL TABLE

DESCRIPTION
Carousel blurs the line between ambiance and utility combining a low setting wireless charging tray surface for your mobile devices with warm, glare-free illumination. It's low profile LED light module is discreetly concealed below its mating tray and suspended atop a transparent fluted acrylic cylinder diffuser that radiates mesmerizing light patterns onto the table surface below. Perfectly suited for desktop or bedside use, Carousel embodies a uniquely hybrid perspective on what a personal light can be. The base diffuser is offered in both clear and bronze tint and can be paired with a spun steel tray in White, Terracotta, and Black.

FIXTURE TYPE
Table

LIGHT SOURCE
Flat Panel LED

LIGHT CONTROL
Capacitive touch switch (3-stage dimming 100/40/10%)

FEATURES
Wireless charging w/ indicator light (2)
USB-C charging port

SPECIFICATIONS
Voltage: 120-240V 50/60Hz
Power Consumption: 7W
Color Temperature: 2700-2200K
Luminosity: 425 Lumens
Luminaire Efficacy: 61 Lumens/Watt
Color Rendition Index: 90 CRI
Cable length: 6' (183cm)

CERTIFICATIONS



FINISHES

DIFFUSER

CLEAR

BRONZE

TRAY


TERRACOTTA

WHITE

BLACK

DIMENSIONS

CAROUSEL TABLE SMALL & LARGE



PRODUCT CODES (ENTER TRAY SIZE IN BLANK SPACE)			
Carousel Table Small	(Black/Bronze):	CARO SML BRZ	BLK
Carousel Table Small	(Black/Clear):	CARO SML CLR	BLK
Carousel Table Small	(White/Bronze):	CARO SML BRZ	WHT
Carousel Table Small	(White/Clear):	CARO SML CLR	WHT
Carousel Table Small	(Terracotta/Bronze):	CARO SML BRZ	TER
Carousel Table Small	(Terracotta/Clear):	CARO SML CLR	TER
Carousel Table Large	(Black/Bronze):	CARO LRG BRZ	BLK
Carousel Table Large	(Black/Clear):	CARO LRG CLR	BLK
Carousel Table Large	(White/Bronze):	CARO LRG BRZ	WHT
Carousel Table Large	(White/Clear):	CARO LRG CLR	WHT
Carousel Table Large	(Terracotta/Bronze):	CARO LRG BRZ	TER
Carousel Table Large	(Terracotta/Clear):	CARO LRG CLR	TER

PACKAGING WEIGHTS AND DIMENSIONS			
Carousel Table SM:	1LBS	11" X 11" X 5.5"	
(Base)	.45KG	28cm X 28cm X 14cm	
Carousel Table:	2LBS	13" X 13" X 1.5"	
(12" Tray and Module)	.9KG	33cm X 33cm X 3.8cm	
Carousel Table LG:	1.5LBS	6" X 6" X 15.75"	
(Base)	7KG	15cm X 15cm X 40cm	
Carousel Table:	5LBS	17" X 17" X 1.5"	
(16" Tray and Module)	2.25KG	43cm X 43cm X 4cm	

NOTES
Custom requests can be considered on volume orders





CAROUSEL FLOOR

DESCRIPTION
Carousel blurs the line between ambiance and utility combining a low setting wireless charging tray surface for your mobile devices with warm, glare-free illumination. It's low profile LED light module is discreetly concealed below its mating tray and suspended atop a transparent fluted acrylic cylinder diffuser that radiates mesmerizing light patterns onto the table surface below. Perfectly suited for desktop or bedside use, Carousel embodies a uniquely hybrid perspective on what a personal light can be. The base diffuser is offered in both clear and bronze tint and can be paired with a spun steel tray in White, Terracotta, and Black.

FIXTURE TYPE
Floor

LIGHT SOURCE
Flat Panel LED

LIGHT CONTROL
Capacitive touch switch (3-stage dimming 100/40/10%)

FEATURES
Wireless charging w/ indicator light (2)
USB-C charging port

SPECIFICATIONS
Voltage: 120-240V 50/60Hz
Power Consumption: 7W
Color Temperature: 2700-2200K
Luminosity: 425 Lumens
Luminaire Efficacy: 61 Lumens/Watt
Color Rendition Index: 90 CRI
Cable length: 6' (183cm)

CERTIFICATIONS


PRODUCT CODES		
Carousel Floor (Black/Bronze):	CARO FLR BRZ 16 BLK	
Carousel Floor (Black/Clear):	CARO FLR CLR 16 BLK	
Carousel Floor (White/Bronze):	CARO FLR BRZ 16 WHT	
Carousel Floor (White/Clear):	CARO FLR CLR 16 WHT	
Carousel Floor (Terracotta/Bronze):	CARO FLR BRZ 16 TER	
Carousel Floor (Terracotta/Clear):	CARO FLR CLR 16 TER	

PACKAGING WEIGHTS AND DIMENSIONS		
Carousel Floor:	3.5LBS	17" X 17" X 20"
(Base)	1.6KG	43cm X 43cm X 51cm

NOTES
Custom requests can be considered on volume orders




FINISHES

DIFFUSER




CLEAR



BRONZE


TRAY



TERRACOTTA




WHITE



BLACK

DIMENSIONS





CIELO PLUS

Through its minimal form and glare-free, flat panel LED technology, Cielo enables light to act as its expressive element and defining feature. Its finish palate also works to this end, underscoring the lamp's simple structure and exalting its light. Cielo's classic shape integrates into any environment, regardless of style, and it can be suspended individually, in a series or as a chandelier to provide warm and balanced illumination. The larger the grouping, the bolder the display. Cielo offers a full dimming range and is composed of energy efficient LEDs rated for up to 50K hours. Now available in brand new Hi-Bright model boasting 930 lumens of glare free illumination.

Designer:
Pablo Studio 2012



CIELO PLUS PENDANT

DESCRIPTION

Through its minimal form and glare-free, flat panel LED technology, Cielo enables light to act as its expressive element and defining feature. Boasting a robust 930 lumens of warm dimmable light, Cielo Plus maintains a compact and classic shape that integrates into any environment, regardless of style. Cielo Plus is offered in two refined machine-trace finishes in silver and brass as well as two textured painted finishes in white and black. Cielo can be suspended individually, in a series, or in chandelier groupings to provide warm and balanced illumination. The larger the grouping, the bolder the display. Cielo offers full range dimming and is composed of energy efficient LEDs rated for up to 50K hours.

FIXTURE TYPE

Pendant

LIGHT SOURCE

LED Flat-Panel

LIGHT CONTROL

Hard-wired, dimmable
Compatible with TRIAC and ELV dimmers
0-10V available upon request
Dali compatibility upon request

FEATURES

Energy efficient flat panel technology
Full-range dim
Glare-free illumination

SPECIFICATIONS

Voltage: 120V or 240V 50-60Hz
Power Consumption: 12.8W
Color temperature: 2700K
Luminosity: 930 Lumens
Luminaire efficacy: 72 Lumens/Watt
Color Rendition Index: 91 CRI
Title 20 compliant
50K hour lifespan
Cable length: 10’ (305cm) (Field Cuttable)

CERTIFICATIONS



PRODUCT CODES

Cielo Plus (Black):	CIEL PLUS BLK/BLK
Cielo Plus (White):	CIEL PLUS WHT/WHT
Cielo Plus (Silver):	CIEL PLUS SLV
Cielo Plus (Brass):	CIEL PLUS BRA

PACKAGING WEIGHT AND DIMENSIONS

Cielo Plus:	3.65LBS	11” X 7.5” X 7.5”
	1.7KGS	28cm X 19cm X 19cm

NOTES

Custom requests can be considered on volume orders



FINISHES

LAMP AND CANOPY



MATTE BLACK/
BLACK CABLE



MATTE WHITE/
WHITE CABLE




SILVER/
GREY CABLE



BRASS/
BLACK CABLE

DIMENSIONS

CIELO PLUS



CIELO PLUS CHANDELIER

DESCRIPTION
Cielo chandelier's grouping of LED pendants provides perfectly balanced and warm illumination in a simple and expressive silhouette. Cielo Chandelier is available in 3, 5, 7 and 13 Cielo pendant configurations to accent any residential, commercial or hospitality setting. Cielo features a fully dimmable and energy efficient flat panel technology that is rated for up to a 50K hour lifespan. Now available in brand new Hi-Bright model boasting 930 lumens of glare free illumination.


FIXTURE TYPE
Pendant

LIGHT SOURCE
LED Flat-Panel

LIGHT CONTROL
Hard-wired, dimmable
Compatible with TRIAC/ELV and 0-10V dimmers
0-10V dimming available upon request

FEATURES
Energy efficient flat panel technology
Full-range dim
Available in multiple color combinations
Glare-free illumination

SPECIFICATIONS
Voltage: 120V or 240V 50-60Hz
Power Consumption: 12.8W per lamp
Color temperature: 2700K
Luminosity: 930 Lumens
Luminaire efficacy: 72 Lumens/Watt
Color Rendition Index: 91 CRI
Title 20 compliant
50K hour lifespan
Cable length: 10' (305cm) (Field Cuttable)

CERTIFICATIONS



PRODUCT CODES	
Cielo Plus (Black):	CIEL PLUS BLK/BLK
Cielo Plus (White):	CIEL PLUS WHT/WHT
Cielo Plus (Silver):	CIEL PLUS SLV
Cielo Plus (Brass):	CIEL PLUS BRA
Cielo Chandelier (3/5/7):	CIEL HB CHND 3/5/7
Cielo Chandelier (13):	CIEL HB CHND 13

PACKAGING WEIGHT AND DIMENSIONS	
Cielo:	3.65LBS 11" X 7.5" X 7.5"
	1.7KGS 28cm X 19cm X 19cm
Chandelier canopy 17":	15LBS 22" X 22" X 6"
	6.8KGS 56cm X 56cm X 15cm
Chandelier canopy 26":	30LBS 32" X 32" X 6"
	13.6KGS 81cm X 81cm X 15cm

NOTES
Custom requests can be considered on volume orders




FINISHES




DIMENSIONS

CIELO PLUS


CIELO CHANDELIER 3




CIELO CHANDELIER 5




CIELO CHANDELIER CANOPY 3,5,7




CIELO CHANDELIER CANOPY 13



CIELO CHANDELIER 7




CIELO CHANDELIER 13



CIELO XL

The minimalist Cielo pendant Series is expanding to include the stunning new Cielo XL, a taller and slimmer design offering premium machined aluminum finishes and boasting a warm and brilliant 1200 lumen output. Cielo XL is scaled perfectly for hospitality and residential environments alike and can be suspended individually, in a series or as chandelier groupings to provide directional illumination that is both perfectly balanced and glare free. Cielo XL is fully dimmable and employs state of the art flat panel LED technology which is rated for up to 50K hours of use.

Designer:
Pablo Studio 2018



CIELO XL

DESCRIPTION

The minimalist Cielo pendant Series is expanding to include the stunning new Cielo XL, a taller and slimmer design offering premium machined aluminum finishes and boasting a warm and brilliant 1200 lumen output. Cielo XL is scaled perfectly for hospitality and residential environments alike and can be suspended individually, in a series or as chandelier groupings to provide focused illumination that is both perfectly balanced and glare free. Cielo XL is fully dimmable and employs state of the art flat panel LED technology which is rated for up to 50K hours of use. Cielo XL is outfitted with a braided grpahite power cable.

FIXTURE TYPE

Pendant

LIGHT SOURCE

LED Flat-Panel

LIGHT CONTROL

Hard-wired, dimmable
Compatible with TRIAC/ELV and 0-10V dimmers

FEATURES

Energy efficient flat panel technology
Fully Dimmable
Glare-free illumination

SPECIFICATIONS

Voltage: 120V, 240V, or 277V 50/60Hz
Power Consumption: 18W
Color Temperature: 2700K
Luminosity: 1200 Lumens
Luminaire efficacy: 67Lumens/Watt
Color Rendition Index: 91 CRI
50K hour lifespan
Cable Length: 10’ (3m) (Adjustable height)

CERTIFICATIONS



PRODUCT CODES

Cielo XL (Satin Aluminum):	CIEL XL SLV
Cielo XL (Polished Aluminum):	CIEL XL POL SLV
Cielo XL (Brass):	CIEL XL BRA
Cielo XL (Black):	CIEL XL BLK
Cielo XL (Gloss White):	CIEL XL WHT

PACKAGING WEIGHT AND DIMENSIONS

Cielo XL:	4.25LBS	8” X 8” X 19.5”
	2KG	20cm X 20cm X 49.5cm

NOTES

Custom requests can be considered on volume orders
0-10V dimming available upon request



FINISHES

LAMP AND CANOPY



SATIN ALUMINUM



POLISHED ALUMINUM



BRASS




BLACK



GLOSS WHITE

DIMENSIONS

CIELO XL





CIELO XL MULTI-LIGHT

DESCRIPTION
Cielo XL's stunning machined aluminum design can be suspended in a variety of unique custom arrangements with both round and linear canopy solutions. With Cielo XL Multi-Light, up to 9 lamps can be grouped together in a variety mixed sizes to form impressive luminaire displays. Both size and shape of the grouping is controlled by lamp quantity and positioning relative to the Multi-Light canopy. Swag mounts are provided to extend the lights out into space along with an ample height adjustable cord length of 10' (304cm) to offer a wide range of unique custom configurations.

FIXTURE TYPE
Pendant

LIGHT SOURCE
LED Flat-Panel

CERTIFICATIONS  

PRODUCT CODES	
Multi-Light Canopy 9" (White):	CIEL XL CAN 9 WHT
Multi-Light Canopy 9" (Black):	CIEL XL CAN 9 BLK
Multi-Light Canopy 12" (White):	CIEL XL CAN 12 WHT
Multi-Light Canopy 12" (Black):	CIEL XL CAN 12 BLK

PACKAGING WEIGHT AND DIMENSIONS		
Multi-Light Canopy 9"	4.3LBS	12" X 12" X 6"
	2KG	30.5cm X 30.5cmX 15cm
Multi-Light Canopy 12"	6.6LBS	12" X 12" X 6"
	3KG	30.5cm X 30.5cm X 15cm

NOTES
Custom requests can be considered on volume orders

CIELO XL Multi-Light Canopy
Small (Ø9" OD) Up to 4




CIELO XL Multi-Light Canopy
Large (Ø12" OD) 5 to 7




2, 3, 4, 5, 6... 7

MULTI-LIGHT CANOPY DIMENSIONS



9"
(22.8cm)



12"
(30.5cm)

FINISHES

CANOPY



WHITE



BLACK

ROUND



LINEAR




CIRCA

In designing Circa, the Pablo Studio designers wanted to create a product that was revolutionary yet familiar. They not only created a new lamp, but also a new archetype for indoor lighting – one that blurs the boundary between the utilitarian work lamp and traditional shaded lamp. Circa's defining feature is a flat-panel LED disc that moves fluidly above its axis point. This mobility allows the lamp to assume an infinite number of positions while functioning as a task lamp that provides balanced, ambient light. Circa also supports a user's mobile devices by integrating a USB charging port on the table, grommet, and floor models.

Designer:
Pablo Studio 2013

Awards:
2013 NY NOW Excellence in Product Design



CIRCA TABLE

DESCRIPTION

Circa’s revolutionary flat-panel LED light source combines seamless movement with warm and balanced illumination. Through its integrated USB charging port, 45° shade tilt and 360° rotation, Circa redefines the ambient lighting category. Circa is available in a wide range of models to satisfy all residential, office and hospitality applications.

FIXTURE TYPE

Table

LIGHT SOURCE

LED Flat-Panel

LIGHT CONTROL

Full range dim control 100%-10% (optical switch)

FEATURES

- 360° shade rotation
- 45° shade tilt in two directions
- USB-A charging port
- Ships flat-packed

SPECIFICATIONS

- Voltage: 120V or 240V 50-60Hz
- Power Consumption: 8.7W
- Color temperature: 2700K
- Luminosity: 500 Lumens
- Luminaire efficacy: 57 Lumens/Watt
- Color Rendition Index: 90 CRI
- ADA compliant
- Title 20 compliant
- 50K hour lifespan
- Cable length: 8’ (244cm)
- Global multi-plug adapter available

CERTIFICATIONS



PRODUCT CODES

Circa Table (Graphite):	CIRC TBL GPT
Circa Table (White):	CIRC TBL WHT
Circa Table Grommet (White):	CIRC-GROM-WHT
Circa Table Grommet (Graphite):	CIRC-GROM-GPT

PACKAGING WEIGHT AND DIMENSIONS

Circa Table :	8.45LBS	15” X 14” X 4”
	3.8KGS	38cm X 36cm X 10cm

NOTES

Custom requests can be considered on volume orders



FINISHES





WHITE




GRAPHITE

DIMENSIONS

CIRCA TABLE



CIRCA GROMMET



SURFACE MOUNT AVAILABLE FOR
118” (3cm), 2” (5cm) AND 3” (7.5cm)
WORKSURFACES



CIRCA FLOOR

DESCRIPTION
Circa’s revolutionary flat-panel LED light source combines seamless movement with warm and balanced illumination. Through its integrated USB charging port, 45° shade tilt and 360° rotation, Circa redefines the ambient lighting category. Circa is available in a wide range of models to satisfy all residential, office and hospitality applications.

FIXTURE TYPE
Floor

LIGHT SOURCE
LED Flat-Panel

LIGHT CONTROL
Full range dim control 100%-10% (optical switch)

FEATURES
360° shade rotation
45° shade tilt in two directions
USB-A charging port
Ships flat-packed

SPECIFICATIONS
Voltage: 120V or 240V 50-60Hz
Power Consumption: 11.5W
Color temperature: 2700K
Luminosity: 800 Lumens
Luminaire efficacy: 70 Lumens/Watt
Color Rendition Index: 90 CRI
ADA compliant
Title 20 compliant
50K hour lifespan
Cable length: 8’ (244cm)
Global multi-plug adapter available

CERTIFICATIONS

Intertek

PRODUCT CODES		
Circa Floor (Graphite):	CIRC FLR GPT	
Circa Floor (White):	CIRC FLR WHT	
Circa Floor+Ped. (Graphite):	CIRC FLR PED GPT	
Circa Floor+Ped. (White):	CIRC FLR PED WHT	

PACKAGING WEIGHT AND DIMENSIONS		
Circa Floor:	21.9LBS	29" X 18" X 3.5"
	9.9KGS	74cm X 46cm X 9cm
Circa Floor Pedestal:	2.85LBS	11" X 11" X 3"
	1.3KGS	28cm X 28cm X 8cm

NOTES
Custom requests can be considered on volume orders




FINISHES



DIMENSIONS

CIRCA FLOOR



CIRCA FLUSH

DESCRIPTION
Circa’s revolutionary flat-panel LED light source combines seamless movement with warm and balanced illumination. Circa is available in a wide range of models to satisfy all residential, office and hospitality applications.


FIXTURE TYPE
Wall/Ceiling

LIGHT SOURCE
LED Flat-Panel

LIGHT CONTROL
Hard wired, dimmable
Compatible with TRIAC and ELV dimmers
0-10V dimming available upon request

FEATURES
Ships flat-packed

SPECIFICATIONS
Voltage: 120 or 240V 50/60Hz
277V 50/60Hz available upon request
Power Consumption: 10.5W
Color temperature: 2700K
Luminosity: 12”(500Lm), 16”(800 Lm)
Luminaire efficacy: 76 Lumens/Watt
Color Rendition Index: 90 CRI
Title 20 compliant
ADA compliant
50K hour lifespan

CERTIFICATIONS


PRODUCT CODES		
Circa Flush Direct 12 Graphite:	Special order only	
Circa Flush Direct 12 White:	CIRC FSH 12 WHT	
Circa Flush Direct 16 Graphite:	Special order only	
Circa Flush Direct 16 White:	CIRC FSH 16 WHT	
Circa Flush Indirect 12 Graphite:	Special order only	
Circa Flush Indirect 12 White:	Special order only	
Circa Flush Indirect 16 Graphite:	Special order only	
Circa Flush Indirect 16 White:	Special order only	

PACKAGING WEIGHT AND DIMENSIONS		
Circa Flush 12:	5.75LBS	15” X 14” X 4”
	2.6KGS	38cm X 36cm X 10cm
Circa Flush 16 :	9.05LBS	18.5” X 18” X 4”
	4.1KGS	47cm X 46cm X 10cm

NOTES
Custom requests can be considered on volume orders




FINISHES




DIMENSIONS

CIRCA FLUSH 12



CIRCA FLUSH 16



CIRCA PENDANT

DESCRIPTION
Circa’s revolutionary flat-panel LED light source combines seamless movement with warm and balanced illumination. Through its 45° shade tilt and 360° rotation, Circa redefines the ambient lighting category. Circa is available in a wide range of models to satisfy all residential, office and hospitality applications.

FIXTURE TYPE
Pendant

LIGHT SOURCE
LED Flat-Panel

LIGHT CONTROL
Hard wired, dimmable
Compatible with TRIAC and ELV dimmers
0-10V dimming available upon request

FEATURES
360° shade rotation
45° shade tilt in two directions
Ships flat-packed

SPECIFICATIONS
Voltage: 120 or 240V 50-60Hz
Power Consumption: 10.5W
Color temperature: 2700K
Luminosity: 12”(500Lm), 16”(800 Lm)
Luminaire efficacy: 76 Lumens/Watt
Color Rendition Index: 90 CRI
Title 20 compliant
50K hour lifespan
Cable length: 10’ (305cm) (Field Cuttable)

CERTIFICATIONS



FINISHES

LAMP, CORD, AND CANOPY




WHITE




GRAPHITE

DIMENSIONS

CIRCA PENDANT 12



CIRCA PENDANT 16



PRODUCT CODES		
Circa Pendant 12 Graphite:	CIRC PND 12 GPT	
Circa Pendant 12 White:	CIRC PND 12 WHT	
Circa Pendant 16 Graphite:	CIRC PND 16 GPT	
Circa Pendant 16 White:	CIRC PND 16 WHT	

PACKAGING WEIGHT AND DIMENSIONS		
Circa Pendant 12:	5.75LBS	15" X 14" X 4"
	2.6KGS	38cm X 36cm X 10cm
Circa Pendant 16 :	9.05LBS	18.5" X 18" X 4"
	4.1KGS	47cm X 46cm X 10cm

NOTES
Custom requests can be considered on volume orders



CIRCA CHANDELIER

DESCRIPTION
Circa’s revolutionary flat-panel LED light source combines seamless movement with warm and balanced illumination. Through its 45° shade tilt and 360° rotation, Circa redefines the ambient lighting category. Circa Chandelier is available in 3, 5, and 7 lamp configurations to fit a wide range of commercial and residential environments.

FIXTURE TYPE
Pendant

LIGHT SOURCE
LED Flat-Panel

LIGHT CONTROL
Hard wired, dimmable
Compatible with TRIAC and ELV dimmers
0-10V dimming available upon request

FEATURES
360° shade rotation
45° shade tilt in two directions
Ships flat-packed

SPECIFICATIONS
Voltage: 120 or 240V 50-60Hz
Power Consumption: 10.5W per lamp
Color temperature: 2700K
Luminosity: 12”(500Lm), 16”(800 Lm) per lamp
Luminaire efficacy: 76 Lumens/Watt
Color Rendition Index: 90 CRI
Title 20 compliant
50K hour lifespan
Cable length: 10’ (305cm) (Field Cuttable)

CERTIFICATIONS



PRODUCT CODES	
Circa Pendant 12 Graphite:	CIRC PND 12 GPT
Circa Pendant 12 White:	CIRC PND 12 WHT
Circa Pendant 16 Graphite:	CIRC PND 16 GPT
Circa Pendant 16 White:	CIRC PND 16 WHT
17" Chandelier Canopy:	CHND CAN 17
26" Chandelier Canopy:	CHND CAN 26

PACKAGING WEIGHT AND DIMENSIONS		
Circa Pendant 12:	5.75LBS	15" X 14" X 4"
	2.6KGS	38cm X 36cm X 10cm
Circa Pendant 16 :	9.05LBS	18.5" X 18" X 4"
	4.1KGS	47cm X 46cm X 10cm
Chandelier canopy 17":	15LBS	22" X 22" X 6"
	6.8KGS	56cm X 56cm X 15cm
Chandelier canopy 26":	30LBS	32" X 32" X 6"
	13.6KGS	81cm X 81cm X 15cm


NOTES
Custom requests can be considered on volume orders



FINISHES




DIMENSIONS



CIRO

Ciro redefines the task light as an expressive continuous form. Ciro's fluid tubular structure integrates light and geometry into a unified system, delivering precise illumination while maintaining a minimal footprint. A rotating base and fully articulating head provide complete directional control, allowing light to be positioned downward for tasks, sideways for wall wash, or upward for ambient illumination. This flexibility enables Ciro to function as both a high-performance task light and a versatile ambient solution across desktop and wall applications. Ciro Table includes a USB-C charging port. Crafted in aluminum, with select components in ABS, Ciro ensures smooth 360° articulation and long-term durability. Integrated dim-to-warm technology delivers warm, human-centric light. Offered in three refined finishes: Graphite, Clay, and White Sand. Ciro integrates effortlessly into both residential and architectural settings.

Designer: John August 2026



CIRO TABLE

DESCRIPTION
Ciro redefines the task light as an expressive continuous form. Ciro’s fluid tubular structure integrates light and geometry into a unified system, delivering precise illumination while maintaining a minimal footprint. A rotating base and fully articulating head provide complete directional control, allowing light to be positioned downward for tasks, sideways for wall wash, or upward for ambient illumination. This flexibility enables Ciro to function as both a high-performance task light and a versatile ambient solution across desktop and wall applications. Crafted in aluminum, with select components in ABS, Ciro ensures smooth 360° articulation and long-term durability. Integrated dim-to-warm technology delivers warm, human-centric light. Offered in three refined finishes: graphite, clay, and white sand. Ciro integrates effortlessly into both residential and architectural settings.

FIXTURE TYPE
Table

LIGHT SOURCE
High output LED COB

LIGHT CONTROL
Full range dim control

FEATURES
Glare-free illumination
USB-C charging port
Available grommet-mount

SPECIFICATIONS
Voltage: 120-240V 50-60Hz
Power Consumption: 6W MAX
Color temperature: 3000-1800K DTW
Luminosity: 330 Lumens
Luminaire efficacy: 55 Lumens/Watt
Color Rendition Index: 95 CRI
50K hour lifespan
Cable length: 6’ (183cm)
Global multi-plug adapter available

CERTIFICATIONS
 

PRODUCT CODES		
Ciro Table (Graphite):	CIRO TBL GPT	
Ciro Table (Clay):	CIRO TBL CLY	
Ciro Table (White Sand):	CIRO TBL SND	

PACKAGING WEIGHT AND DIMENSIONS		
CIRO TABLE:	5.6LBS	18.3” X 13” X 5”
	2.5KGS	46.5cmX33cmX 13cm

NOTES
Custom requests can be considered on volume orders




FINISHES



DIMENSIONS

CIRO TABLE





CIRO WALL

DESCRIPTION

Ciro Wall extends the collection into a refined pin-up format, bringing the same fluid geometry and lighting performance to vertical applications. Its fully articulating structure allows light to be directed up, down, or outward, supporting focused task lighting, comfortable reading light, or soft ambient illumination as needed. A cable-mounted optical switch provides intuitive light control, while its compact presence makes it ideal for bedside and space-conscious environments. Available in graphite and white sand finish only.

FIXTURE TYPE

Corded Wall

LIGHT SOURCE

High output LED COB

LIGHT CONTROL

Full range dim control

FEATURES

Glare-free illumination

SPECIFICATIONS

Voltage: 120-240V 50-60Hz
Power Consumption: 8W MAX
Color temperature: 3000K
Luminosity: 780 Lumens
Luminaire efficacy: 98 Lumens/Watt
Color Rendition Index: 80+ CRI
50K hour lifespan
Cable length: 8' (244cm)
Global multi-plug adapter available

CERTIFICATIONS




FINISHES



DIMENSIONS

CIRO WALL



PRODUCT CODES

Ciro Wall (Graphite):	CIRO WALL BLK
Ciro Wall (White Sand):	CIRO WALL WHT SND

PACKAGING WEIGHT AND DIMENSIONS

CIRO WALL :	2.5LBS	10" X 9" X 5.12"
	1.13KGS	25.4cm X 23cm X 13cm

NOTES

Custom requests can be considered on volume orders






CONTOUR

Contour's revealing and elegant open framed architecture captures warm LED illumination within a remarkably slender extruded aluminum structure. Intelligent and highly efficient, Contour's minimalist design has been refined to the bare essentials, creating a rich interior space for your personal belongings while providing an unobstructed view of its surroundings. Contour's premium wood interiors provide an inviting resting place for your books, precious objects, or for charging your mobile devices with its integrated USB-A port.

Designer:
Pablo Studio 2015



CONTOUR TABLE

DESCRIPTION
Contour’s revealing and elegant open framed architecture captures warm LED illumination within a remarkably slender extruded aluminum structure. Intelligent and highly efficient, Contour’s minimalist design has been refined to the bare essentials, creating a rich interior space for your personal belongings while providing an unobstructed view of its surroundings. Contour’s premium wood and woven fabric interiors provide an inviting resting place for your books, precious objects, or for charging your mobile devices with its integrated USB port.


FIXTURE TYPE
Table

LIGHT SOURCE
(60x) High output LED array

LIGHT CONTROL
Full range dim control

FEATURES
Glare-free illumination
USB charging port

SPECIFICATIONS
Voltage: 120-240V 50-60Hz
Power Consumption: 8W MAX
Color temperature: 3000K
Luminosity: 780 Lumens
Luminaire efficacy: 98 Lumens/Watt
Color Rendition Index: 80+ CRI
50K hour lifespan
Cable length: 8’ (244cm)
Global multi-plug adapter available
Patent number: D774,239

CERTIFICATIONS
 

PRODUCT CODES	
Contour Table SM White/White Oak	CONT SML WHT/OAK
Contour Table SM White/Walnut	CONT SML WHT/WAL
Contour Table SM White/Pearl	CONT SML WHT/PEARL
Contour Table SM Graphite/White Oak	CONT SML GPT/OAK
Contour Table SM Graphite/Walnut	CONT SML GPT/WAL
Contour Table SM Graphite/Coal	CONT SML GPT/COAL
Contour Table LG White/White Oak	CONT LRG WHT/OAK
Contour Table LG White/Walnut	CONT LRG WHT/WAL
Contour Table LG White/Pearl	CONT LRG WHT/PEARL
Contour Table LG Graphite/White Oak	CONT LRG GPT/OAK
Contour Table LG Graphite/Walnut	CONT LRG GPT/WAL
Contour Table LG Graphite/Coal	CONT LRG GPT/COAL

PACKAGING WEIGHT AND DIMENSIONS	
CONTOUR TABLE SM:	11LBS 17.5” X 12” X 6”
	5KGS 44.5cm X 30cm X 15cm
CONTOUR TABLE LG:	13LBS 25” X 13” X 6”
	6KGS 63.5cm X 33cm X 15cm

NOTES
Custom requests can be considered on volume orders



FINISHES



DIMENSIONS

TABLE SM





TABLE LG



CONTOUR FLOOR

DESCRIPTION
Contour’s revealing and elegant open framed architecture captures warm LED illumination within a remarkably slender extruded aluminum structure. Intelligent and highly efficient, Contour’s minimalist design has been refined to the bare essentials, creating a rich interior space for your personal belongings while providing an unobstructed view of its surroundings. Contour’s premium wood interiors provide an inviting resting place for your books, precious objects.

FIXTURE TYPE
Floor

LIGHT SOURCE
(60x) High output LED array

LIGHT CONTROL
Full range dim control (in-line floor dimmer)

FEATURES
Glare-free illumination

SPECIFICATIONS
Voltage: 120-240V 50-60Hz
Power Consumption: 21.5W MAX
Color temperature: 3000K
Luminosity: 1800 Lumens
Luminaire efficacy: 84 Lumens/Watt
Color Rendition Index: 90+ CRI
50K hour lifespan
Cable length: 9’ (274cm)
Global multi-plug adapter available
Patent number: D774,239

CERTIFICATIONS



PRODUCT CODES	
Contour Floor White/White Oak:	CONT FLR WHT/OAK
Contour Floor White/Walnut:	CONT FLR WHT/WAL
Contour Floor White/Pearl:	CONT FLR WHT/PEARL
Contour Floor Graphite/White Oak:	CONT FLR GPT/OAK
Contour Floor Graphite/Walnut:	CONT FLR GPT/WAL
Contour Floor Graphite/Coal:	CONT FLR GPT/COAL

PACKAGING WEIGHT AND DIMENSIONS	
CONTOUR FLOOR: 30LBS	60” X 13” X 6”
14KGS	152.5cm X 13cm X 15cm

NOTES
Custom requests can be considered on volume orders




FINISHES



DIMENSIONS


FLOOR



CORTINA

In conceiving of Cortina, designer Pablo Pardo sought to create a light that would assert its presence but seamlessly complement a variety of surroundings. What he built is a stoic, sculptural luminaire that emits a seductive light through its transparent and diffused surfaces. Cortina's monolithic form factor creates a noble light that mimics its architectural surroundings. Fluidly dimmable, the piece is comprised of a clear acrylic shade and a translucent fabric diffuser to shield the upward-facing light source. Cortina is available in heights ranging from 24" to 72".

Designer:
Pablo Pardo 2000-2004



CORTINA TABLE


DESCRIPTION

The timeless Cortina lamp is architectural simplicity. Its stoic clear acrylic shade features a sensual translucent mesh fabric diffuser to shield the lamp's dimmable light source. Cortina allows you to set any mood depending on the moment.

FIXTURE TYPE

Table

LIGHT SOURCE

US	
Brand: SunLight2	
7W LED	
3000K <small>DTW</small>	
GU10	
480Lm	

LIGHT CONTROL

Full range dim (in-line rotary dimmer)

FEATURES

Multiple sizes for a variety of applications

SPECIFICATIONS

Voltage: 120V or 240V

Cable length: 6' (182cm)

CERTIFICATIONS

UL listed components


FINISHES



CLEAR/
WHITE

DIMENSIONS

CORTINA 24



PRODUCT CODES

Cortina 24:	CORT 24
-------------	---------

PACKAGING WEIGHT AND DIMENSIONS

Cortina 24:	14LBS	13.5" X 10" X 4.5"
	6.4KGS	34cm X 25cm X 11cm

NOTES

Floor mounting solutions available upon request

Custom requests can be considered on volume orders

CORTINA FLOOR


DESCRIPTION

The timeless Cortina lamp is architectural simplicity. Its stoic clear acrylic shade features a sensual translucent mesh fabric diffuser to shield the lamp's dimmable light source. Cortina allows you to set any mood depending on the moment.

FIXTURE TYPE

Floor

LIGHT SOURCE

US	
Brand: SunLight2	
7W LED	
3000K <small>DTW</small>	
GU10	
480Lm	

LIGHT CONTROL

Full range dim (in-line rotary dimmer)

FEATURES

Multiple sizes for a variety of applications


SPECIFICATIONS

Voltage: 120V or 240V

Cable length: 6' (182cm)

CERTIFICATIONS

UL listed components




FINISHES



CLEAR/
WHITE

DIMENSIONS

CORTINA 48, 60, 72



PRODUCT CODES

Cortina 48:	CORT 48
Cortina 60:	CORT 60
Cortina 72:	CORT 72

PACKAGING WEIGHT AND DIMENSIONS

Cortina 48:	24.6LBS	58" X 13" X 6.5"
	11.2KGS	147cm X 33cm X 17cm
Cortina 60:	25LBS	68" X 3" X 6.5"
	11.3KGS	173cm X 8cm X 17cm
Cortina 72:	44LBS	82.5" X 14" X 7.5"
	20KGS	210cm X 36cm X 19cm


NOTES

Custom requests can be considered on volume orders

ELISE

Elise is a conceptual tribute to the machine age: streamlined, understated, and honest in its function as a light source. Celebrating the most classic of industrial forms, the cylinder, two elements compose the lamp: a refined aluminum or marble base conceals the light source, providing ample ballast, while its towering frosted acrylic diffuser becomes a beacon of light. Its confident, geometric simplicity enables it to comfortably inhabit a diversity of spaces. Elise offers a full dimming range and is available in heights ranging from 12" to 80".

Designer:
Pablo Pardo 1998/2019



ELISE TABLE


DESCRIPTION

The timeless Elise lamp pays tribute to the advent of the machine age. Its refined machined aluminum base combined with its towering frosted acrylic diffuser serves as the perfect combination for elegant lighting. Elise features full-range dimming capability to set the mood in any setting.

FIXTURE TYPE

Table

LIGHT SOURCE

US	
Brand: SATCO	
8W LED	
2700K	
E26/BT-15	
800Lm	

LIGHT CONTROL

Full range dim (in-line rotary dimmer)

SPECIFICATIONS

Voltage: 120V or 240V
Cable length: 6' (182cm)
Color Rendition Index: 90 CRI

CERTIFICATIONS

UL listed components



FINISHES

ALUMINUM BASE



FROSTED WHITE/
SILVER




FROSTED WHITE/
BRASS



FROSTED WHITE/
BLACK

DIMENSIONS

ELISE 18



PRODUCT CODES

Elise 18 (Black):	ELIS 18 BLK
Elise 18 (Brass):	ELIS 18 BRA
Elise 18 (Silver):	ELIS 18 SLV

PACKAGING WEIGHT AND DIMENSIONS

Elise 18:	3.3LBS	18.5" X 5" X 4"
	1.5KGS	47cm X 13cm X 10cm

NOTES

Custom requests can be considered on volume orders

ELISE FLOOR

DESCRIPTION


The timeless Elise lamp pays tribute to the advent of the machine age. Its refined machined aluminum base combined with its towering frosted acrylic diffuser serves as the perfect combination for elegant lighting. Elise features full-range dimming capability to set the mood in any environment.

FIXTURE TYPE


Floor

LIGHT SOURCE

ELISE 32,42,60

US	
Brand: GREENCREATIVE	
11W LED	
2700K	
E26/PAR30	
950Lm	

ELISE 80

US	
Brand: GREENCREATIVE	
15.5W LED	
2700K	
E26/PAR38	
1320Lm	

LIGHT CONTROL

Full range dim (in-line slide dimmer)

SPECIFICATIONS

Voltage: 120V or 240V

Cable length: 6' (182cm)

Color Rendition Index: 90 CRI

CERTIFICATIONS

UL listed component



PRODUCT CODES (ENTER BASE SIZE IN BLANK SPACE)

Elise (Silver):	ELIS__SLV
Elise (Black):	ELIS__BLK
Elise (Brass):	ELIS__BRA
Elise (White Marble):	ELIS__WMB
Elise (Black Marble):	ELIS__BMB

PACKAGING WEIGHT AND DIMENSIONS

Elise 32:	8.95LBS	32.5" X 6" X 6"
	4.1KGS	83cm X 15cm X 15cm
Elise 48:	11.05LBS	53" X 6" X 6"
	5KGS	135cm X 15cm X 15cm
Elise 60:	12.2LBS	68" X 6" X 6"
	5.5KGS	173cm X 15cm X 15cm
Elise 80 Base:	13.1LBS	20" X 7" X 7"
	5.9KGS	51cm X 18cm X 18cm
Elise 80 Shade:	7.45LBS	68" X 6" X 6"
	3.4KGS	173cm X 15cm X 15cm

NOTES

Custom requests can be considered on volume orders



FINISHES

ALUMINUM BASE



FROSTED WHITE/
SILVER



FROSTED WHITE/
BRASS



FROSTED WHITE/
BLACK




FROSTED WHITE/
CARRARA WHITE



FROSTED WHITE/
MARQUINA BLACK

DIMENSIONS



LIM360 | LIM

A study in reductionism, LIM is not so much a lamp as it is a conduit of light. Its minimalist form shapes a plane of illumination powered by an equally minimalist light source — a continuous array of high-output, energy-efficient LEDs discreetly concealed in its armature. Along with a slim, rotatable arm that enables the user to redirect the light, LIM employs a magnetic attachment system that makes it effortlessly portable and adjustable. LIM is available in up to five different form factors enabling tabletop, floor, and undersurface mount applications.

Designer:

LIM: Pablo Pardo 2009

LIM360: Pablo Studio 2012

Awards:

2010 iF Product Design Award

2009 Best of Neocon Silver Award



LIM360 TABLE

DESCRIPTION
LIM360 is an inspiringly simple and intelligently functional task lamp. Combining seamless movement with the most advanced LED technology and an integrated USB port for charging mobile devices, LIM360 brings thoughtful design to the forefront. Available in a range of sophisticated neutrals and expressive colors, LIM360 will elevate any environment.

FIXTURE TYPE
Table

LIGHT SOURCE
(91x) High-output LED array

LIGHT CONTROL
Full range dim control 100%-10% (optical switch)

FEATURES
360° arm rotation
Advanced LED array eliminates multiple shadow
USB-A charging port
Ships flat-packed
Removable insert
OCC model available upon request

SPECIFICATIONS
Voltage: 120-240V 50-60Hz
Power consumption: 7W
Color temperature: 3000K
Luminosity: 325 Lumens
Luminaire efficacy: 46 Lumens/Watt
Color Rendition Index: 90+ CRI
50K Hour lifespan
Cable length: 10' (304cm)
Global multi-plug adapter available

CERTIFICATIONS
 


PRODUCT CODES	
LIM 360 White/Silver:	LIM 360 WHT/SLV OPT
LIM 360 White/Walnut:	LIM 360 WHT/WAL OPT
LIM 360 Black/Black:	LIM 360 BLK/BLK OPT
LIM 360 Black/Walnut:	LIM 360 BLK/WAL OPT
LIM 360 Surface Mount:	Special Order only

PACKAGING WEIGHT AND DIMENSIONS		
LIM360:	4.9LBS	25.5" X 10" X 2.5"
	2.2KGS	65cm X 25cm X 6cm

NOTES
Occupancy sensor model available upon request




FINISHES




DIMENSIONS

LIM 360 TABLE



LIM 360 SURFACE MOUNT



LIM TABLE

DESCRIPTION

LIM is a revolutionary ultra-slim LED task light that is as fun to use as it is functional. LIM’s “L” shaped arm discreetly conceals an array of high-output LEDs and utilizes a magnetic attachment system for effortless adjustment. LIM is available in four models: LIM table, LIM floor, LIM360 and LIM C under-surface.

FIXTURE TYPE

Table

LIGHT SOURCE

(91x) High-output LED array

LIGHT CONTROL

Full range dim control 100%-10% (optical switch)

FEATURES

- Magnetic attachment
- Advanced LED array eliminates multiple shadows
- Ships flat-packed
- OCC model available upon request

SPECIFICATIONS

- Voltage: 120-240V 50-60Hz
- Power consumption: 7W
- Color temperature: 3000K
- Luminosity: 325 Lumens
- Luminaire efficacy: 46 Lumens/Watt
- Color Rendition Index: 90+ CRI
- 50K Hour lifespan
- Cable length: 10’ (304cm)
- Global multi-plug adapter available

CERTIFICATIONS



FINISHES



BRUSHED ALUMINUM




GRAPHITE



WHITE

DIMENSIONS



PRODUCT CODES

LIM L Table White:	LIM L TBL WHT
LIM C Brushed Silver:	LIM C SLV
LIM C Black:	LIM C BLK
LIM C White:	LIM C WHT

PACKAGING WEIGHT AND DIMENSIONS

LIM:	8.95LBS	25.5” X 13.5” X 2.5”
	4.1KGS	65cm X 34cm X 6cm

NOTES

- Occupancy sensor model available upon request
- Custom requests can be considered on volume orders




LINK

Link modernizes the classic pantograph task lamp, incorporating the most advanced LED lighting technology to date. Designed with a dual-purpose shade/handle, Link seamlessly balances performance and style to satisfy focused lighting needs in any environment. The wide range of Link models include medium and small table, floor, clamp, and wall mount options to accommodate all residential, office, and hospitality task lighting applications.

Designer:
Peter Stathis 2008/2009

Awards:
2009 IDEA Silver Award
2009 I.D Annual Design Review Honoree
2009 Spark Design Award
2008 ICFF Editor's Choice Award



LINK TABLE

DESCRIPTION

Link modernizes the classic pantograph task lamp, incorporating the most advanced LED lighting technology to date. Designed with a dual-purpose shade/handle, Link seamlessly balances performance and style to satisfy focused lighting needs in any environment. The wide range of Link models include medium and small table, floor, clamp, and wall mount options to accommodate all residential, office, and hospitality task lighting applications.

FIXTURE TYPE

Table

LIGHT SOURCE

(99x) High-output LED array

LIGHT CONTROL

Rocker switch (high, low, off)

FEATURES

- 360° rotation at base
- Full-range height adjustability
- 180° front to back head tilt
- Advanced LED array eliminates multiple shadows
- Ships flat-packed
- OCC model available upon request

SPECIFICATIONS

- Voltage: 120-240V 50-60Hz
- Power Consumption: 7.5W
- Color Temperature: 3000K
- Luminosity: 350 Lumens
- Luminaire efficacy: 47 Lumens/Watt
- Color Rendition Index: 90 CRI
- 50K hour lifespan
- Cable length: 8' (244cm)
- Global multi-plug adapter available

CERTIFICATIONS



PRODUCT CODES

Link Medium Table (Silver):	LINK MED TBL SLV
Link Medium Table (White):	LINK MED TBL WHT
Link Medium Table (Black):	LINK MED TBL BLK
Link USB (White):	LINK USB
Link Medium Surface Mount:	Special order only

PACKAGING WEIGHT AND DIMENSIONS

Link Medium:	3.25LBS	33" X 6.5" X 4.5"
	1.5KGS	84cm X 17cm X 11cm
Link Table Base:	7.65LBS	12.5" X 12" X 4"
	3.5KGS	32cm X 30cm X 10cm

NOTES

- Occupancy sensor model available upon request
- Custom requests can be considered on volume orders
- Link USB sold separately



FINISHES



WHITE




BLACK




SILVER

DIMENSIONS


LINK MEDIUM TABLE



LINK USB PORT ADD-ON



LINK MEDIUM SURFACE MOUNT



SURFACE MOUNT AVAILABLE FOR 2-12" (5-3cm) AND 12-3" (3-76cm) WORKSURFACES



LUCI

Luci is a fully rechargeable portable luminaire that allows you to take your ambiance wherever you go indoors and out. Defined by its simplicity of form and high tactile feel, Luci features an all-machined aluminum body that's premium to the touch and brings elegance to any intimate moment or social gathering. Representing the future of illumination, Luci features state of the art Warm Dim light technology with 3 preset light level plus full range dimming which are activated via optical switch atop the shade. Luci also boasts a best-in-class battery life to provide many hours of untethered illumination between charges. Available in both table and floor standing models, Luci is offered in three anodized machine trace finishes in Silver, Brass, Black and a painted textured Matte White.

Designer:
Pablo Pardo + Pablo Studio 2021



LUCI TABLE

DESCRIPTION

Luci is a fully rechargeable portable luminaire that allows you to take your ambiance wherever you go indoors and out. Defined by its simplicity of form and high tactile feel, Luci features an all-machined aluminum body that’s premium to the touch and brings elegance to any intimate moment or social gathering. Representing the future of illumination, Luci features state of the art Dim to Warm light technology with 3 preset light level plus full range dimming which are activated via optical switch atop the shade. Luci also boasts a best-in-class battery life to provide many hours of untethered illumination between charges. Luci Table is recharged via USB-C charging port located on the base. Available in both table and floor standing models, Luci is offered in three anodized machine trace finishes in Silver, Brass, Black and a painted textured Matte White.

FIXTURE TYPE

Table

LIGHT SOURCE

Flat Panel LED

LIGHT CONTROL

Optical switch

Full range dimming (100-10%)

3-stage dimming (100/40/10%)

FEATURES

Portable and rechargeable

18-180 hr Battery life

Surface Mountable with M5 Fastener

SPECIFICATIONS

Power Consumption: 2.1W

Color Temperature: 2700K - 2200K (Warm dim)

Luminosity: 135 Lumens

Luminaire efficacy: 64 Lumens/Watt

Color Rendition Index: 90+ CRI

Cable Length: 6’ (182cm)(included)

IP Rating: IP54

CERTIFICATIONS



PRODUCT CODES

Luci Table (White Painted):	LUCI TBL WHT
Luci Table (Silver Anodized):	LUCI TBL SLV
Luci Table (Black Anodized):	LUCI TBL BLK
Luci Table (Brass Anodized):	LUCI TBL BRA

PACKAGING WEIGHT AND DIMENSIONS

Luci Table:	2.5LBS	5.5” X 5.5” X 11.5”
	1.1KG	14cm X 14cm X 30cm

NOTES

Custom requests can be considered on volume orders



FINISHES

LUCI TABLE



BLACK



WHITE




SILVER



BRASS

DIMENSIONS

LUCI TABLE



LUCI FLOOR

DESCRIPTION

Luci is a fully rechargeable portable luminaire that allows you to take your ambiance wherever you go indoors and out. Defined by its simplicity of form and high tactile feel, Luci features an all-machined aluminum body that’s premium to the touch and brings elegance to any intimate moment or social gathering. Representing the future of illumination, Luci features state of the art Dim to Warm light technology with 3 preset light level plus full range dimming which are activated via optical switch atop the shade. Luci also boasts a best-in-class battery life to provide many hours of untethered illumination between charges. Available in both table and floor standing models, Luci is offered in three anodized machine trace finishes in Silver, Brass, Black and a painted textured Matte White.

FIXTURE TYPE

Floor

LIGHT SOURCE

Flat panel LED

LIGHT CONTROL

Optical switch

Full range dimming (100-10%)

3-stage dimming (100/40/10%)

FEATURES

Porable and rechargeable

13-130 hr Battery life

SPECIFICATIONS

Voltage: 120-240V 50/60Hz

Power Consumption: 5.3W

Color Temperature: 2700K-2200K (warm dim)

Luminosity: 350 Lumens

Luminaire efficacy: 66 Lumens/Watt

Color Rendition Index: 90+ CRI

Cable Length: 9’(2.7m)

IP Rating: IP54 (Note : silicone charge port plug included)

CERTIFICATIONS



PRODUCT CODES

Luci Floor (White Painted):	LUCI FLR WHT
Luci Floor (Silver Anodized):	LUCI FLR SLV
Luci Floor (Black Anodized):	LUCI FLR BLK
Luci Floor (Brass Anodized):	LUCI FLR BRA

PACKAGING WEIGHT AND DIMENSIONS

Luci Floor:	9LBS	11” X 23” X 3”
	4KG	28cm X 58cm X 7.6cm

NOTES

Custom requests can be considered on volume orders



FINISHES

LUCI FLOOR



WHITE



BLACK




BRASS



SILVER

DIMENSIONS

LUCI FLOOR






NIVÉL

At the intersection of truly functional lighting and furniture, Nivel brings warm and dynamic illumination to any residential, hospitality or work space. The Nivel portable collection consists of rechargeable, battery powered table and floorstanding lights that allow for freedom of movement to bring light to areas not serviced by power outlets. Perfect for indoor and outdoor entertaining, Nivel instantly becomes the focal point of any social gathering and can be easily toted by its solid wood post handle. Its cleverly designed shade/light engine assembly can be easily raised and lowered to any desired height around its crafted wooden post to provide maximum light control depending on user preference. Nivel portables are available in both pedestal floor and shaded table and floor models with 6 painted colorways in matted white, Terracotta, Forest Green, Slate Blue, Espresso and textured black and can be paired with either a white oak or walnut post. LED light engine features glare free flat panel light technology with best in class battery life of between 8-160 hours depending on light level.

Designer:
Pablo Pardo + Pablo Studio 2021



NIVÉL PEDESTAL

DESCRIPTION

At the intersection of functional lighting and furniture, you find Nivél. As an adjustable height side table, Nivél provides a totem to gather around. Portable and rechargeable, Nivél enables users to bring light to areas not serviced by power outlets. Sturdy enough to rest a few beverages atop while nimble enough to be raised or lowered at a moment's notice. Its cleverly designed light module rests securely fastened around a solid wood post fastened to a powder-coated steel base for added footing. A soft ambient downward facing light panel completes the package, bringing an unobtrusive light source to your home or office space. The post is offered in both solid oak and walnut and can be paired with a powder-coated tray in White, Terracotta, and Black.

FIXTURE TYPE

Portable-rechargeable

LIGHT SOURCE

Flat Panel LED

LIGHT CONTROL

Capacitive touch switch (3-stage dimming 100/40/10%)

Full range dimming (100-10%)

FEATURES

Adjustable height tray surface

USB-C charging port

8-160 hr Battery life

SPECIFICATIONS

Voltage: 120-240V 50/60Hz

Power Consumption: 7W

Color Temperature: 2700-2200K (warm dim)

Luminosity: 425 Lumens

Luminaire Efficacy: 61 Lumens/Watt

Color Rendition Index: 95 CRI

Cord length 9' (2.7m)

10W Charging block included

IP Rating: IP20. IP54 Available upon request

CERTIFICATIONS



PRODUCT CODES (ENTER SML OR LRG SIZE IN BLANK SPACE)

Nivél Pedestal	(Oak/Black):	NIVE PED	OAK BLK
Nivél Pedestal	(Oak/Terracotta):	NIVE PED	OAK TER
Nivél Pedestal	(Oak/White):	NIVE PED	OAK WHT
Nivél Pedestal	(Walnut/Black):	NIVE PED	WAL BLK
Nivél Pedestal	(Walnut/Terracotta):	NIVE PED	WAL TER
Nivél Pedestal	(Walnut/White):	NIVE PED	WAL WHT

PACKAGING WEIGHT AND DIMENSIONS

Nivél Pedestal LG	4.5LBS	17" X 17" X 4"
(Lamp, base and tray)	2KG	43cm X 43cm X 10cm
Nivél Pedestal LG	1.5LBS	2" X 2" X 50"
(Post)	.7KG	5cm X 5cm X 127cm
Nivél Pedestal SM	4.5LBS	14" X 14" X 4"
	2KG	35cm X 35cm X 10cm

NOTES

Custom requests can be considered on volume orders



FINISHES

POST



OAK



WALNUT

TRAY



WHITE




TERRACOTTA



BLACK

DIMENSIONS

NIVÉL PEDESTAL SMALL & LARGE



NIVÉL TABLE

DESCRIPTION

At the intersection of functional lighting and furniture, you find Nivel. Nivel Table is an adjustable height portable light companion. Perfect for indoor or outdoor use, Nivel provides a totem to gather around. Portable and rechargeable, Nivel enables users to bring light to areas not serviced by power outlets. Its cleverly designed light module rests securely fastened around a solid wood post fastened to a powder-coated steel base for added footing. A soft ambient downward facing light panel completes the package, bringing an unobtrusive light source to your home or office space. The post is offered in both solid oak and walnut and can be paired with a powder-coated shade in white, Terracotta, Forest Green, Slate Blue, Espresso and textured black.

FIXTURE TYPE

Portable-rechargeable

LIGHT SOURCE

High output LED array

LIGHT CONTROL

Capacitive touch switch (3-stage dimming 100/40/10%)
Full range dimming (100-10%)


FEATURES

Adjustable height tray surface
USB-C charging port
8-160 hr Battery life

SPECIFICATIONS

Voltage: 120-240V 50/60Hz
Power Consumption: 7W
Color Temperature: 2700-2200K (warm dim)
Luminosity: 425 Lumens
Luminaire Efficacy: 61 Lumens/Watt
Color Rendition Index: 95 CRI
Cord length 9' (2.7m)
10W Charging block included
IP Rating: IP20. IP54 Available upon request

CERTIFICATIONS



PRODUCT CODES

Nivel Table (Oak/Black):	NIVE TBL OAK BLK
Nivel Table (Oak/Slate Blue):	NIVE TBL OAK BLU
Nivel Table (Oak/Espresso):	NIVE TBL OAK BRN
Nivel Table (Oak/Forest):	NIVE TBL OAK GRN
Nivel Table (Oak/Terracotta):	NIVE TBL OAK TER
Nivel Table (Oak/White):	NIVE TBL OAK WHT
Nivel Table (Walnut/Black):	NIVE TBL WAL BLK
Nivel Table (Walnut/Slate Blue):	NIVE TBL WAL BLU
Nivel Table (Walnut/Espresso):	NIVE TBL WAL BRN
Nivel Table (Walnut/Forest):	NIVE TBL WAL GRN
Nivel Table (Walnut/Terracotta):	NIVE TBL WAL TER
Nivel Table (Walnut/White):	NIVE TBL WAL WHT

PACKAGING WEIGHT AND DIMENSIONS

Nivel	4.5LBS	14" X 14" X 4"
(Lamp, base and tray)	2KG	35cm X 35cm X 10cm
Nivel	1.5LBS	2" X 2" X 24"
(Post)	.7KG	5cm X 5cm X 61cm

NOTES

Custom requests can be considered on volume orders



FINISHES

POST



OAK



WALNUT

SHADE



BLACK



WHITE



TERRACOTTA



FOREST





SLATE BLUE



ESPRESSO

DIMENSIONS

NIVÉL TABLE



NIVÉL FLOOR

DESCRIPTION

At the intersection of functional lighting and furniture, you find Nivél. Nivél Floor is an adjustable height portable floor lamp. Perfect for indoor or outdoor use, Nivél provides a totem to gather around. Portable and rechargeable, Nivél enables users to bring light to areas not serviced by power outlets. Its cleverly designed light module rests securely fastened around a solid wood post fastened to a powdercoated steel base for added footing. A soft ambient downward facing light panel completes the package, bringing an unobtrusive light source to your home or office space. The post is offered in both solid oak and walnut and can be paired with a powder-coated shade in White, Terracotta, Forrest Green, Slate Blue, Espresso and textured black.

FIXTURE TYPE

Portable-rechargeable

LIGHT SOURCE

Flat Panel LED

LIGHT CONTROL

Capacitive touch switch (3-stage dimming 100/40/10%)
Full range dimming (100-10%)

FEATURES

Adjustable height tray surface
USB-C charging port
8-160 hr Battery life

SPECIFICATIONS

Voltage: 120-240V 50/60Hz
Power Consumption: 7W
Color Temperature: 2700-2200K (warm dim)
Luminosity: 425 Lumens
Luminaire Efficacy: 61 Lumens/Watt
Color Rendition Index: 95 CRI
Cord length 9’ (2.7m)
10W Charging block included
IP Rating: IP20. IP54 Available upon request

CERTIFICATIONS



PRODUCT CODES

Nivél Floor (Oak/Black):	NIVE FLR OAK BLK
Nivél Floor (Oak/Slate Blue):	NIVE FLR OAK BLU
Nivél Floor (Oak/Espresso):	NIVE FLR OAK BRN
Nivél Floor (Oak/Forest):	NIVE FLR OAK GRN
Nivél Floor (Oak/Terracotta):	NIVE FLR OAK TER
Nivél Floor (Oak/White):	NIVE FLR OAK WHT
Nivél Floor (Walnut/Black):	NIVE FLR WAL BLK
Nivél Floor (Walnut/Slate Blue):	NIVE FLR WAL BLU
Nivél Floor (Walnut/Espresso):	NIVE FLR WAL BRN
Nivél Floor (Walnut/Forest):	NIVE FLR WAL GRN
Nivél Floor (Walnut/Terracotta):	NIVE FLR WAL TER
Nivél Floor (Walnut/White):	NIVE FLR WAL WHT

PACKAGING WEIGHT AND DIMENSIONS

Nivél Floor	4.5LBS	17” X 17” X 4”
(Lamp, base and tray)	2KG	43cm X 43cm X 10cm
Nivél Floor	1.5LBS	2” X 2” X 50”
(Post)	.7KG	5cm X 5cm X 127cm

NOTES

Custom requests can be considered on volume orders



FINISHES

POST



OAK



WALNUT

SHADE



BLACK



WHITE



TERRACOTTA



FOREST




SLATE BLUE



ESPRESSO

DIMENSIONS

NIVÉL FLOOR



NIVÉL FLOOR + PEDESTAL

DESCRIPTION

At the intersection of functional lighting and furniture, you find Nivel. Nivel Floor is an adjustable height portable floor lamp. Perfect for indoor or outdoor use, Nivel provides a totem to gather around. Portable and rechargeable, Nivel enables users to bring light to areas not serviced by power outlets. Its cleverly designed light module rests securely fastened around a solid wood post fastened to a powdercoated steel base for added footing. A soft ambient downward facing light panel completes the package, bringing an unobtrusive light source to your home or office space. The post is offered in both solid oak and walnut and can be paired with a powder-coated shade in white, terracotta, forrest green, slate blue, espresso and textured black.

FIXTURE TYPE

Portable and rechargeable

LIGHT SOURCE

Flat Panel LED

LIGHT CONTROL

Capacitive touch switch (3-stage dimming: 100/40/10%)

FEATURES

- Adjustable height tray surface
- USB-C charging port
- 8-160 hr Battery life

SPECIFICATIONS

- Voltage: 120-240V 50/60Hz
- Power Consumption: 6W
- Color Temperature: 2700-2200K (warm dim)
- Luminosity: 350Lumens
- Luminaire Efficacy: 58 Lumens/Watt
- Color Rendition Index: 95 CRI
- Cord length 9' (2.7m)
- 8 hr charge time (using included 10W power plug)
- IP54 damp rated

CERTIFICATIONS



PRODUCT CODES

Nivel Pedestal Add-on (Black):	NIVE PED TRAY BLK
Nivel Pedestal Add-on (Terracotta):	NIVE PED TRAY TER
Nivel Pedestal Add-on (White):	NIVE PED TRAY WHT

PACKAGING WEIGHTS AND DIMENSIONS

Nivel Floor	4.5LBS	17" X 18" X 5.25"
(Lamp, base and tray)	2KG	43cm X 46cm X 13cm

NOTES

Custom requests can be considered on volume orders



FINISHES

TRAY



BLACK




WHITE



TERRACOTTA

DIMENSIONS


NIVÉL FLOOR + PEDESTAL



NIVÉL PENDANT

Redefining the future in pendant illumination, Nivél's pure and elegant silhouette features a colorful pallet of spun shade forms combined with an articulating flat panel LED light engine that pivots gracefully on axis to focus light downward or as a wall wash to provide seamless light control for any space. Nivél pendant can be suspended individually or in large multi-light clusters powered by a single hardwired canopy allowing the user to reposition the lights to any desired height, span and directionality. Available in 2 sizes: 15" (38cm) and 22" (56cm) and 6 powder coated finishes in matte white, Terracotta, Forest Green, Slate Blue, Espresso and textured black with choice of black or white fabric cord and ceiling canopy. Nivél is also available in flush-mount variations for both sizes.

Designer:
Pablo Pardo + Pablo Studio 2022



NIVÉL PENDANT

DESCRIPTION

Redefining the future in pendant illumination, Nivél’s pure and elegant silhouette features a colorful pallet of spun shade forms combined with an articulating flat panel LED light engine that pivots gracefully on axis to focus light downward or as a wall wash to provide seamless light control for any space. Nivél pendant can be suspended individually or in large multi-light clusters powered by a single hardwired canopy allowing the user to reposition the lights to any desired height, span and directionality. Available in 2 sizes: 15”(38cm) and 22” (56cm) and 6 powder coated finishes in Matte White, Terracotta, Forest Green, Slate Blue, Espresso and textured black with choice of black or white fabric cord and ceiling canopy.

FIXTURE TYPE

Pendant

LIGHT SOURCE

LED Flat-Panel

LIGHT CONTROL

Hard-wired, dimmable
Compatible with TRIAC/ELV and 0-10V dimmers
Dali compatability upon request

FEATURES

45° shade tilt in two directions

SPECIFICATIONS

Voltage: 120-240V 50/60Hz
Power Consumption: 10.5W
Color Temperature: 2700K
Luminosity: 555 Lumens (Nivél 15), 740 Lumens (Nivél 22)
Luminaire Efficacy: 53 Lumens/Watt (Nivél 15), 70 Lumens/Watt (Nivél 22)
Color Rendition Index: 90 CRI
Title 20 compliant
50K hour lifespan
Cord length 10’ (305cm)

CERTIFICATIONS



PRODUCT CODES (ENTER LAMP SIZE IN BLANK SPACE)			
Nivél Pendant	Black Shade Black Cord:	NIVE PND	BLK BLK
Nivél Pendant	Black Shade White Cord:	NIVE PND	BLK WHT
Nivél Pendant	Slate Shade Black Cord:	NIVE PND	BLU BLK
Nivél Pendant	Slate Shade White Cord:	NIVE PND	BLU WHT
Nivél Pendant	Espresso Shade Black Cord:	NIVE PND	BRN BLK
Nivél Pendant	Espresso Shade White Cord:	NIVE PND	BRN WHT
Nivél Pendant	Forest Shade Black Cord:	NIVE PND	GRN BLK
Nivél Pendant	Forest Shade White Cord:	NIVE PND	GRN WHT
Nivél Pendant	Terracotta Shade Black Cord:	NIVE PND	TER BLK
Nivél Pendant	Terracotta Shade White Cord:	NIVE PND	TER WHT
Nivél Pendant	White Shade Black Cord:	NIVE PND	WHT BLK
Nivél Pendant	White Shade White Cord:	NIVE PND	WHT WHT

PACKAGING WEIGHT AND DIMENSIONS		
Nivél Pendant 15	7LBS	17” X 17” X 5”
	3KG	43cm X 43cm X 12cm
Nivél Pendant 22	11LBS	24” X 24” X 6”
	5KG	60cm X 60cm X 15cm

NOTES

Custom requests can be considered on volume orders




FINISHES


CORD AND CANOPY



SHADE



DIMENSIONS





NIVÉL FLUSH

DESCRIPTION

Nivel’s pure and elegant silhouette features a colorful pallet of spun shade forms combined with a flat panel LED light engine. Nivel flush can be mounted in both ceiling and wall situations Available in 2 sizes: 15”(38cm) and 22” (56cm) and 6 powder coated finishes in Matte White, Terracotta, Forest Green, Slate Blue, Espresso and textured black paired with a white canopy assembly.

FIXTURE TYPE

Wall/Ceiling

LIGHT SOURCE

LED Flat-Panel

LIGHT CONTROL

Hard-wired, dimmable
Compatible with TRIAC/ELV and 0-10V dimmers
Dali compatability upon request

FEATURES

Full-range dim

SPECIFICATIONS

Voltage: 120-240V 50/60Hz
Power Consumption: 10.5W
Color Temperature: 2700K
Luminosity: 555 Lumens (Nivel 15), 740 Lumens (Nivel 22)
Luminaire Efficacy: 53 Lumens/Watt (Nivel 15), 70 Lumens/Watt (Nivel 22)
Color Rendition Index: 90 CRI
Title 20 compliant
50K hour lifespan

CERTIFICATIONS



PRODUCT CODES (ENTER LAMP SIZE IN BLANK SPACE)			
Nivel Flush	Black Shade:	NIVE FSH	BLK
Nivel Flush	Slate Shade:	NIVE FSH	BLU
Nivel Flush	Espresso Shade:	NIVE FSH	BRN
Nivel Flush	Forest Shade:	NIVE FSH	GRN
Nivel Flush	Terracotta Shade:	NIVE FSH	TER
Nivel Flush	White Shade:	NIVE FSH	WHT

PACKAGING WEIGHT AND DIMENSIONS			
Nivel Flush 15	7LBS	17" X 17" X 5"	
	3KG	43cm X 43cm X 12cm	
Nivel Flush 22	11LBS	24" X 24" X 6"	
	5KG	60cm X 60cm X 15cm	


NOTES

Custom requests can be considered on volume orders




FINISHES

SHADE



DIMENSIONS


NIVÉL FLUSH 15, 22



PANTAYA

Pantaya, designed by Patricia Urquiola in collaboration with Haworth and Pablo Designs, explores the intersection of soft tech and structure, drawing inspiration from high-performance tent structures and athletic wear. A continuous, one-piece 3D-knitted polyester mesh is stretched over a precision-engineered aluminum chassis, forming a luminous canopy that feels both architectural and weightless. Crafted from 100% recycled polyester, the mesh cover functions as both shade and diffuser, transforming light into a warm, tactile glow while seamlessly concealing the structural frame and electrical components within. Integrated LED technology is embedded inside the chassis, allowing illumination to filter through the knit, softened, diffused, and evenly dispersed across the form. Fully dimmable, Pantaya transitions effortlessly from atmospheric ambient light to more focused illumination. An integrated polyester webbing suspension system allows the fixture to hang horizontally or tilted to provide directional light, enabling subtle shifts in both lighting performance and spatial expression. Offered in four sophisticated earth tone colorways in Graphite, Sand, Olive, and Roest. Pantaya is available in pendant, wall, and ceiling configurations, delivering versatile ambient and direct lighting solutions for workplace, hospitality, and residential environments.

Designer:
Patricia Urquiola 2025



PANTAYA PENDANT

DESCRIPTION

Pantaya, designed by Patricia Urquiola in collaboration with Haworth and Pablo Designs, explores the intersection of soft tech and structure, drawing inspiration from high-performance tent structures and athletic ware. A continuous, one-piece 3D-knitted polyester mesh is stretched over a precision-engineered aluminum chassis, forming a luminous canopy that feels both architectural and weightless. Crafted from 100% recycled polyester, the mesh cover functions as both shade and diffuser, transforming light into a warm, tactile glow while seamlessly concealing the structural frame and electrical components within. Integrated LED technology is embedded inside the chassis, allowing illumination to filter through the knit, softened, diffused, and evenly dispersed across the form. Fully dimmable, Pantaya transitions effortlessly from atmospheric ambient light to more focused illumination. An integrated polyester webbing suspension system allows the fixture to hang horizontally or tilted to provide directional light, enabling subtle shifts in both lighting performance and spatial expression. Offered in four sophisticated earth tone colorways in Graphite, Sand, Olive, and Roest. Pantaya is available in pendant, wall, and ceiling configurations, delivering versatile ambient and direct lighting solutions for workplace, hospitality, and residential environments.

FIXTURE TYPE

Pendant

LIGHT SOURCE

High-Output LED Array

LIGHT CONTROL

Hard-wired, dimmable
Compatible with TRIAC/ELV and 0-10V dimmers
Dali compatability upon request

FEATURES

Full-range dim

SPECIFICATIONS

Voltage: 120-277V 50/60Hz
Power Consumption: 66W(24), 105W(39)
Color Temperature: 2700K
Luminosity: 1750 Lumens (24), 2950Lumens (39)
Luminaire Efficacy: 27 Lumens/Watt
Color Rendition Index: 90 CRI
Title 20 compliant
30K hour lifespan

CERTIFICATIONS



PRODUCT CODES

Pantaya Pendant 39 (Sand):	PANT 39 PND SND
Pantaya Pendant 39 (Graphite):	PANT 39 PND GPT
Pantaya Pendant 39 (Roest):	PANT 39 PND ROE
Pantaya Pendant 39 (Olive):	PANT 39 PND OLI
Pantaya Pendant 24 (Sand):	PANT 24 PND SND
Pantaya Pendant 24 (Graphite):	PANT 24 PND GPT
Pantaya Pendant 24 (Roest):	PANT 24 PND ROE
Pantaya Pendant 24 (Olive):	PANT 24 PND OLI

PACKAGING WEIGHT AND DIMENSIONS

Pantaya Pendant 39	21.75lbs 9.8Kg	44.25"X44.25"X14.15" 112.5cmX112.5cmX36cm
Pantaya Pendant 24	12.5lbs 5.6Kg	28.3"X28.3"X9.8" 72cmX72cmX29cm

NOTES

Custom requests can be considered on volume orders



FINISHES

COVER AND WEBBING



SAND



GRAPHITE



OLIVE



ROEST

CANOPY




WHITE

DIMENSIONS

PANTAYA SMALL(24)

PANTAYA LARGE (39)



SAND


MOSS


ROEST

GRAPHITE



3D knitted sleeve made from 100% recycled polyester. 0% waste.





Suspension webbing can be adjusted for tilt.



PANTAYA SCONCE

DESCRIPTION

Pantaya Sconce, designed by Patricia Urquiola in collaboration with Haworth and Pablo Designs, explores the intersection of soft technology and structure through a refined wall-mounted expression. Inspired by high-performance tent structures and athletic wear, a continuous one-piece 3D-knitted polyester mesh is stretched over a precision-engineered aluminum chassis, creating a luminous form that feels both architectural and light in presence. Crafted from 100% recycled polyester, the knitted cover functions as both shade and diffuser, transforming light into a warm, tactile glow while seamlessly concealing the internal frame and integrated LED components. Illumination filters softly through the knit surface, evenly dispersed across the form to provide comfortable ambient light with subtle directional presence. Fully dimmable, Pantaya Sconce shifts effortlessly from atmospheric warmth to brighter functional light. Offered in four sophisticated earth-tone colorways: Graphite, Sand, Olive, and Roest. Pantaya Sconce brings a soft architectural presence to workplace, hospitality, and residential interiors.

FIXTURE TYPE

Wall/Ceiling

LIGHT SOURCE

High-Output LED Array

LIGHT CONTROL

Hard-wired, dimmable
Compatible with TRIAC/ELV and 0-10V dimmers
Dali compatability upon request

FEATURES

Full-range dim

SPECIFICATIONS

Voltage: 120-277V 50/60Hz
Power Consumption: 66W
Color Temperature: 2700K
Luminosity: 1750 Lumens
Luminaire Efficacy: 27 Lumens/Watt
Color Rendition Index: 90 CRI
Title 20 compliant
30K hour lifespan

CERTIFICATIONS



PRODUCT CODES		
Pantaya Flush (Sand):	PANT 24 WAL SND	
Pantaya Flush (Graphite):	PANT 24 WAL GPT	
Pantaya Flush (Roest):	PANT 24 WAL ROE	
Pantaya Flush (Olive):	PANT 24 WAL OLI	

PACKAGING WEIGHT AND DIMENSIONS			
Pantaya Sconce	14.5lbs	28.3”X28.3”X11.6”	
	6.6Kg	72cmX72cmX29.5cm	

NOTES

Custom requests can be considered on volume orders



FINISHES

LAMP



SAND



GRAPHITE




OLIVE



ROEST

DIMENSIONS

PANTAYA SCONCE








PICCOLA

As his very first product, Piccola is the original embodiment of Pablo Pardo's "less is more" design philosophy. Created as a personal utility lamp, Piccola's form is minimal, but also tactile, playful, and inviting of interaction. Supple Italian glove leather covers its soft, pliable base, which a user can tilt to any angle while its aluminum shade floats to remain level. It is this malleable base that maintains Piccola's sensitivity to any position - sensitivity intended to make every articulation organic and personal. Piccola is part of the San Francisco Museum of Modern Art's permanent collection.

Designer:
Pablo Pardo 1993

Awards:
1993 ID Magazine Gold Award
SF MOMA permanent collection




PICCOLA

DESCRIPTION
Piccola is limited only by your imagination. Its soft pliable base is covered in supple Italian glove leather and can be tilted to any angle while its hand-spun aluminum shade floats freely to remain level in all positions. It is as playful as it is intelligent. Piccola is part of the SFMOMA permanent collection.

FIXTURE TYPE
Table

LIGHT SOURCE

US	
Brand:	SATCO
15.5W HAL	
2900K	
GY6.35	
380Lm	

LIGHT CONTROL
Full range dim (in-line rotary dimmer)


FEATURES
Adjustable to any desired angle


SPECIFICATIONS
Voltage: 120V
Cable length: 8' (244cm)
Color Rendition Index: 90 CRI
1 year warranty


CERTIFICATIONS
UL listed components





FINISHES



IVORY


BLACK


RED


PURPLE


TANGERINE


MUSTARD

DIMENSIONS

PICCOLA

PRODUCT CODES	
Piccola (Ivory Leather):	PICC LS IVR
Piccola (Black Leather):	PICC LS BLK
Piccola (Purple Leather):	PICC LS PUR
Piccola (Red Leather):	PICC LS RED
Piccola (Mustard Leather):	PICC LS MUS
Piccola (Tangerine Leather):	PICC LS ORG

PACKAGING WEIGHT AND DIMENSIONS		
Piccola:	8.45LBS	15" X 11.5" X 9"
	3.8KGS	38cm X 29cm X 23cm


NOTES
Custom requests can be considered on volume orders



PILAR

Playful and sculptural in design, Pilar is a study in geometric proportions that meticulously bring out the character of its materials to create pure warm, ambient illumination for any range of spaces. Pilar embodies a harmonious dialogue between solidity and lightness featuring a monolithic column in marble with a hovering glass globe that define its iconic silhouette. Pilar is offered in both Carrara white and Marquina black marble bases with a mating 12"(30.5cm) frosted Opal glass globe and features an inline full-range dimmer to select any desired light setting and ambiance.

Designer:
Pablo Pardo + Pablo Studio 2022



PILAR


DESCRIPTION

Playful and sculptural in design, Pilar is a study in geometric proportions that meticulously bring out the character of its materials to create pure warm, ambient illumination for any range of spaces. Pilar embodies a harmonious dialogue between solidity and lightness featuring a monolithic column in marble with a hovering glass globe that define its iconic silhouette. Pilar is offered in both Carrara white and Marquina black marble bases with a mating 12”(30.5cm) frosted Opal glass globe and features an inline full-range dimmer to select any desired light setting and ambiance.

FIXTURE TYPE

Table

LIGHT SOURCE

US	
Brand: SATCO	
8W LED	
2700K	
E26/BT-15	
800Lm	

LIGHT CONTROL

In-line dimmer

FEATURES

Fully dimmable

SPECIFICATIONS

Voltage: 120-240V 50/60Hz

Power Consumption: 8W

Color Temperature: 2700K

Luminosity: 800 Lumens

Luminaire Efficacy: 100 Lumens/Watt

Color Rendition Index: 90 CRI

Cord length 9’ (2.7m)

CERTIFICATIONS



FINISHES

MARBLE BASE




CARRARA
WHITE



MARQUINA
BLACK

DIMENSIONS

PILAR



PRODUCT CODES

Pilar (Black Marble):	PILA MRBL BLK
Pilar (White Marble):	PILA MRBL WHT

PACKAGING WEIGHTS AND DIMENSIONS

Pilar:	13LBS	8.25” X 8.25” X 17.5”
(Lamp base)	6KG	21cm X 21cm X 44cm
Pilar:	7.2LBS	18” X 18” X 18”
(Globe)	6KG	46cm X 46cm X 46cm

NOTES

Custom requests can be considered on volume orders






PIXO

Although it embodies an emotive, humanistic form, Pixo, at its conceptual core, is an ultra-efficient task light. Functionality and necessity drive its design. It makes the most of its frame and its space through every feature: Pixo's swiveling light shade and highly maneuverable arm lend it maximum utility within a minimal footprint. Its compact, energy-saving LED light is infinitely adjustable, allowing the user to focus warm, glare-free light wherever needed. For added convenience, the elegant form factor features full-range dimming via its intuitive optical switch. Pixo's newly upgraded wireless charging base with USB-C port now provides up to 15 watts of power for high-speed charging. Even more, the upper and lower pieces ship detached from one another to reduce packing materials and shipping costs. Pixo Plus is 97% recyclable. Pixo is also available for wall mount application and features only a USB-A charging port.

Designer:
Fernando Pardo and Pablo Pardo 2011/2019

Awards:
2012 Red Dot Award



PIXO PLUS

DESCRIPTION
Designed for maximum utility in a minimal footprint, this compact and efficient LED task light is highly adjustable, allowing you to focus warm, glare-free light where you need it most. For added convenience, the elegant form factor features full-range dimming via its intuitive optical switch. Pixo's newly upgraded wireless charging base with USB-C port now provides up to 15 watts of power for high-speed charging. Pixo Plus is available in many sophisticated colorways to suite every discerning taste.

FIXTURE TYPE
Table

LIGHT SOURCE
(78x) High-output LED array

LIGHT CONTROL
Full range dim control 100%-10% (optical switch)

FEATURES
360° arm rotation
180° arm tilt
360° shade rotation
Wireless charging (up to 15W)
USB-C charging port (up to 15W)
Advanced LED array eliminates multiple shadows
ADA compliant
Ships flat-packed
OCC model available upon request

SPECIFICATIONS
Voltage: 120-240V 50-60Hz
Power consumption: 6W MAX
Color temperature: 3000K
Luminosity: 325 Lumens
Luminaire efficacy: 54 Lumens/Watt
Color Rendition Index: 90 CRI
50K hour lifespan
Cable length: 6' (182cm)
Global multi-plug adapter available

CERTIFICATIONS
 


PRODUCT CODES	
Pixo Plus (White):	PIXO PLUS WHT
Pixo Plus (Silver):	PIXO PLUS SLV
Pixo Plus (Graphite):	PIXO PLUS BLK
Pixo Plus (Azure):	PIXO PLUS BLU
Pixo Plus (Glow):	PIXO PLUS GLW
Pixo Plus (Orange):	PIXO PLUS ORG
Pixo Plus (White/Brass):	PIXO PLUS WHT/BRA
Pixo Plus (Graphite/Brass):	PIXO PLUS BLK/BRA

PACKAGING WEIGHT AND DIMENSIONS		
Pixo:	3.45LBS	17" X 9.5" X 2"
	1.6KGS	43cm X 24cm X 5cm

NOTES
Occupancy sensor model available upon request
Custom requests can be considered on volume orders




FINISHES



DIMENSIONS

PIXO



PIXO WALL

DESCRIPTION

Pixo offers maximum utility in a minimal footprint. The compact and efficient LED task light is highly adjustable, allowing you to focus warm, glare-free light where you need it most. For added convenience, the elegant form factor features full-range dimming via its easy to use optical switch. The base integrates a USB port for charging mobile devices. Pixo now offers an expansive array of expressive and sophisticated colors to suit every discerning taste.

FIXTURE TYPE

Wall

LIGHT SOURCE

(78x) High-output LED array

LIGHT CONTROL

Full range dim control 100%-10%

FEATURES

- 360° arm rotation
- 180° arm tilt
- 360° shade rotation
- USB-A charging port
- Advanced LED array eliminates multiple shadows
- ADA compliant
- Ships flat-packed

SPECIFICATIONS

- Voltage: 120-240V 50-60Hz
- Power consumption: 6W MAX
- Color temperature: 3000K
- Luminosity: 325 Lumens
- Luminaire efficacy: 54 Lumens/Watt
- Color Rendition Index: 90 CRI
- 50K hour lifespan
- Cable length: 6' (182cm)
- Global multi-plug adapter available

CERTIFICATIONS



PRODUCT CODES

Pixo Wall Pin-up (White):	PIXO WALL WHT
Pixo Wall Hard-wired (White):	PIXO WALL HW WHT

PACKAGING WEIGHT AND DIMENSIONS

Pixo Wall:	3.45LBS	17" X 9.5" X 2"
	1.6KGS	43cm X 24cm X 5cm

NOTES

Additional finishes can be considered on volume orders

200Pablo

AVAILABLE GLOBALLY


FINISHES



WHITE

DIMENSIONS

PIXO WALL




Pablo 201

SKY

The Sky Collection was inspired as a modular pendant lighting system and Sky Solo is the core foundational element. Its minimal all-aluminum design highlights a powerful two-sided flat panel light source with Dim to Warm LED technology that can deliver up to 1250 lumens of warm ambient light in all directions. Sky Solo can be suspended individually, in series, or as striking chandelier groupings for residential, contract, and hospitality settings alike. Solo's light element can also be combined with a wide range of premium shade reflectors in metal, wood, and accoustic felt to provide an extraordinary breadth of performance and decorative solutions for residential, office, and hospitality settings alike.

Designer:
Pablo Pardo + Pablo Studio 2020

Awards:
2020 IDA Award
2020 Metropolis Likes Award
2020 NYCxDESIGN Award



SKY SOLO

DESCRIPTION

The Sky Collection was inspired as a modular pendant lighting system and Sky Solo is its core foundational element. Its minimal all-aluminum design highlights a powerful two-sided flat panel light source with Dim to Warm LED technology that can deliver up to 1250 lumens of warm ambient light in all directions. Sky Solo can be suspended individually, in series, or as striking chandelier groupings for residential, contract, and hospitality settings alike. Solo's light element can also be combined with a wide range of premium shade reflectors in metal, wood and acoustic felt to provide an extraordinary breadth of performance and decorative solutions. Sky Pendants are outfitted with a braided graphite power cable.

FIXTURE TYPE

Pendant

LIGHT SOURCE

LED Flat-Panel

LIGHT CONTROL

Fully dimmable Compatibe with TRIAC/ELV dimmers
(0-10V dimming available upon request)
Dali compatability upon request

FEATURES

Dim-to-Warm (DTW) Light Source
Uplight/Downlight
Energy-efficient, flat panel technology
Glare-free illumination

SPECIFICATIONS

Voltage: 120V (100-277V 50/60Hz Available upon request)
Power Consumption: 18W MAX
Color Temperature: 2700-2200K (warm dim),
3000K CCT
Luminosity: 1250 Lumens (850 down/400 up)
Luminaire efficacy: 708 Lumens/Watt
Color Rendition Index: 90 CRI
50K hour lifespan
Cable Length: 10' (3m) (Field cuttable)
ELV Dimmer recommended

CERTIFICATIONS



PRODUCT CODES

Sky Solo (Matte Black)	SKY SOLO BLK
Sky Solo (Polished):	SKY SOLO

PACKAGING WEIGHT AND DIMENSIONS

Sky Solo:	3.1LBS	10" X 19" X 2.4"
	1.4KGS	26cm X 48cm X 6cm

NOTES

Additional finishes can be considered on volume orders



FINISHES

LAMP AND CANOPY




POLISHED
ALUMINUM



MATTE
BLACK

DIMENSIONS

SKY SOLO



SKY DOME METAL

DESCRIPTION

The Sky Collection is a modular pendant lighting system featuring multiple shade reflector solutions for various decorative and performance benefits. Sky Dome is available in both spun aluminum and pressed wood shade reflectors that when combined with their powerful 2-sided LED light source gives the lamp a weightless appearance while providing unparalleled illumination in all directions. Sky Dome combined form and function with unsurpassed quality and is available in 3 sizes : 18” (45.8cm)/24” (61cm)/32” (81cm). Sky Pendants are outfitted with a braided graphite power cable.

FIXTURE TYPE

Pendant

LIGHT SOURCE

LED Flat-Panel downlight/High-output LED array uplight

LIGHT CONTROL

Fully dimmable Compatibe with TRIAC/ELV dimmers
(0-10V dimming available upon request)
Dali compatability upon request

FEATURES

Uplight/Downlight
Energy-efficient, flat panel technology (Glare-free illumination)

SPECIFICATIONS

Voltage: 120V (100-277V 50/60Hz Available upon request)
Power Consumption: 18W MAX
Color Temperature: 2700-2200K (warm dim) or 3000K CCT, Note: 2700K CCT and 3500K CCT models Available Upon Request on volume orders
Luminosity: 1250 Lumens (850 down/400 up)
Luminaire efficacy: 70 Lumens/Watt
Color Rendition Index: 90 CRI
50K hour lifespan
Cable Length: 10’ (3m) (Field cuttable)

CERTIFICATIONS



PRODUCT CODES (ENTER SHADE SIZE IN BLANK SPACE)			
Sky Dome (Black/Black):	SKY DOM	BLK BLK	
Sky Dome (Black/Brass):	SKY DOM	BLK BRA	
Sky Dome (Black/White):	SKY DOM	BLK WHT	
Sky Dome (Black/Moss):	SKY DOM	BLK MOS	
Sky Dome (Black/Taupe):	SKY DOM	BLK TPE	
Sky Dome (Polished/Black):	SKY DOM	BLK	
Sky Dome (Polished/Brass):	SKY DOM	BRA	
Sky Dome (Polished/White):	SKY DOM	WHT	
Sky Dome (Polished/Moss):	SKY DOM	MOS	
Sky Dome (Polished/Taupe):	SKY DOM	TPE	

PACKAGING WEIGHT AND DIMENSIONS			
Sky Solo:	3.1LBS	10” X 19” X 2.4”	
(Lamp)	1.4KGS	26cm X 48cm X 6cm	
Sky Dome Metal 18:	3.1LBS	21.3” X 20.4” X 2.9”	
(Shade)	1.4KGS	54cm X 52cm X 7.3cm	
Sky Dome Metal 24:	5.1LBS	27.1” X 26.4” X 3.25”	
(Shade)	2.3KGS	69cm X 67cm X 8.2cm	
Sky Dome Metal 32:	9.5LBS	35” X 34.8” X 3.9”	
(Shade)	4.3KGS	89cm X 88cm X 10cm	

NOTES

Additional finishes can be considered on volume order



FINISHES

LAMP AND CANOPY



POLISHED ALUMINUM



MATTE BLACK

SHADE



BLACK



WHITE



SATIN BRASS




MOSS



TAUPE

DIMENSIONS

SKY DOME METAL 18, 24, 32



SKY DOME WOOD

DESCRIPTION

The Sky Collection is a modular pendant lighting system featuring multiple shade reflector solutions for various decorative and performance benefits. Sky Dome is available in both spun aluminum and pressed wood shade reflectors that when combined with their powerful 2-sided LED light source gives the lamp a weightless appearance while providing unparalleled illumination in all directions. Sky Dome combined form and function with unsurpassed quality and is available in 2 sizes : 18” (45.8cm) and 24” (61cm). Sky Pendants are outfitted with a braided graphite power cable.

FIXTURE TYPE

Pendant

LIGHT SOURCE

LED Flat-Panel downlight/High-output LED array uplight

LIGHT CONTROL

Fully dimmable Compatibe with TRIAC/ELV dimmers
(0-10V dimming available upon request)
Dali compatability upon request

FEATURES

Dim-to-Warm (DTW) Light Source
Uplight/Downlight
Energy-efficient, flat panel technology
Glare-free illumination

SPECIFICATIONS

Voltage: 120V (100-277V 50/60Hz Available upon request)
Power Consumption: 18W MAX
Color Temperature: 2700-2200K (warm dim) or 3000K CCT, Note: 2700K CCT and 3500K CCT models Available Upon Request on volume orders
Luminosity: 1250 Lumens (850 down/400 up)
Luminaire efficacy: 70 Lumens/Watt
Color Rendition Index: 90 CRI
50K hour lifespan
Cable Length: 10’ (3m) (Field cuttable)
ELV Dimmer recommended

CERTIFICATIONS



PRODUCT CODES (ENTER SHADE SIZE IN BLANK SPACE)

Sky Dome (Black/Oak):	SKY DOM	BLK OAK
Sky Dome (Black/Walnut):	SKY DOM	BLK WLN
Sky Dome (Polished/Oak):	SKY DOM	OAK
Sky Dome (Polished/Walnut):	SKY DOM	WLN

PACKAGING WEIGHT AND DIMENSIONS

Sky Solo:	3.1LBS	10” X 19” X 2.4”
(Lamp)	1.4KGS	26cm X 48cm X 6cm
Sky Dome Wood 18:	3.3LBS	21.3” X 20.4” X 2.9”
(Shade)	1.4KGS	54cm X 52cm X 7.3cm
Sky Dome Wood 24:	5.5LBS	27.1” X 26.4” X 3.25”
(Shade)	2.5KGS	69cm X 67cm X 8.2cm

NOTES

Additional finishes can be considered on volume orders



FINISHES

LAMP AND CANOPY



POLISHED ALUMINUM



MATTE BLACK

DOME




WALNUT



WHITE OAK

DIMENSIONS

SKY DOME WOOD 18, 24



SKY SOUND

DESCRIPTION

The Sky Collection is a modular pendant lighting system featuring multiple shade reflector solutions for various decorative and performance benefits. Sky Sound combines Acoustic performance with powerful omni-directional illumination to provide a one of a kind pendant solution that minimizes ambient noise and contributes to a positive workspace. Its elegant PET felted disc shade is suspended by a polished aluminum mast and is available in 18" (45.8cm)/24" (61cm)/32" (81cm) sizes with rich and vibrant colorways to create a harmonious environment of light and quiet to enhance our wellbeing. Sky Pendants are outfitted with a braided graphite power cable.

FIXTURE TYPE

Pendant

LIGHT SOURCE

LED Flat-Panel downlight/High-output LED array uplight

LIGHT CONTROL

Fully dimmable Compatibe with TRIAC/ELV dimmers (0-10V dimming available upon request)
Dali compatability upon request

FEATURES

Uplight/Downlight
Energy-efficient, flat panel technology (Glare-free illumination)

SPECIFICATIONS

Voltage: 120V (100-277V 50/60Hz Available upon request)
Power Consumption: 18W MAX
Color Temperature: 2700-2200K (warm dim) or 3000K CCT, Note: 2700K CCT and 3500K CCT models Available Upon Request on volume orders
Luminosity: 1250 Lumens (850 down/400 up)
Luminaire efficacy: 70 Lumens/Watt
Color Rendition Index: 90 CRI
50K hour lifespan
Cable Length: 10' (3m) (Field cuttable)

CERTIFICATIONS



PRODUCT CODES (ENTER SHADE SIZE IN BLANK SPACE)			
Sky Sound (Black/Graphite):	SKY SND	BLK GPT	
Sky Sound (Black/Grey):	SKY SND	BLK GRY	
Sky Sound (Polished/Graphite):	SKY SND	GPT	
Sky Sound (Polished/Grey):	SKY SND	GRY	

PACKAGING WEIGHT AND DIMENSIONS			
Sky Solo:	3.1LBS	10" X 19" X 2.4"	
(Lamp)	1.4KGS	26cm X 48cm X 6cm	
Sky Sound 18:	2.5LBS	21.3" X 20.4" X 2.9"	
(Shade)	1.9KGS	54cm X 52cm X 7.3cm	
Sky Sound 24:	4.1LBS	27.1" X 26.4" X 3.25"	
(Shade)	2.4KGS	69cm X 67cm X 8.2cm	
Sky Sound 32:	7.2LBS	35" X 34.8" X 3.9"	
(Shade)	3.3KGS	89cm X 88cm X 10cm	

NOTES

Additional finishes can be considered on volume orders



FINISHES

LAMP AND CANOPY



POLISHED ALUMINUM



MATTE BLACK

SHADE




ANTHRACITE



STONE

DIMENSIONS

SKY SOUND 18, 24, 32



SKY DOME FLUSH WOOD

DESCRIPTION
The Sky Collection is a modular pendant lighting system featuring multiple shade reflector solutions for various decorative and performance benefits. Sky Dome Flush is available in both spun aluminum and pressed wood shade reflectors that when combined with their powerful 2-sided LED light source gives the lamp a weightless appearance while providing unparalleled illumination in all directions. Sky Dome Wood combined form and function with unsurpassed quality and is available in 2 sizes : 18” (45.8cm) and 24” (61cm).

FIXTURE TYPE
Wall/Ceiling

LIGHT SOURCE
LED Flat-Panel downlight/High-output LED array uplight

LIGHT CONTROL
Fully dimmable Compatibe with TRIAC/ELV dimmers (0-10V dimming available upon request)
Dali compatability upon request

FEATURES
Bi-directional Light Source
Energy-efficient, flat panel technology (Glare-free illumination)



SPECIFICATIONS
Voltage: 120V (100-277V 50/60Hz Available upon request)
Power Consumption: 18W MAX
Color Temperature: 2700-2200K (warm dim) or 3000K CCT, *Note: 2700K CCT and 3500K CCT models Available Upon Request on volume orders*
Luminosity: 1250 Lumens (850 down/400 up)
Luminaire efficacy: 70 Lumens/Watt
Color Rendition Index: 90 CRI
50K hour lifespan

CERTIFICATIONS
 





FINISHES

LAMP




POLISHED ALUMINUM MATTE BLACK

DOME



WAL-NUT WHITE OAK

DIMENSIONS
SKY DOME WOOD 18, 24



PRODUCT CODES (ENTER SHADE SIZE IN BLANK SPACE)			
Sky Flush Dome	Wood (Black/Oak):	SKY FSH	DOM BLK OAK
Sky Flush Dome	Wood (Black/Walnut):	SKY FSH	DOM BLK WLN
Sky Flush Dome	Wood (Polished/Oak):	SKY FSH	DOM OAK
Sky Flush Dome	Wood (Polished/Walnut):	SKY FSH	DOM WLN
PACKAGING WEIGHT AND DIMENSIONS			
Sky Solo:	3.1LBS	10" X 19" X 2.4"	
(Lamp)	1.4KGS	26cm X 48cm X 6cm	
Sky Dome Wood 18:	3.3LBS	21.3" X 20.4" X 2.9"	
(Shade)	1.4KGS	54cm X 52cm X 7.3cm	
Sky Dome Wood 24:	5.5LBS	27.1" X 26.4" X 3.25"	
(Shade)	2.5KGS	69cm X 67cm X 8.2cm	

NOTES.
Additional finishes can be considered on volume orders



SKY DOME FLUSH METAL

DESCRIPTION
The Sky Collection is a modular pendant lighting system featuring multiple shade reflector solutions for various decorative and performance benefits. Sky Dome Flush is available in both spun aluminum and pressed wood shade reflectors that when combined with their powerful 2-sided LED light source gives the lamp a weightless appearance while providing unparalleled illumination in all directions. Sky Dome combined form and function with unsurpassed quality and is available in 3 sizes : 18” (45.8cm), 24” (61cm), and 32” (81cm).



FIXTURE TYPE
Wall/Ceiling

LIGHT SOURCE
LED Flat-Panel downlight/High-output LED array uplight

LIGHT CONTROL
Fully dimmable Compatibe with TRIAC/ELV dimmers (0-10V dimming available upon request)
Dali compatability upon request

FEATURES
Uplight/Downlight
Energy-efficient, flat panel technology(Glare-free illumination)


SPECIFICATIONS
Voltage: 120V (100-277V 50/60Hz Available upon request)
Power Consumption: 18W MAX
Color Temperature: 2700-2200K (warm dim) or 3000K CCT, *Note: 2700K CCT and 3500K CCT models Available Upon Request on volume orders*
Luminosity: 1250 Lumens (850 down/400 up)
Luminaire efficacy: 70 Lumens/Watt
Color Rendition Index: 90 CRI
50K hour lifespan

CERTIFICATIONS  

PRODUCT CODES (ENTER SHADE SIZE IN BLANK SPACE)			
Sky Flush Dome	(Black/Black):	SKY FSH	DOM BLK BLK
Sky Flush Dome	(Black/Brass):	SKY FSH	DOM BLK BRA
Sky Flush Dome	(Black/White):	SKY FSH	DOM BLK WHT
Sky Flush Dome	(Black/Moss):	SKY FSH	DOM BLK MOS
Sky Flush Dome	(Black/Taupe):	SKY FSH	DOM BLK TPE
Sky Flush Dome	(Polished/Black):	SKY FSH	DOM BLK
Sky Flush Dome	(Polished/Brass):	SKY FSH	DOM BRA
Sky Flush Dome	(Polished/White):	SKY FSH	DOM WHT
Sky Flush Dome	(Polished/Moss):	SKY FSH	DOM MOS
Sky Flush Dome	(Polished/Taupe):	SKY FSH	DOM TPE

PACKAGING WEIGHT AND DIMENSIONS			
Sky Solo:	3.1LBS	10” X 19” X 2.4”	
(Lamp)	1.4KGS	26cm X 48cm X 6cm	
Sky Dome Metal 18:	3.1LBS	21.3” X 20.4” X 2.9”	
(Shade)	1.4KGS	54cm X 52cm X 7.3cm	
Sky Dome Metal 24:	5.1LBS	27.1” X 26.4” X 3.25”	
(Shade)	2.3KGS	69cm X 67cm X 8.2cm	
Sky Dome Metal 32:	9.5LBS	35” X 34.8” X 3.9”	
(Shade)	4.3KGS	89cm X 88cm X 10cm	

NOTES
Additional finishes can be considered on volume orders





SOLIS

In creating Solis, designer Carmine Deganello set out to engage with light in its archetypal form: the sun's rays. The resulting piece is an engaging blend of light and shadows, casting shimmering rays and radiating patterns onto a space. The effect is a sense of weightlessness — and a redefined environment that invites a new kind of relationship with the light source. A suspension lamp made of lightweight polyester fabric and stainless steel, Solis can be used as a pendant or hung from a wall.

Designer:
Carmine Deganello 2009/2010



SOLIS PENDANT



DESCRIPTION

Solis is an innovatively simple and elegant suspension lamp that can be used as a pendant or hung from a wall to create a distinctive ambiance. The resulting piece is an engaging blend of light and shadow, casting shimmering rays and radiating patterns onto a space. Solis Pendants are outfitted with a braided silver power cable.

FIXTURE TYPE

Pendant

LIGHT SOURCE

US		EU	
Brand: GREENCREATIVE		Brand: PHILIPS	
11W LED		9.5W LED	
2700K		2700K	
E26/PAR30		E27/PAR30	
950Lm		650Lm	

LIGHT CONTROL

Full range dim (in-line slide dimmer)
Compatibe with TRIAC/ELV dimmers
Can be hard-wired
Dali compatability upon request

FEATURES

Ships flat-packed
Full-range dim

SPECIFICATIONS

Voltage: 120V or 240V 50/60Hz
Color Rendition Index: 90 CRI
Fire retardant polyester fabric
Cable length: 16’ (488cm) (Field Cuttable)

CERTIFICATIONS

UL listed components



PRODUCT CODES

Solis 24 (White):	SOLI 24 WHT
Solis 24 (Black):	SOLI 24 BLK
Solis 24 (Silver):	SOLI 24 SLV
Solis 48 (White):	SOLI 48 WHT
Solis 48 (Black):	SOLI 48 BLK
Solis 48 (Silver):	SOLI 48 SLV
Solis 72 (White):	SOLI 72 WHT
Solis 72 (Black):	SOLI 72 BLK
Solis 72 (Silver):	SOLI 72 SLV
Solis Wall Plate Cover:	SOLI WALL HW CVR

PACKAGING WEIGHT AND DIMENSIONS

Solis 24/48/72:	8.6LBS	14.5” X 13.5” X 8.5”
	3.9KGS	37cm X 34cm X 22cm

NOTES

Custom requests can be considered on volume orders

220 **Pablo**



FINISHES

LAMP



WHITE



BLACK



SILVER


CANOPY




POLISHED
ALUMINIUM

DIMENSIONS


SOLIS 24




SOLIS 48



SOLIS 72



SOLIS WALL MOUNT



Pablo 221

SOLIS FLUSH



DESCRIPTION

In creating Solis, designer Carmine Deganello set out to engage with light in its archetypal form: the sun’s rays. The resulting piece is a poetic interplay of light and shadow, casting shimmering rays and radiating patterns across a space. The effect is a sense of weightlessness—and a redefined environment that invites a new kind of relationship with the light source. Now reimagined for ceiling application, Solis Flush transforms the signature elegance of the original into a more integrated, architectural presence. Its laser-cut polyester shade, suspended in tension between 2 polished steel rings, now merges seamlessly with the ceiling plane —casting both direct and diffused light that brings warmth, texture, and sculptural presence to the space below.

FIXTURE TYPE

Pendant

LIGHT SOURCE

US		EU	
Brand: GREENCREATIVE		Brand: PHILIPS	
11W LED		9.5W LED	
2700K		2700K	
E26/PAR30		E27/PAR30	
950Lm		650Lm	

LIGHT CONTROL

Full range dim (in-line slide dimmer)
Compatibe with TRIAC/ELV dimmers
Dali compatability upon request

FEATURES

Ships flat-packed
Full-range dim

SPECIFICATIONS

Voltage: 120V or 240V 50/60Hz
Color Rendition Index: 90 CRI
Fire retardant polyester fabric

CERTIFICATIONS

UL listed components



PRODUCT CODES

Solis Flush 24 (White):	SOLI 24 FSH WHT
Solis Flush 24 (Black):	SOLI 24 FSH BLK
Solis Flush 24 (Silver):	SOLI 24 FSH SLV
Solis Flush 48 (White):	SOLI 48 FSH WHT
Solis Flush 48 (Black):	SOLI 48 FSH BLK
Solis Flush 48 (Silver):	SOLI 48 FSH SLV
Solis Flush 72 (White):	SOLI 72 FSH WHT
Solis Flush 72 (Black):	SOLI 72 FSH BLK
Solis Flush 72 (Silver):	SOLI 72 FSH SLV

PACKAGING WEIGHT AND DIMENSIONS

Solis 24/48/72:	8.6LBS	14.5” X 13.5” X 8.5”
	3.9KGS	37cm X 34cm X 22cm

NOTES

Custom requests can be considered on volume orders



FINISHES

LAMP



WHITE



BLACK



SILVER


SUSPENSION RING



POLISHED STEEL

DIMENSIONS


SOLIS 24



SOLIS 48



SOLIS 72





SOLIS CHANDELIER

DESCRIPTION
Solis is an innovatively simple and elegant suspension lamp that can be hung in groupings of 3 and 5 fixtures to create a striking composition. The resulting piece is an engaging blend of light and shadow, casting shimmering rays and radiating patterns onto a space.

FIXTURE TYPE
Chandelier

LIGHT SOURCE

US		EU	
Brand: GREENCREATIVE		Brand: PHILIPS	
11W LED		9.5W LED	
2700K		2700K	
E26/PAR30		E27/PAR30	
950Lm		650Lm	

LIGHT CONTROL
Hard-wired, dimmable
Compatibe with TRIAC/ELV dimmers
Dali compatability upon request

FEATURES
Ships flat-packed
Full-range dim

SPECIFICATIONS
Voltage: 120V or 240V 50/60Hz
Color Rendition Index: 90 CRI
Fire retardant polyester fabric
Cable length: 16' (488cm) (Field Cuttable)


CERTIFICATIONS
UL listed components



PRODUCT CODES	
Solis 24 (White):	SOLI 24 WHT
Solis 24 (Black):	SOLI 24 BLK
Solis 24 (Silver):	SOLI 24 SLV
Solis 48 (White):	SOLI 48 WHT
Solis 48 (Black):	SOLI 48 BLK
Solis 48 (Silver):	SOLI 48 SLV
Solis 72 (White):	SOLI 72 WHT
Solis 72 (Black):	SOLI 72 BLK
Solis 72 (Silver):	SOLI 72 SLV
26" Chandelier Canopy:	CHND CAN 26

PACKAGING WEIGHT AND DIMENSIONS		
Solis 24/48/72:	8.6LBS	14.5" X 13.5" X 8.5"
	3.9KGS	37cm X 34cm X 22cm
Chandelier canopy 26":	30LBS	32" X 32" X 6"
	13.6KGS	81cm X 81cm X 15cm



NOTES
Custom requests can be considered on volume orders



SOLIS DRUM

The new Solis Drum Pendant is the latest addition to the elegant Solis suspension family. Featuring a uniquely engaging blend of light and shadow, Solis Drum is made of laser cut polyester fabric combined with an aluminum top and bottom ring construction that allows the shade to hang under tension. Solis Drum also employs a stunning LED dome diffuser that spans the diameter of the top ring, radiating light down and sideways to cast shimmering warm patterns onto the space that surrounds it. The effect is a sense of weightlessness that invites a new kind of relationship with the light source. Perfect over a dining table, an entryway or in large groupings.

Designer:
Carmine Deganello + Pablo Studio 2016



SOLIS DRUM 24/36

DESCRIPTION

The new Solis Drum Pendant is the latest addition to the elegant Solis suspension family. Featuring a uniquely engaging blend of light and shadow, Solis Drum is made of laser cut polyester fabric combined with an aluminum top and bottom ring construction that allows the shade to hang under tension. Solis Drum is outfitted with a braided silver power cable. Solis Drum also employs a stunning LED dome diffuser that spans across the full diameter of the top ring, radiating light down and sideways to cast shimmering warm patterns onto the space that surrounds it. The effect is a sense of weightlessness that invites a new kind of relationship with the light source. Perfect over a dining table, an entryway or in large groupings.

FIXTURE TYPE

Pendant

LIGHT SOURCE

High-output LED array

LIGHT CONTROL

Hard-wired, dimmable
Compatibe with TRIAC/ELV dimmers
(0-10V dimming available upon request)
Dali compatability upon request

FEATURES

Ships flat-packed
Full-range dim with ELV dimmers
Fire retardant polyester fabric

SPECIFICATIONS

Voltage: 120-277V 50-60Hz
Power Consumption: 35W (24"), 80W (36")
Color Temperature: 2700K
Luminosity: 2500 Lumens (24"), 5600 Lumens (36")
Luminaire efficacy: 71 Lumens/Watt
Color Rendition Index: 90 CRI
50K hour lifespan
Cable length: 10' (305cm) (Field Cuttable)

CERTIFICATIONS



PRODUCT CODES

Solis Drum 24 (White):	SOLI DR 24 WHT
Solis Drum 24 (Black):	SOLI DR 24 BLK
Solis Drum 24 (Silver):	SOLI DR 24 SLV
Solis Drum 36 (White):	SOLI DR 36WHT
Solis Drum 36 (Black):	SOLI DR 36 BLK
Solis Drum 36 (Silver):	SOLI DR 36 SLV

PACKAGING WEIGHT AND DIMENSIONS

Solis Drum 24:	11LBS	26" X 26" X 6"
	5KGS	61cm X 61cm X 15cm
Solis Drum 36:	16.4LBS	38" X 38" X 8"
	7.5KGS	96.5cm X 96.5cm X 20.3cm

NOTES

Custom requests can be considered on volume orders
3000K, 3500k and other color temperatures available upon request

228 **Pablo**

AVAILABLE GLOBALLY



FINISHES

LAMP



WHITE



BLACK



SILVER

CANOPY




POLISHED
ALUMINUM

DIMENSIONS

SOLIS DRUM 24

SOLIS DRUM 36



Pablo 229

SOLIS DRUM FLUSH 24/36

DESCRIPTION

The new Solis Drum Pendant is the latest addition to the elegant Solis suspension family. Featuring a uniquely engaging blend of light and shadow, Solis Drum is made of laser cut polyester fabric combined with an aluminum top and bottom ring construction that allows the shade to hang under tension. Solis Drum also employs a stunning LED dome diffuser that spans across the full diameter of the top ring, radiating light down and sideways to cast shimmering warm patterns onto the space that surrounds it. The effect is a sense of weightlessness that invites a new kind of relationship with the light source. Perfect over a dining table, an entryway or in large groupings.

FIXTURE TYPE

Ceiling

LIGHT SOURCE

High-output LED array

LIGHT CONTROL

Hard-wired, dimmable
Compatibe with TRIAC/ELV dimmers
(0-10V dimming available upon request)
Dali compatability upon request

FEATURES

Ships flat-packed
Full-range dim with ELV dimmers
Fire retardant polyester fabric

SPECIFICATIONS

Voltage: 120-277V 50-60Hz
Power Consumption: 35W (24”), 80W (36”)
Color Temperature: 2700K
Luminosity: 2500 Lumens (24”), 5600 Lumens (36”)
Luminaire efficacy: 71 Lumens/Watt
Color Rendition Index: 90 CRI
50K hour lifespan

CERTIFICATIONS



PRODUCT CODES

Solis Drum 24 (White):	SOLI DR FSH 24 WHT
Solis Drum 24 (Black):	SOLI DR FSH 24 BLK
Solis Drum 24 (Silver):	SOLI DR FSH 24 SLV
Solis Drum 36 (White):	SOLI DR FSH 36 WHT
Solis Drum 36 (Black):	SOLI DR FSH 36 BLK
Solis Drum 36 (Silver):	SOLI DR FSH 36 SLV

PACKAGING WEIGHT AND DIMENSIONS

Solis Drum 24:	11LBS	26” X 26” X 6”
	5KGS	61cm X 61cm X 15cm
Solis Drum 36:	16.4LBS	38” X 38” X 8”
	7.5KGS	96.5cm X 96.5cm X 20.3cm

NOTES


Custom requests can be considered on volume orders
3000K, 3500k and other color temperatures available upon request



FINISHES



DIMENSIONS





STELLA

Stella is a dynamic pendant light that can be effortlessly expanded to a wide range of sizes from 10" (25.4 cm) to 59" (150cm) in diameter depending on user needs. Made up of multiple interwoven aluminum arm segments with strategically placed pivot joints, this dynamic fixture transforms from inward facing illumination to downward facing direct lighting when expanded outward. Stella's highly versatile suspension system also allows for inverting the fixture to provide upward facing direct lighting, all in a single fixture. Stella is offered in two matte painted finishes in graphite and sand. Its playful and highly interactive design invites a new kind of relationship with the light source. Ideally suited over table surfaces, entryway foyers, or in expansive chandelier groupings.

Designer:
Pablo Pardo + Fernando Pardo + Pablo Studio 2025





STELLA IS INFINITELY ADJUSTABLE AND CAN EXPAND FROM 10" (25cm)
TO 59" (150CM) IN DIAMETER.

STELLA

DESCRIPTION

Stella is a dynamic pendant light that can be effortlessly expanded to a wide range of sizes from 10”(25.4 cm) to 59” (150cm) in diameter depending on user needs. Made up of multiple interwoven aluminum arm segments with strategically placed pivot joints, this dynamic fixture transforms from inward facing illumination to downward facing direct lighting when expanded outward. Stella’s highly versatile suspension system also allows for inverting the fixture to provide upward facing indirect lighting, all in a single fixture. Stella is offered in two matte painted finishes in graphite and sand. Its playful and highly interactive design invites a new kind of relationship with the light source. Ideally suited over table surfaces, entryway foyers, or in expansive chandelier groupings.

FIXTURE TYPE

Pendant

LIGHT SOURCE

Linear COB

LIGHT CONTROL

Hard-wired, dimmable
Compatible with TRIAC/ELV and 0-10V dimmers



FEATURES

Expandable shade
Transforms from ambient to direct lightsource
Fully dimmable

SPECIFICATIONS

Voltage: 120-277V 50/60Hz
Power Consumption: 45W
Color Temperature: 2700K or 3000K
Luminosity: 1700 Lumens
Luminaire Efficacy: 38 Lumens/Watt
Color Rendition Index: 90 CRI
Title 20 compliant
50K hour lifespan
Cord length 10’ (305cm)

CERTIFICATIONS


	
PRODUCT CODES	
Stella 2700K (Graphite):	STEL 16 BLK 2700K
Stella 2700K (Sand):	STEL 16 SAND 2700K
Stella 3000K (Graphite):	STEL 16 BLK 3000K
Stella 3000K (Sand):	STEL 16 SAND 3000K

PACKAGING WEIGHT AND DIMENSIONS		
12LBS	14” X 14” X 25.5”	
5.4KG	36cm X 36cm X 65cm	

NOTES

Custom requests can be considered on volume orders

238 **Pablo** AVAILABLE GLOBALLY 



FINISHES

LAMP AND CANOPY






GRAPHITE



SAND

DIMENSIONS

STELLA








SUPERLIGHT

Superlight balances the demands of both workplace and home with a combination of minimal form and maximal function. Superlight is a task light reduced to its essence. A gestural line in space resulting in a precise yet playful structure defying gravity with an appearance of near weightlessness. Superlight achieves fluid, sweeping movement in every direction with a full 3-axis range of motion providing warm, glare-free LED light exactly where you need it. Superlight is available as a desk, floor, wall, clamp or grommet mounted fixture.

Designers:
Peter Stathis + Matthew Boyko 2017

Awards:
2017 Good Design Award
2017 Finalist HIP Award



SUPERLIGHT TABLE

DESCRIPTION
Superlight balances the demands of both workplace and home with a combination of minimal form and maximal function. Superlight is a task light reduced to its essence. A gestural line in space resulting in a precise yet playful structure defying gravity with an appearance of near weightlessness. Superlight achieves fluid, sweeping movement in every direction with a full 3-axis range of motion providing warm, glare-free LED light exactly where you need it. Superlight is available as a desk, floor, wall, clamp or grommet mounted fixture.

FIXTURE TYPE
Table

LIGHT SOURCE
High-output LED array

LIGHT CONTROL
Full range dim control

FEATURES
3-axis rotation at each joint
Ultra-light minimal frame
4 colored base pads
Advanced LED array eliminates multiple shadows
Ships flat-packed



SPECIFICATIONS
Voltage: 120-240V 50-60Hz
Power consumption: 8.5W
Color temperature: 3000K
Luminosity: 700 Lumens
Luminaire efficacy: 81 Lumens/watt
Color rendition index: 90+ CRI
50K hour lifespan
Cable length: 9' (274cm)
Global multi-plug adapter available
Title 20 compliant
Patent pending

CERTIFICATIONS
 

PRODUCT CODES		
Superlight Table (White):	SUPE TBL WHT	
Superlight Table (Black):	SUPE TBL BLK	
Superlight Clamp (White):	SUPE CLP WHT	
Superlight Clamp (Black):	SUPE CLP BLK	
Superlight Grommet (White):	SUPE GROM WHT	
Superlight Grommet (Black):	SUPE GROM BLK	
Superlight Wall (White):	SUPE WALL WHT	
Superlight Wall (Black):	SUPE WALL BLK	

PACKAGING WEIGHT AND DIMENSIONS		
Superlight Table:	8.3LBS	28" X 9" X 3.5"
	3.7KGS	71cm X 23cm X 9cm

NOTES
Custom requests can be considered on volume orders



SUPERLIGHT FLOOR

DESCRIPTION
Superlight balances the demands of both workplace and home with a combination of minimal form and maximal function. Superlight is a task light reduced to its essence. A gestural line in space resulting in a precise yet playful structure defying gravity with an appearance of near weightlessness. Superlight achieves fluid, sweeping movement in every direction with a full 3-axis range of motion providing warm, glare-free LED light exactly where you need it. Superlight is available as a desk, floor, wall, clamp or grommet mounted fixture.

FIXTURE TYPE
Floor

LIGHT SOURCE
High-output LED array

LIGHT CONTROL
Full range dim control

FEATURES
3-axis rotation at each joint
Ultra-light minimal frame
Felt base pad
Advanced LED array eliminates multiple shadows
Ships flat-packed

SPECIFICATIONS
Voltage: 120-240V 50-60Hz
Power consumption: 8.5W
Color temperature: 3000K
Luminosity: 700 Lumens
Luminaire efficacy: 81 Lumens/watt
Color rendition index: 90+ CRI
50K hour lifespan
Cable length: 9' (274cm)
Global multi-plug adapter available
Title 20 compliant
Patent pending

CERTIFICATIONS


PRODUCT CODES	
Superlight Floor (White):	SUPE FLR WHT
Superlight Floor (Black):	SUPE FLR BLK

PACKAGING WEIGHT AND DIMENSIONS		
Superlight Floor:	12.5LBS	28" X 9" X 3.5"
	5.7KGS	71cm X 23cm X 9cm

NOTES
Custom requests can be considered on volume orders

248 **Pablo** AVAILABLE GLOBALLY 



FINISHES



WHITE




BLACK



CHARCOAL

DIMENSIONS

SUPERLIGHT FLOOR











Pablo 249

SWELL/SWELL XL

Elegant and infinitely flexible, Swell is a modular LED lighting system designed to seamlessly blend the line between indoor and outdoor lighting. Formed from spun aluminum, Swell's 3 shade designs pair fluid, undulating lines with a radiant brass interior and can be mixed and matched to create dynamic groupings. Swell can be suspended individually, as a chandelier or as inter-connectable shade strings to perfectly complement residential, commercial, lounge and hospitality settings alike. Swell is also available in stunning XL sizes for spaces that demand exceptional scale.

Designer:
Pablo Studio 2015



SWELL SINGLE



DESCRIPTION

Elegant with undulating contours, Swell Single is an LED pendant designed to seamlessly blend the line between indoor and outdoor lighting. Swell single can be suspended individually or as a chandelier grouping to perfectly complement residential, commercial, lounge and hospitality settings alike. Swell is also available in stunning XL sizes for spaces that demand exceptional scale.

FIXTURE TYPE

Pendant

LIGHT SOURCE

US		EU	
Brand: SATCO		Brand: PHILIPS	
11W LED		9.5W LED	
3000K		2700K	
E26/PAR30		E27/PAR30	
1000Lm		650Lm	

LIGHT CONTROL

Hard-wired, dimmable (Compatible with TRIAC/ELV dimmers)
Dali compatability upon request

FEATURES

Fully dimmable
For indoor and outdoor use
Damp rated

SPECIFICATIONS

Voltage: 120V or 240V 60Hz
Power consumption: 13W
Color temperature: 3000K
Luminosity: 1050 Lumens
Luminaire efficacy: 81 Lumens/Watt
Color Rendition Index: 95 CRI
40K hour lifespan
Cable length: 10' (305cm)
Title 20/Title 24 compliant
Dark Sky compliant

CERTIFICATIONS



PRODUCT CODES (ENTER NRW,MED, OR WID IN BLANK SPACE)

Swell Single	(White/Brass):	SWEL SNG	WHT/BRA
Swell Single	(Black/Brass):	SWEL SNG	BLK/BRA
Swell Single	(Brass/Brass):	SWEL SNG	BRA/BRA
Swell Single XL	(White/Brass):	SWEL SNG XL	WHT/BRA
Swell Single XL	(Black/Brass):	SWEL SNG XL	BLK/BRA
Swell Single XL	(Brass/Brass):	SWEL SNG XL	BRA/BRA

PACKAGING WEIGHT AND DIMENSIONS

Swell Narrow:	6LBS	17" X 17" X 15"
	2.7KGS	43cm X 43cm X 38cm
Swell Medium:	6LBS	17" X 17" X 15"
	2.7KGS	43cm X 43cm X 38cm
Swell Wide:	6LBS	17" X 17" X 15"
	2.7KGS	43cm X 43cm X 38cm
Swell XL Narrow:	6.6LBS	14" X 14" X 20"
	2.7KGS	36cm X 36cm X 51cm
Swell XL Medium:	7.6LBS	20" X 20" X 18"
	3.4KGS	51cm X 51cm X 46cm
Swell XL Wide:	10LBS	26" X 26" X 14"
	4.5KGS	66cm X 66cm X 36cm

NOTES

Custom requests can be considered on volume orders

252 **Pablo**

AVAILABLE GLOBALLY 



FINISHES

LAMP



WHITE/
BRASS



BLACK/
BRASS



BRASS/
BRASS

CANOPY




WHITE



BLACK

DIMENSIONS



Pablo 253

Swell Flush



DESCRIPTION

Elegant and infinitely flexible, Swell Flush is a modular LED lighting solution designed to seamlessly blend the line between indoor and outdoor spaces. Formed from spun aluminum, Swell’s three shade designs feature fluid, undulating lines paired with a radiant brass interior, offering the ability to mix and match for dynamic visual compositions. Swell Flush is designed for individual, linear or random mounting for residential, commercial, lounge, and hospitality settings alike, providing a sophisticated yet versatile lighting presence. Now available in stunning new XL sizes, Swell Flush meets the needs of spaces that demand exceptional scale and impact.

FIXTURE TYPE

Pendant

LIGHT SOURCE

US		EU	
Brand: SATCO		Brand: PHILIPS	
11W LED		9.5W LED	
3000K		2700K	
E26/PAR30		E27/PAR30	
1000Lm		650Lm	

LIGHT CONTROL

Hard-wired, dimmable (Compatible with TRIAC/ELV dimmers)
Dali compatability upon request

FEATURES

Fully dimmable
For indoor and outdoor use
Damp rated

SPECIFICATIONS

Voltage: 120V or 240V 60Hz
Power consumption: 13W
Color temperature: 3000K
Luminosity: 1050 Lumens
Luminaire efficacy: 81 Lumens/Watt
Color Rendition Index: 95 CRI
40K hour lifespan
Title 20/Title 24 compliant
Dark Sky compliant

CERTIFICATIONS



PRODUCT CODES (ENTER NRW,MED, OR WID IN BLANK SPACE)

Swell Flush	(White/Brass):	SWEL FSH	WHT/BRA
Swell Flush	(Black/Brass):	SWEL FSH	BLK/BRA
Swell Flush	(Brass/Brass):	SWEL FSH	BRA/BRA
Swell Flush XL	(White/Brass):	SWEL FSH XL	WHT/BRA
Swell Flush XL	(Black/Brass):	SWEL FSH XL	BLK/BRA
Swell Flush XL	(Brass/Brass):	SWEL FSH XL	BRA/BRA

PACKAGING WEIGHT AND DIMENSIONS

Swell Narrow:	6LBS	17" X 17" X 15"
	2.7KGS	43cm X 43cm X 38cm
Swell Medium:	6LBS	17" X 17" X 15"
	2.7KGS	43cm X 43cm X 38cm
Swell Wide:	6LBS	17" X 17" X 15"
	2.7KGS	43cm X 43cm X 38cm
Swell XL Narrow:	6.6LBS	14" X 14" X 20"
	2.7KGS	36cm X 36cm X 51cm
Swell XL Medium:	7.6LBS	20" X 20" X 18"
	3.4KGS	51cm X 51cm X 46cm
Swell XL Wide:	10LBS	26" X 26" X 14"
	4.5KGS	66cm X 66cm X 36cm

NOTES

Custom requests can be considered on volume orders

254 **Pablo**

AVAILABLE GLOBALLY



FINISHES

LAMP



WHITE/
BRASS



BLACK/
BRASS



BRASS/
BRASS

CANOPY




WHITE




BLACK

DIMENSIONS


SWELL NARROW




SWELL MEDIUM




SWELL WIDE




SWELL XL NARROW



SWELL XL MEDIUM



SWELL XL WIDE



Pablo 255

Swell String 3 Mixed



DESCRIPTION

Elegant and infinitely flexible, Swell String is a modular LED lighting system designed to seamlessly blend the line between indoor and outdoor lighting. Swell String’s three shade design can be mixed and matched to create dynamic groupings. Swell String can be suspended both vertically and horizontally in configurations of up to (34) lamps from a single power source to perfectly complement residential, commercial, lounge and hospitality settings alike. Swell is also available in stunning XL sizes for spaces that demand exceptional scale.

FIXTURE TYPE

Pendant

LIGHT SOURCE

US		EU	
Brand: SATCO		Brand: PHILIPS	
11W LED		9.5W LED	
3000K		2700K	
E26/PAR30		E27/PAR30	
1000Lm		650Lm	

LIGHT CONTROL

Hard-wired, dimmable (Compatible with TRIAC/ELV dimmers)
Dali compatability upon request

FEATURES

Damp rated For indoor and outdoor use

SPECIFICATIONS

Voltage: 120V or 240V 60Hz
Power consumption: 13W
Color temperature: 3000K
Luminosity: 1050 Lumens
Luminaire efficacy: 81 Lumens/Watt
Color Rendition Index: 95 CRI
40K hour lifespan
(3x) 10’ (305cm) vertical mounting kit cable included
30’ (915cm) horizontal mounting kit cable sold separately
8’ (244cm) power feed cable and canopy included
Horizontal mounting kit supports 12 lamps MAX
MAX interconnected 14.5W lamps: 34
Title 20/Title 24 compliant
Dark Sky compliant

CERTIFICATIONS



PRODUCT CODES	
Swell String Mixed (White/Brass):	SWELSTRMIXWHT/BRA
Swell String Mixed (Black/Brass):	SWELSTRMIXBLK/BRA
Swell String Mixed (Brass/Brass):	SWELSTRMIXBRA/BRA
Swell XL String Mixed (White/Brass):	SWELSTRXLMIXWHT/BRA
Swell XL String Mixed (Black/Brass):	SWELSTRXLMIXBLK/BRA
Swell XL String Mixed (Brass/Brass):	SWELSTRXLMIXBRA/BRA
Swell 12" Extension Cable (White):	SWELSTRACCEXT12WHT
Swell 12" Extension Cable (Black):	SWELSTRACCEXT12BLK
Swell Horizontal Mounting Kit:	SWELHRZMOUNT

PACKAGING WEIGHT AND DIMENSIONS		
Swell String 3 Mixed:	12.3LBS	16.5" X 16" X 14.5"
	5.6KGS	42cm X 41cm X 37cm
Swell XL Narrow:	6.6LBS	14" X 14" X 20"
	2.7KGS	36cm X 36cm X 51cm
Swell XL Medium:	7.6LBS	20" X 20" X 18"
	3.4KGS	51cm X 51cm X 46cm
Swell XL Wide:	10LBS	26" X 26" X 14"
	4.5KGS	66cm X 66cm X 36cm

NOTES

Custom requests can be considered on volume orders

256 **Pablo**

AVAILABLE GLOBALLY 




FINISHES




DIMENSIONS


SWELL STRING 3 MIXED VERTICAL



SWELL STRING 3 MIXED HORIZONTAL



HORIZONTAL MOUNTING KIT



12" JUMPER CABLE



Pablo 257

SWELL STRING SINGLE



DESCRIPTION

Elegant and infinitely flexible, Swell String Single is a modular LED lighting system designed to seamlessly blend the line between indoor and outdoor lighting. Swell String Single allows infinite customization, pick your own collection to create a dramatic and personal grouping to fit any environment. Swell String Single can be suspended both vertically and horizontally in configurations of up to (34) lamps from a single power source to perfectly complement residential, commercial, lounge and hospitality settings alike. Swell is also available in stunning XL sizes for spaces that demand exceptional scale.

FIXTURE TYPE

Pendant

LIGHT SOURCE

US		EU	
Brand: SATCO		Brand: PHILIPS	
11W LED		9.5W LED	
3000K		2700K	
E26/PAR30		E27/PAR30	
1000Lm		650Lm	

LIGHT CONTROL

Hard-wired, dimmable (Compatible with TRIAC/ELV dimmers)

Dali compatability upon request

FEATURES

Damp rated For indoor and outdoor use

Interconnectable sockets

SPECIFICATIONS

Voltage: 120V or 240V 60Hz

Power consumption: 13W

Color temperature: 3000K

Luminosity: 1050 Lumens

Luminaire efficacy: 81 Lumens/Watt

Color Rendition Index: 95 CRI

40K hour lifespan

(1x) 10' (305cm) vertical mounting kit cable included

30' (915cm) horizontal mounting kit cable sold separately

8' (244cm) power feed cable and canopy sold separately

Horizontal mounting kit supports 12 lamps MAX

MAX interconnected 14.5W lamps: 34

Title 20/Title 24 compliant

Dark Sky compliant

CERTIFICATIONS



PRODUCT CODES (ENTER NRW,MED, OR WID IN BLANK SPACE)

Swell String Single	(White/Brass):	SWEL STR SNG	WHT/BRA
Swell String Single	(Black/Brass):	SWEL STR SNG	BLK/BRA
Swell String Single	(Brass/Brass):	SWEL STR SNG	BRA/BRA
Swell XL String Single	(White/Brass):	SWEL STR SNG XL	WHT/BRA
Swell XL String Single	(Black/Brass):	SWEL STR SNG XL	BLK/BRA
Swell XL String Single	(Brass/Brass):	SWEL STR SNG XL	BRA/BRA
Swell Power Feed and Canopy (White):		SWEL STR ACC KIT WHT	
Swell Power Feed and Canopy (Black):		SWEL STR ACC KIT BLK	
Swell 12" Extension Cable (White):		SWEL STR ACC EXT 12 WHT	
Swell 12" Extnsion Cable (Black):		SWEL STR ACC EXT 12 BLK	
Swell Horizontal Mounting Kit:		SWEL HRZ MOUNT	

PACKAGING WEIGHT AND DIMENSIONS

Swell String Single: 5.25LBS	15.5" X 16" X 14.5"
2.4KGS	39cm X 41cm X 37cm

NOTES

Custom requests can be considered on volume orders




FINISHES




DIMENSIONS


SWELL STRING SINGLE




POWER FEED CABLE



CANOPY



HORIZONTAL MOUNTING KIT



12" JUMPER CABLE



SWELL CHANDELIER



DESCRIPTION

Elegant with undulating contours, Swell Chandelier is an LED chandelier designed to seamlessly blend the line between indoor and outdoor lighting. Swell Chandelier is available in groupings of 3 and 6 lamps, creating a dramatic and personal grouping to fit any environment. Swell is also available in stunning XL sizes for spaces that demand exceptional scale.

FIXTURE TYPE

Pendant

LIGHT SOURCE

US		EU	
Brand: SATCO		Brand: PHILIPS	
11W LED		9.5W LED	
3000K		2700K	
E26/PAR30		E27/PAR30	
1000Lm		650Lm	

LIGHT CONTROL

Hard-wired, dimmable
Compatible with TRIAC/ELV dimmers
Dali compatability upon request

FEATURES

For indoor and outdoor use
Damp rated

SPECIFICATIONS

Voltage: 120V or 240V 60Hz
Power consumption: 13W per lamp
Color temperature: 3000K
Luminosity: 1050 Lumens per lamp
Luminaire efficacy: 81 Lumens/Watt
Color Rendition Index: 95 CRI
40K hour lifespan
Cable length: 10' (305cm)
Title 20/Title 24 compliant
Dark Sky compliant

CERTIFICATIONS



RODUCT CODES (ENTER 1 OR 2 IN BLANK SPACE)

Swell Chandelier Mix	(Black/Brass):	SWEL CHAN	MIX BLK/BRA
Swell Chandelier Mix	(Brass/Brass):	SWEL CHAN	MIX BRA/BRA
Swell Chandelier Mix	(White/Brass):	SWEL CHAN	MIX WHT/BRA
Swell XL Chandelier Mix	(Black/Brass):	SWEL XL CHAN	MIX BLK/BRA
Swell XL Chandelier Mix	(Brass/Brass):	SWEL XL CHAN	MIX BRA/BRA
Swell XL Chandelier Mix	(White/Brass):	SWEL XL CHAN	MIX WHT/BRA
17" Chandelier Canopy:		CHND CAN 17	
26" Chandelier Canopy:		CHND CAN 26	

PACKAGING WEIGHT AND DIMENSIONS


Swell Single:	5.25LBS	15.5" X 16" X 14.5"
	2.4KGS	39cm X 41cm X 37cm
Swell XL Narrow:	6.6LBS	14" X 14" X 20"
	2.7KGS	36cm X 36cm X 51cm
Swell XL Medium:	7.6LBS	20" X 20" X 18"
	3.4KGS	51cm X 51cm X 46cm
Swell XL Wide:	10LBS	26" X 26" X 14"
	4.5KGS	66cm X 66cm X 36cm
Chandelier canopy 26":	30LBS	32" X 32" X 6"
	13.6KGS	81cm X 81cm X 15cm
Chandelier canopy 17":	15LBS	22" X 22" X 6"
	6.8KGS	56cm X 56cm X 15cm

NOTES

Custom requests can be considered on volume orders




FINISHES




DIMENSIONS


CHANDELIER MIX 1



CHANDELIER MIX 2




CHANDELIER CANOPY 17"




*FOR USE WITH CHANDELIER 3


XL CHANDELIER MIX 1



XL CHANDELIER MIX 2



CHANDELIER CANOPY 26"



TALIA

Talia's refined and compact design embraces only the essential elements to fulfill its purpose. Smart and powerful, Talia is designed for maximum light control, pairing fully dimmable and glare-free flat panel technology with 360° post rotation and 180° shade rotation to satisfy both task and ambient lighting needs alike. Talia Table also features wireless induction charging to accommodate mobile devices + USB port for added convenience. Available in both Table and Floor standing models, Talia is offered in 6 elegant colorway and metallic accent combinations to provide a refined touch to any setting and decor.

Designer:
Pablo Pardo + Carmine Deganello + Pablo Studio 2020

Awards:
2021 European Product Design Award



TALIA TABLE

DESCRIPTION

Talia’s refined and compact design embraces only the essential elements to fulfill its purpose. Smart and powerful, Talia is designed for maximum light control, pairing fully dimmable and glare-free flat panel technology with 360° post rotation and 180° shade rotation to satisfy both task and ambient lighting needs alike. Talia Table also features wireless induction charging to accommodate mobile devices + USB port for added convenience. Available in both Table and Floor standing models, Talia is offered in 6 elegant colorway and metallic accent combinations to provide a refined touch to any setting and decor.

FIXTURE TYPE

Table

LIGHT SOURCE

Flat Panel LED

LIGHT CONTROL

Optical switch
Full range dimming (100-10%)
2-stage dimming (100/40%)

FEATURES

Wireless charging w/ indicator light
USB charging port
360° post rotation
180° shade rotation
ADA compliant
6 hour auto off

SPECIFICATIONS

Voltage: 120/240V 50-60Hz
Power Consumption: 5.1W MAX
Color temperature: 3000K
Luminosity: 350 Lumens
Luminaire efficacy: 51 Lumens/Watt
Color Rendition Index: 90 CRI
Cable length: 6’(183cm)
Power supply: 24W

CERTIFICATIONS



PRODUCT CODES

Talia Table (Black):	TALI TBL BLK
Talia Table (Black/Brass):	TALI TBL BLK/BRA
Talia Table (Grey):	TALI TBL GRY
Talia Table (Grey/Silver):	TALI TBL GRY/SLV
Talia Table (White):	TALI TBL WHT
Talia Table (White/Silver):	TALI TBL WHT/SLV

PACKAGING WEIGHT AND DIMENSIONS

Talia Table:	3.2LBS	18” X 8.1” X 2.2”
	1.5KGS	46cm X 20.5cm X 6cm

NOTES

Custom requests can be considered on volume orders




FINISHES



DIMENSIONS

TALIA TABLE



TALIA FLOOR

DESCRIPTION

Talia's refined and compact design embraces only the essential elements to fulfill its purpose. Smart and powerful, Talia is designed for maximum light control, pairing fully dimmable and glare-free flat panel technology with 360° post rotation and 180° shade rotation to satisfy both task and ambient lighting needs alike. Talia is offered in 6 elegant colorway and metallic accent combinations to provide a refined touch to any setting and decor.

FIXTURE TYPE

Floor

LIGHT SOURCE

Flat panel LED

LIGHT CONTROL

Optical switch

Full range dimming (100-10%)

2-stage dimming (100/40%)

FEATURES

360° post rotation

180° shade rotation

ADA compliant

Flat Panel LED

6 hour auto off

SPECIFICATIONS

Voltage: 120/240V 50-60Hz

Power Consumption: 5.1W MAX

Color temperature: 3000K

Luminosity: 350 Lumens

Luminaire efficacy: 51 Lumens/Watt

Color Rendition Index: 90 CRI

Cable length: 6'(183cm)

Power supply: 24W

CERTIFICATIONS



PRODUCT CODES


Talia Floor (Black):	TALI FLR BLK
Talia Floor (Black/Brass):	TALI FLR BLK/BRA
Talia Floor (Grey):	TALI FLR GRY
Talia Floor (Grey/Silver):	TALI FLR GRY/SLV
Talia Floor (White):	TALI FLR WHT
Talia Floor (White/Silver):	TALI FLR WHT/SLV

PACKAGING WEIGHT AND DIMENSIONS

Talia Floor:	7.5LBS	33.2" X 11.9" X 2.1"
	3.5KGS	84cm X 30cm X 5.3cm

NOTES

Custom requests can be considered on volume orders




FINISHES



DIMENSIONS



TALIA FLOOR



T.O

T.O celebrates and reinforces the importance of light as a pillar of our daily life. A monolithic column stands to support a horizontal and vertical line of light to provide precise light control in all directions. T.O embodies a harmonious dialogue between solidity and lightness offering unlimited contexts for use in residential and workplace environments, all within a minimal footprint. T.O features a fully dimmable LED light source with tactile push switch appropriately positioned at the end of arm. Both table and floor versions feature a magnetically attached light arm over a marble cylinder base while the light wand can be rotated up to 360 degrees to provide both direct and indirect light for task and ambient lighting needs alike. T.O is offered in 2 marble base finishes in Marquina black and Carrara white while the light arm is elegantly contrasted in polished chrome or matte black. T.O is a seamless integration of functional lighting and sculpture.

Designer:
Carmine Deganello + Pablo Studio 2021



T.O TABLE

DESCRIPTION

T.O celebrates and reinforces the importance of light as a pillar of our daily life. A monolithic column stands to support a horizontal and vertical line of light to provide precise light control in all directions. T.O embodies a harmonious dialogue between solidity and lightness offering unlimited contexts for use in residential and workplace environments, all within a minimal footprint. T.O features a fully dimmable LED light source with tactile push switch appropriately positioned at the end of arm. Both table and floor versions feature a magnetically attached light arm over a marble cylinder base while the light wand can be rotated up to 360 degrees to provide both direct and indirect light for task and ambient lighting needs alike. T.O is offered in 2 matte base finishes in Marquina black and Carrara white while the light arm is elegantly contrasted in polished chrome or matte black. T.O is a seamless integration of functional lighting and sculpture.

FIXTURE TYPE

Table

LIGHT SOURCE

High output LED array

LIGHT CONTROL

Mechanical push button

Full range dimming (100-10%)

2-stage dimming (100/40%)

FEATURES

360° arm rotation

Advanced LED array eliminates multiple shadows

SPECIFICATIONS

Voltage: 120-240V 50/60Hz

Power Consumption: 4.5W

Color Temperature: 3000K


Luminosity: 300 Lumens

Luminaire efficacy: 67 Lumens/Watt

Color Rendition Index: 90 CRI

Cord length: 6' (1.8m)

CERTIFICATIONS



PRODUCT CODES

T.O Table (Black/Black):	TO TBL BLK/BLK
T.O Table (Black/Chrome):	TO TBL BLK/CRM
T.O Table (White/Black):	TO TBL WHY/BLK
T.O Table (White/Chrome):	TO TBL WHY/CRM

PACKAGING WEIGHT AND DIMENSIONS

T.O Table:	9.5LBS	6.25" X 6.25" X 16"
	2.3KGS	16cm X 16cm X 40cm

NOTES

Custom requests can be considered on volume orders



FINISHES

BASE



MARQUINA BLACK



CARRARA WHITE

ARM




MATTE BLACK



CHROME

DIMENSIONS

T.O TABLE





T.O FLOOR

DESCRIPTION

T.O celebrates and reinforces the importance of light as a pillar of our daily life. A monolithic column stands to support a vertical line of light to provide precise light control. T.O embodies a harmonious dialogue between solidity and lightness offering unlimited contexts for use in residential and workplace environments, all within a minimal footprint. T.O features a fully dimmable LED light source with tactile push switch appropriately positioned at the end of arm. Both table and floor versions feature a magnetically attached light arm over a marble cylinder base while the light wand can be rotated up to 360 degrees to provide both direct and indirect light for task and ambient lighting needs alike. T.O is offered in 2 matte base finishes in Marquina black and Carrara white while the light arm is elegantly contrasted in polished chrome or matte black. T.O is a seamless integration of functional lighting and sculpture.

FIXTURE TYPE

Floor

LIGHT SOURCE

High output LED array

LIGHT CONTROL

Mechanical push button

Full range dimming (100-10%)

2-stage dimming (100/40%)

FEATURES

360° arm rotation

Advanced LED array eliminates multiple shadows

SPECIFICATIONS

Voltage: 120-240V 50/60Hz

Power Consumption: 10W

Color Temperature: 3000K

Luminosity: 750 Lumens

Luminaire efficacy: 75 Lumens/Watt

Color Rendition Index: 90 CRI

Cable Length: 6’ (1.8m)

CERTIFICATIONS



PRODUCT CODES

T.O Floor (Black/Black):	TO FLR BLK/BLK
T.O Floor (Black/Chrome):	TO FLR BLK/CRM
T.O Floor (White/Black):	TO FLR WHI/BLK
T.O Floor (White/Chrome):	TO FLR WHI/CRM

PACKAGING WEIGHT AND DIMENSIONS

T.O Floor:	9.5LBS	6.25” X 6.25” X 16”
(Base)	2.3KGS	16cm X 16cm X 40cm
T.O Floor:	9.5LBS	6.25” X 6.25” X 16”
(Lamp Arm)	2.3KGS	16cm X 16cm X 40cm

NOTES

Custom requests can be considered on volume orders

FINISHES

BASE



MARQUINA BLACK



CARRARA WHITE

ARM




BLACK



CHROME

DIMENSIONS

T.O FLOOR







T.O PENDANT

T.O Pendant celebrates the importance of light as a pillar of daily life. T.O features an elegant wand of light suspended by two decorative woven nylon belts finished with over-molded features that allow for full 360-degree rotation to direct light in all directions. T.O Pendant can transform from a direct task-oriented light to indirect ambience with minimal effort. It's suspension system allows for ultimate freedom and creativity to suspend in a wide variety of configurations from a linear series, to multi-axis and multi-level groupings to create stunning displays for residential and workplace environments alike. T.O Pendant's is offered in polished chrome, matte black, and matte grey finishes paired with suspension belts in burnt orange, graphite, and light grey and can be mixed and matched to any desire.

Designer:
Carmine Deganello + Pablo Studio 2022



T.O PENDANT

DESCRIPTION

T.O Pendant celebrates the importance of light as a pillar of daily life. T.O features an elegant wand of light suspended by two decorative woven nylon belts finished with over-molded features that allow for full 360-degree rotation to direct light in all directions. T.O Pendant can transform from a direct task-oriented light to indirect ambience with minimal effort. It's suspension system allows for ultimate freedom and creativity to suspend in a wide variety of configurations from a linear series, to multi-axis and multi-level groupings to create stunning displays for residential and workplace environments alike. T.O Pendant's is offered in polished chrome, matte black, and matte grey finishes paired with colorful suspension belts in burnt orange, graphite, and light grey and can be mixed and matched to any desire.

FIXTURE TYPE

Pendant

LIGHT SOURCE

High output LED array

LIGHT CONTROL

Mechanical push button

Full range dimming (100-10%)

2-stage dimming (100/40%)

FEATURES

360° arm rotation

Advanced LED array eliminates multiple shadows

SPECIFICATIONS

Voltage: 120-277V 50/60Hz

Power Consumption: 10W

Color Temperature: 2700K

Beam Angle : 110°

Luminosity: 750 Lumens

Luminaire efficacy: 75 Lumens/Watt

Color Rendition Index: 90 CRI

Cable Length: 10' (3m)

Belt Length: 10' (3m)

CERTIFICATIONS



PRODUCT CODES

T.O Pendant (Black/Graphite):	TO PND BLK GPT
T.O Pendant (Black/Light Grey):	TO PND BLK GRY
T.O Pendant (Black/Burnt Orange):	TO PND BLK ORG

PACKAGING WEIGHT AND DIMENSIONS

T.O Pendant:	2.5LBS	3" X 6" X 57"
(Lamp)	1.1KGS	7.6cm X 15cm X 145cm
T.O Pendant:	1.5LBS	10" X 8.25" X 4.3"
(Accessories)	.7KGS	25.5cm X 21cm X 11cm

NOTES

Custom requests can be considered on volume orders



FINISHES

SUSPENSION BELT



BURNT ORANGE



GRAPHITE



LIGHT GREY


LAMP



MATTE BLACK

DIMENSIONS



T.O PENDANT




T.O PENDANT 2 STACK



T.O PENDANT 3 STACK



Universal Canopy with Belt Mount



T.O Pendant (2, 3) Stack

*Available in 2 and 3 Stack configurations using add-on 5"(12.7cm) Belt Connectors.



TOTEM


COLLECTION

Totem is a comprehensive lighting family spanning pendant, wall, ceiling, and portable categories, exploring light as both object and atmosphere. Unified by a refined modular LED platform, the collection includes sculptural pendants, decorative sconces, flush mounts, compact surface-mounted forms, and versatile portable solutions, each offering a distinct expression while sharing a common design language. Spanning mouth-blown glass diffusers, precision-spun metal reflectors, and minimalist architectural forms, Totem balances material richness with technical clarity. Every model is designed to provide warm, glare-free illumination, transforming spaces through ambient light, accent light, or rhythmic architectural presence. Its adaptable system supports residential, hospitality, workplace, and contract environments, allowing designers to create continuity across multiple applications while mixing forms, finishes, and scales throughout a project. Whether used individually, in pairs, or as larger compositions, Totem brings cohesion, flexibility, and timeless modern character to interior spaces.

TOTEM

Totem is a versatile pendant lighting collection comprised of exquisitely blown opal glass shades designed around a modular platform. Totem's soft, pure white geometric forms provide a charming interplay of unique combinations to provide warmth and elegance to any space. Users can select from 4 shade styles (A,B,C,D) to mix and match to create an ensemble of 20 unique pendant combinations. Totem provides both direct and indirect illumination by employing a two-part LED light engine that provides both uplight and downlight resulting in a warm and dimmable ambient glow projecting through its softly diffused glass structure. Totem singles can be used in flush mount down-light only scenarios as well.

Designer:
Pablo Pardo + Pablo Studio 2022





TOTEM UP/DOWN LIGHT

DESCRIPTION

Totem is a versatile pendant lighting collection comprised of exquisitely blown opal glass shades designed around a modular platform. Totem's soft, pure white geometric forms provide a charming interplay of unique combinations to provide warmth and elegance to any space. Users can select from 4 shade styles (A,B,C,D) to mix and match to create an ensemble of 20 unique pendant combinations. Totem provides both direct and indirect illumination by employing a two-part LED light engine that provides both uplight and downlight resulting in a warm and dimmable ambient glow projecting through its softly diffused glass structure. Totem singles can be used in flush mount down-light only scenarios as well.

FIXTURE TYPE

Pendant

LIGHT SOURCE

High output LED array

LIGHT CONTROL

Fully dimmable

Compatible with TRIAC/ELV

(0-10V dimming available upon request)

Dali compatibility upon request

FEATURES

20 Unique Pendant Combinations

Uplight/Downlight

SPECIFICATIONS

Voltage: 120 or 240V 50/60Hz (120-277V 0-10V driver available by request)

Power Consumption: 18W

Color Temperature: 2700-2200K DTW (Dim-to-Warm),

3000K

Luminosity: 1800 Lumens Total (1400down/400up)

Luminaire efficacy: 100 Lumens/Watt

Color Rendition Index: 90 CRI

Cable Length: 10' (3m)

CERTIFICATIONS



PRODUCT CODES (ENTER SHADE COMBINAITION IN BLANK SPACE)

Totem Up/Down _____ TOTE UPDOWN _____

PACKAGING WEIGHT AND DIMENSIONS

Totem A:	8LBS	20" X 20" X 20"
(Shade)	3.6KGS	50cm X 50cm X 50cm
Totem B:	6.5LBS	17" X 17" X 15"
(Shade)	3KGS	43cm X 43cm X 38cm
Totem C:	4LBS	16.5" X 16.5" X 10"
(Shade)	1.8KGS	42cm X 42cm X 25cm
Totem D:	3.3LBS	22" X 22" X 9"
(Shade)	1.5KGS	56cm X 56cm X 23cm

NOTES

Custom requests can be considered on volume orders



FINISHES

CANOPY



WHITE





SHADE



OPAL GLASS

DIMENSIONS

TOTEM UP/DOWN



TOTEM DOWN LIGHT

DESCRIPTION

Totem is a versatile pendant lighting collection comprised of exquisitely blown opal glass shades designed around a modular platform. Totem’s soft, pure white geometric forms provide a charming interplay of unique combinations to provide warmth and elegance to any space. Downlight pendants utilize one of the 4 shade styles (A,B,C,D) and provide direct illumination resulting in a warm and dimmable ambient glow projecting through its softly diffused glass structure. Totem singles can be used in flush mount down-light only scenarios as well.

FIXTURE TYPE

Pendant

LIGHT SOURCE

High output LED array

LIGHT CONTROL

Fully dimmable

Compatable with TRIAC/ELV

(0-10V dimming available upon request)

Dali compatability upon request

FEATURES

4 Unique Downlight Profiles

SPECIFICATIONS

Voltage: 120 or 240V 50/60Hz (120-277V 0-10V driver available by request)

Power Consumption: 13W

Color Temperature: 2700-2200K DTW (Dim-to-Warm), 3000K

Luminosity: 1400 Lumens

Luminaire efficacy: 108 Lumens/Watt

Color Rendition Index: 90 CRI

Cable Length: 10’ (3m)

CERTIFICATIONS



PRODUCT CODES

Totem Down (A)	TOTE DWN A
Totem Down (B)	TOTE DWN B
Totem Down (C)	TOTE DWN C
Totem Down (D)	TOTE DWN D

PACKAGING WEIGHT AND DIMENSIONS

Totem A:	8LBS	20” X 20” X 20”
(Shade)	3.6KGS	50cm X 50cm X 50cm
Totem B:	6.5LBS	17” X 17” X 15”
(Shade)	3KGS	43cm X 43cm X 38cm
Totem C:	4LBS	16.5” X 16.5” X 10”
(Shade)	1.8KGS	42cm X 42cm X 25cm
Totem D:	3.3LBS	22” X 22” X 9”
(Shade)	1.5KGS	56cm X 56cm X 23cm

NOTES

Custom requests can be considered on volume orders

294 **Pablo**

AVAILABLE GLOBALLY



FINISHES

CANOPY



WHITE





SHADE



OPAL GLASS

DIMENSIONS

TOTEM DOWN



Pablo 295

TOTEM FLUSH CEILING

DESCRIPTION

Totem is a versatile pendant lighting collection comprised of exquisitely blown opal glass shades designed around a modular platform. Totem's soft, pure white geometric forms provide a charming interplay of unique combinations to provide warmth and elegance to any space. Totem Flush utilize one of the 4 shade styles (A,B,C,D) and provide direct illumination resulting in a warm and dimmable ambient glow projecting through its softly diffused glass structure. Totem singles can be used in down light pendant scenarios as well.

FIXTURE TYPE

Ceiling

LIGHT SOURCE

High output LED array

LIGHT CONTROL

Fully dimmable

Compatable with TRIAC/ELV

(0-10V dimming available upon request)

Dali compatability upon request

FEATURES

4 Unique Flush Profiles

SPECIFICATIONS

Voltage: 120 or 240V 50/60Hz (120-277V 0-10V driver available by request)

Power Consumption: 13W

Color Temperature: 2700-2200K DTW (Dim-to-Warm), 3000K

Luminosity: 1400 Lumens

Luminaire efficacy: 108 Lumens/Watt

Color Rendition Index: 90 CRI

CERTIFICATIONS



PRODUCT CODES

Totem Flush (A)	TOTE FSH A
Totem Flush (B)	TOTE FSH B
Totem Flush (C)	TOTE FSH C
Totem Flush (D)	TOTE FSH D

PACKAGING WEIGHT AND DIMENSIONS

Totem A:	8LBS	20" X 20" X 20"
(Shade)	3.6KGS	50cm X 50cm X 50cm
Totem B:	6.5LBS	17" X 17" X 15"
(Shade)	3KGS	43cm X 43cm X 38cm
Totem C:	4LBS	16.5" X 16.5" X 10"
(Shade)	1.8KGS	42cm X 42cm X 25cm
Totem D:	3.3LBS	22" X 22" X 9"
(Shade)	1.5KGS	56cm X 56cm X 23cm

NOTES

Custom requests can be considered on volume orders

FINISHES

CANOPY



WHITE


SHADE



OPAL GLASS

DIMENSIONS

TOTEM FLUSH







TOTEM MINI KIT

DESCRIPTION

Totem Mini Kit is comprised of (8) 1:5 scale shade replicas of the Totem lighting system purposely designed as an interactive visual aid to help create your own custom Totem shade combinations and groupings. These precious and charming glass pieces are made of durable Opal glass and are liquid safe to double-duty as collectible drink vessels. The Totem Collection this kit represents is a versatile lighting system comprised of exquisitely blown opal glass shades designed around a modular platform. Totem’s soft, pure white geometric forms provide a charming interplay of unique combinations to provide warmth and elegance to any space. Users can select from 4 shade styles (A,B,C,D) to mix and match to create an ensemble of 20 unique pendant and flush combinations.

FEATURES

- 20 Unique Pendant Combinations
- Magnetic attachment
- Collectable drinking vessels

PRODUCT CODES

Totem Mini Kit	TOTE SALE KIT
----------------	---------------

PACKAGING WEIGHT AND DIMENSIONS

Totem Mini Kit:	1.5LBS	8” X 15” X 4.25”
	.7KGS	20.3cm X 38cm X 10.8cm

FINISHES






SHADE



OPAL GLASS

DIMENSIONS

TOTEM MINI KIT



TOTEM MINI PENDANT EE

DESCRIPTION

The Totem Mini is the latest addition to the Totem Collection, offering the iconic modular design in a more compact and personalized scale. Available in Flush Ceiling E, Downlight E, and Up/Down EE shade configurations, it provides tailored lighting solutions for dining areas, kitchen counters, or bedside applications while complementing a wide variety of living spaces and styles. Inspired by the Totem Sconce, these mini pendants feature five stunning glass shade finishes in Etched White, Smoke, and Amber for a warm, diffused glow, and Clear and Smoke for a sleek, modern look. Utilizing Totem's advanced modular LED light engine the Totem Mini EE delivers both uplight and downlight, casting a warm, dimmable glow through its softly diffused mouth-blown glass. This compact pendant seamlessly combines elegance and functionality, making it a sophisticated addition to any space.

FIXTURE TYPE

Pendant

LIGHT SOURCE

High output LED array

LIGHT CONTROL

Fully dimmable
Compatible with TRIAC/ELV
(0-10V dimming available upon request)
Dali compatibility upon request

FEATURES

Uplight/Downlight

SPECIFICATIONS

Voltage: 120 or 240V 50/60Hz (120-277V 0-10V driver available by request)
Power Consumption: 18W
Color Temperature: 2700-2200K DTW (Dim-to-Warm), 3000K
Luminosity: 1800 Lumens Total (1400down/400up)
Luminaire efficacy: 100 Lumens/Watt
Color Rendition Index: 90 CRI
Cable Length: 10' (3m)

CERTIFICATIONS



PRODUCT CODES

Totem Mini Up/Down (Amber/White)	TOTE MINI UPDOWN AMB/AMB
Totem Mini Up/Down (Amber/Black)	TOTE MINI UPDOWN AMB/AMB B
Totem Mini Up/Down (Smoke/White)	TOTE MINI UPDOWN BLK/BLK
Totem Mini Up/Down (Smoke/Black)	TOTE MINI UPDOWN BLK/BLK B
Totem Mini Up/Down (Etched Smoke/White)	TOTE MINI UPDOWN E BLK/E BLK
Totem Mini Up/Down (Etched Smoke/Black)	TOTE MINI UPDOWN E BLK/E BLK B
Totem Mini Up/Down (Clear/White)	TOTE MINI UPDOWN CLR/CLR
Totem Mini Up/Down (White/White)	TOTE MINI UPDOWN WHT/WHT

PACKAGING WEIGHT AND DIMENSIONS

Totem Mini EE:	10.45LBS	14" X 14" X 18"
	4.7KGS	36cm X 36cm X 46cm

NOTES

Custom requests can be considered on volume orders



FINISHES

LAMP/CANOPY



ETCHED WHITE/
WHITE



CLEAR/
WHITE



SMOKE/
WHITE



SMOKE/
BLACK



ETCHED AMBER/
WHITE



ETCHED AMBER/
BLACK




ETCHED SMOKE/
WHITE



ETCHED SMOKE/
BLACK

DIMENSIONS

TOTEM EE



TOTEM MINI PENDANT E

DESCRIPTION

The Totem Mini is the latest addition to the Totem Collection, offering the iconic modular design in a more compact and personalized scale. Available in Flush Ceiling E, Downlight E, and Up/Down EE shade configurations, it provides tailored lighting solutions for dining areas, kitchen counters, or bedside applications while complementing a wide variety of living spaces and styles. Inspired by the Totem Sconce, these mini pendants feature five stunning glass shade finishes in Etched White, Smoke, and Amber for a warm, diffused glow, and Clear and Smoke for a sleek, modern look. Utilizing Totem’s advanced modular LED light engine the Totem Mini EE delivers both uplight and downlight, casting a warm, dimmable glow through its softly diffused mouth-blown glass. This compact pendant seamlessly combines elegance and functionality, making it a sophisticated addition to any space.

FIXTURE TYPE

Pendant

LIGHT SOURCE

High output LED array

LIGHT CONTROL

Fully dimmable
Compatible with TRIAC/ELV
(0-10V dimming available upon request)
Dali compatibility upon request

FEATURES

5 Unique Glass Finishes

SPECIFICATIONS

Voltage: 120 or 240V 50/60Hz (120-277V 0-10V driver available by request)
Power Consumption: 13W
Color Temperature: 2700-2200K DTW (Dim-to-Warm), 3000K
Luminosity: 1400 Lumens
Luminaire efficacy: 108 Lumens/Watt
Color Rendition Index: 90 CRI
Cable Length: 10’ (3m)

CERTIFICATIONS



PRODUCT CODES

Totem Mini Down (Amber/White)	TOTE MINI DWN AMB
Totem Mini Down (Amber/Black)	TOTE MINI DWN AMB B
Totem Mini Down (Smoke/White)	TOTE MINI DWN BLK
Totem Mini Down (Smoke/Black)	TOTE MINI DWN BLK B
Totem Mini Down (Etched Smoke/White)	TOTE MINI DWN E BLK
Totem Mini Down (Etched Smoke/Black)	TOTE MINI DWN E BLK B
Totem Mini Down (Clear/White)	TOTE MINI DWN CLR
Totem Mini Down (White/White)	TOTE MINI DWN WHT

PACKAGING WEIGHT AND DIMENSIONS

Totem Mini E:	7.65LBS	12” X 12” X 14”
	3.5KGS	30cm X 30cm X 36cm

NOTES

Custom requests can be considered on volume orders



FINISHES

LAMP/CANOPY



ETCHED WHITE/
WHITE



CLEAR/
WHITE



SMOKE/
WHITE



SMOKE/
BLACK



ETCHED AMBER/
WHITE



ETCHED AMBER/
BLACK




ETCHED SMOKE/
WHITE



ETCHED SMOKE/
BLACK

DIMENSIONS

TOTEM E



TOTEM MINI FLUSH E

DESCRIPTION

The Totem Mini is the latest addition to the Totem Collection, offering the iconic modular design in a more compact and personalized scale. Available in Flush Ceiling E, Downlight E, and Up/Down EE shade configurations, it provides tailored lighting solutions for dining areas, kitchen counters, or bedside applications while complementing a wide variety of living spaces and styles. Inspired by the Totem Sconce, these mini pendants feature four stunning glass shade finishes in Etched White, Smoke, and Amber for a warm, diffused glow, and Clear and Smoke for a sleek, modern look. Utilizing Totem’s advanced modular LED light engine the Totem Mini E delivers direct downlight, casting a warm, dimmable glow through its softly diffused mouth-blown glass. This compact ceiling lamp seamlessly combines elegance and functionality, making it a sophisticated addition to any space.

FIXTURE TYPE

Ceiling

LIGHT SOURCE

High output LED array

LIGHT CONTROL

Fully dimmable
Compatible with TRIAC/ELV
(0-10V dimming available upon request)
Dali compatibility upon request

FEATURES

5 Unique Glass Finishes

SPECIFICATIONS

Voltage: 120 or 240V 50/60Hz (120-277V 0-10V driver available by request)
Power Consumption: 13W
Color Temperature: 2700-2200K DTW (Dim-to-Warm), 3000K
Luminosity: 1400 Lumens
Luminaire efficacy: 108 Lumens/Watt
Color Rendition Index: 90 CRI

CERTIFICATIONS



PRODUCT CODES

Totem Mini Flush (Amber)	TOTE MINI FSH AMB
Totem Mini Flush (Amber)	TOTE MINI FSH AMB_B
Totem Mini Flush (Smoke)	TOTE MINI FSH BLK
Totem Mini Flush (Smoke)	TOTE MINI FSH BLK_B
Totem Mini Flush (Etched Smoke)	TOTE MINI FSH E BLK
Totem Mini Flush (Etched Smoke)	TOTE MINI FSH E BLK_B
Totem Mini Flush (Clear)	TOTE MINI FSH CLR
Totem Mini Flush (Clear)	TOTE MINI FSH CLR_B
Totem Mini Flush (White)	TOTE MINI FSH WHT
Totem Mini Flush (White)	TOTE MINI FSH WHT_B

PACKAGING WEIGHT AND DIMENSIONS

Totem Mini E Flush: 6.1LBS	12” X 12” X 12”
2.7KGS	30cm X 30cm X 30cm

NOTES

Black canopy is available upon request.



FINISHES

LAMP/CANOPY



ETCHED WHITE/
WHITE



ETCHED WHITE/
BLACK



CLEAR/
WHITE



CLEAR/
BLACK



SMOKE/
WHITE



SMOKE/
BLACK



ETCHED AMBER/
WHITE



ETCHED AMBER/
BLACK




ETCHED SMOKE/
WHITE



ETCHED SMOKE/
BLACK

DIMENSIONS

TOTEM FLUSH E







TOTEM TABLE

Totem is a classic and highly versatile LED lighting system comprised of exquisitely blown opal glass shades designed around a modular platform. Totem's soft, pure white geometric forms provide a charming interplay of unique and rhythmic shade groupings to add warmth and elegance to any space. Totem Table combines 3 foundational shade sizes to create up to 8 curated single and dual shade lamp configurations ranging from 8.5" (21.5cm) to 24.5" (62cm) in height. Totem's soft and ambient light source comes standard with fully dimmable 2700K (Dim to Warm) LED technology with fabric sleeved cord set with rotary dimmer.

Designer:
Pablo Pardo + Pablo Studio 2023



TOTEM TABLE

DESCRIPTION

Totem is a classic and highly versatile LED lighting system comprised of exquisitely blown opal glass shades designed around a modular platform. Totem’s soft, pure white geometric forms provide a charming interplay of unique and rhythmic shade groupings to add warmth and elegance to any space. Totem Table combines 3 foundational shade sizes to create up to 7 curated single and dual shade lamp configurations ranging from 8.5”(21.5cm) to 24.5”(62cm) in height. Totem’s soft and ambient light source comes standard with fully dimmable 2700K (Dim to Warm) LED technology with fabric sleeved cord set with rotary dimmer.

FIXTURE TYPE

Table

LIGHT SOURCE

High output LED array

LIGHT CONTROL

Fully dimmable

FEATURES

In-line Dimmer

SPECIFICATIONS

Voltage : 120-240V 50/60Hz

Power Consumption : 20W

Color Temperature : 2700-2200K DTW(Dim to Warm)

Luminosity : 1400 Lumens (single shade)

1800 Lumens (double shade)

Luminaire efficacy : 90 Lumens/Watt

Color Rendition Index: 90 CRI

Cable length: 6’ (1.8m)

CERTIFICATIONS



PRODUCT CODES

Totem Table (A)	TOTE TBL A
Totem Table (B)	TOTE TBL B
Totem Table (CC)	TOTE TBL CC
Totem Table (CB)	TOTE TBL CB
Totem Table (CA)	TOTE TBL CA
Totem Table (BB)	TOTE TBL BB
Totem Table (BA)	TOTE TBL BA

PACKAGING WEIGHT AND DIMENSIONS

Totem A:	8LBS	20” X 20” X 20”
(Shade)	3.6KGS	50cm X 50cm X 50cm
Totem B:	6.5LBS	17” X 17” X 15”
(Shade)	3KGS	43cm X 43cm X 38cm
Totem C:	4LBS	16.5” X 16.5” X 10”
(Shade)	1.8KGS	42cm X 42cm X 25cm
Totem Lamp:	3.4LBS	9” X 7” X 9”
(Light Source)	1.5KGS	23cm X 18cm X 23cm

NOTES

Custom requests can be considered on volume orders



FINISHES


SHADE





OPAL GLASS

DIMENSIONS

TOTEM TABLE SINGLE



TOTEM TABLE DOUBLE



TOTEM TABLE MINI

DESCRIPTION

Totem is a timeless and highly versatile LED lighting system comprised of exquisitely crafted mouth-blown glass shade diffusers designed around a modular platform. Totem Mini is the latest and most compact size in the collection, offering greater versatility with a rich new color palette in etched Amber, Smoke and White finishes to provide the ultimate ambiance to any space. Totem Mini employs an integrated Dim-to-Warm (2700K-2200K) modular LED system to provide soft ambient illumination equipped with a premium fabric sleeved cord with rotary dimmer. Totem Mini's compact stature is ideally suited for intimate spaces, reading nooks and bedside settings alike. Totem Table Mini is outfitted with a braided graphite power cable with in-line dimmer.

FIXTURE TYPE

Table

LIGHT SOURCE

High output LED array

LIGHT CONTROL

Fully dimmable

FEATURES

In-line Dimmer

SPECIFICATIONS

Voltage : 120-240V 50/60Hz

Power Consumption : 20W

Color Temperature : 2700-2200K DTW(Dim to Warm), 3000K

Luminosity : 1800 Lumens

Luminaire efficacy : 90 Lumens/Watt

Color Rendition Index: 90 CRI

Cable length: 6' (1.8m)

CERTIFICATIONS



FINISHES

SHADE



ETCHED
WHITE




ETCHED
AMBER



ETCHED
SMOKE

DIMENSIONS

TOTEM TABLE MINI



PRODUCT CODES

Totem Table Mini (Etched White)	TOTE MINI TBL UPDWN WHT
Totem Table Mini (Etched Amber)	TOTE MINI TBL UPDWN AMB
Totem Table Mini (Etched Smoke)	TOTE MINI TBL UPDWN E BLK

PACKAGING WEIGHT AND DIMENSIONS

Totem Table Mini:	INFO COMING SOON
-------------------	------------------

NOTES

Custom requests can be considered on volume orders






TOTEM WALL

Totem Wall redefines the wall as a surface of light, material, and atmosphere. As an extension of the broader Totem system, it brings together two distinct sconce expressions—mouth-blown glass and spun metal—unified by a shared luminous core. At its center, the compact Totem Puck delivers glare-free, indirect illumination with field-selectable color temperature, casting a calm and precise light that radiates outward. Around it, each material shapes light in its own way: glass softens and diffuses, revealing a gentle, atmospheric glow, while metal reflects and deepens, creating a more sculptural interplay of light and shadow. The result is a layered composition that is both intimate and architectural—equally suited to corridors, living spaces, and bath environments. Whether expressed through the clarity of glass or the depth of metal, Totem Wall transforms the wall into a quiet, luminous presence.

Designer:
Pablo Pardo + Pablo Studio 2024



TOTEM PUCK

DESCRIPTION
Totem Puck takes its elegant undulating form from its pendant and table counterparts and seamlessly ushers a captivating light unto any wall or ceiling. This compact and versatile luminaire features glare-free illumination with field-selectable CCT LED (2700K / 3000K / 3500K) and is available in Matte White, Dove Gray and Black. For a premium touch, faceplates in Walnut Essence and Brass are available to complement the base finishes. Ideal for lining hallway corridors or providing soft indirect illumination for modern living areas, bathrooms, and bedrooms. Totem Puck is also available with add-on glass diffusers. Totem Wall's modular design is ADA compliant and ideal for lining corridors, living areas and bedroom spaces for hospitality and residential spaces alike.

FIXTURE TYPE
Wall/Ceiling

LIGHT SOURCE
High output LED array

LIGHT CONTROL
Hard-wired, dimmable
Compatible with TRIAC/ELV and 0-10V dimmers
Dali compatability upon request

FEATURES
Fully dimmable
Color temperature selection at time of installation

SPECIFICATIONS
Voltage: 120-277V 50/60Hz
Power Consumption: 8W
Color Temperature: 2700K -or- 3000K -or- 3500K CCT
Field Selectable Color Temp.
Luminosity: 500 Lumens
Luminaire efficacy: 62.5 Lumens/Watt
Color Rendition Index: 90 CRI
ADA compliant
IP Rating: IP44

CERTIFICATIONS



PRODUCT CODES	
Totem Puck (White/White)	TOTE PUCK WHT/WHT
Totem Puck (Grey/Grey)	TOTE PUCK GRY/GRY
Totem Puck (Black/Black)	TOTE PUCK BLK/BLK
For Premium Faceplates enter BRA or WAL in blank space.	
Totem Puck (White/)	TOTE PUCK WHT/
Totem Puck (Grey/)	TOTE PUCK GRY/
Totem Puck (Black/)	TOTE PUCK BLK/

PACKAGING WEIGHT AND DIMENSIONS		
Totem Puck:	3LBS	8.5" X 8.5" X 5"
(Lamp)	1.3KGS	22cm X 22cm X 13cm

NOTES
Custom requests can be considered on volume orders




FINISHES




DIMENSIONS

TOTEM PUCK



AVAILABLE WITH
CORD + DIMMER
SEE PAGE 344



TOTEM SCONCE



TOTEM WALL HAS AN IP44 DAMP RATING SUITABLE
FOR BATH AND OTHER DAMP LOCATIONS.

TOTEM SCONCE

DESCRIPTION

Totem Sconce's crafted minimalist form showcases a refined mouth-blown glass diffuser paired with the Totem LED Puck light source to seamlessly usher a captivating light unto any wall or ceiling. The LED Puck features field-selectable color temperature (2700K, 3000K, 3500K) casting a glare-free ambient wash of light onto the mount surface. Pucks are available in Matte White, Dove Gray, and Black, with optional premium Walnut Essence and Brass Faceplates to complement the base finishes. Glass shades are available in three etched finishes in White, Smoke, and Amber, and two gloss finishes in Clear and Smoke, to suit a variety of environments and décor styles. Totem Wall's modular design is ADA compliant and ideal for lining corridors, living areas and bedroom spaces for hospitality and residential spaces alike.

FIXTURE TYPE

Wall/Ceiling

LIGHT SOURCE

High output LED array

LIGHT CONTROL

Hard-wired, dimmable
Compatible with TRIAC/ELV and 0-10V dimmers
Dali compatability upon request

FEATURES

Fully dimmable
Color temperature selection at time of installation

SPECIFICATIONS

Voltage: 120-277V 50/60Hz
Power Consumption: 8W
Color Temperature: 2700K -or- 3000K -or- 3500K CCT, on-board switch allows CCT choice at time of installation
Luminosity: 500 Lumens
Luminaire efficacy: 62.5 Lumens/Watt
Color Rendition Index: 90 CRI
ADA compliant
IP Rating: IP44

CERTIFICATIONS



PRODUCT CODES

Totem Sconce (White/White/White)	TOTE SCON WHT/WHT/WHT
Totem Sconce (Grey/Grey/Clear)	TOTE SCON GRY/GRY/CLR
Totem Sconce (Black/Black/Smoke)	TOTE SCON BLK/BLK/SMK
Totem Sconce (Black/Black/Smoke)	TOTE SCON BLK/BLK/E SMK
Totem Sconce (Black/Black/Amber)	TOTE SCON BLK/BLK/AMB
For Premium Faceplates enter BRA or WAL in blank space.	
Totem Sconce (White/ /White)	TOTE SCON WHT/ /WHT
Totem Sconce (Grey/ /Clear)	TOTE SCON GRY/ /CLR
Totem Sconce (Black/ /Smoke)	TOTE SCON BLK/ /SMK
Totem Sconce (Black/ /Smoke)	TOTE SCON BLK/ /E SMK
Totem Sconce (Black/ /Amber)	TOTE SCON BLK/ /AMB

PACKAGING WEIGHT AND DIMENSIONS

Totem Puck:	3LBS	8.5" X 8.5" X 5"
(Lamp)	1.3KGS	22cm X 22cm X 13cm
Totem Sconce:	3LBS	10.5" X 10.5" X 6.5"
(Shade)	1.3KGS	27cm X 27cm X 17cm

NOTES

Custom requests can be considered on volume orders



FINISHES

CANOPY



MATTE WHITE



MATTE GREY



MATTE BLACK

FACEPLATE



MATTE WHITE



MATTE GREY



MATTE BLACK



BRASS



WALNUT ESSENCE

SHADE



ETCHED WHITE



CLEAR



SMOKE




ETCHED SMOKE




ETCHED AMBER

DIMENSIONS


TOTEM SCONCE




AVAILABLE WITH
CORD + DIMMER
SEE PAGE 344



TOTEM PUCK



TOTEM SONCE







Totem Sconce Glass D

TOTEM SCONCE GLASS C, D

DESCRIPTION
Totem Sconce’s crafted minimalist form showcases a refined mouth-blown glass diffuser paired with the Totem LED Puck light source to seamlessly usher a captivating light unto any wall or ceiling. The LED Puck features field-selectable color temperature (2700K, 3000K, 3500K) casting a glare-free ambient wash of light onto the mount surface. Pucks are available in Matte White, Dove Gray, and Black, with optional premium Walnut Essence and Brass Faceplates to complement the base finishes. Shades are available in Opal glass. Totem Wall’s modular design is ADA compliant and ideal for lining corridors, living areas and bedroom spaces for hospitality and residential spaces alike.

FIXTURE TYPE
Wall/Ceiling


LIGHT SOURCE
High output LED array

LIGHT CONTROL
Hard-wired, dimmable
Compatible with TRIAC/ELV and 0-10V dimmers
Dali compatability upon request

FEATURES
Fully dimmable
Color temperature selection at time of installation

SPECIFICATIONS
Voltage: 120-277V 50/60Hz
Power Consumption: 8W
Color Temperature: 2700K -or- 3000K -or- 3500K CCT, on-board switch allows CCT choice at time of installation
Luminosity: 500 Lumens
Luminaire efficacy: 62.5 Lumens/Watt
Color Rendition Index: 90 CRI
ADA compliant
IP Rating: IP44

CERTIFICATIONS

PRODUCT CODES  

Totem Sconce Glass D (Black/Black): TOTE SC GLS D BLK BLK	Totem Sconce Glass C (Black/Black): TOTE SC GLS C BLK BLK
Totem Sconce Glass D (Black/Brass): TOTE SC GLS D BLK BRA	Totem Sconce Glass C (Black/Brass): TOTE SC GLS C BLK BRA
Totem Sconce Glass D (Black/Walnut): TOTE SC GLS D BLK WAL	Totem Sconce Glass C (Black/Walnut): TOTE SC GLS C BLK WAL
Totem Sconce Glass D (Grey/Black): TOTE SC GLS D GRY BLK	Totem Sconce Glass C (Grey/Black): TOTE SC GLS C GRY BLK
Totem Sconce Glass D (Grey/Brass): TOTE SC GLS D GRY BRA	Totem Sconce Glass C (Grey/Brass): TOTE SC GLS C GRY BRA
Totem Sconce Glass D (Grey/Walnut): TOTE SC GLS D GRY WAL	Totem Sconce Glass C (Grey/Walnut): TOTE SC GLS C GRY WAL
Totem Sconce Glass D (White/White): TOTE SC GLS D WHT WHT	Totem Sconce Glass C (White/White): TOTE SC GLS C WHT WHT
Totem Sconce Glass D (White/Brass): TOTE SC GLS D WHT BRA	Totem Sconce Glass C (White/Brass): TOTE SC GLS C WHT BRA
Totem Sconce Glass D (White/Walnut): TOTE SC GLS D WHT WAL	Totem Sconce Glass C (White/Walnut): TOTE SC GLS C WHT WAL

PACKAGING WEIGHT AND DIMENSIONS		
Totem Puck:	3LBS	8.5” X 8.5” X 5”
(Lamp)	1.3KGS	22cm X 22cm X 13cm
Totem C:	4LBS	16.5” X 16.5” X 10”
(Shade)	1.8KGS	42cm X 42cm X 25cm
Totem D:	3.3LBS	22” X 22” X 9”
(Shade)	1.5KGS	56cm X 56cm X 23cm

NOTES
Custom requests can be considered on volume orders

336 **Pablo** AVAILABLE GLOBALLY 



FINISHES

CANOPY

MATTE WHITE

MATTE GREY

MATTE BLACK

FACEPLATE

MATTE WHITE

MATTE GREY

MATTE BLACK


BRASS

WALNUT ESSENCE


SHADE

OPAL GLASS

DIMENSIONS



Totem Sconce Glass C



TOTEM SCONCE METAL

DESCRIPTION

Totem Sconce Metal introduces a new material voice to the Totem family, one that reflects, softens, and deepens light. Its spun metal surface holds a subtle texture, catching illumination as it radiates outward in a warm, ambient glow. At its core, a luminous center emerges—calm and precise—creating a layered interplay between light and shadow. The effect is both intimate and architectural, transforming the wall into a surface of depth and warmth. Metal shades are available in 12, 15 and 22” sizes.

FIXTURE TYPE

Wall/Ceiling

LIGHT SOURCE

High output LED array

LIGHT CONTROL

Hard-wired, dimmable
Compatible with TRIAC/ELV and 0-10V dimmers
Dali compatability upon request

FEATURES

Fully dimmable
Color temperature selection at time of installation

SPECIFICATIONS

Voltage: 120-277V 50/60Hz
Power Consumption: 8W
Color Temperature: 2700K -or- 3000K -or- 3500K CCT, on-board switch allows CCT choice at time of installation
Luminosity: 500 Lumens
Luminaire efficacy: 62.5 Lumens/Watt
Color Rendition Index: 90 CRI
ADA compliant
IP Rating: IP44

CERTIFICATIONS



PRODUCT CODES - ENTER SHADE COLOR IN BLANK (BLK,WHT, TER, GRN, BLU, BRN)

Totem Sconce Metal 12 (___ Black/Black):	TOTE SC M ___ BLK BLK
Totem Sconce Metal 15 (___ Black/Brass):	TOTE SC M ___ BLK BRA
Totem Sconce Metal 22 (___ Black/Walnut):	TOTE SC M ___ BLK WAL
Totem Sconce Metal 12 (___ White/White):	TOTE SC M ___ WHT BLK
Totem Sconce Metal 15 (___ White/Brass):	TOTE SC M ___ WHT BRA
Totem Sconce Metal 22 (___ White/Walnut):	TOTE SC M ___ WHT WAL
Totem Sconce Metal 12 (___ Grey/Grey):	TOTE SC M ___ GRY BLK
Totem Sconce Metal 15 (___ Grey/Brass):	TOTE SC M ___ GRY BRA
Totem Sconce Metal 22 (___ Grey/Walnut):	TOTE SC M ___ GRY WAL

PACKAGING WEIGHT AND DIMENSIONS

Totem Sconce 12	7.35LBS	15” X 15” X 8”
	3.3KGS	38cm X 38cm X 20.3cm
Totem Sconce 15	8.7LBS	17” X 17” X 8”
	3.3KGS	43cm X 43cm X 20.3cm
Totem Sconce 22	10.25LBS	24” X 24” X 10.25”
	3.3KGS	61cm X 61cm X 26cm

NOTES

Custom requests can be considered on volume orders



FINISHES


CANOPY



FACEPLATE




SHADE



DIMENSIONS

TOTEM SCONCE METAL 12, 15, 22



AVAILABLE WITH
CORD + DIMMER
SEE PAGE 344





CORDED WALL LIGHTS

DESCRIPTION

Pablo’s signature wall lighting collections are now offered as elegant pin-up plug-in solutions, available across the Bola and Totem families, for greater flexibility and ease of use. Featuring a refined 9’ fabric-sleeved cable with integrated inline full-range dimmer, each model allows smooth adjustment from bright functional light to warm ambient glow. Designed for residential, hospitality, and workspace settings, the extended cord length offers greater placement flexibility while maintaining the clean presence of an architectural wall fixture with the convenience of plug-in installation. Each fixture may be ordered with a choice of Graphite or White fabric-sleeved cord and dimmer kit.

FIXTURE TYPE


Wall
Compatible with: Bola Sphere Flush, Bola Disc Flush, Totem Sconce


LIGHT CONTROL

Full-range dimming


FINISHES

CORD + DIMMER


MATTE WHITE


MATTE BLACK

DIMENSIONS



PRODUCT CODES

Cord with dimmer 120V (Black):	CORD DIM BLK 120V
Cord with dimmer 120V (White):	CORD DIM WHT 120V
Cord with dimmer EU (White):	CORD DIM BLK EU
Cord with dimmer 120V long (Black):	CORD DIM BLK 120V LONG
Cord with dimmer 120V long (White):	CORD DIM WHT 120V LONG
Cord with dimmer EU long (White):	CORD DIM BLK EU LONG

PACKAGING WEIGHT AND DIMENSIONS


Cord and Dimmer:	.5LBS	9” X 3” X 3”
	.23KGS	23cm X 7.6cm X 7.6cm

NOTES


Custom requests can be considered on volume orders




BOLA SPHERE FLUSH
4, 5, 6, 8, 10, 12, 16



BOLA DISC FLUSH
12, 18, 22, 32




TOTEM SCONCE
Puck
Sconce Glass C, D
Sconce Metal 12, 15, 22



TUBE TOP

Tube Top comfortably abstracts the classic, domestic lamp silhouette to suit any style of interior. As designer Peter Stathis remarks, "Pablo is well known for their rigorously minimal products, and my goal was to augment that range by introducing a new light that applies a modern sensibility to a traditional lamp type." Playing with that traditional form, Tube Top combines a transparent, sculpted acrylic base to support its lightweight mesh shade in tension, allowing the shade to appear to float freely. Tube Top is available in multiple table and floor models.

Designer:
Peter Stathis 2006



TUBE TOP TABLE

DESCRIPTION



A minimalist statement in form and proportion, Tube Top combines a transparent formed acrylic base to support its elegant mesh fabric shade in tension, steering away from conventional modes of construction. Its lightweight shade appears to float freely, gently tethered by its fabric cable. Tube Top is available in multiple table, floor and pendant models.

FIXTURE TYPE



Table

LIGHT SOURCE

TUBETOP 14

US	
Brand:	
5.5W LED	
3000K	
G16.5	
500Lm	

TUBE TOP 21

US	
Brand:	
8W LED	
2700K	
E26/BT-15	
800Lm	

LIGHT CONTROL

Full range dim (In-line rotary dimmer)

FEATURES

Multiple sizes for a variety of applications

SPECIFICATIONS

Voltage: 120V

Cable length: 6' (182cm)

Color Rendition Index: 90 CRI

CERTIFICATIONS



PRODUCT CODES	
Tube Top 14 (Silver/Clear):	TUBE 14 GRY/CLR
Tube Top 14 (White/Clear):	TUBE 14 WHT/CLR
Tube Top 14 (White/Char):	TUBE 14 WHT/CHR
Tube Top 14 (Charcoal/Charcoal):	TUBE 14 CHR/CHR
Tube Top 21 (Silver/Clear):	TUBE 21 GRY/CLR
Tube Top 21 (White/Clear):	TUBE 21 WHT/CLR
Tube Top 21 (White/Char):	TUBE 21 WHT/CHR
Tube Top 21 (Charcoal/Charcoal):	TUBE 21 CHR/CHR



PACKAGING WEIGHT AND DIMENSIONS		
TT 14:	3.55LBS	16" X 11" X 5.5"
	1.6KGS	41cm X 28cm X 14cm
TT 21:	9.45LBS	23" X 16" X 8"
	4.3KGS	58cm X 41cm X 20cm

NOTES

Custom requests can be considered on volume orders




FINISHES


			
WHITE/ CLEAR	WHITE/ CHARCOAL	CHARCOAL/ CHARCOAL	SILVER/ CLEAR

DIMENSIONS

TUBE TOP 14



TUBE TOP 21



TUBE TOP COLORS



DESCRIPTION

A minimalist statement in form and proportion, Tube Top combines a transparent formed acrylic base to support its elegant mesh fabric shade in tension, steering away from conventional modes of construction. Its lightweight shade appears to float freely, gently tethered by its fabric cable.

FIXTURE TYPE

Table

LIGHT SOURCE

US	
Brand:	
5.5W LED	
3000K	
G16.5	
500Lm	

LIGHT CONTROL

Full range dim (In-line rotary dimmer)


FEATURES

Full-range dimmer







SPECIFICATIONS

Voltage: 120V
Cable length: 6' (182cm)
Color Rendition Index: 90 CRI

CERTIFICATIONS




FINISHES

		
WHITE/ GREEN	WHITE/ HOT PINK	WHITE/ YELLOW
		
WHITE/ SKY BLUE	WHITE/ COBALT	WHITE/ RUBY RED

DIMENSIONS

TUBE TOP COLOR



PRODUCT CODES

Tube Top (Yellow):	TUBE 14 YEL
Tube Top (Bright Green):	TUBE 14 GRN
Tube Top (Ruby Red):	TUBE 14 RED
Tube Top (Hot Pink):	TUBE 14 PIN
Tube Top (Sky Blue):	TUBE 14 SKY
Tube Top (Cobalt Blue):	TUBE 14 BLU

PACKAGING WEIGHT AND DIMENSIONS

TT 14:	3.55LBS	16" X 11" X 5.5"
	1.6KGS	41cm X 28cm X 14cm

NOTES

Custom requests can be considered on volume orders



UMA

The revolutionary UMA Sound Lantern redefines the portable lantern for the modern age. Fusing state-of-the-art Warm Dim LED technology with 360° high fidelity surround sound, UMA provides a one of a kind portable light + sound experience, integrated seamlessly into a strikingly elegant design. UMA pairs touch sensitive volume control with an intuitive full-range light control dial and features Bluetooth connectivity to stream the highest quality audio wirelessly from any mobile device. A premium leather strap allows for easy portability, and a protective jacket allows UMA to go anywhere you want to go. Invoking the primal symbol of the lantern and the warmth of a campfire, UMA is the perfect centerpiece for social gatherings and intimate moments indoor and out.

Designer:
Carmine Deganello, Pablo Pardo + Pablo Studio 2015

Awards:
2016 AZURE Magazine People's Choice Award
2016 Good Design Award Australia
2017 German Design Award
2017 Best Lighting, House Beautiful Magazine



UMA SOUND LANTERN

DESCRIPTION

The revolutionary UMA Sound Lantern redefines the portable lantern for the modern age. Fusing state-of the-art Warm Dim LED technology with 360° high fidelity surround sound, UMA provides a one of a kind portable light + sound experience, integrated seamlessly into a strikingly elegant design. Uma pairs touch sensitive volume control with an intuitive full-range light control dial and features Bluetooth connectivity to stream the highest quality audio wirelessly from any mobile device. A premium leather strap allows for easy portability, and a protective jacket allows UMA to go anywhere you want to go. Invoking the primal symbol of the lantern and the warmth of a campfire, UMA is the perfect centerpiece for social gatherings and intimate moments indoor and out.

FIXTURE TYPE

Portable - rechargeable

LIGHT SOURCE

(60x) High-output LED array

LIGHT CONTROL

Warm-dim light control ring

FEATURES

- Portable and rechargeable
- Full range dim control
- Rich 360 degree sound
- Bluetooth connectivity
- Warm dimming technology
- Optional surface mount available
- Damp rated for indoor and outdoor use

SPECIFICATIONS

- Voltage: 120-240V 50-60Hz
- Power consumption: 4.5W (light) 12W MAX (speakers)
- Color temperature: 2000-2700K
- Luminosity: 190 Lumens MAX
- Luminaire efficacy: 42 Lumens/Watt
- Color Rendition Index: 90 CRI
- Lithium ion battery: Up to 8 hours of use
- Charging time: Up to 3.5 hours
- Power cable length: 6' (183cm)
- Global multi-plug adapter available
- Patent number: D773,704

CERTIFICATIONS

TUV, FCC, RoHS



PRODUCT CODES

UMA SILVER/WHITE	UMA AL/TAN
------------------	------------

PACKAGING WEIGHT AND DIMENSIONS

UMA:	3LBS	6" X 6" X 11"
	1.4KGS	16cm X 16cm X 15.4cm

NOTES

Custom requests can be considered on volume orders



FINISHES

BASE AND TOP RING



SILVER


LEATHER STRAP



TAN

DIMENSIONS

UMA





UMA MINI

The revolutionary UMA Mini Sound Lantern redefines the portable lantern for the modern age. Fusing state-of-the-art Warm Dim LED technology with 360° high fidelity surround sound, UMA provides a one of a kind portable light + sound experience, integrated seamlessly into a strikingly elegant design. UMA Mini pairs touch sensitive volume control with an intuitive full-range light control dial and features Bluetooth connectivity to stream the highest quality audio wirelessly from any mobile device. Invoking the primal symbol of the lantern and the warmth of a campfire, UMA is the perfect centerpiece for social gatherings and intimate moments indoor and out.

Designer:
Carmine Deganello, Pablo Pardo + Pablo Studio 2019

Awards:
2016 AZURE Magazine People's Choice Award
2016 Good Design Award Australia
2017 German Design Award



UMA MINI

DESCRIPTION

Introducing UMA Mini, the newest addition to the UMA family, now more portable than ever to travel with you anywhere you go. The revolutionary UMA Mini lantern takes all its cues from its big sister UMA, fusing state-of-the-art LED technology with 360° high fidelity surround sound, while boasting a party mode feature that allows for pairing up to 24 units simultaneously via Bluetooth to create the perfect ambiance. UMA Mini also features touch sensitive volume control and 2 soft light level setting to set the perfect mood. Invoking the primal symbol of the lantern and the warmth of a campfire, UMA Mini is the perfect centerpiece for social gatherings at home, restaurant lounges, and any outdoor setting.

FIXTURE TYPE

Portable - rechargeable

LIGHT SOURCE

LED high-output chip on board

LIGHT CONTROL

Dimmable
2-stage dim control

FEATURES

Portable + rechargeable
2 stage dim control
Rich 360° sound
Bluetooth connectivity
Party Mode up to 24 units
20 hour battery life (light only)
15 hour battery life (light & music)
USB-C Rapid charging

SPECIFICATIONS

Power Consumption: 4W (light) 8W MAX (speakers)
Color temperature: 2000K
Luminosity: 100 Lumens MAX
Color Rendition Index: 90 CRI
Battery life: Up to 20 hours
3 hr charge time (using 10W power plug, not included)
Power cable length: 6' (183cm)
IP54 damp rated
Patent pending

CERTIFICATIONS



PRODUCT CODES

Uma Mini	UMA MINI
----------	----------

PACKAGING WEIGHT AND DIMENSIONS

UMA MINI:	2.5LBS	5.6" X 5.6" X 10"
	1KGS	14cm X 14cm X 25.5cm

NOTES

Custom requests can be considered on volume orders









FINISHES



DIMENSIONS

UMA MINI





Pablo
CELEBRATING
33 YEARS OF
ILLUMINATION

GLOBAL AVAILABILITY

Belmont Floor
Belmont Pendant
Belmont Table

Bola Bell
Bola Disc Flush
Bola Disc Pendant
Bola Felt
Bola Lantern
Bola Sphere Pendant
Bola Sphere Flush
Bola Sphere Table

Brazo Floor
Brazo Table

Candél

Carousel Floor
Carousel Table

Cielo Plus
Cielo XL

Circa Floor
Circa Flush
Circa Pendant
Circa Table

Ciro Table
Ciro Wall

Contour Floor
Contour Table

Lim 360

Link Table Medium

Luci Floor
Luci Table

Nivel Floor
Nivel Pedestal SM
Nivel Pedestal LG
Nivel Table
Nivel Flush
Nivel Pendant

Pantaya Pendant
Pantaya Sconce

Pixo Plus
Pixo Wall

Sky Solo Pendant
Sky Dome Metal Pendant
Sky Dome Wood Pendant
Sky Sound Pendant
Sky Dome Metal Flush
Sky Dome Wood Flush

Solis 24 Pendant
Solis 48 Pendant
Solis 72 Pendant
Solis Drum 24 Pendant
Solis Drum 36 Pendant
Solis Drum Flush 24
Solis Drum Flush 36

Superlight Floor
Superlight Table

Swell Single
Swell String Single
Swell String Mix
Swell XL Single
Swell XL String Single
Swell XL String Mix

Talia Floor
Talia Table

T.O Floor
T.O Table
T.O Pendant

Totem Flush
Totem Pendant
Totem Table
Totem Puck
Totem Sconce Glass
Totem Sconce Metal
Totem Mini Pendant
Totem Mini Flush
Totem Table Mini

Uma
Uma Mini